

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization  
International Bureau



(43) International Publication Date  
26 July 2001 (26.07.2001)

PCT

(10) International Publication Number  
**WO 01/53455 A2**

(51) International Patent Classification<sup>7</sup>: **C12N**

[US/US]; 4230 Ranwick Court, San Jose, CA 95118 (US).  
**LIU, Chenghua** [CN/US]; 1125 Ranchero Way #14, San  
Jose, CA 95117 (US). **DRMANAC, Radoje, T.** [YU/US];  
850 East Greenwich Place, Palo Alto, CA 94303 (US).

(21) International Application Number: PCT/US00/35017

(22) International Filing Date:

22 December 2000 (22.12.2000)

(74) Agent: **ELRIFI, Ivor, R.**; Mintz, Levin, Cohn, Ferris,  
Glovsky, and Popeo, P.C., One Financial Center, Boston,  
MA 02111 (US).

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:

09/471,275	23 December 1999 (23.12.1999)	US
09/488,725	21 January 2000 (21.01.2000)	US
09/552,317	25 April 2000 (25.04.2000)	US

(81) Designated States (*national*): AE, AG, AL, AM, AT, AU,  
AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ,  
DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR,  
HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR,  
LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ,  
NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM,  
TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.

(63) Related by continuation (CON) or continuation-in-part  
(CIP) to earlier applications:

US	09/488,725 (CIP)
Filed on	21 January 2000 (21.01.2000)
US	09/596,196 (CIP)
Filed on	17 June 2000 (17.06.2000)
US	09/653,274 (CIP)
Filed on	31 August 2000 (31.08.2000)

(84) Designated States (*regional*): ARIPO patent (GH, GM,  
KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian  
patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European  
patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE,  
IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF,  
CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

**Published:**

— without international search report and to be republished  
upon receipt of that report

(71) Applicant (*for all designated States except US*): **HYSEQ,  
INC.** [US/US]; 670 Almanor Avenue, Sunnyvale, CA  
94086 (US).

(72) Inventors; and

(75) Inventors/Applicants (*for US only*): **TANG, Y., Tom**

*For two-letter codes and other abbreviations, refer to the "Guid-  
ance Notes on Codes and Abbreviations" appearing at the begin-  
ning of each regular issue of the PCT Gazette.*

WO 01/53455 A2

(54) Title: NOVEL NUCLEIC ACIDS AND POLYPEPTIDES

(57) Abstract: The present invention provides novel nucleic acids, novel polypeptide sequences encoded by these nucleic acids and  
uses thereof.

## NOVEL NUCLEIC ACIDS AND POLYPEPTIDES

### 1. TECHNICAL FIELD

The present invention provides novel polynucleotides and proteins encoded by  
5 such polynucleotides, along with uses for these polynucleotides and proteins, for example  
in therapeutic, diagnostic and research methods.

### 2. BACKGROUND

Technology aimed at the discovery of protein factors (including e.g., cytokines,  
10 such as lymphokines, interferons, CSFs, chemokines, and interleukins) has matured  
rapidly over the past decade. The now routine hybridization cloning and expression  
cloning techniques clone novel polynucleotides "directly" in the sense that they rely on  
information directly related to the discovered protein (i.e., partial DNA/amino acid  
sequence of the protein in the case of hybridization cloning; activity of the protein in the  
15 case of expression cloning). More recent "indirect" cloning techniques such as signal  
sequence cloning, which isolates DNA sequences based on the presence of a now  
well-recognized secretory leader sequence motif, as well as various PCR-based or low  
stringency hybridization-based cloning techniques, have advanced the state of the art by  
making available large numbers of DNA/amino acid sequences for proteins that are  
20 known to have biological activity, for example, by virtue of their secreted nature in the  
case of leader sequence cloning, by virtue of their cell or tissue source in the case of  
PCR-based techniques, or by virtue of structural similarity to other genes of known  
biological activity.

Identified polynucleotide and polypeptide sequences have numerous applications  
25 in, for example, diagnostics, forensics, gene mapping; identification of mutations  
responsible for genetic disorders or other traits, to assess biodiversity, and to produce  
many other types of data and products dependent on DNA and amino acid sequences.

### 3. SUMMARY OF THE INVENTION

30 The compositions of the present invention include novel isolated polypeptides, novel  
isolated polynucleotides encoding such polypeptides, including recombinant DNA

molecules, cloned genes or degenerate variants thereof, especially naturally occurring variants such as allelic variants, antisense polynucleotide molecules, and antibodies that specifically recognize one or more epitopes present on such polypeptides, as well as hybridomas producing such antibodies.

- 5           The compositions of the present invention additionally include vectors, including expression vectors, containing the polynucleotides of the invention, cells genetically engineered to contain such polynucleotides and cells genetically engineered to express such polynucleotides.

10           The present invention relates to a collection or library of at least one novel nucleic acid sequence assembled from expressed sequence tags (ESTs) isolated mainly by sequencing by hybridization (SBH), and in some cases, sequences obtained from one or more public databases. The invention relates also to the proteins encoded by such polynucleotides, along with therapeutic, diagnostic and research utilities for these polynucleotides and proteins. These nucleic acid sequences are designated as SEQ ID NO:  
15   1-739. The polypeptides sequences are designated SEQ ID NO: 740-1478. The nucleic acids and polypeptides are provided in the Sequence Listing. In the nucleic acids provided in the Sequence Listing, A is adenosine; C is cytosine; G is guanine; T is thymine; and N is any of the four bases. In the amino acids provided in the Sequence Listing, \* corresponds to the stop codon.

- 20           The nucleic acid sequences of the present invention also include, nucleic acid sequences that hybridize to the complement of SEQ ID NO:1-739 under stringent hybridization conditions; nucleic acid sequences which are allelic variants or species homologues of any of the nucleic acid sequences recited above, or nucleic acid sequences that encode a peptide comprising a specific domain or truncation of the peptides encoded by  
25   SEQ ID NO:1-739. A polynucleotide comprising a nucleotide sequence having at least 90% identity to an identifying sequence of SEQ ID NO:1-739 or a degenerate variant or fragment thereof. The identifying sequence can be 100 base pairs in length.

- The nucleic acid sequences of the present invention also include the sequence information from the nucleic acid sequences of SEQ ID NO:1-739. The sequence  
30   information can be a segment of any one of SEQ ID NO:1-739 that uniquely identifies or represents the sequence information of SEQ ID NO:1-739.

A collection as used in this application can be a collection of only one polynucleotide. The collection of sequence information or identifying information of each sequence can be provided on a nucleic acid array. In one embodiment, segments of sequence information is provided on a nucleic acid array to detect the polynucleotide that contains the segment. The array can be designed to detect full-match or mismatch to the polynucleotide that contains the segment. The collection can also be provided in a computer-readable format.

This invention also includes the reverse or direct complement of any of the nucleic acid sequences recited above; cloning or expression vectors containing the nucleic acid sequences; and host cells or organisms transformed with these expression vectors. Nucleic acid sequences (or their reverse or direct complements) according to the invention have numerous applications in a variety of techniques known to those skilled in the art of molecular biology, such as use as hybridization probes, use as primers for PCR, use in an array, use in computer-readable media, use in sequencing full-length genes, use for chromosome and gene mapping, use in the recombinant production of protein, and use in the generation of anti-sense DNA or RNA, their chemical analogs and the like.

In a preferred embodiment, the nucleic acid sequences of SEQ ID NO:1-739 or novel segments or parts of the nucleic acids of the invention are used as primers in expression assays that are well known in the art. In a particularly preferred embodiment, the nucleic acid sequences of SEQ ID NO:1-739 or novel segments or parts of the nucleic acids provided herein are used in diagnostics for identifying expressed genes or, as well known in the art and exemplified by Vollrath et al., *Science* 258:52-59 (1992), as expressed sequence tags for physical mapping of the human genome.

The isolated polynucleotides of the invention include, but are not limited to, a polynucleotide comprising any one of the nucleotide sequences set forth in SEQ ID NO:1-739; a polynucleotide comprising any of the full length protein coding sequences of SEQ ID NO:1 - 739; and a polynucleotide comprising any of the nucleotide sequences of the mature protein coding sequences of SEQ ID NO: 1- 739. The polynucleotides of the present invention also include, but are not limited to, a polynucleotide that hybridizes under stringent hybridization conditions to (a) the complement of any one of the nucleotide sequences set forth in SEQ ID NO:1-739; (b) a nucleotide sequence encoding any one of the



amino acid sequences set forth in the Sequence Listing; (c) a polynucleotide which is an allelic variant of any polynucleotides recited above; (d) a polynucleotide which encodes a species homolog (e.g. orthologs) of any of the proteins recited above; or (e) a polynucleotide that encodes a polypeptide comprising a specific domain or truncation of any of the polypeptides comprising an amino acid sequence set forth in the Sequence Listing.

The isolated polypeptides of the invention include, but are not limited to, a polypeptide comprising any of the amino acid sequences set forth in the Sequence Listing; or the corresponding full length or mature protein. Polypeptides of the invention also include polypeptides with biological activity that are encoded by (a) any of the polynucleotides having a nucleotide sequence set forth in SEQ ID NO:1-739; or (b) polynucleotides that hybridize to the complement of the polynucleotides of (a) under stringent hybridization conditions. Biologically or immunologically active variants of any of the polypeptide sequences in the Sequence Listing, and "substantial equivalents" thereof (e.g., with at least about 65%, 70%, 75%, 80%, 85%, 90%, 95%, 98% or 99% amino acid sequence identity) that preferably retain biological activity are also contemplated. The polypeptides of the invention may be wholly or partially chemically synthesized but are preferably produced by recombinant means using the genetically engineered cells (e.g. host cells) of the invention.

The invention also provides compositions comprising a polypeptide of the invention. Polypeptide compositions of the invention may further comprise an acceptable carrier, such as a hydrophilic, e.g., pharmaceutically acceptable, carrier.

The invention also provides host cells transformed or transfected with a polynucleotide of the invention.

The invention also relates to methods for producing a polypeptide of the invention comprising growing a culture of the host cells of the invention in a suitable culture medium under conditions permitting expression of the desired polypeptide, and purifying the polypeptide from the culture or from the host cells. Preferred embodiments include those in which the protein produced by such process is a mature form of the protein.

Polynucleotides according to the invention have numerous applications in a variety of techniques known to those skilled in the art of molecular biology. These techniques include use as hybridization probes, use as oligomers, or primers, for PCR, use for chromosome and gene mapping, use in the recombinant production of protein,

and use in generation of anti-sense DNA or RNA, their chemical analogs and the like. For example, when the expression of an mRNA is largely restricted to a particular cell or tissue type, polynucleotides of the invention can be used as hybridization probes to detect the presence of the particular cell or tissue mRNA in a sample using, *e.g.*, *in situ* hybridization.

In other exemplary embodiments, the polynucleotides are used in diagnostics as expressed sequence tags for identifying expressed genes or, as well known in the art and exemplified by Vollrath et al., Science 258:52-59 (1992), as expressed sequence tags for physical mapping of the human genome.

The polypeptides according to the invention can be used in a variety of conventional procedures and methods that are currently applied to other proteins. For example, a polypeptide of the invention can be used to generate an antibody that specifically binds the polypeptide. Such antibodies, particularly monoclonal antibodies, are useful for detecting or quantitating the polypeptide in tissue. The polypeptides of the invention can also be used as molecular weight markers, and as a food supplement.

Methods are also provided for preventing, treating, or ameliorating a medical condition which comprises the step of administering to a mammalian subject a therapeutically effective amount of a composition comprising a polypeptide of the present invention and a pharmaceutically acceptable carrier.

In particular, the polypeptides and polynucleotides of the invention can be utilized, for example, in methods for the prevention and/or treatment of disorders involving aberrant protein expression or biological activity.

The present invention further relates to methods for detecting the presence of the polynucleotides or polypeptides of the invention in a sample. Such methods can, for example, be utilized as part of prognostic and diagnostic evaluation of disorders as recited herein and for the identification of subjects exhibiting a predisposition to such conditions. The invention provides a method for detecting the polynucleotides of the invention in a sample, comprising contacting the sample with a compound that binds to and forms a complex with the polynucleotide of interest for a period sufficient to form the complex and under conditions sufficient to form a complex and detecting the complex such that if a complex is detected, the polynucleotide of interest is detected. The

invention also provides a method for detecting the polypeptides of the invention in a sample comprising contacting the sample with a compound that binds to and forms a complex with the polypeptide under conditions and for a period sufficient to form the complex and detecting the formation of the complex such that if a complex is formed, the polypeptide is detected.

The invention also provides kits comprising polynucleotide probes and/or monoclonal antibodies, and optionally quantitative standards, for carrying out methods of the invention. Furthermore, the invention provides methods for evaluating the efficacy of drugs, and monitoring the progress of patients, involved in clinical trials for the treatment of disorders as recited above.

The invention also provides methods for the identification of compounds that modulate (i.e., increase or decrease) the expression or activity of the polynucleotides and/or polypeptides of the invention. Such methods can be utilized, for example, for the identification of compounds that can ameliorate symptoms of disorders as recited herein.

Such methods can include, but are not limited to, assays for identifying compounds and other substances that interact with (e.g., bind to) the polypeptides of the invention. The invention provides a method for identifying a compound that binds to the polypeptides of the invention comprising contacting the compound with a polypeptide of the invention in a cell for a time sufficient to form a polypeptide/compound complex, wherein the complex drives expression of a reporter gene sequence in the cell; and detecting the complex by detecting the reporter gene sequence expression such that if expression of the reporter gene is detected the compound the binds to a polypeptide of the invention is identified.

The methods of the invention also provides methods for treatment which involve the administration of the polynucleotides or polypeptides of the invention to individuals exhibiting symptoms or tendencies. In addition, the invention encompasses methods for treating diseases or disorders as recited herein comprising administering compounds and other substances that modulate the overall activity of the target gene products. Compounds and other substances can effect such modulation either on the level of target gene/protein expression or target protein activity.

The polypeptides of the present invention and the polynucleotides encoding them are also useful for the same functions known to one of skill in the art as the polypeptides and polynucleotides to which they have homology (set forth in Table 2). If no homology is set forth for a sequence, then the polypeptides and polynucleotides of the present invention are useful for a variety of applications, as described herein, including use in arrays for detection.

#### 4. DETAILED DESCRIPTION OF THE INVENTION

##### 4.1 DEFINITIONS

It must be noted that as used herein and in the appended claims, the singular forms "a", "an" and "the" include plural references unless the context clearly dictates otherwise.

The term "active" refers to those forms of the polypeptide which retain the biologic and/or immunologic activities of any naturally occurring polypeptide. According to the invention, the terms "biologically active" or "biological activity" refer to a protein or peptide having structural, regulatory or biochemical functions of a naturally occurring molecule. Likewise "immunologically active" or "immunological activity" refers to the capability of the natural, recombinant or synthetic polypeptide to induce a specific immune response in appropriate animals or cells and to bind with specific antibodies.

The term "activated cells" as used in this application are those cells which are engaged in extracellular or intracellular membrane trafficking, including the export of secretory or enzymatic molecules as part of a normal or disease process.

The terms "complementary" or "complementarity" refer to the natural binding of polynucleotides by base pairing. For example, the sequence 5'-AGT-3' binds to the complementary sequence 3'-TCA-5'. Complementarity between two single-stranded molecules may be "partial" such that only some of the nucleic acids bind or it may be "complete" such that total complementarity exists between the single stranded molecules. The degree of complementarity between the nucleic acid strands has significant effects on the efficiency and strength of the hybridization between the nucleic acid strands.

The term "embryonic stem cells (ES)" refers to a cell that can give rise to many differentiated cell types in an embryo or an adult, including the germ cells. The term "germ line stem cells (GSCs)" refers to stem cells derived from primordial stem cells that provide a steady and continuous source of germ cells for the production of gametes. The  
5 term "primordial germ cells (PGCs)" refers to a small population of cells set aside from other cell lineages particularly from the yolk sac, mesenteries, or gonadal ridges during embryogenesis that have the potential to differentiate into germ cells and other cells. PGCs are the source from which GSCs and ES cells are derived. The PGCs, the GSCs and the ES cells are capable of self-renewal. Thus these cells not only populate the germ  
10 line and give rise to a plurality of terminally differentiated cells that comprise the adult specialized organs, but are able to regenerate themselves.

The term "expression modulating fragment," EMF, means a series of nucleotides which modulates the expression of an operably linked ORF or another EMF.

As used herein, a sequence is said to "modulate the expression of an operably  
15 linked sequence" when the expression of the sequence is altered by the presence of the EMF. EMFs include, but are not limited to, promoters, and promoter modulating sequences (inducible elements). One class of EMFs are nucleic acid fragments which induce the expression of an operably linked ORF in response to a specific regulatory factor or physiological event.

20 The terms "nucleotide sequence" or "nucleic acid" or "polynucleotide" or "oligonucleotide" are used interchangeably and refer to a heteropolymer of nucleotides or the sequence of these nucleotides. These phrases also refer to DNA or RNA of genomic or synthetic origin which may be single-stranded or double-stranded and may represent the sense or the antisense strand, to peptide nucleic acid (PNA) or to any DNA-like or  
25 RNA-like material. In the sequences herein A is adenine, C is cytosine, T is thymine, G is guanine and N is A, C, G or T (U). It is contemplated that where the polynucleotide is RNA, the T (thymine) in the sequences provided herein is substituted with U (uracil). Generally, nucleic acid segments provided by this invention may be assembled from fragments of the genome and short oligonucleotide linkers, or from a series of  
30 oligonucleotides, or from individual nucleotides, to provide a synthetic nucleic acid

which is capable of being expressed in a recombinant transcriptional unit comprising regulatory elements derived from a microbial or viral operon, or a eukaryotic gene.

The terms "oligonucleotide fragment" or a "polynucleotide fragment", "portion," or "segment" or "probe" or "primer" are used interchangeably and refer to a sequence of nucleotide residues which are at least about 5 nucleotides, more preferably at least about 7 nucleotides, more preferably at least about 9 nucleotides, more preferably at least about 11 nucleotides and most preferably at least about 17 nucleotides. The fragment is preferably less than about 500 nucleotides, preferably less than about 200 nucleotides, more preferably less than about 100 nucleotides, more preferably less than about 50 nucleotides and most preferably less than 30 nucleotides. Preferably the probe is from about 6 nucleotides to about 200 nucleotides, preferably from about 15 to about 50 nucleotides, more preferably from about 17 to 30 nucleotides and most preferably from about 20 to 25 nucleotides. Preferably the fragments can be used in polymerase chain reaction (PCR), various hybridization procedures or microarray procedures to identify or amplify identical or related parts of mRNA or DNA molecules. A fragment or segment may uniquely identify each polynucleotide sequence of the present invention. Preferably the fragment comprises a sequence substantially similar to any one of SEQ ID NOs:1-20.

Probes may, for example, be used to determine whether specific mRNA molecules are present in a cell or tissue or to isolate similar nucleic acid sequences from chromosomal DNA as described by Walsh et al. (Walsh, P.S. et al., 1992, PCR Methods Appl 1:241-250). They may be labeled by nick translation, Klenow fill-in reaction, PCR, or other methods well known in the art. Probes of the present invention, their preparation and/or labeling are elaborated in Sambrook, J. et al., 1989, Molecular Cloning: A Laboratory Manual, Cold Spring Harbor Laboratory, NY; or Ausubel, F.M. et al., 1989, Current Protocols in Molecular Biology, John Wiley & Sons, New York NY, both of which are incorporated herein by reference in their entirety.

The nucleic acid sequences of the present invention also include the sequence information from the nucleic acid sequences of SEQ ID NO:1-739. The sequence information can be a segment of any one of SEQ ID NO:1-739 that uniquely identifies or represents the sequence information of that sequence of SEQ ID NO:1-739. One such segment can be a twenty-mer nucleic acid sequence because the probability that a twenty-

mer is fully matched in the human genome is 1 in 300. In the human genome, there are three billion base pairs in one set of chromosomes. Because  $4^{20}$  possible twenty-mers exist, there are 300 times more twenty-mers than there are base pairs in a set of human chromosomes. Using the same analysis, the probability for a seventeen-mer to be fully  
5 matched in the human genome is approximately 1 in 5. When these segments are used in arrays for expression studies, fifteen-mer segments can be used. The probability that the fifteen-mer is fully matched in the expressed sequences is also approximately one in five because expressed sequences comprise less than approximately 5% of the entire genome sequence.

10 Similarly, when using sequence information for detecting a single mismatch, a segment can be a twenty-five mer. The probability that the twenty-five mer would appear in a human genome with a single mismatch is calculated by multiplying the probability for a full match ( $1/4^{25}$ ) times the increased probability for mismatch at each nucleotide position ( $3 \times 25$ ). The probability that an eighteen mer with a single mismatch can be detected in an  
15 array for expression studies is approximately one in five. The probability that a twenty-mer with a single mismatch can be detected in a human genome is approximately one in five.

The term "open reading frame," ORF, means a series of nucleotide triplets coding for amino acids without any termination codons and is a sequence translatable into protein.

20 The terms "operably linked" or "operably associated" refer to functionally related nucleic acid sequences. For example, a promoter is operably associated or operably linked with a coding sequence if the promoter controls the transcription of the coding sequence. While operably linked nucleic acid sequences can be contiguous and in the same reading frame, certain genetic elements e.g. repressor genes are not contiguously  
25 linked to the coding sequence but still control transcription/translation of the coding sequence.

The term "pluripotent" refers to the capability of a cell to differentiate into a number of differentiated cell types that are present in an adult organism. A pluripotent cell is restricted in its differentiation capability in comparison to a totipotent cell.

30 The terms "polypeptide" or "peptide" or "amino acid sequence" refer to an oligopeptide, peptide, polypeptide or protein sequence or fragment thereof and to

naturally occurring or synthetic molecules. A polypeptide "fragment," "portion," or "segment" is a stretch of amino acid residues of at least about 5 amino acids, preferably at least about 7 amino acids, more preferably at least about 9 amino acids and most preferably at least about 17 or more amino acids. The peptide preferably is not greater than about 200 amino acids, more preferably less than 150 amino acids and most preferably less than 100 amino acids. Preferably the peptide is from about 5 to about 200 amino acids. To be active, any polypeptide must have sufficient length to display biological and/or immunological activity.

The term "naturally occurring polypeptide" refers to polypeptides produced by cells that have not been genetically engineered and specifically contemplates various polypeptides arising from post-translational modifications of the polypeptide including, but not limited to, acetylation, carboxylation, glycosylation, phosphorylation, lipidation and acylation.

The term "translated protein coding portion" means a sequence which encodes for the full length protein which may include any leader sequence or any processing sequence.

The term "mature protein coding sequence" means a sequence which encodes a peptide or protein without a signal or leader sequence. The "mature protein portion" means that portion of the protein which does not include a signal or leader sequence. The peptide may have been produced by processing in the cell which removes any leader/signal sequence. The mature protein portion may or may not include the initial methionine residue. The methionine residue may be removed from the protein during processing in the cell. The peptide may be produced synthetically or the protein may have been produced using a polynucleotide only encoding for the mature protein coding sequence.

The term "derivative" refers to polypeptides chemically modified by such techniques as ubiquitination, labeling (e.g., with radionuclides or various enzymes), covalent polymer attachment such as pegylation (derivatization with polyethylene glycol) and insertion or substitution by chemical synthesis of amino acids such as ornithine, which do not normally occur in human proteins.



The term "variant"(or "analog") refers to any polypeptide differing from naturally occurring polypeptides by amino acid insertions, deletions, and substitutions, created using, *e g.*, recombinant DNA techniques. Guidance in determining which amino acid residues may be replaced, added or deleted without abolishing activities of interest, may  
5 be found by comparing the sequence of the particular polypeptide with that of homologous peptides and minimizing the number of amino acid sequence changes made in regions of high homology (conserved regions) or by replacing amino acids with consensus sequence.

Alternatively, recombinant variants encoding these same or similar polypeptides  
10 may be synthesized or selected by making use of the "redundancy" in the genetic code. Various codon substitutions, such as the silent changes which produce various restriction sites, may be introduced to optimize cloning into a plasmid or viral vector or expression in a particular prokaryotic or eukaryotic system. Mutations in the polynucleotide sequence may be reflected in the polypeptide or domains of other peptides added to the  
15 polypeptide to modify the properties of any part of the polypeptide, to change characteristics such as ligand-binding affinities, interchain affinities, or degradation/turnover rate.

Preferably, amino acid "substitutions" are the result of replacing one amino acid with another amino acid having similar structural and/or chemical properties, *i.e.*,  
20 conservative amino acid replacements. "Conservative" amino acid substitutions may be made on the basis of similarity in polarity, charge, solubility, hydrophobicity, hydrophilicity, and/or the amphipathic nature of the residues involved. For example, nonpolar (hydrophobic) amino acids include alanine, leucine, isoleucine, valine, proline, phenylalanine, tryptophan, and methionine; polar neutral amino acids include glycine,  
25 serine, threonine, cysteine, tyrosine, asparagine, and glutamine; positively charged (basic) amino acids include arginine, lysine, and histidine; and negatively charged (acidic) amino acids include aspartic acid and glutamic acid. "Insertions" or "deletions" are preferably in the range of about 1 to 20 amino acids, more preferably 1 to 10 amino acids. The variation allowed may be experimentally determined by systematically making insertions,  
30 deletions, or substitutions of amino acids in a polypeptide molecule using recombinant DNA techniques and assaying the resulting recombinant variants for activity.

Alternatively, where alteration of function is desired, insertions, deletions or non-conservative alterations can be engineered to produce altered polypeptides. Such alterations can, for example, alter one or more of the biological functions or biochemical characteristics of the polypeptides of the invention. For example, such alterations may  
5 change polypeptide characteristics such as ligand-binding affinities, interchain affinities, or degradation/turnover rate. Further, such alterations can be selected so as to generate polypeptides that are better suited for expression, scale up and the like in the host cells chosen for expression. For example, cysteine residues can be deleted or substituted with another amino acid residue in order to eliminate disulfide bridges.

10 The terms "purified" or "substantially purified" as used herein denotes that the indicated nucleic acid or polypeptide is present in the substantial absence of other biological macromolecules, *e.g.*, polynucleotides, proteins, and the like. In one embodiment, the polynucleotide or polypeptide is purified such that it constitutes at least 95% by weight, more preferably at least 99% by weight, of the indicated biological  
15 macromolecules present (but water, buffers, and other small molecules, especially molecules having a molecular weight of less than 1000 daltons, can be present).

The term "isolated" as used herein refers to a nucleic acid or polypeptide separated from at least one other component (*e.g.*, nucleic acid or polypeptide) present with the nucleic acid or polypeptide in its natural source. In one embodiment, the nucleic  
20 acid or polypeptide is found in the presence of (if anything) only a solvent, buffer, ion, or other component normally present in a solution of the same. The terms "isolated" and "purified" do not encompass nucleic acids or polypeptides present in their natural source.

The term "recombinant," when used herein to refer to a polypeptide or protein, means that a polypeptide or protein is derived from recombinant (*e.g.*, microbial, insect,  
25 or mammalian) expression systems. "Microbial" refers to recombinant polypeptides or proteins made in bacterial or fungal (*e.g.*, yeast) expression systems. As a product, "recombinant microbial" defines a polypeptide or protein essentially free of native endogenous substances and unaccompanied by associated native glycosylation.

Polypeptides or proteins expressed in most bacterial cultures, *e.g.*, *E. coli*, will be free of  
30 glycosylation modifications; polypeptides or proteins expressed in yeast will have a glycosylation pattern in general different from those expressed in mammalian cells.

The term "recombinant expression vehicle or vector" refers to a plasmid or phage or virus or vector, for expressing a polypeptide from a DNA (RNA) sequence. An expression vehicle can comprise a transcriptional unit comprising an assembly of (1) a genetic element or elements having a regulatory role in gene expression, for example, promoters or enhancers, (2) a structural or coding sequence which is transcribed into mRNA and translated into protein, and (3) appropriate transcription initiation and termination sequences. Structural units intended for use in yeast or eukaryotic expression systems preferably include a leader sequence enabling extracellular secretion of translated protein by a host cell. Alternatively, where recombinant protein is expressed without a leader or transport sequence, it may include an amino terminal methionine residue. This residue may or may not be subsequently cleaved from the expressed recombinant protein to provide a final product.

The term "recombinant expression system" means host cells which have stably integrated a recombinant transcriptional unit into chromosomal DNA or carry the recombinant transcriptional unit extrachromosomally. Recombinant expression systems as defined herein will express heterologous polypeptides or proteins upon induction of the regulatory elements linked to the DNA segment or synthetic gene to be expressed. This term also means host cells which have stably integrated a recombinant genetic element or elements having a regulatory role in gene expression, for example, promoters or enhancers. Recombinant expression systems as defined herein will express polypeptides or proteins endogenous to the cell upon induction of the regulatory elements linked to the endogenous DNA segment or gene to be expressed. The cells can be prokaryotic or eukaryotic.

The term "secreted" includes a protein that is transported across or through a membrane, including transport as a result of signal sequences in its amino acid sequence when it is expressed in a suitable host cell. "Secreted" proteins include without limitation proteins secreted wholly (*e.g.*, soluble proteins) or partially (*e.g.*, receptors) from the cell in which they are expressed. "Secreted" proteins also include without limitation proteins that are transported across the membrane of the endoplasmic reticulum. "Secreted" proteins are also intended to include proteins containing non-typical signal sequences (*e.g.* Interleukin-1 Beta, see Krasney, P.A. and Young, P.R. (1992) Cytokine 4(2):134

-143) and factors released from damaged cells (e.g. Interleukin-1 Receptor Antagonist, see Arend, W.P. et. al. (1998) Annu. Rev. Immunol. 16:27-55)

Where desired, an expression vector may be designed to contain a "signal or leader sequence" which will direct the polypeptide through the membrane of a cell. Such  
5 a sequence may be naturally present on the polypeptides of the present invention or provided from heterologous protein sources by recombinant DNA techniques.

The term "stringent" is used to refer to conditions that are commonly understood in the art as stringent. Stringent conditions can include highly stringent conditions (i.e., hybridization to filter-bound DNA in 0.5 M NaHPO<sub>4</sub>, 7% sodium dodecyl sulfate (SDS),  
10 1 mM EDTA at 65°C, and washing in 0.1X SSC/0.1% SDS at 68°C), and moderately stringent conditions (i.e., washing in 0.2X SSC/0.1% SDS at 42°C). Other exemplary hybridization conditions are described herein in the examples.

In instances of hybridization of deoxyoligonucleotides, additional exemplary stringent hybridization conditions include washing in 6X SSC/0.05% sodium  
15 pyrophosphate at 37°C (for 14-base oligonucleotides), 48°C (for 17-base oligos), 55°C (for 20-base oligonucleotides), and 60°C (for 23-base oligonucleotides).

As used herein, "substantially equivalent" can refer both to nucleotide and amino acid sequences, for example a mutant sequence, that varies from a reference sequence by one or more substitutions, deletions, or additions, the net effect of which does not result  
20 in an adverse functional dissimilarity between the reference and subject sequences. Typically, such a substantially equivalent sequence varies from one of those listed herein by no more than about 35% (i.e., the number of individual residue substitutions, additions, and/or deletions in a substantially equivalent sequence, as compared to the corresponding reference sequence, divided by the total number of residues in the  
25 substantially equivalent sequence is about 0.35 or less). Such a sequence is said to have 65% sequence identity to the listed sequence. In one embodiment, a substantially equivalent, e.g., mutant, sequence of the invention varies from a listed sequence by no more than 30% (70% sequence identity); in a variation of this embodiment, by no more than 25% (75% sequence identity); and in a further variation of this embodiment, by no  
30 more than 20% (80% sequence identity) and in a further variation of this embodiment, by no more than 10% (90% sequence identity) and in a further variation of this embodiment,

by no more than 5% (95% sequence identity). Substantially equivalent, *e.g.*, mutant, amino acid sequences according to the invention preferably have at least 80% sequence identity with a listed amino acid sequence, more preferably at least 90% sequence identity. Substantially equivalent nucleotide sequences of the invention can have lower percent sequence identities, taking into account, for example, the redundancy or degeneracy of the genetic code. Preferably, nucleotide sequence has at least about 65% identity, more preferably at least about 75% identity, and most preferably at least about 95% identity. For the purposes of the present invention, sequences having substantially equivalent biological activity and substantially equivalent expression characteristics are considered substantially equivalent. For the purposes of determining equivalence, truncation of the mature sequence (*e.g.*, via a mutation which creates a spurious stop codon) should be disregarded. Sequence identity may be determined, *e.g.*, using the Jotun Hein method (Hein, J. (1990) *Methods Enzymol.* 183:626-645). Identity between sequences can also be determined by other methods known in the art, *e.g.* by varying hybridization conditions.

The term "totipotent" refers to the capability of a cell to differentiate into all of the cell types of an adult organism.

The term "transformation" means introducing DNA into a suitable host cell so that the DNA is replicable, either as an extrachromosomal element, or by chromosomal integration. The term "transfection" refers to the taking up of an expression vector by a suitable host cell, whether or not any coding sequences are in fact expressed. The term "infection" refers to the introduction of nucleic acids into a suitable host cell by use of a virus or viral vector.

As used herein, an "uptake modulating fragment," UMF, means a series of nucleotides which mediate the uptake of a linked DNA fragment into a cell. UMFs can be readily identified using known UMFs as a target sequence or target motif with the computer-based systems described below. The presence and activity of a UMF can be confirmed by attaching the suspected UMF to a marker sequence. The resulting nucleic acid molecule is then incubated with an appropriate host under appropriate conditions and the uptake of the marker sequence is determined. As described above, a UMF will increase the frequency of uptake of a linked marker sequence.

Each of the above terms is meant to encompass all that is described for each, unless the context dictates otherwise.

#### 4.2 NUCLEIC ACIDS OF THE INVENTION

5 Nucleotide sequences of the invention are set forth in the Sequence Listing.

The isolated polynucleotides of the invention include a polynucleotide comprising the nucleotide sequences of SEQ ID NO:1-739 ; a polynucleotide encoding any one of the peptide sequences of SEQ ID NO:740-1478; and a polynucleotide comprising the nucleotide sequence encoding the mature protein coding sequence of the polypeptides of  
10 any one of SEQ ID NO:740-1478. The polynucleotides of the present invention also include, but are not limited to, a polynucleotide that hybridizes under stringent conditions to (a) the complement of any of the nucleotides sequences of SEQ ID NO:1-739 ; (b) nucleotide sequences encoding any one of the amino acid sequences set forth in the Sequence Listing; (c) a polynucleotide which is an allelic variant of any polynucleotide  
15 recited above; (d) a polynucleotide which encodes a species homolog of any of the proteins recited above; or (e) a polynucleotide that encodes a polypeptide comprising a specific domain or truncation of the polypeptides of SEQ ID NO: 740-1478. Domains of interest may depend on the nature of the encoded polypeptide; e.g., domains in receptor-like polypeptides include ligand-binding, extracellular, transmembrane, or cytoplasmic  
20 domains, or combinations thereof; domains in immunoglobulin-like proteins include the variable immunoglobulin-like domains; domains in enzyme-like polypeptides include catalytic and substrate binding domains; and domains in ligand polypeptides include receptor-binding domains.

The polynucleotides of the invention include naturally occurring or wholly or  
25 partially synthetic DNA, e.g., cDNA and genomic DNA, and RNA, e.g., mRNA. The polynucleotides may include all of the coding region of the cDNA or may represent a portion of the coding region of the cDNA.

The present invention also provides genes corresponding to the cDNA sequences disclosed herein. The corresponding genes can be isolated in accordance with known  
30 methods using the sequence information disclosed herein. Such methods include the preparation of probes or primers from the disclosed sequence information for identification

and/or amplification of genes in appropriate genomic libraries or other sources of genomic materials. Further 5' and 3' sequence can be obtained using methods known in the art. For example, full length cDNA or genomic DNA that corresponds to any of the polynucleotides of SEQ ID NO:1-739 can be obtained by screening appropriate cDNA or genomic DNA  
5 libraries under suitable hybridization conditions using any of the polynucleotides of SEQ ID NO:1-739 or a portion thereof as a probe. Alternatively, the polynucleotides of SEQ ID NO:1-739 may be used as the basis for suitable primer(s) that allow identification and/or amplification of genes in appropriate genomic DNA or cDNA libraries.

The nucleic acid sequences of the invention can be assembled from ESTs and  
10 sequences (including cDNA and genomic sequences) obtained from one or more public databases, such as dbEST, gbpri, and UniGene. The EST sequences can provide identifying sequence information, representative fragment or segment information, or novel segment information for the full-length gene.

The polynucleotides of the invention also provide polynucleotides including  
15 nucleotide sequences that are substantially equivalent to the polynucleotides recited above. Polynucleotides according to the invention can have, *e.g.*, at least about 65%, at least about 70%, at least about 75%, at least about 80%, more typically at least about 90%, and even more typically at least about 95%, sequence identity to a polynucleotide recited above.

Included within the scope of the nucleic acid sequences of the invention are  
20 nucleic acid sequence fragments that hybridize under stringent conditions to any of the nucleotide sequences of SEQ ID NO:1-739, or complements thereof, which fragment is greater than about 5 nucleotides, preferably 7 nucleotides, more preferably greater than 9 nucleotides and most preferably greater than 17 nucleotides. Fragments of, *e.g.* 15, 17, or  
25 20 nucleotides or more that are selective for (*i.e.* specifically hybridize to any one of the polynucleotides of the invention) are contemplated. Probes capable of specifically hybridizing to a polynucleotide can differentiate polynucleotide sequences of the invention from other polynucleotide sequences in the same family of genes or can differentiate human genes from genes of other species, and are preferably based on  
30 unique nucleotide sequences.

The sequences falling within the scope of the present invention are not limited to these specific sequences, but also include allelic and species variations thereof. Allelic and species variations can be routinely determined by comparing the sequence provided SEQ ID NO:1-739, a representative fragment thereof, or a nucleotide sequence at least 90%

5 identical, preferably 95% identical, to SEQ ID NO:1-739 with a sequence from another isolate of the same species. Furthermore, to accommodate codon variability, the invention includes nucleic acid molecules coding for the same amino acid sequences as do the specific ORFs disclosed herein. In other words, in the coding region of an ORF, substitution of one codon for another codon that encodes the same amino acid is expressly contemplated.

10 The nearest neighbor or homology result for the nucleic acids of the present invention, including SEQ ID NO:1-739, can be obtained by searching a database using an algorithm or a program. Preferably, a BLAST which stands for Basic Local Alignment Search Tool is used to search for local sequence alignments (Altschul, S.F. J Mol. Evol. 36 290-300 (1993) and Altschul S.F. et al. J. Mol. Biol. 21:403-410 (1990)). Alternatively a  
15 FASTA version 3 search against Genpept, using Fastxy algorithm.

Species homologs (or orthologs) of the disclosed polynucleotides and proteins are also provided by the present invention. Species homologs may be isolated and identified by making suitable probes or primers from the sequences provided herein and screening a suitable nucleic acid source from the desired species.

20 The invention also encompasses allelic variants of the disclosed polynucleotides or proteins; that is, naturally-occurring alternative forms of the isolated polynucleotide which also encode proteins which are identical, homologous or related to that encoded by the polynucleotides.

The nucleic acid sequences of the invention are further directed to sequences  
25 which encode variants of the described nucleic acids. These amino acid sequence variants may be prepared by methods known in the art by introducing appropriate nucleotide changes into a native or variant polynucleotide. There are two variables in the construction of amino acid sequence variants: the location of the mutation and the nature of the mutation. Nucleic acids encoding the amino acid sequence variants are preferably  
30 constructed by mutating the polynucleotide to encode an amino acid sequence that does not occur in nature. These nucleic acid alterations can be made at sites that differ in the



nucleic acids from different species (variable positions) or in highly conserved regions (constant regions). Sites at such locations will typically be modified in series, *e.g.*, by substituting first with conservative choices (*e.g.*, hydrophobic amino acid to a different hydrophobic amino acid) and then with more distant choices (*e.g.*, hydrophobic amino acid to a charged amino acid), and then deletions or insertions may be made at the target site. Amino acid sequence deletions generally range from about 1 to 30 residues, preferably about 1 to 10 residues, and are typically contiguous. Amino acid insertions include amino- and/or carboxyl-terminal fusions ranging in length from one to one hundred or more residues, as well as intrasequence insertions of single or multiple amino acid residues. Intrasequence insertions may range generally from about 1 to 10 amino residues, preferably from 1 to 5 residues. Examples of terminal insertions include the heterologous signal sequences necessary for secretion or for intracellular targeting in different host cells and sequences such as FLAG or poly-histidine sequences useful for purifying the expressed protein.

In a preferred method, polynucleotides encoding the novel amino acid sequences are changed via site-directed mutagenesis. This method uses oligonucleotide sequences to alter a polynucleotide to encode the desired amino acid variant, as well as sufficient adjacent nucleotides on both sides of the changed amino acid to form a stable duplex on either side of the site of being changed. In general, the techniques of site-directed mutagenesis are well known to those of skill in the art and this technique is exemplified by publications such as, Edelman et al., *DNA* 2:183 (1983). A versatile and efficient method for producing site-specific changes in a polynucleotide sequence was published by Zoller and Smith, *Nucleic Acids Res.* 10:6487-6500 (1982). PCR may also be used to create amino acid sequence variants of the novel nucleic acids. When small amounts of template DNA are used as starting material, primer(s) that differs slightly in sequence from the corresponding region in the template DNA can generate the desired amino acid variant. PCR amplification results in a population of product DNA fragments that differ from the polynucleotide template encoding the polypeptide at the position specified by the primer. The product DNA fragments replace the corresponding region in the plasmid and this gives a polynucleotide encoding the desired amino acid variant.

A further technique for generating amino acid variants is the cassette mutagenesis technique described in Wells et al., *Gene* 34:315 (1985); and other mutagenesis techniques well known in the art, such as, for example, the techniques in Sambrook et al., supra, and *Current Protocols in Molecular Biology*, Ausubel et al. Due to the inherent  
5 degeneracy of the genetic code, other DNA sequences which encode substantially the same or a functionally equivalent amino acid sequence may be used in the practice of the invention for the cloning and expression of these novel nucleic acids. Such DNA sequences include those which are capable of hybridizing to the appropriate novel nucleic acid sequence under stringent conditions.

10 Polynucleotides encoding preferred polypeptide truncations of the invention can be used to generate polynucleotides encoding chimeric or fusion proteins comprising one or more domains of the invention and heterologous protein sequences.

The polynucleotides of the invention additionally include the complement of any of the polynucleotides recited above. The polynucleotide can be DNA (genomic, cDNA,  
15 amplified, or synthetic) or RNA. Methods and algorithms for obtaining such polynucleotides are well known to those of skill in the art and can include, for example, methods for determining hybridization conditions that can routinely isolate polynucleotides of the desired sequence identities.

In accordance with the invention, polynucleotide sequences comprising the  
20 mature protein coding sequences corresponding to any one of SEQ ID NO:1-739, or functional equivalents thereof, may be used to generate recombinant DNA molecules that direct the expression of that nucleic acid, or a functional equivalent thereof, in appropriate host cells. Also included are the cDNA inserts of any of the clones identified herein.

25 A polynucleotide according to the invention can be joined to any of a variety of other nucleotide sequences by well-established recombinant DNA techniques (see Sambrook J et al. (1989) *Molecular Cloning: A Laboratory Manual*, Cold Spring Harbor Laboratory, NY). Useful nucleotide sequences for joining to polynucleotides include an assortment of vectors, e.g., plasmids, cosmids, lambda phage derivatives, phagemids, and  
30 the like, that are well known in the art. Accordingly, the invention also provides a vector including a polynucleotide of the invention and a host cell containing the polynucleotide.

In general, the vector contains an origin of replication functional in at least one organism, convenient restriction endonuclease sites, and a selectable marker for the host cell.

Vectors according to the invention include expression vectors, replication vectors, probe generation vectors, and sequencing vectors. A host cell according to the invention can be  
5 a prokaryotic or eukaryotic cell and can be a unicellular organism or part of a multicellular organism.

The present invention further provides recombinant constructs comprising a nucleic acid having any of the nucleotide sequences of SEQ ID NO:1-739 or a fragment thereof or any other polynucleotides of the invention. In one embodiment, the  
10 recombinant constructs of the present invention comprise a vector, such as a plasmid or viral vector, into which a nucleic acid having any of the nucleotide sequences of SEQ ID NO:1-739 or a fragment thereof is inserted, in a forward or reverse orientation. In the case of a vector comprising one of the ORFs of the present invention, the vector may further comprise regulatory sequences, including for example, a promoter, operably  
15 linked to the ORF. Large numbers of suitable vectors and promoters are known to those of skill in the art and are commercially available for generating the recombinant constructs of the present invention. The following vectors are provided by way of example. Bacterial: pBs, phagescript, PsiX174, pBluescript SK, pBs KS, pNH8a, pNH16a, pNH18a, pNH46a (Stratagene); pTrc99A, pKK223-3, pKK233-3, pDR540, pRIT5 (Pharmacia). Eukaryotic: pWLneo, pSV2cat, pOG44, PXTI, pSG (Stratagene)  
20 pSVK3, pBPV, pMSG, pSVL (Pharmacia).

The isolated polynucleotide of the invention may be operably linked to an expression control sequence such as the pMT2 or pED expression vectors disclosed in Kaufman et al., *Nucleic Acids Res.* 19, 4485-4490 (1991), in order to produce the protein  
25 recombinantly. Many suitable expression control sequences are known in the art. General methods of expressing recombinant proteins are also known and are exemplified in R. Kaufman, *Methods in Enzymology* 185, 537-566 (1990). As defined herein "operably linked" means that the isolated polynucleotide of the invention and an expression control sequence are situated within a vector or cell in such a way that the  
30 protein is expressed by a host cell which has been transformed (transfected) with the ligated polynucleotide/expression control sequence.

Promoter regions can be selected from any desired gene using CAT (chloramphenicol transferase) vectors or other vectors with selectable markers. Two appropriate vectors are pKK232-8 and pCM7. Particular named bacterial promoters include lacI, lacZ, T3, T7, gpt, lambda PR, and trc. Eukaryotic promoters include CMV immediate early, HSV thymidine kinase, early and late SV40, LTRs from retrovirus, and mouse metallothionein-I. Selection of the appropriate vector and promoter is well within the level of ordinary skill in the art. Generally, recombinant expression vectors will include origins of replication and selectable markers permitting transformation of the host cell, *e.g.*, the ampicillin resistance gene of *E. coli* and *S. cerevisiae* TRP1 gene, and a promoter derived from a highly-expressed gene to direct transcription of a downstream structural sequence. Such promoters can be derived from operons encoding glycolytic enzymes such as 3-phosphoglycerate kinase (PGK), a-factor, acid phosphatase, or heat shock proteins, among others. The heterologous structural sequence is assembled in appropriate phase with translation initiation and termination sequences, and preferably, a leader sequence capable of directing secretion of translated protein into the periplasmic space or extracellular medium. Optionally, the heterologous sequence can encode a fusion protein including an amino terminal identification peptide imparting desired characteristics, *e.g.*, stabilization or simplified purification of expressed recombinant product. Useful expression vectors for bacterial use are constructed by inserting a structural DNA sequence encoding a desired protein together with suitable translation initiation and termination signals in operable reading phase with a functional promoter. The vector will comprise one or more phenotypic selectable markers and an origin of replication to ensure maintenance of the vector and to, if desirable, provide amplification within the host. Suitable prokaryotic hosts for transformation include *E. coli*, *Bacillus subtilis*, *Salmonella typhimurium* and various species within the genera *Pseudomonas*, *Streptomyces*, and *Staphylococcus*, although others may also be employed as a matter of choice.

As a representative but non-limiting example, useful expression vectors for bacterial use can comprise a selectable marker and bacterial origin of replication derived from commercially available plasmids comprising genetic elements of the well known cloning vector pBR322 (ATCC 37017). Such commercial vectors include, for example,

pKK223-3 (Pharmacia Fine Chemicals, Uppsala, Sweden) and GEM 1 (Promega Biotech, Madison, WI, USA). These pBR322 "backbone" sections are combined with an appropriate promoter and the structural sequence to be expressed. Following transformation of a suitable host strain and growth of the host strain to an appropriate cell density, the selected promoter is induced or derepressed by appropriate means (*e.g.*, temperature shift or chemical induction) and cells are cultured for an additional period. Cells are typically harvested by centrifugation, disrupted by physical or chemical means, and the resulting crude extract retained for further purification.

Polynucleotides of the invention can also be used to induce immune responses. For example, as described in Fan et al., *Nat. Biotech.* 17:870-872 (1999), incorporated herein by reference, nucleic acid sequences encoding a polypeptide may be used to generate antibodies against the encoded polypeptide following topical administration of naked plasmid DNA or following injection, and preferably intramuscular injection of the DNA. The nucleic acid sequences are preferably inserted in a recombinant expression vector and may be in the form of naked DNA.

#### 4.3 ANTISENSE

Another aspect of the invention pertains to isolated antisense nucleic acid molecules that are hybridizable to or complementary to the nucleic acid molecule comprising the nucleotide sequence of SEQ ID NO:1-739, or fragments, analogs or derivatives thereof. An "antisense" nucleic acid comprises a nucleotide sequence that is complementary to a "sense" nucleic acid encoding a protein, *e.g.*, complementary to the coding strand of a double-stranded cDNA molecule or complementary to an mRNA sequence. In specific aspects, antisense nucleic acid molecules are provided that comprise a sequence complementary to at least about 10, 25, 50, 100, 250 or 500 nucleotides or an entire coding strand, or to only a portion thereof. Nucleic acid molecules encoding fragments, homologs, derivatives and analogs of a protein of any of SEQ ID NO:740-1478 or antisense nucleic acids complementary to a nucleic acid sequence of SEQ ID NO:1-739 are additionally provided.

In one embodiment, an antisense nucleic acid molecule is antisense to a "coding region" of the coding strand of a nucleotide sequence of the invention. The term "coding

region" refers to the region of the nucleotide sequence comprising codons which are translated into amino acid residues. In another embodiment, the antisense nucleic acid molecule is antisense to a "noncoding region" of the coding strand of a nucleotide sequence of the invention. The term "noncoding region" refers to 5' and 3' sequences  
5 which flank the coding region that are not translated into amino acids (*i.e.*, also referred to as 5' and 3' untranslated regions).

Given the coding strand sequences encoding a nucleic acid disclosed herein (*e.g.*, SEQ ID NO:1-739), antisense nucleic acids of the invention can be designed according to the rules of Watson and Crick or Hoogsteen base pairing. The antisense nucleic acid  
10 molecule can be complementary to the entire coding region of a mRNA, but more preferably is an oligonucleotide that is antisense to only a portion of the coding or noncoding region of a mRNA. For example, the antisense oligonucleotide can be complementary to the region surrounding the translation start site of a mRNA. An antisense oligonucleotide can be, for example, about 5, 10, 15, 20, 25, 30, 35, 40, 45 or  
15 50 nucleotides in length. An antisense nucleic acid of the invention can be constructed using chemical synthesis or enzymatic ligation reactions using procedures known in the art. For example, an antisense nucleic acid (*e.g.*, an antisense oligonucleotide) can be chemically synthesized using naturally occurring nucleotides or variously modified nucleotides designed to increase the biological stability of the molecules or to increase  
20 the physical stability of the duplex formed between the antisense and sense nucleic acids, *e.g.*, phosphorothioate derivatives and acridine substituted nucleotides can be used.

Examples of modified nucleotides that can be used to generate the antisense nucleic acid include: 5-fluorouracil, 5-bromouracil, 5-chlorouracil, 5-iodouracil, hypoxanthine, xanthine, 4-acetylcytosine, 5-(carboxyhydroxymethyl) uracil,  
25 5-carboxymethylaminomethyl-2-thiouridine, 5-carboxymethylaminomethyluracil, dihydrouracil, beta-D-galactosylqueosine, inosine, N6-isopentenyladenine, 1-methylguanine, 1-methylinosine, 2,2-dimethylguanine, 2-methyladenine, 2-methylguanine, 3-methylcytosine, 5-methylcytosine, N6-adenine, 7-methylguanine, 5-methylaminomethyluracil, 5-methoxyaminomethyl-2-thiouracil,  
30 beta-D-mannosylqueosine, 5'-methoxycarboxymethyluracil, 5-methoxyuracil, 2-methylthio-N6-isopentenyladenine, uracil-5-oxyacetic acid (v), wybutoxosine,

pseudouracil, queosine, 2-thiocyto sine, 5-methyl-2-thiouracil, 2-thiouracil, 4-thiouracil, 5-methyluracil, uracil-5-oxyacetic acid methylester, uracil-5-oxyacetic acid (v), 5-methyl-2-thiouracil, 3-(3-amino-3-N-2-carboxypropyl) uracil, (acp3)w, and 2,6-diaminopurine. Alternatively, the antisense nucleic acid can be produced biologically  
5 using an expression vector into which a nucleic acid has been subcloned in an antisense orientation (*i.e.*, RNA transcribed from the inserted nucleic acid will be of an antisense orientation to a target nucleic acid of interest, described further in the following subsection).

The antisense nucleic acid molecules of the invention are typically administered  
10 to a subject or generated *in situ* such that they hybridize with or bind to cellular mRNA and/or genomic DNA encoding a protein according to the invention to thereby inhibit expression of the protein, *e.g.*, by inhibiting transcription and/or translation. The hybridization can be by conventional nucleotide complementarity to form a stable duplex, or, for example, in the case of an antisense nucleic acid molecule that binds to DNA  
15 duplexes, through specific interactions in the major groove of the double helix. An example of a route of administration of antisense nucleic acid molecules of the invention includes direct injection at a tissue site. Alternatively, antisense nucleic acid molecules can be modified to target selected cells and then administered systemically. For example, for systemic administration, antisense molecules can be modified such that they  
20 specifically bind to receptors or antigens expressed on a selected cell surface, *e.g.*, by linking the antisense nucleic acid molecules to peptides or antibodies that bind to cell surface receptors or antigens. The antisense nucleic acid molecules can also be delivered to cells using the vectors described herein. To achieve sufficient intracellular concentrations of antisense molecules, vector constructs in which the antisense nucleic  
25 acid molecule is placed under the control of a strong pol II or pol III promoter are preferred.

In yet another embodiment, the antisense nucleic acid molecule of the invention is an  $\alpha$ -anomeric nucleic acid molecule. An  $\alpha$ -anomeric nucleic acid molecule forms specific double-stranded hybrids with complementary RNA in which, contrary to the usual  
30  $\beta$ -units, the strands run parallel to each other (Gaultier *et al.* (1987) *Nucleic Acids Res* 15: 6625-6641). The antisense nucleic acid molecule can also comprise a

2'-o-methylribonucleotide (Inoue *et al.* (1987) *Nucleic Acids Res* 15: 6131-6148) or a chimeric RNA-DNA analogue (Inoue *et al.* (1987) *FEBS Lett* 215: 327-330).

#### 4.4 RIBOZYMES AND PNA MOIETIES

5 In still another embodiment, an antisense nucleic acid of the invention is a ribozyme. Ribozymes are catalytic RNA molecules with ribonuclease activity that are capable of cleaving a single-stranded nucleic acid, such as a mRNA, to which they have a complementary region. Thus, ribozymes (*e.g.*, hammerhead ribozymes (described in Haselhoff and Gerlach (1988) *Nature* 334:585-591)) can be used to catalytically cleave a  
10 mRNA transcripts to thereby inhibit translation of a mRNA. A ribozyme having specificity for a nucleic acid of the invention can be designed based upon the nucleotide sequence of a DNA disclosed herein (*i.e.*, SEQ ID NO:1-739). For example, a derivative of a Tetrahymena L-19 IVS RNA can be constructed in which the nucleotide sequence of the active site is complementary to the nucleotide sequence to be cleaved in a  
15 SECX-encoding mRNA. See, *e.g.*, Cech *et al.* U.S. Pat. No. 4,987,071; and Cech *et al.* U.S. Pat. No. 5,116,742. Alternatively, SECX mRNA can be used to select a catalytic RNA having a specific ribonuclease activity from a pool of RNA molecules. See, *e.g.*, Bartel *et al.*, (1993) *Science* 261:1411-1418.

Alternatively, gene expression can be inhibited by targeting nucleotide sequences  
20 complementary to the regulatory region (*e.g.*, promoter and/or enhancers) to form triple helical structures that prevent transcription of the gene in target cells. See generally, Helene. (1991) *Anticancer Drug Des.* 6: 569-84; Helene. *et al.* (1992) *Ann. N.Y. Acad. Sci.* 660:27-36; and Maher (1992) *Bioassays* 14: 807-15.

In various embodiments, the nucleic acids of the invention can be modified at the  
25 base moiety, sugar moiety or phosphate backbone to improve, *e.g.*, the stability, hybridization, or solubility of the molecule. For example, the deoxyribose phosphate backbone of the nucleic acids can be modified to generate peptide nucleic acids (see Hyrup *et al.* (1996) *Bioorg Med Chem* 4: 5-23). As used herein, the terms "peptide nucleic acids" or "PNAs" refer to nucleic acid mimics, *e.g.*, DNA mimics, in which the  
30 deoxyribose phosphate backbone is replaced by a pseudopeptide backbone and only the four natural nucleobases are retained. The neutral backbone of PNAs has been shown to



allow for specific hybridization to DNA and RNA under conditions of low ionic strength. The synthesis of PNA oligomers can be performed using standard solid phase peptide synthesis protocols as described in Hyrup *et al.* (1996) above; Perry-O'Keefe *et al.* (1996) *PNAS* 93: 14670-675.

- 5 PNA of the invention can be used in therapeutic and diagnostic applications. For example, PNAs can be used as antisense or antigene agents for sequence-specific modulation of gene expression by, *e.g.*, inducing transcription or translation arrest or inhibiting replication. PNAs of the invention can also be used, *e.g.*, in the analysis of single base pair mutations in a gene by, *e.g.*, PNA directed PCR clamping; as artificial  
10 restriction enzymes when used in combination with other enzymes, *e.g.*, S1 nucleases (Hyrup B. (1996) above); or as probes or primers for DNA sequence and hybridization (Hyrup *et al.* (1996), above; Perry-O'Keefe (1996), above).

- In another embodiment, PNAs of the invention can be modified, *e.g.*, to enhance their stability or cellular uptake, by attaching lipophilic or other helper groups to PNA, by  
15 the formation of PNA-DNA chimeras, or by the use of liposomes or other techniques of drug delivery known in the art. For example, PNA-DNA chimeras can be generated that may combine the advantageous properties of PNA and DNA. Such chimeras allow DNA recognition enzymes, *e.g.*, RNase H and DNA polymerases, to interact with the DNA portion while the PNA portion would provide high binding affinity and specificity.  
20 PNA-DNA chimeras can be linked using linkers of appropriate lengths selected in terms of base stacking, number of bonds between the nucleobases, and orientation (Hyrup (1996) above). The synthesis of PNA-DNA chimeras can be performed as described in Hyrup (1996) above and Finn *et al.* (1996) *Nucl Acids Res* 24: 3357-63. For example, a DNA chain can be synthesized on a solid support using standard phosphoramidite  
25 coupling chemistry, and modified nucleoside analogs, *e.g.*, 5'-(4-methoxytrityl)amino-5'-deoxy-thymidine phosphoramidite, can be used between the PNA and the 5' end of DNA (Mag *et al.* (1989) *Nucl Acid Res* 17: 5973-88). PNA monomers are then coupled in a stepwise manner to produce a chimeric molecule with a 5' PNA segment and a 3' DNA segment (Finn *et al.* (1996) above). Alternatively,  
30 chimeric molecules can be synthesized with a 5' DNA segment and a 3' PNA segment. See, Petersen *et al.* (1975) *Bioorg Med Chem Lett* 5: 1119-11124.

In other embodiments, the oligonucleotide may include other appended groups such as peptides (*e.g.*, for targeting host cell receptors *in vivo*), or agents facilitating transport across the cell membrane (see, *e.g.*, Letsinger *et al.*, 1989, *Proc. Natl. Acad. Sci. U.S.A.* 86:6553-6556; Lemaitre *et al.*, 1987, *Proc. Natl. Acad. Sci.* 84:648-652; PCT Publication No. W088/09810) or the blood-brain barrier (see, *e.g.*, PCT Publication No. W089/10134). In addition, oligonucleotides can be modified with hybridization triggered cleavage agents (See, *e.g.*, Krol *et al.*, 1988, *BioTechniques* 6:958-976) or intercalating agents. (See, *e.g.*, Zon, 1988, *Pharm. Res.* 5: 539-549). To this end, the oligonucleotide may be conjugated to another molecule, *e.g.*, a peptide, a hybridization triggered cross-linking agent, a transport agent, a hybridization-triggered cleavage agent, etc.

#### 4.5 HOSTS

The present invention further provides host cells genetically engineered to contain the polynucleotides of the invention. For example, such host cells may contain nucleic acids of the invention introduced into the host cell using known transformation, transfection or infection methods. The present invention still further provides host cells genetically engineered to express the polynucleotides of the invention, wherein such polynucleotides are in operative association with a regulatory sequence heterologous to the host cell which drives expression of the polynucleotides in the cell.

Knowledge of nucleic acid sequences allows for modification of cells to permit, or increase, expression of endogenous polypeptide. Cells can be modified (*e.g.*, by homologous recombination) to provide increased polypeptide expression by replacing, in whole or in part, the naturally occurring promoter with all or part of a heterologous promoter so that the cells express the polypeptide at higher levels. The heterologous promoter is inserted in such a manner that it is operatively linked to the encoding sequences. See, for example, PCT International Publication No. WO94/12650, PCT International Publication No. WO92/20808, and PCT International Publication No. WO91/09955. It is also contemplated that, in addition to heterologous promoter DNA, amplifiable marker DNA (*e.g.*, *ada*, *dhfr*, and the multifunctional CAD gene which encodes carbamyl phosphate synthase, aspartate transcarbamylase, and dihydroorotase) and/or intron DNA may be inserted along with the heterologous promoter DNA. If

linked to the coding sequence, amplification of the marker DNA by standard selection methods results in co-amplification of the desired protein coding sequences in the cells.

The host cell can be a higher eukaryotic host cell, such as a mammalian cell, a lower eukaryotic host cell, such as a yeast cell, or the host cell can be a prokaryotic cell, such as a bacterial cell. Introduction of the recombinant construct into the host cell can be effected by calcium phosphate transfection, DEAE, dextran mediated transfection, or electroporation (Davis, L. et al., *Basic Methods in Molecular Biology* (1986)). The host cells containing one of the polynucleotides of the invention, can be used in conventional manners to produce the gene product encoded by the isolated fragment (in the case of an ORF) or can be used to produce a heterologous protein under the control of the EMF.

Any host/vector system can be used to express one or more of the ORFs of the present invention. These include, but are not limited to, eukaryotic hosts such as HeLa cells, Cv-1 cell, COS cells, 293 cells, and Sf9 cells, as well as prokaryotic host such as *E. coli* and *B. subtilis*. The most preferred cells are those which do not normally express the particular polypeptide or protein or which expresses the polypeptide or protein at low natural level. Mature proteins can be expressed in mammalian cells, yeast, bacteria, or other cells under the control of appropriate promoters. Cell-free translation systems can also be employed to produce such proteins using RNAs derived from the DNA constructs of the present invention. Appropriate cloning and expression vectors for use with prokaryotic and eukaryotic hosts are described by Sambrook, et al., in *Molecular Cloning: A Laboratory Manual*, Second Edition, Cold Spring Harbor, New York (1989), the disclosure of which is hereby incorporated by reference.

Various mammalian cell culture systems can also be employed to express recombinant protein. Examples of mammalian expression systems include the COS-7 lines of monkey kidney fibroblasts, described by Gluzman, *Cell* 23:175 (1981). Other cell lines capable of expressing a compatible vector are, for example, the C127, monkey COS cells, Chinese Hamster Ovary (CHO) cells, human kidney 293 cells, human epidermal A431 cells, human Colo205 cells, 3T3 cells, CV-1 cells, other transformed primate cell lines, normal diploid cells, cell strains derived from *in vitro* culture of primary tissue, primary explants, HeLa cells, mouse L cells, BHK, HL-60, U937, HaK or Jurkat cells. Mammalian expression vectors will comprise an origin of replication, a

suitable promoter and also any necessary ribosome binding sites, polyadenylation site, splice donor and acceptor sites, transcriptional termination sequences, and 5' flanking nontranscribed sequences. DNA sequences derived from the SV40 viral genome, for example, SV40 origin, early promoter, enhancer, splice, and polyadenylation sites may be used to provide the required nontranscribed genetic elements. Recombinant polypeptides and proteins produced in bacterial culture are usually isolated by initial extraction from cell pellets, followed by one or more salting-out, aqueous ion exchange or size exclusion chromatography steps. Protein refolding steps can be used, as necessary, in completing configuration of the mature protein. Finally, high performance liquid chromatography (HPLC) can be employed for final purification steps. Microbial cells employed in expression of proteins can be disrupted by any convenient method, including freeze-thaw cycling, sonication, mechanical disruption, or use of cell lysing agents.

Alternatively, it may be possible to produce the protein in lower eukaryotes such as yeast or insects or in prokaryotes such as bacteria. Potentially suitable yeast strains include *Saccharomyces cerevisiae*, *Schizosaccharomyces pombe*, *Kluyveromyces* strains, *Candida*, or any yeast strain capable of expressing heterologous proteins. Potentially suitable bacterial strains include *Escherichia coli*, *Bacillus subtilis*, *Salmonella typhimurium*, or any bacterial strain capable of expressing heterologous proteins. If the protein is made in yeast or bacteria, it may be necessary to modify the protein produced therein, for example by phosphorylation or glycosylation of the appropriate sites, in order to obtain the functional protein. Such covalent attachments may be accomplished using known chemical or enzymatic methods.

In another embodiment of the present invention, cells and tissues may be engineered to express an endogenous gene comprising the polynucleotides of the invention under the control of inducible regulatory elements, in which case the regulatory sequences of the endogenous gene may be replaced by homologous recombination. As described herein, gene targeting can be used to replace a gene's existing regulatory region with a regulatory sequence isolated from a different gene or a novel regulatory sequence synthesized by genetic engineering methods. Such regulatory sequences may be comprised of promoters, enhancers, scaffold-attachment regions, negative regulatory elements, transcriptional initiation sites, regulatory protein binding sites or combinations

of said sequences. Alternatively, sequences which affect the structure or stability of the RNA or protein produced may be replaced, removed, added, or otherwise modified by targeting. These sequence include polyadenylation signals, mRNA stability elements, splice sites, leader sequences for enhancing or modifying transport or secretion properties of the protein, or other sequences which alter or improve the function or stability of protein or RNA molecules.

The targeting event may be a simple insertion of the regulatory sequence, placing the gene under the control of the new regulatory sequence, *e.g.*, inserting a new promoter or enhancer or both upstream of a gene. Alternatively, the targeting event may be a simple deletion of a regulatory element, such as the deletion of a tissue-specific negative regulatory element. Alternatively, the targeting event may replace an existing element; for example, a tissue-specific enhancer can be replaced by an enhancer that has broader or different cell-type specificity than the naturally occurring elements. Here, the naturally occurring sequences are deleted and new sequences are added. In all cases, the identification of the targeting event may be facilitated by the use of one or more selectable marker genes that are contiguous with the targeting DNA, allowing for the selection of cells in which the exogenous DNA has integrated into the host cell genome. The identification of the targeting event may also be facilitated by the use of one or more marker genes exhibiting the property of negative selection, such that the negatively selectable marker is linked to the exogenous DNA, but configured such that the negatively selectable marker flanks the targeting sequence, and such that a correct homologous recombination event with sequences in the host cell genome does not result in the stable integration of the negatively selectable marker. Markers useful for this purpose include the Herpes Simplex Virus thymidine kinase (TK) gene or the bacterial xanthine-guanine phosphoribosyl-transferase (gpt) gene.

The gene targeting or gene activation techniques which can be used in accordance with this aspect of the invention are more particularly described in U.S. Patent No. 5,272,071 to Chappel; U.S. Patent No. 5,578,461 to Sherwin et al.; International Application No. PCT/US92/09627 (WO93/09222) by Selden et al.; and International Application No. PCT/US90/06436 (WO91/06667) by Skoultchi et al., each of which is incorporated by reference herein in its entirety.

#### 4.6 POLYPEPTIDES OF THE INVENTION

The isolated polypeptides of the invention include, but are not limited to, a polypeptide comprising: the amino acid sequences set forth as any one of SEQ ID NO:740-1478 or an amino acid sequence encoded by any one of the nucleotide sequences SEQ ID NO:1-739 or the corresponding full length or mature protein. Polypeptides of the invention also include polypeptides preferably with biological or immunological activity that are encoded by: (a) a polynucleotide having any one of the nucleotide sequences set forth in SEQ ID NO:1-739 or (b) polynucleotides encoding any one of the amino acid sequences set forth as SEQ ID NO:740-1478 or (c) polynucleotides that hybridize to the complement of the polynucleotides of either (a) or (b) under stringent hybridization conditions. The invention also provides biologically active or immunologically active variants of any of the amino acid sequences set forth as SEQ ID NO:740-1478 or the corresponding full length or mature protein; and "substantial equivalents" thereof (e.g., with at least about 65%, at least about 70%, at least about 75%, at least about 80%, at least about 85%, at least about 90%, typically at least about 95%, more typically at least about 98%, or most typically at least about 99% amino acid identity) that retain biological activity. Polypeptides encoded by allelic variants may have a similar, increased, or decreased activity compared to polypeptides comprising SEQ ID NO:740-1478.

Fragments of the proteins of the present invention which are capable of exhibiting biological activity are also encompassed by the present invention. Fragments of the protein may be in linear form or they may be cyclized using known methods, for example, as described in H. U. Saragovi, et al., *Bio/Technology* 10, 773-778 (1992) and in R. S. McDowell, et al., *J. Amer. Chem. Soc.* 114, 9245-9253 (1992), both of which are incorporated herein by reference. Such fragments may be fused to carrier molecules such as immunoglobulins for many purposes, including increasing the valency of protein binding sites.

The present invention also provides both full-length and mature forms (for example, without a signal sequence or precursor sequence) of the disclosed proteins. The protein coding sequence is identified in the sequence listing by translation of the

disclosed nucleotide sequences. The mature form of such protein may be obtained by expression of a full-length polynucleotide in a suitable mammalian cell or other host cell. The sequence of the mature form of the protein is also determinable from the amino acid sequence of the full-length form. Where proteins of the present invention are membrane  
5 bound, soluble forms of the proteins are also provided. In such forms, part or all of the regions causing the proteins to be membrane bound are deleted so that the proteins are fully secreted from the cell in which they are expressed.

Protein compositions of the present invention may further comprise an acceptable carrier, such as a hydrophilic, *e.g.*, pharmaceutically acceptable, carrier.

10 The present invention further provides isolated polypeptides encoded by the nucleic acid fragments of the present invention or by degenerate variants of the nucleic acid fragments of the present invention. By "degenerate variant" is intended nucleotide fragments which differ from a nucleic acid fragment of the present invention (*e.g.*, an ORF) by nucleotide sequence but, due to the degeneracy of the genetic code, encode an  
15 identical polypeptide sequence. Preferred nucleic acid fragments of the present invention are the ORFs that encode proteins.

A variety of methodologies known in the art can be utilized to obtain any one of the isolated polypeptides or proteins of the present invention. At the simplest level, the amino acid sequence can be synthesized using commercially available peptide  
20 synthesizers. The synthetically-constructed protein sequences, by virtue of sharing primary, secondary or tertiary structural and/or conformational characteristics with proteins may possess biological properties in common therewith, including protein activity. This technique is particularly useful in producing small peptides and fragments of larger polypeptides. Fragments are useful, for example, in generating antibodies  
25 against the native polypeptide. Thus, they may be employed as biologically active or immunological substitutes for natural, purified proteins in screening of therapeutic compounds and in immunological processes for the development of antibodies.

The polypeptides and proteins of the present invention can alternatively be purified from cells which have been altered to express the desired polypeptide or protein.  
30 As used herein, a cell is said to be altered to express a desired polypeptide or protein when the cell, through genetic manipulation, is made to produce a polypeptide or protein

Transgenic animals can be prepared wherein all or part of the polynucleotides of the invention promoter is either activated or inactivated to alter the level of expression of the polypeptides of the invention. Inactivation can be carried out using homologous recombination methods described above. Activation can be achieved by supplementing or even replacing the homologous promoter to provide for increased protein expression. The homologous promoter can be supplemented by insertion of one or more heterologous enhancer elements known to confer promoter activation in a particular tissue.

#### 4.10 USES AND BIOLOGICAL ACTIVITY

The polynucleotides and proteins of the present invention are expected to exhibit one or more of the uses or biological activities (including those associated with assays cited herein) identified herein. Uses or activities described for proteins of the present invention may be provided by administration or use of such proteins or of polynucleotides encoding such proteins (such as, for example, in gene therapies or vectors suitable for introduction of DNA). The mechanism underlying the particular condition or pathology will dictate whether the polypeptides of the invention, the polynucleotides of the invention or modulators (activators or inhibitors) thereof would be beneficial to the subject in need of treatment. Thus, "therapeutic compositions of the invention" include compositions comprising isolated polynucleotides (including recombinant DNA molecules, cloned genes and degenerate variants thereof) or polypeptides of the invention (including full length protein, mature protein and truncations or domains thereof), or compounds and other substances that modulate the overall activity of the target gene products, either at the level of target gene/protein expression or target protein activity. Such modulators include polypeptides, analogs, (variants), including fragments and fusion proteins, antibodies and other binding proteins; chemical compounds that directly or indirectly activate or inhibit the polypeptides of the invention (identified, e.g., via drug screening assays as described herein); antisense polynucleotides and polynucleotides suitable for triple helix formation; and in particular antibodies or other binding partners that specifically recognize one or more epitopes of the polypeptides of the invention.



which it normally does not produce or which the cell normally produces at a lower level. One skilled in the art can readily adapt procedures for introducing and expressing either recombinant or synthetic sequences into eukaryotic or prokaryotic cells in order to generate a cell which produces one of the polypeptides or proteins of the present  
5 invention.

The invention also relates to methods for producing a polypeptide comprising growing a culture of host cells of the invention in a suitable culture medium, and purifying the protein from the cells or the culture in which the cells are grown. For example, the methods of the invention include a process for producing a polypeptide in  
10 which a host cell containing a suitable expression vector that includes a polynucleotide of the invention is cultured under conditions that allow expression of the encoded polypeptide. The polypeptide can be recovered from the culture, conveniently from the culture medium, or from a lysate prepared from the host cells and further purified. Preferred embodiments include those in which the protein produced by such process is a  
15 full length or mature form of the protein.

In an alternative method, the polypeptide or protein is purified from bacterial cells which naturally produce the polypeptide or protein. One skilled in the art can readily follow known methods for isolating polypeptides and proteins in order to obtain one of the isolated polypeptides or proteins of the present invention. These include, but  
20 are not limited to, immunochromatography, HPLC, size-exclusion chromatography, ion-exchange chromatography, and immuno-affinity chromatography. See, *e.g.*, Scopes, *Protein Purification: Principles and Practice*, Springer-Verlag (1994); Sambrook, et al., in *Molecular Cloning: A Laboratory Manual*; Ausubel et al., *Current Protocols in Molecular Biology*. Polypeptide fragments that retain biological/immunological activity  
25 include fragments comprising greater than about 100 amino acids, or greater than about 200 amino acids, and fragments that encode specific protein domains.

The purified polypeptides can be used in *in vitro* binding assays which are well known in the art to identify molecules which bind to the polypeptides. These molecules include but are not limited to, for *e.g.*, small molecules, molecules from combinatorial  
30 libraries, antibodies or other proteins. The molecules identified in the binding assay are then tested for antagonist or agonist activity in *in vivo* tissue culture or animal models

that are well known in the art. In brief, the molecules are titrated into a plurality of cell cultures or animals and then tested for either cell/animal death or prolonged survival of the animal/cells.

In addition, the peptides of the invention or molecules capable of binding to the  
5 peptides may be complexed with toxins, e.g., ricin or cholera, or with other compounds that are toxic to cells. The toxin-binding molecule complex is then targeted to a tumor or other cell by the specificity of the binding molecule for SEQ ID NO:740-1478.

The protein of the invention may also be expressed as a product of transgenic animals, e.g., as a component of the milk of transgenic cows, goats, pigs, or sheep which  
10 are characterized by somatic or germ cells containing a nucleotide sequence encoding the protein.

The proteins provided herein also include proteins characterized by amino acid sequences similar to those of purified proteins but into which modification are naturally provided or deliberately engineered. For example, modifications, in the peptide or DNA  
15 sequence, can be made by those skilled in the art using known techniques. Modifications of interest in the protein sequences may include the alteration, substitution, replacement, insertion or deletion of a selected amino acid residue in the coding sequence. For example, one or more of the cysteine residues may be deleted or replaced with another amino acid to alter the conformation of the molecule. Techniques for such alteration,  
20 substitution, replacement, insertion or deletion are well known to those skilled in the art (see, e.g., U.S. Pat. No. 4,518,584). Preferably, such alteration, substitution, replacement, insertion or deletion retains the desired activity of the protein. Regions of the protein that are important for the protein function can be determined by various methods known in the art including the alanine-scanning method which involved systematic substitution of  
25 single or strings of amino acids with alanine, followed by testing the resulting alanine-containing variant for biological activity. This type of analysis determines the importance of the substituted amino acid(s) in biological activity. Regions of the protein that are important for protein function may be determined by the eMATRIX program.

Other fragments and derivatives of the sequences of proteins which would be  
30 expected to retain protein activity in whole or in part and are useful for screening or other

immunological methodologies may also be easily made by those skilled in the art given the disclosures herein. Such modifications are encompassed by the present invention.

The protein may also be produced by operably linking the isolated polynucleotide of the invention to suitable control sequences in one or more insect expression vectors, and employing an insect expression system. Materials and methods for  
5 baculovirus/insect cell expression systems are commercially available in kit form from, e.g., Invitrogen, San Diego, Calif., U.S.A. (the MaxBat™ kit), and such methods are well known in the art, as described in Summers and Smith, Texas Agricultural Experiment Station Bulletin No. 1555 (1987), incorporated herein by reference. As used herein, an  
10 insect cell capable of expressing a polynucleotide of the present invention is "transformed."

The protein of the invention may be prepared by culturing transformed host cells under culture conditions suitable to express the recombinant protein. The resulting expressed protein may then be purified from such culture (*i.e.*, from culture medium or  
15 cell extracts) using known purification processes, such as gel filtration and ion exchange chromatography. The purification of the protein may also include an affinity column containing agents which will bind to the protein; one or more column steps over such affinity resins as concanavalin A-agarose, heparin-toyopearl™ or Cibacrom blue 3GA Sepharose™; one or more steps involving hydrophobic interaction chromatography using  
20 such resins as phenyl ether, butyl ether, or propyl ether; or immunoaffinity chromatography.

Alternatively, the protein of the invention may also be expressed in a form which will facilitate purification. For example, it may be expressed as a fusion protein, such as those of maltose binding protein (MBP), glutathione-S-transferase (GST) or thioredoxin  
25 (TRX), or as a His tag. Kits for expression and purification of such fusion proteins are commercially available from New England BioLab (Beverly, Mass.), Pharmacia (Piscataway, N.J.) and Invitrogen, respectively. The protein can also be tagged with an epitope and subsequently purified by using a specific antibody directed to such epitope. One such epitope ("FLAG®") is commercially available from Kodak (New Haven,  
30 Conn.).

Finally, one or more reverse-phase high performance liquid chromatography (RP-HPLC) steps employing hydrophobic RP-HPLC media, *e.g.*, silica gel having pendant methyl or other aliphatic groups, can be employed to further purify the protein. Some or all of the foregoing purification steps, in various combinations, can also be employed to provide a substantially homogeneous isolated recombinant protein. The protein thus purified is substantially free of other mammalian proteins and is defined in accordance with the present invention as an "isolated protein."

The polypeptides of the invention include analogs (variants). This embraces fragments, as well as peptides in which one or more amino acids has been deleted, inserted, or substituted. Also, analogs of the polypeptides of the invention embrace fusions of the polypeptides or modifications of the polypeptides of the invention, wherein the polypeptide or analog is fused to another moiety or moieties, *e.g.*, targeting moiety or another therapeutic agent. Such analogs may exhibit improved properties such as activity and/or stability. Examples of moieties which may be fused to the polypeptide or an analog include, for example, targeting moieties which provide for the delivery of polypeptide to pancreatic cells, *e.g.*, antibodies to pancreatic cells, antibodies to immune cells such as T-cells, monocytes, dendritic cells, granulocytes, etc., as well as receptor and ligands expressed on pancreatic or immune cells. Other moieties which may be fused to the polypeptide include therapeutic agents which are used for treatment, for example, immunosuppressive drugs such as cyclosporin, SK506, azathioprine, CD3 antibodies and steroids. Also, polypeptides may be fused to immune modulators, and other cytokines such as alpha or beta interferon.

#### **4.6.1 DETERMINING POLYPEPTIDE AND POLYNUCLEOTIDE IDENTITY AND SIMILARITY**

Preferred identity and/or similarity are designed to give the largest match between the sequences tested. Methods to determine identity and similarity are codified in computer programs including, but are not limited to, the GCG program package, including GAP (Devereux, J., et al., Nucleic Acids Research 12(1):387 (1984); Genetics Computer Group, University of Wisconsin, Madison, WI), BLASTP, BLASTN, BLASTX, FASTA (Altschul, S.F. et al., J. Molec. Biol. 215:403-410 (1990), PSI-BLAST

(Altschul S.F. et al., Nucleic Acids Res. vol. 25, pp. 3389-3402, herein incorporated by reference), eMatrix software (Wu et al., J. Comp. Biol., Vol. 6, pp. 219-235 (1999), herein incorporated by reference), eMotif software (Nevill-Manning et al, ISMB-97, Vol. 4, pp. 202-209, herein incorporated by reference), pFam software (Sonnhammer et al.,  
5 Nucleic Acids Res., Vol. 26(1), pp. 320-322 (1998), herein incorporated by reference) and the Kyte-Doolittle hydrophobicity prediction algorithm (J. Mol Biol, 157, pp. 105-31 (1982), incorporated herein by reference). The BLAST programs are publicly available from the National Center for Biotechnology Information (NCBI) and other sources (BLAST Manual, Altschul, S., et al. NCB NLM NIH Bethesda, MD 20894; Altschul, S.,  
10 et al., J. Mol. Biol. 215:403-410 (1990).

#### 4.7 CHIMERIC AND FUSION PROTEINS

The invention also provides chimeric or fusion proteins. As used herein, a "chimeric protein" or "fusion protein" comprises a polypeptide of the invention operatively linked to another polypeptide. Within a fusion protein the polypeptide  
15 according to the invention can correspond to all or a portion of a protein according to the invention. In one embodiment, a fusion protein comprises at least one biologically active portion of a protein according to the invention. In another embodiment, a fusion protein comprises at least two biologically active portions of a protein according to the invention. Within the fusion protein, the term "operatively linked" is intended to indicate  
20 that the polypeptide according to the invention and the other polypeptide are fused in-frame to each other. The polypeptide can be fused to the N-terminus or C-terminus.

For example, in one embodiment a fusion protein comprises a polypeptide according to the invention operably linked to the extracellular domain of a second protein.  
25 In another embodiment, the fusion protein is a GST-fusion protein in which the polypeptide sequences of the invention are fused to the C-terminus of the GST (i.e., glutathione S-transferase) sequences.

In another embodiment, the fusion protein is an immunoglobulin fusion protein in which the polypeptide sequences according to the invention comprises one or more  
30 domains are fused to sequences derived from a member of the immunoglobulin protein family. The immunoglobulin fusion proteins of the invention can be incorporated into

pharmaceutical compositions and administered to a subject to inhibit an interaction between a ligand and a protein of the invention on the surface of a cell, to thereby suppress signal transduction *in vivo*. The immunoglobulin fusion proteins can be used to affect the bioavailability of a cognate ligand. Inhibition of the ligand/protein interaction  
5 may be useful therapeutically for both the treatment of proliferative and differentiative disorders, *e.g.*, cancer as well as modulating (*e.g.*, promoting or inhibiting) cell survival. Moreover, the immunoglobulin fusion proteins of the invention can be used as immunogens to produce antibodies in a subject, to purify ligands, and in screening assays to identify molecules that inhibit the interaction of a polypeptide of the invention with a  
10 ligand.

A chimeric or fusion protein of the invention can be produced by standard recombinant DNA techniques. For example, DNA fragments coding for the different polypeptide sequences are ligated together in-frame in accordance with conventional techniques, *e.g.*, by employing blunt-ended or stagger-ended termini for ligation,  
15 restriction enzyme digestion to provide for appropriate termini, filling-in of cohesive ends as appropriate, alkaline phosphatase treatment to avoid undesirable joining, and enzymatic ligation. In another embodiment, the fusion gene can be synthesized by conventional techniques including automated DNA synthesizers. Alternatively, PCR amplification of gene fragments can be carried out using anchor primers that give rise to  
20 complementary overhangs between two consecutive gene fragments that can subsequently be annealed and reamplified to generate a chimeric gene sequence (see, for example, Ausubel et al. (eds.) CURRENT PROTOCOLS IN MOLECULAR BIOLOGY, John Wiley & Sons, 1992). Moreover, many expression vectors are commercially available that already encode a fusion moiety (*e.g.*, a GST polypeptide). A nucleic acid encoding  
25 a polypeptide of the invention can be cloned into such an expression vector such that the fusion moiety is linked in-frame to the protein of the invention.

#### 4.8 GENE THERAPY

Mutations in the polynucleotides of the invention gene may result in loss of  
30 normal function of the encoded protein. The invention thus provides gene therapy to restore normal activity of the polypeptides of the invention; or to treat disease states

involving polypeptides of the invention. Delivery of a functional gene encoding polypeptides of the invention to appropriate cells is effected *ex vivo*, *in situ*, or *in vivo* by use of vectors, and more particularly viral vectors (e.g., adenovirus, adeno-associated virus, or a retrovirus), or *ex vivo* by use of physical DNA transfer methods (e.g., liposomes or chemical treatments). See, for example, Anderson, Nature, supplement to vol. 392, no. 6679, pp.25-20 (1998). For additional reviews of gene therapy technology see Friedmann, Science, 244: 1275-1281 (1989); Verma, Scientific American: 68-84 (1990); and Miller, Nature, 357: 455-460 (1992). Introduction of any one of the nucleotides of the present invention or a gene encoding the polypeptides of the present invention can also be accomplished with extrachromosomal substrates (transient expression) or artificial chromosomes (stable expression). Cells may also be cultured *ex vivo* in the presence of proteins of the present invention in order to proliferate or to produce a desired effect on or activity in such cells. Treated cells can then be introduced *in vivo* for therapeutic purposes. Alternatively, it is contemplated that in other human disease states, preventing the expression of or inhibiting the activity of polypeptides of the invention will be useful in treating the disease states. It is contemplated that antisense therapy or gene therapy could be applied to negatively regulate the expression of polypeptides of the invention.

Other methods inhibiting expression of a protein include the introduction of antisense molecules to the nucleic acids of the present invention, their complements, or their translated RNA sequences, by methods known in the art. Further, the polypeptides of the present invention can be inhibited by using targeted deletion methods, or the insertion of a negative regulatory element such as a silencer, which is tissue specific.

The present invention still further provides cells genetically engineered *in vivo* to express the polynucleotides of the invention, wherein such polynucleotides are in operative association with a regulatory sequence heterologous to the host cell which drives expression of the polynucleotides in the cell. These methods can be used to increase or decrease the expression of the polynucleotides of the present invention.

Knowledge of DNA sequences provided by the invention allows for modification of cells to permit, increase, or decrease, expression of endogenous polypeptide. Cells can be modified (e.g., by homologous recombination) to provide increased polypeptide expression

by replacing, in whole or in part, the naturally occurring promoter with all or part of a heterologous promoter so that the cells express the protein at higher levels. The heterologous promoter is inserted in such a manner that it is operatively linked to the desired protein encoding sequences. See, for example, PCT International Publication No. WO 94/12650, 5 PCT International Publication No. WO 92/20808, and PCT International Publication No. WO 91/09955. It is also contemplated that, in addition to heterologous promoter DNA, amplifiable marker DNA (e.g., *ada*, *dhfr*, and the multifunctional CAD gene which encodes carbamyl phosphate synthase, aspartate transcarbamylase, and dihydroorotase) and/or intron DNA may be inserted along with the heterologous promoter DNA. If linked to the desired 10 protein coding sequence, amplification of the marker DNA by standard selection methods results in co-amplification of the desired protein coding sequences in the cells.

In another embodiment of the present invention, cells and tissues may be engineered to express an endogenous gene comprising the polynucleotides of the invention under the control of inducible regulatory elements, in which case the regulatory sequences of the 15 endogenous gene may be replaced by homologous recombination. As described herein, gene targeting can be used to replace a gene's existing regulatory region with a regulatory sequence isolated from a different gene or a novel regulatory sequence synthesized by genetic engineering methods. Such regulatory sequences may be comprised of promoters, enhancers, scaffold-attachment regions, negative regulatory elements, transcriptional 20 initiation sites, regulatory protein binding sites or combinations of said sequences. Alternatively, sequences which affect the structure or stability of the RNA or protein produced may be replaced, removed, added, or otherwise modified by targeting. These sequences include polyadenylation signals, mRNA stability elements, splice sites, leader sequences for enhancing or modifying transport or secretion properties of the protein, or 25 other sequences which alter or improve the function or stability of protein or RNA molecules.

The targeting event may be a simple insertion of the regulatory sequence, placing the gene under the control of the new regulatory sequence, *e.g.*, inserting a new promoter or enhancer or both upstream of a gene. Alternatively, the targeting event may be a simple 30 deletion of a regulatory element, such as the deletion of a tissue-specific negative regulatory element. Alternatively, the targeting event may replace an existing element; for example, a



tissue-specific enhancer can be replaced by an enhancer that has broader or different cell-type specificity than the naturally occurring elements. Here, the naturally occurring sequences are deleted and new sequences are added. In all cases, the identification of the targeting event may be facilitated by the use of one or more selectable marker genes that are  
5 contiguous with the targeting DNA, allowing for the selection of cells in which the exogenous DNA has integrated into the cell genome. The identification of the targeting event may also be facilitated by the use of one or more marker genes exhibiting the property of negative selection, such that the negatively selectable marker is linked to the exogenous DNA, but configured such that the negatively selectable marker flanks the targeting  
10 sequence, and such that a correct homologous recombination event with sequences in the host cell genome does not result in the stable integration of the negatively selectable marker. Markers useful for this purpose include the Herpes Simplex Virus thymidine kinase (TK) gene or the bacterial xanthine-guanine phosphoribosyl-transferase (gpt) gene.

The gene targeting or gene activation techniques which can be used in accordance  
15 with this aspect of the invention are more particularly described in U.S. Patent No. 5,272,071 to Chappel; U.S. Patent No. 5,578,461 to Sherwin et al.; International Application No. PCT/US92/09627 (WO93/09222) by Selden et al.; and International Application No. PCT/US90/06436 (WO91/06667) by Skoultchi et al., each of which is incorporated by reference herein in its entirety.

20

#### 4.9 TRANSGENIC ANIMALS

In preferred methods to determine biological functions of the polypeptides of the invention in vivo, one or more genes provided by the invention are either over expressed or inactivated in the germ line of animals using homologous recombination [Capecchi,  
25 Science 244:1288-1292 (1989)]. Animals in which the gene is over expressed, under the regulatory control of exogenous or endogenous promoter elements, are known as transgenic animals. Animals in which an endogenous gene has been inactivated by homologous recombination are referred to as "knockout" animals. Knockout animals, preferably non-human mammals, can be prepared as described in U.S. Patent No.  
30 5,557,032, incorporated herein by reference. Transgenic animals are useful to determine the roles polypeptides of the invention play in biological processes, and preferably in

disease states. Transgenic animals are useful as model systems to identify compounds that modulate lipid metabolism. Transgenic animals, preferably non-human mammals, are produced using methods as described in U.S. Patent No 5,489,743 and PCT Publication No. WO94/28122, incorporated herein by reference.

5 Transgenic animals can be prepared wherein all or part of a promoter of the polynucleotides of the invention is either activated or inactivated to alter the level of expression of the polypeptides of the invention. Inactivation can be carried out using homologous recombination methods described above. Activation can be achieved by supplementing or even replacing the homologous promoter to provide for increased  
10 protein expression. The homologous promoter can be supplemented by insertion of one or more heterologous enhancer elements known to confer promoter activation in a particular tissue.

The polynucleotides of the present invention also make possible the development, through, e.g., homologous recombination or knock out strategies, of animals that fail to  
15 express polypeptides of the invention or that express a variant polypeptide. Such animals are useful as models for studying the *in vivo* activities of polypeptide as well as for studying modulators of the polypeptides of the invention.

In preferred methods to determine biological functions of the polypeptides of the invention *in vivo*, one or more genes provided by the invention are either over expressed  
20 or inactivated in the germ line of animals using homologous recombination [Capecchi, Science 244:1288-1292 (1989)]. Animals in which the gene is over expressed, under the regulatory control of exogenous or endogenous promoter elements, are known as transgenic animals. Animals in which an endogenous gene has been inactivated by homologous recombination are referred to as "knockout" animals. Knockout animals,  
25 preferably non-human mammals, can be prepared as described in U.S. Patent No. 5,557,032, incorporated herein by reference. Transgenic animals are useful to determine the roles polypeptides of the invention play in biological processes, and preferably in disease states. Transgenic animals are useful as model systems to identify compounds that modulate lipid metabolism. Transgenic animals, preferably non-human mammals,  
30 are produced using methods as described in U.S. Patent No 5,489,743 and PCT Publication No. WO94/28122, incorporated herein by reference.

The polypeptides of the present invention may likewise be involved in cellular activation or in one of the other physiological pathways described herein.

#### 4.10.1 RESEARCH USES AND UTILITIES

- 5       The polynucleotides provided by the present invention can be used by the research community for various purposes. The polynucleotides can be used to express recombinant protein for analysis, characterization or therapeutic use; as markers for tissues in which the corresponding protein is preferentially expressed (either constitutively or at a particular stage of tissue differentiation or development or in disease
- 10       states); as molecular weight markers on gels; as chromosome markers or tags (when labeled) to identify chromosomes or to map related gene positions; to compare with endogenous DNA sequences in patients to identify potential genetic disorders; as probes to hybridize and thus discover novel, related DNA sequences; as a source of information to derive PCR primers for genetic fingerprinting; as a probe to "subtract-out" known
- 15       sequences in the process of discovering other novel polynucleotides; for selecting and making oligomers for attachment to a "gene chip" or other support, including for examination of expression patterns; to raise anti-protein antibodies using DNA immunization techniques; and as an antigen to raise anti-DNA antibodies or elicit another immune response. Where the polynucleotide encodes a protein which binds or
- 20       potentially binds to another protein (such as, for example, in a receptor-ligand interaction), the polynucleotide can also be used in interaction trap assays (such as, for example, that described in Gyuris et al., Cell 75:791-803 (1993)) to identify polynucleotides encoding the other protein with which binding occurs or to identify inhibitors of the binding interaction.
- 25       The polypeptides provided by the present invention can similarly be used in assays to determine biological activity, including in a panel of multiple proteins for high-throughput screening; to raise antibodies or to elicit another immune response; as a reagent (including the labeled reagent) in assays designed to quantitatively determine levels of the protein (or its receptor) in biological fluids; as markers for tissues in which
- 30       the corresponding polypeptide is preferentially expressed (either constitutively or at a particular stage of tissue differentiation or development or in a disease state); and, of

course, to isolate correlative receptors or ligands. Proteins involved in these binding interactions can also be used to screen for peptide or small molecule inhibitors or agonists of the binding interaction.

Any or all of these research utilities are capable of being developed into reagent grade or kit format for commercialization as research products.

Methods for performing the uses listed above are well known to those skilled in the art. References disclosing such methods include without limitation "Molecular Cloning: A Laboratory Manual", 2d ed., Cold Spring Harbor Laboratory Press, Sambrook, J., E. F. Fritsch and T. Maniatis eds., 1989, and "Methods in Enzymology: Guide to Molecular Cloning Techniques", Academic Press, Berger, S. L. and A. R. Kimmel eds., 1987.

#### 4.10.2 NUTRITIONAL USES

Polynucleotides and polypeptides of the present invention can also be used as nutritional sources or supplements. Such uses include without limitation use as a protein or amino acid supplement, use as a carbon source, use as a nitrogen source and use as a source of carbohydrate. In such cases the polypeptide or polynucleotide of the invention can be added to the feed of a particular organism or can be administered as a separate solid or liquid preparation, such as in the form of powder, pills, solutions, suspensions or capsules. In the case of microorganisms, the polypeptide or polynucleotide of the invention can be added to the medium in or on which the microorganism is cultured.

#### 4.10.3 CYTOKINE AND CELL PROLIFERATION/DIFFERENTIATION ACTIVITY

A polypeptide of the present invention may exhibit activity relating to cytokine, cell proliferation (either inducing or inhibiting) or cell differentiation (either inducing or inhibiting) activity or may induce production of other cytokines in certain cell populations. A polynucleotide of the invention can encode a polypeptide exhibiting such attributes. Many protein factors discovered to date, including all known cytokines, have exhibited activity in one or more factor-dependent cell proliferation assays, and hence the assays serve as a convenient confirmation of cytokine activity. The activity of therapeutic

compositions of the present invention is evidenced by any one of a number of routine factor dependent cell proliferation assays for cell lines including, without limitation, 32D, DA2, DA1G, T10, B9, B9/11, BaF3, MC9/G, M+(preB M+), 2E8, RB5, DA1, 123, T1165, HT2, CTLL2, TF-1, Mo7e, CMK, HUVEC, and Caco. Therapeutic compositions of the invention can be used in the following:

Assays for T-cell or thymocyte proliferation include without limitation those described in: Current Protocols in Immunology, Ed by J. E. Coligan, A. M. Kruisbeek, D. H. Margulies, E. M. Shevach, W. Strober, Pub. Greene Publishing Associates and Wiley-Interscience (Chapter 3, *In Vitro* assays for Mouse Lymphocyte Function 3.1-3.19; Chapter 7, Immunologic studies in Humans); Takai et al., J. Immunol. 137:3494-3500, 1986; Bertagnolli et al., J. Immunol. 145:1706-1712, 1990; Bertagnolli et al., Cellular Immunology 133:327-341, 1991; Bertagnolli, et al., I. Immunol. 149:3778-3783, 1992; Bowman et al., I. Immunol. 152:1756-1761, 1994.

Assays for cytokine production and/or proliferation of spleen cells, lymph node cells or thymocytes include, without limitation, those described in: Polyclonal T cell stimulation, Kruisbeek, A. M. and Shevach, E. M. In Current Protocols in Immunology. J. E. e.a. Coligan eds. Vol 1 pp. 3.12.1-3.12.14, John Wiley and Sons, Toronto. 1994; and Measurement of mouse and human interleukin- $\gamma$ , Schreiber, R. D. In Current Protocols in Immunology. J. E. e.a. Coligan eds. Vol 1 pp. 6.8.1-6.8.8, John Wiley and Sons, Toronto. 1994.

Assays for proliferation and differentiation of hematopoietic and lymphopoietic cells include, without limitation, those described in: Measurement of Human and Murine Interleukin 2 and Interleukin 4, Bottomly, K., Davis, L. S. and Lipsky, P. E. In Current Protocols in Immunology. J. E. e.a. Coligan eds. Vol 1 pp. 6.3.1-6.3.12, John Wiley and Sons, Toronto. 1991; deVries et al., J. Exp. Med. 173:1205-1211, 1991; Moreau et al., Nature 336:690-692, 1988; Greenberger et al., Proc. Natl. Acad. Sci. U.S.A. 80:2931-2938, 1983; Measurement of mouse and human interleukin 6--Nordan, R. In Current Protocols in Immunology. J. E. Coligan eds. Vol 1 pp. 6.6.1-6.6.5, John Wiley and Sons, Toronto. 1991; Smith et al., Proc. Natl. Aced. Sci. U.S.A. 83:1857-1861, 1986; Measurement of human Interleukin 11--Bennett, F., Giannotti, J., Clark, S. C. and Turner, K. J. In Current Protocols in Immunology. J. E. Coligan eds. Vol 1 pp. 6.15.1 John

Wiley and Sons, Toronto. 1991; Measurement of mouse and human Interleukin 9--Ciarletta, A., Giannotti, J., Clark, S. C. and Turner, K. J. In Current Protocols in Immunology. J. E. Coligan eds. Vol 1 pp. 6.13.1, John Wiley and Sons, Toronto. 1991.

Assays for T-cell clone responses to antigens (which will identify, among others, proteins that affect APC-T cell interactions as well as direct T-cell effects by measuring proliferation and cytokine production) include, without limitation, those described in: Current Protocols in Immunology, Ed by J. E. Coligan, A. M. Kruisbeek, D. H. Margulies, E. M. Shevach, W Strober, Pub. Greene Publishing Associates and Wiley-Interscience (Chapter 3, *In Vitro* assays for Mouse Lymphocyte Function; Chapter 6, Cytokines and their cellular receptors; Chapter 7, Immunologic studies in Humans); Weinberger et al., Proc. Natl. Acad. Sci. USA 77:6091-6095, 1980; Weinberger et al., Eur. J. Immun. 11:405-411, 1981; Takai et al., J. Immunol. 137:3494-3500, 1986; Takai et al., J. Immunol. 140:508-512, 1988.

#### 4.10.4 STEM CELL GROWTH FACTOR ACTIVITY

A polypeptide of the present invention may exhibit stem cell growth factor activity and be involved in the proliferation, differentiation and survival of pluripotent and totipotent stem cells including primordial germ cells, embryonic stem cells, hematopoietic stem cells and/or germ line stem cells. Administration of the polypeptide of the invention to stem cells *in vivo* or *ex vivo* is expected to maintain and expand cell populations in a totipotent or pluripotent state which would be useful for re-engineering damaged or diseased tissues, transplantation, manufacture of bio-pharmaceuticals and the development of bio-sensors. The ability to produce large quantities of human cells has important working applications for the production of human proteins which currently must be obtained from non-human sources or donors, implantation of cells to treat diseases such as Parkinson's, Alzheimer's and other neurodegenerative diseases; tissues for grafting such as bone marrow, skin, cartilage, tendons, bone, muscle (including cardiac muscle), blood vessels, cornea, neural cells, gastrointestinal cells and others; and organs for transplantation such as kidney, liver, pancreas (including islet cells), heart and lung.

It is contemplated that multiple different exogenous growth factors and/or cytokines may be administered in combination with the polypeptide of the invention to achieve the desired effect, including any of the growth factors listed herein, other stem cell maintenance factors, and specifically including stem cell factor (SCF), leukemia  
5 inhibitory factor (LIF), Flt-3 ligand (Flt-3L), any of the interleukins, recombinant soluble IL-6 receptor fused to IL-6, macrophage inflammatory protein 1-alpha (MIP-1-alpha), G-CSF, GM-CSF, thrombopoietin (TPO), platelet factor 4 (PF-4), platelet-derived growth factor (PDGF), neural growth factors and basic fibroblast growth factor (bFGF).

Since totipotent stem cells can give rise to virtually any mature cell type,  
10 expansion of these cells in culture will facilitate the production of large quantities of mature cells. Techniques for culturing stem cells are known in the art and administration of polypeptides of the invention, optionally with other growth factors and/or cytokines, is expected to enhance the survival and proliferation of the stem cell populations. This can be accomplished by direct administration of the polypeptide of the invention to the  
15 culture medium. Alternatively, stroma cells transfected with a polynucleotide that encodes for the polypeptide of the invention can be used as a feeder layer for the stem cell populations in culture or in vivo. Stromal support cells for feeder layers may include embryonic bone marrow fibroblasts, bone marrow stromal cells, fetal liver cells, or cultured embryonic fibroblasts (see U.S. Patent No. 5,690,926).

20 Stem cells themselves can be transfected with a polynucleotide of the invention to induce autocrine expression of the polypeptide of the invention. This will allow for generation of undifferentiated totipotent/pluripotent stem cell lines that are useful as is or that can then be differentiated into the desired mature cell types. These stable cell lines can also serve as a source of undifferentiated totipotent/pluripotent mRNA to  
25 create cDNA libraries and templates for polymerase chain reaction experiments. These studies would allow for the isolation and identification of differentially expressed genes in stem cell populations that regulate stem cell proliferation and/or maintenance.

Expansion and maintenance of totipotent stem cell populations will be useful in the treatment of many pathological conditions. For example, polypeptides of the present  
30 invention may be used to manipulate stem cells in culture to give rise to neuroepithelial cells that can be used to augment or replace cells damaged by illness, autoimmune

disease, accidental damage or genetic disorders. The polypeptide of the invention may be useful for inducing the proliferation of neural cells and for the regeneration of nerve and brain tissue, i.e. for the treatment of central and peripheral nervous system diseases and neuropathies, as well as mechanical and traumatic disorders which involve degeneration, death or trauma to neural cells or nerve tissue. In addition, the expanded stem cell populations can also be genetically altered for gene therapy purposes and to decrease host rejection of replacement tissues after grafting or implantation.

Expression of the polypeptide of the invention and its effect on stem cells can also be manipulated to achieve controlled differentiation of the stem cells into more differentiated cell types. A broadly applicable method of obtaining pure populations of a specific differentiated cell type from undifferentiated stem cell populations involves the use of a cell-type specific promoter driving a selectable marker. The selectable marker allows only cells of the desired type to survive. For example, stem cells can be induced to differentiate into cardiomyocytes (Wobus et al., *Differentiation*, 48: 173-182, (1991); Klug et al., *J. Clin. Invest.*, 98(1): 216-224, (1998)) or skeletal muscle cells (Browder, L. W. In: *Principles of Tissue Engineering* eds. Lanza et al., Academic Press (1997)). Alternatively, directed differentiation of stem cells can be accomplished by culturing the stem cells in the presence of a differentiation factor such as retinoic acid and an antagonist of the polypeptide of the invention which would inhibit the effects of endogenous stem cell factor activity and allow differentiation to proceed.

*In vitro* cultures of stem cells can be used to determine if the polypeptide of the invention exhibits stem cell growth factor activity. Stem cells are isolated from any one of various cell sources (including hematopoietic stem cells and embryonic stem cells) and cultured on a feeder layer, as described by Thompson et al. *Proc. Natl. Acad. Sci. U.S.A.*, 92: 7844-7848 (1995), in the presence of the polypeptide of the invention alone or in combination with other growth factors or cytokines. The ability of the polypeptide of the invention to induce stem cells proliferation is determined by colony formation on semi-solid support e.g. as described by Bernstein et al., *Blood*, 77: 2316-2321 (1991).

#### 4.10.5 HEMATOPOIESIS REGULATING ACTIVITY



A polypeptide of the present invention may be involved in regulation of hematopoiesis and, consequently, in the treatment of myeloid or lymphoid cell disorders. Even marginal biological activity in support of colony forming cells or of factor-dependent cell lines indicates involvement in regulating hematopoiesis, e.g. in supporting the growth and proliferation of erythroid progenitor cells alone or in combination with other cytokines, thereby indicating utility, for example, in treating various anemias or for use in conjunction with irradiation/chemotherapy to stimulate the production of erythroid precursors and/or erythroid cells; in supporting the growth and proliferation of myeloid cells such as granulocytes and monocytes/macrophages (i.e., traditional CSF activity) useful, for example, in conjunction with chemotherapy to prevent or treat consequent myelo-suppression; in supporting the growth and proliferation of megakaryocytes and consequently of platelets thereby allowing prevention or treatment of various platelet disorders such as thrombocytopenia, and generally for use in place of or complimentary to platelet transfusions; and/or in supporting the growth and proliferation of hematopoietic stem cells which are capable of maturing to any and all of the above-mentioned hematopoietic cells and therefore find therapeutic utility in various stem cell disorders (such as those usually treated with transplantation, including, without limitation, aplastic anemia and paroxysmal nocturnal hemoglobinuria), as well as in repopulating the stem cell compartment post irradiation/chemotherapy, either *in-vivo* or *ex-vivo* (i.e., in conjunction with bone marrow transplantation or with peripheral progenitor cell transplantation (homologous or heterologous)) as normal cells or genetically manipulated for gene therapy.

Therapeutic compositions of the invention can be used in the following:

Suitable assays for proliferation and differentiation of various hematopoietic lines are cited above.

Assays for embryonic stem cell differentiation (which will identify, among others, proteins that influence embryonic differentiation hematopoiesis) include, without limitation, those described in: Johansson et al. Cellular Biology 15:141-151, 1995; Keller et al., Molecular and Cellular Biology 13:473-486, 1993; McClanahan et al., Blood 81:2903-2915, 1993.

- Assays for stem cell survival and differentiation (which will identify, among others, proteins that regulate lympho-hematopoiesis) include, without limitation, those described in: Methylcellulose colony forming assays, Freshney, M. G. In Culture of Hematopoietic Cells. R. I. Freshney, et al. eds. Vol pp. 265-268, Wiley-Liss, Inc., New York, N.Y. 1994; Hirayama et al., Proc. Natl. Acad. Sci. USA 89:5907-5911, 1992; Primitive hematopoietic colony forming cells with high proliferative potential, McNiece, I. K. and Briddell, R. A. In Culture of Hematopoietic Cells. R. I. Freshney, et al. eds. Vol pp. 23-39, Wiley-Liss, Inc., New York, N.Y. 1994; Neben et al., Experimental Hematology 22:353-359, 1994; Cobblestone area forming cell assay, Ploemacher, R. E. In Culture of Hematopoietic Cells. R. I. Freshney, et al. eds. Vol pp. 1-21, Wiley-Liss, Inc., New York, N.Y. 1994; Long term bone marrow cultures in the presence of stromal cells, Spooncer, E., Dexter, M. and Allen, T. In Culture of Hematopoietic Cells. R. I. Freshney, et al. eds. Vol pp. 163-179, Wiley-Liss, Inc., New York, N.Y. 1994; Long term culture initiating cell assay, Sutherland, H. J. In Culture of Hematopoietic Cells. R. I. Freshney, et al. eds. Vol pp. 139-162, Wiley-Liss, Inc., New York, N.Y. 1994.

#### 4.10.6 TISSUE GROWTH ACTIVITY

A polypeptide of the present invention also may be involved in bone, cartilage, tendon, ligament and/or nerve tissue growth or regeneration, as well as in wound healing and tissue repair and replacement, and in healing of burns, incisions and ulcers.

A polypeptide of the present invention which induces cartilage and/or bone growth in circumstances where bone is not normally formed, has application in the healing of bone fractures and cartilage damage or defects in humans and other animals. Compositions of a polypeptide, antibody, binding partner, or other modulator of the invention may have prophylactic use in closed as well as open fracture reduction and also in the improved fixation of artificial joints. De novo bone formation induced by an osteogenic agent contributes to the repair of congenital, trauma induced, or oncologic resection induced craniofacial defects, and also is useful in cosmetic plastic surgery.

A polypeptide of this invention may also be involved in attracting bone-forming cells, stimulating growth of bone-forming cells, or inducing differentiation of progenitors of bone-forming cells. Treatment of osteoporosis, osteoarthritis, bone degenerative

disorders, or periodontal disease, such as through stimulation of bone and/or cartilage repair or by blocking inflammation or processes of tissue destruction (collagenase activity, osteoclast activity, etc.) mediated by inflammatory processes may also be possible using the composition of the invention.

5           Another category of tissue regeneration activity that may involve the polypeptide of the present invention is tendon/ligament formation. Induction of tendon/ligament-like tissue or other tissue formation in circumstances where such tissue is not normally formed, has application in the healing of tendon or ligament tears, deformities and other tendon or ligament defects in humans and other animals. Such a preparation employing a  
10 tendon/ligament-like tissue inducing protein may have prophylactic use in preventing damage to tendon or ligament tissue, as well as use in the improved fixation of tendon or ligament to bone or other tissues, and in repairing defects to tendon or ligament tissue. De novo tendon/ligament-like tissue formation induced by a composition of the present invention contributes to the repair of congenital, trauma induced, or other tendon or  
15 ligament defects of other origin, and is also useful in cosmetic plastic surgery for attachment or repair of tendons or ligaments. The compositions of the present invention may provide environment to attract tendon- or ligament-forming cells, stimulate growth of tendon- or ligament-forming cells, induce differentiation of progenitors of tendon- or ligament-forming cells, or induce growth of tendon/ligament cells or progenitors *ex vivo*  
20 for return *in vivo* to effect tissue repair. The compositions of the invention may also be useful in the treatment of tendinitis, carpal tunnel syndrome and other tendon or ligament defects. The compositions may also include an appropriate matrix and/or sequestering agent as a carrier as is well known in the art.

          The compositions of the present invention may also be useful for proliferation of  
25 neural cells and for regeneration of nerve and brain tissue, i.e. for the treatment of central and peripheral nervous system diseases and neuropathies, as well as mechanical and traumatic disorders, which involve degeneration, death or trauma to neural cells or nerve tissue. More specifically, a composition may be used in the treatment of diseases of the peripheral nervous system, such as peripheral nerve injuries, peripheral neuropathy and  
30 localized neuropathies, and central nervous system diseases, such as Alzheimer's, Parkinson's disease, Huntington's disease, amyotrophic lateral sclerosis, and Shy-Drager

syndrome. Further conditions which may be treated in accordance with the present invention include mechanical and traumatic disorders, such as spinal cord disorders, head trauma and cerebrovascular diseases such as stroke. Peripheral neuropathies resulting from chemotherapy or other medical therapies may also be treatable using a composition  
5 of the invention.

Compositions of the invention may also be useful to promote better or faster closure of non-healing wounds, including without limitation pressure ulcers, ulcers associated with vascular insufficiency, surgical and traumatic wounds, and the like.

Compositions of the present invention may also be involved in the generation or  
10 regeneration of other tissues, such as organs (including, for example, pancreas, liver, intestine, kidney, skin, endothelium), muscle (smooth, skeletal or cardiac) and vascular (including vascular endothelium) tissue, or for promoting the growth of cells comprising such tissues. Part of the desired effects may be by inhibition or modulation of fibrotic scarring may allow normal tissue to regenerate. A polypeptide of the present invention  
15 may also exhibit angiogenic activity.

A composition of the present invention may also be useful for gut protection or regeneration and treatment of lung or liver fibrosis, reperfusion injury in various tissues, and conditions resulting from systemic cytokine damage.

A composition of the present invention may also be useful for promoting or  
20 inhibiting differentiation of tissues described above from precursor tissues or cells; or for inhibiting the growth of tissues described above.

Therapeutic compositions of the invention can be used in the following:

Assays for tissue generation activity include, without limitation, those described in: International Patent Publication No. WO95/16035 (bone, cartilage, tendon);  
25 International Patent Publication No. WO95/05846 (nerve, neuronal); International Patent Publication No. WO91/07491 (skin, endothelium).

Assays for wound healing activity include, without limitation, those described in: Winter, Epidermal Wound Healing, pps. 71-112 (Maibach, H. I. and Rovee, D. T., eds.), Year Book Medical Publishers, Inc., Chicago, as modified by Eaglstein and Mertz, J.  
30 Invest. Dermatol 71:382-84 (1978).

#### 4.10.7 IMMUNE STIMULATING OR SUPPRESSING ACTIVITY

A polypeptide of the present invention may also exhibit immune stimulating or immune suppressing activity, including without limitation the activities for which assays are described herein. A polynucleotide of the invention can encode a polypeptide  
5 exhibiting such activities. A protein may be useful in the treatment of various immune deficiencies and disorders (including severe combined immunodeficiency (SCID)), e.g., in regulating (up or down) growth and proliferation of T and/or B lymphocytes, as well as effecting the cytolytic activity of NK cells and other cell populations. These immune deficiencies may be genetic or be caused by viral (e.g., HIV) as well as bacterial or  
10 fungal infections, or may result from autoimmune disorders. More specifically, infectious diseases caused by viral, bacterial, fungal or other infection may be treatable using a protein of the present invention, including infections by HIV, hepatitis viruses, herpes viruses, mycobacteria, *Leishmania* spp., malaria spp. and various fungal infections such as candidiasis. Of course, in this regard, proteins of the present invention may also be  
15 useful where a boost to the immune system generally may be desirable, i.e., in the treatment of cancer.

Autoimmune disorders which may be treated using a protein of the present invention include, for example, connective tissue disease, multiple sclerosis, systemic lupus erythematosus, rheumatoid arthritis, autoimmune pulmonary inflammation,  
20 Guillain-Barre syndrome, autoimmune thyroiditis, insulin dependent diabetes mellitus, myasthenia gravis, graft-versus-host disease and autoimmune inflammatory eye disease. Such a protein (or antagonists thereof, including antibodies) of the present invention may also to be useful in the treatment of allergic reactions and conditions (e.g., anaphylaxis, serum sickness, drug reactions, food allergies, insect venom allergies, mastocytosis,  
25 allergic rhinitis, hypersensitivity pneumonitis, urticaria, angioedema, eczema, atopic dermatitis, allergic contact dermatitis, erythema multiforme, Stevens-Johnson syndrome, allergic conjunctivitis, atopic keratoconjunctivitis, venereal keratoconjunctivitis, giant papillary conjunctivitis and contact allergies), such as asthma (particularly allergic asthma) or other respiratory problems. Other conditions, in which immune suppression is  
30 desired (including, for example, organ transplantation), may also be treatable using a protein (or antagonists thereof) of the present invention. The therapeutic effects of the

polypeptides or antagonists thereof on allergic reactions can be evaluated by in vivo animals models such as the cumulative contact enhancement test (Lastbom et al., Toxicology 125: 59-66, 1998), skin prick test (Hoffmann et al., Allergy 54: 446-54, 1999), guinea pig skin sensitization test (Vohr et al., Arch. Toxicol. 73: 501-9), and  
5 murine local lymph node assay (Kimber et al., J. Toxicol. Environ. Health 53: 563-79).

Using the proteins of the invention it may also be possible to modulate immune responses, in a number of ways. Down regulation may be in the form of inhibiting or blocking an immune response already in progress or may involve preventing the induction of an immune response. The functions of activated T cells may be inhibited by  
10 suppressing T cell responses or by inducing specific tolerance in T cells, or both. Immunosuppression of T cell responses is generally an active, non-antigen-specific, process which requires continuous exposure of the T cells to the suppressive agent. Tolerance, which involves inducing non-responsiveness or anergy in T cells, is distinguishable from immunosuppression in that it is generally antigen-specific and  
15 persists after exposure to the tolerizing agent has ceased. Operationally, tolerance can be demonstrated by the lack of a T cell response upon reexposure to specific antigen in the absence of the tolerizing agent.

Down regulating or preventing one or more antigen functions (including without limitation B lymphocyte antigen functions (such as, for example, B7)), e.g., preventing  
20 high level lymphokine synthesis by activated T cells, will be useful in situations of tissue, skin and organ transplantation and in graft-versus-host disease (GVHD). For example, blockage of T cell function should result in reduced tissue destruction in tissue transplantation. Typically, in tissue transplants, rejection of the transplant is initiated through its recognition as foreign by T cells, followed by an immune reaction that  
25 destroys the transplant. The administration of a therapeutic composition of the invention may prevent cytokine synthesis by immune cells, such as T cells, and thus acts as an immunosuppressant. Moreover, a lack of costimulation may also be sufficient to anergize the T cells, thereby inducing tolerance in a subject. Induction of long-term tolerance by B lymphocyte antigen-blocking reagents may avoid the necessity of repeated administration  
30 of these blocking reagents. To achieve sufficient immunosuppression or tolerance in a

subject, it may also be necessary to block the function of a combination of B lymphocyte antigens.

The efficacy of particular therapeutic compositions in preventing organ transplant rejection or GVHD can be assessed using animal models that are predictive of efficacy in humans. Examples of appropriate systems which can be used include allogeneic cardiac grafts in rats and xenogeneic pancreatic islet cell grafts in mice, both of which have been used to examine the immunosuppressive effects of CTLA4Ig fusion proteins in vivo as described in Lenschow et al., *Science* 257:789-792 (1992) and Turka et al., *Proc. Natl. Acad. Sci USA*, 89:11102-11105 (1992). In addition, murine models of GVHD (see Paul ed., *Fundamental Immunology*, Raven Press, New York, 1989, pp. 846-847) can be used to determine the effect of therapeutic compositions of the invention on the development of that disease.

Blocking antigen function may also be therapeutically useful for treating autoimmune diseases. Many autoimmune disorders are the result of inappropriate activation of T cells that are reactive against self tissue and which promote the production of cytokines and autoantibodies involved in the pathology of the diseases. Preventing the activation of autoreactive T cells may reduce or eliminate disease symptoms. Administration of reagents which block stimulation of T cells can be used to inhibit T cell activation and prevent production of autoantibodies or T cell-derived cytokines which may be involved in the disease process. Additionally, blocking reagents may induce antigen-specific tolerance of autoreactive T cells which could lead to long-term relief from the disease. The efficacy of blocking reagents in preventing or alleviating autoimmune disorders can be determined using a number of well-characterized animal models of human autoimmune diseases. Examples include murine experimental autoimmune encephalitis, systemic lupus erythematosus in MRL/lpr/lpr mice or NZB hybrid mice, murine autoimmune collagen arthritis, diabetes mellitus in NOD mice and BB rats, and murine experimental myasthenia gravis (see Paul ed., *Fundamental Immunology*, Raven Press, New York, 1989, pp. 840-856).

Upregulation of an antigen function (e.g., a B lymphocyte antigen function), as a means of up regulating immune responses, may also be useful in therapy. Upregulation of immune responses may be in the form of enhancing an existing immune response or

eliciting an initial immune response. For example, enhancing an immune response may be useful in cases of viral infection, including systemic viral diseases such as influenza, the common cold, and encephalitis.

Alternatively, anti-viral immune responses may be enhanced in an infected patient  
5 by removing T cells from the patient, costimulating the T cells in vitro with viral antigen-pulsed APCs either expressing a peptide of the present invention or together with a stimulatory form of a soluble peptide of the present invention and reintroducing the in vitro activated T cells into the patient. Another method of enhancing anti-viral immune responses would be to isolate infected cells from a patient, transfect them with a nucleic  
10 acid encoding a protein of the present invention as described herein such that the cells express all or a portion of the protein on their surface, and reintroduce the transfected cells into the patient. The infected cells would now be capable of delivering a costimulatory signal to, and thereby activate, T cells in vivo.

A polypeptide of the present invention may provide the necessary stimulation  
15 signal to T cells to induce a T cell mediated immune response against the transfected tumor cells. In addition, tumor cells which lack MHC class I or MHC class II molecules, or which fail to reexpress sufficient mounts of MHC class I or MHC class II molecules, can be transfected with nucleic acid encoding all or a portion of (e.g., a cytoplasmic-domain truncated portion) of an MHC class I alpha chain protein and  $\beta_2$   
20 microglobulin protein or an MHC class II alpha chain protein and an MHC class II beta chain protein to thereby express MHC class I or MHC class II proteins on the cell surface. Expression of the appropriate class I or class II MHC in conjunction with a peptide having the activity of a B lymphocyte antigen (e.g., B7-1, B7-2, B7-3) induces a T cell mediated immune response against the transfected tumor cell. Optionally, a gene  
25 encoding an antisense construct which blocks expression of an MHC class II associated protein, such as the invariant chain, can also be cotransfected with a DNA encoding a peptide having the activity of a B lymphocyte antigen to promote presentation of tumor associated antigens and induce tumor specific immunity. Thus, the induction of a T cell mediated immune response in a human subject may be sufficient to overcome  
30 tumor-specific tolerance in the subject.



The activity of a protein of the invention may, among other means, be measured by the following methods:

Suitable assays for thymocyte or splenocyte cytotoxicity include, without limitation, those described in: *Current Protocols in Immunology*, Ed by J. E. Coligan, A. M. Kruisbeek, D. H. Margulies, E. M. Shevach, W. Strober, Pub. Greene Publishing Associates and Wiley-Interscience (Chapter 3, *In Vitro* assays for Mouse Lymphocyte Function 3.1-3.19; Chapter 7, *Immunologic studies in Humans*); Herrmann et al., *Proc. Natl. Acad. Sci. USA* 78:2488-2492, 1981; Herrmann et al., *J. Immunol.* 128:1968-1974, 1982; Handa et al., *J. Immunol.* 135:1564-1572, 1985; Takai et al., *J. Immunol.* 137:3494-3500, 1986; Takai et al., *J. Immunol.* 140:508-512, 1988; Bowman et al., *J. Virology* 61:1992-1998; Bertagnolli et al., *Cellular Immunology* 133:327-341, 1991; Brown et al., *J. Immunol.* 153:3079-3092, 1994.

Assays for T-cell-dependent immunoglobulin responses and isotype switching (which will identify, among others, proteins that modulate T-cell dependent antibody responses and that affect Th1/Th2 profiles) include, without limitation, those described in: Maliszewski, *J. Immunol.* 144:3028-3033, 1990; and Assays for B cell function: *In vitro* antibody production, Mond, J. J. and Brunswick, M. In *Current Protocols in Immunology*, J. E. Coligan eds. Vol 1 pp. 3.8.1-3.8.16, John Wiley and Sons, Toronto. 1994.

Mixed lymphocyte reaction (MLR) assays (which will identify, among others, proteins that generate predominantly Th1 and CTL responses) include, without limitation, those described in: *Current Protocols in Immunology*, Ed by J. E. Coligan, A. M. Kruisbeek, D. H. Margulies, E. M. Shevach, W. Strober, Pub. Greene Publishing Associates and Wiley-Interscience (Chapter 3, *In Vitro* assays for Mouse Lymphocyte Function 3.1-3.19; Chapter 7, *Immunologic studies in Humans*); Takai et al., *J. Immunol.* 137:3494-3500, 1986; Takai et al., *J. Immunol.* 140:508-512, 1988; Bertagnolli et al., *J. Immunol.* 149:3778-3783, 1992.

Dendritic cell-dependent assays (which will identify, among others, proteins expressed by dendritic cells that activate naive T-cells) include, without limitation, those described in: Guery et al., *J. Immunol.* 134:536-544, 1995; Inaba et al., *Journal of Experimental Medicine* 173:549-559, 1991; Macatonia et al., *Journal of Immunology*

154:5071-5079, 1995; Porgador et al., Journal of Experimental Medicine 182:255-260, 1995; Nair et al., Journal of Virology 67:4062-4069, 1993; Huang et al., Science 264:961-965, 1994; Macatonia et al., Journal of Experimental Medicine 169:1255-1264, 1989; Bhardwaj et al., Journal of Clinical Investigation 94:797-807, 1994; and Inaba et al., Journal of Experimental Medicine 172:631-640, 1990.

Assays for lymphocyte survival/apoptosis (which will identify, among others, proteins that prevent apoptosis after superantigen induction and proteins that regulate lymphocyte homeostasis) include, without limitation, those described in: Darzynkiewicz et al., Cytometry 13:795-808, 1992; Gorczyca et al., Leukemia 7:659-670, 1993; Gorczyca et al., Cancer Research 53:1945-1951, 1993; Itoh et al., Cell 66:233-243, 1991; Zacharchuk, Journal of Immunology 145:4037-4045, 1990; Zamai et al., Cytometry 14:891-897, 1993; Gorczyca et al., International Journal of Oncology 1:639-648, 1992.

Assays for proteins that influence early steps of T-cell commitment and development include, without limitation, those described in: Antica et al., Blood 84:111-117, 1994; Fine et al., Cellular Immunology 155:111-122, 1994; Galy et al., Blood 85:2770-2778, 1995; Toki et al., Proc. Nat. Acad Sci. USA 88:7548-7551, 1991.

#### 4.10.8 ACTIVIN/INHIBIN ACTIVITY

A polypeptide of the present invention may also exhibit activin- or inhibin-related activities. A polynucleotide of the invention may encode a polypeptide exhibiting such characteristics. Inhibins are characterized by their ability to inhibit the release of follicle stimulating hormone (FSH), while activins are characterized by their ability to stimulate the release of follicle stimulating hormone (FSH). Thus, a polypeptide of the present invention, alone or in heterodimers with a member of the inhibin family, may be useful as a contraceptive based on the ability of inhibins to decrease fertility in female mammals and decrease spermatogenesis in male mammals. Administration of sufficient amounts of other inhibins can induce infertility in these mammals. Alternatively, the polypeptide of the invention, as a homodimer or as a heterodimer with other protein subunits of the inhibin group, may be useful as a fertility inducing therapeutic, based upon the ability of activin molecules in stimulating FSH release from cells of the anterior pituitary. See, for example, U.S. Pat. No. 4,798,885. A polypeptide of the invention may

also be useful for advancement of the onset of fertility in sexually immature mammals, so as to increase the lifetime reproductive performance of domestic animals such as, but not limited to, cows, sheep and pigs.

5       The activity of a polypeptide of the invention may, among other means, be measured by the following methods.

Assays for activin/inhibin activity include, without limitation, those described in: Vale et al., *Endocrinology* 91:562-572, 1972; Ling et al., *Nature* 321:779-782, 1986; Vale et al., *Nature* 321:776-779, 1986; Mason et al., *Nature* 318:659-663, 1985; Forage et al., *Proc. Natl. Acad. Sci. USA* 83:3091-3095, 1986.

10

#### 4.10.9 CHEMOTACTIC/CHEMOKINETIC ACTIVITY

A polypeptide of the present invention may be involved in chemotactic or chemokinetic activity for mammalian cells, including, for example, monocytes, fibroblasts, neutrophils, T-cells, mast cells, eosinophils, epithelial and/or endothelial  
15       cells. A polynucleotide of the invention can encode a polypeptide exhibiting such attributes. Chemotactic and chemokinetic receptor activation can be used to mobilize or attract a desired cell population to a desired site of action. Chemotactic or chemokinetic compositions (e.g. proteins, antibodies, binding partners, or modulators of the invention) provide particular advantages in treatment of wounds and other trauma to tissues, as well  
20       as in treatment of localized infections. For example, attraction of lymphocytes, monocytes or neutrophils to tumors or sites of infection may result in improved immune responses against the tumor or infecting agent.

A protein or peptide has chemotactic activity for a particular cell population if it can stimulate, directly or indirectly, the directed orientation or movement of such cell  
25       population. Preferably, the protein or peptide has the ability to directly stimulate directed movement of cells. Whether a particular protein has chemotactic activity for a population of cells can be readily determined by employing such protein or peptide in any known assay for cell chemotaxis.

Therapeutic compositions of the invention can be used in the following:

30       Assays for chemotactic activity (which will identify proteins that induce or prevent chemotaxis) consist of assays that measure the ability of a protein to induce the

migration of cells across a membrane as well as the ability of a protein to induce the adhesion of one cell population to another cell population. Suitable assays for movement and adhesion include, without limitation, those described in: Current Protocols in Immunology, Ed by J. E. Coligan, A. M. Kruisbeek, D. H. Marguiles, E. M. Shevach, W. Strober, Pub. Greene Publishing Associates and Wiley-Interscience (Chapter 6.12, Measurement of alpha and beta Chemokines 6.12.1-6.12.28; Taub et al. J. Clin. Invest. 95:1370-1376, 1995; Lind et al. APMIS 103:140-146, 1995; Muller et al Eur. J. Immunol. 25:1744-1748; Gruber et al. J. of Immunol. 152:5860-5867, 1994; Johnston et al. J. of Immunol. 153:1762-1768, 1994.

#### 4.10.10 HEMOSTATIC AND THROMBOLYTIC ACTIVITY

A polypeptide of the invention may also be involved in hemostasis or thrombolysis or thrombosis. A polynucleotide of the invention can encode a polypeptide exhibiting such attributes. Compositions may be useful in treatment of various coagulation disorders (including hereditary disorders, such as hemophilias) or to enhance coagulation and other hemostatic events in treating wounds resulting from trauma, surgery or other causes. A composition of the invention may also be useful for dissolving or inhibiting formation of thromboses and for treatment and prevention of conditions resulting therefrom (such as, for example, infarction of cardiac and central nervous system vessels (e.g., stroke).

Therapeutic compositions of the invention can be used in the following:

Assay for hemostatic and thrombolytic activity include, without limitation, those described in: Linet et al., J. Clin. Pharmacol. 26:131-140, 1986; Burdick et al., Thrombosis Res. 45:413-419, 1987; Humphrey et al., Fibrinolysis 5:71-79 (1991); Schaub, Prostaglandins 35:467-474, 1988.

#### 4.10.11 CANCER DIAGNOSIS AND THERAPY

Polypeptides of the invention may be involved in cancer cell generation, proliferation or metastasis. Detection of the presence or amount of polynucleotides or polypeptides of the invention may be useful for the diagnosis and/or prognosis of one or more types of cancer. For example, the presence or increased expression of a

polynucleotide/polypeptide of the invention may indicate a hereditary risk of cancer, a precancerous condition, or an ongoing malignancy. Conversely, a defect in the gene or absence of the polypeptide may be associated with a cancer condition. Identification of single nucleotide polymorphisms associated with cancer or a predisposition to cancer  
5 may also be useful for diagnosis or prognosis.

Cancer treatments promote tumor regression by inhibiting tumor cell proliferation, inhibiting angiogenesis (growth of new blood vessels that is necessary to support tumor growth) and/or prohibiting metastasis by reducing tumor cell motility or invasiveness. Therapeutic compositions of the invention may be effective in adult and  
10 pediatric oncology including in solid phase tumors/malignancies, locally advanced tumors, human soft tissue sarcomas, metastatic cancer, including lymphatic metastases, blood cell malignancies including multiple myeloma, acute and chronic leukemias, and lymphomas, head and neck cancers including mouth cancer, larynx cancer and thyroid cancer, lung cancers including small cell carcinoma and non-small cell cancers, breast  
15 cancers including small cell carcinoma and ductal carcinoma, gastrointestinal cancers including esophageal cancer, stomach cancer, colon cancer, colorectal cancer and polyps associated with colorectal neoplasia, pancreatic cancers, liver cancer, urologic cancers including bladder cancer and prostate cancer, malignancies of the female genital tract including ovarian carcinoma, uterine (including endometrial) cancers, and solid tumor in  
20 the ovarian follicle, kidney cancers including renal cell carcinoma, brain cancers including intrinsic brain tumors, neuroblastoma, astrocytic brain tumors, gliomas, metastatic tumor cell invasion in the central nervous system, bone cancers including osteomas, skin cancers including malignant melanoma, tumor progression of human skin keratinocytes, squamous cell carcinoma, basal cell carcinoma, hemangiopericytoma and  
25 Kaposi's sarcoma.

Polypeptides, polynucleotides, or modulators of polypeptides of the invention (including inhibitors and stimulators of the biological activity of the polypeptide of the invention) may be administered to treat cancer. Therapeutic compositions can be administered in therapeutically effective dosages alone or in combination with adjuvant  
30 cancer therapy such as surgery, chemotherapy, radiotherapy, thermotherapy, and laser therapy, and may provide a beneficial effect, e.g. reducing tumor size, slowing rate of

tumor growth, inhibiting metastasis, or otherwise improving overall clinical condition, without necessarily eradicating the cancer.

The composition can also be administered in therapeutically effective amounts as a portion of an anti-cancer cocktail. An anti-cancer cocktail is a mixture of the

5 polypeptide or modulator of the invention with one or more anti-cancer drugs in addition to a pharmaceutically acceptable carrier for delivery. The use of anti-cancer cocktails as a cancer treatment is routine. Anti-cancer drugs that are well known in the art and can be used as a treatment in combination with the polypeptide or modulator of the invention include: Actinomycin D, Aminoglutethimide, Asparaginase, Bleomycin, Busulfan,

10 Carboplatin, Carmustine, Chlorambucil, Cisplatin (cis-DDP), Cyclophosphamide, Cytarabine HCl (Cytosine arabinoside), Dacarbazine, Dactinomycin, Daunorubicin HCl, Doxorubicin HCl, Estramustine phosphate sodium, Etoposide (V16-213), Floxuridine, 5-Fluorouracil (5-Fu), Flutamide, Hydroxyurea (hydroxycarbamide), Ifosfamide, Interferon Alpha-2a, Interferon Alpha-2b, Leuprolide acetate (LHRH-releasing factor analog),

15 Lomustine, Mechlorethamine HCl (nitrogen mustard), Melphalan, Mercaptopurine, Mesna, Methotrexate (MTX), Mitomycin, Mitoxantrone HCl, Octreotide, Plicamycin, Procarbazine HCl, Streptozocin, Tamoxifen citrate, Thioguanine, Thiotepa, Vinblastine sulfate, Vincristine sulfate, Amsacrine, Azacitidine, Hexamethylmelamine, Interleukin-2, Mitoguazone, Pentostatin, Semustine, Teniposide, and Vindesine sulfate.

20 In addition, therapeutic compositions of the invention may be used for prophylactic treatment of cancer. There are hereditary conditions and/or environmental situations (e.g. exposure to carcinogens) known in the art that predispose an individual to developing cancers. Under these circumstances, it may be beneficial to treat these individuals with therapeutically effective doses of the polypeptide of the invention to

25 reduce the risk of developing cancers.

*In vitro* models can be used to determine the effective doses of the polypeptide of the invention as a potential cancer treatment. These *in vitro* models include proliferation assays of cultured tumor cells, growth of cultured tumor cells in soft agar (see Freshney, (1987) Culture of Animal Cells: A Manual of Basic Technique, Wiley-Liss, New York,

30 NY Ch 18 and Ch 21), tumor systems in nude mice as described in Giovanella et al., J. Natl. Can. Inst., 52: 921-30 (1974), mobility and invasive potential of tumor cells in

Boyden Chamber assays as described in Pilkington et al., *Anticancer Res.*, 17: 4107-9 (1997), and angiogenesis assays such as induction of vascularization of the chick chorioallantoic membrane or induction of vascular endothelial cell migration as described in Ribatta et al., *Intl. J. Dev. Biol.*, 40: 1189-97 (1999) and Li et al., *Clin. Exp. Metastasis*, 17:423-9 (1999), respectively. Suitable tumor cells lines are available, e.g. from American Type Tissue Culture Collection catalogs.

#### 4.10.12 RECEPTOR/LIGAND ACTIVITY

A polypeptide of the present invention may also demonstrate activity as receptor, receptor ligand or inhibitor or agonist of receptor/ligand interactions. A polynucleotide of the invention can encode a polypeptide exhibiting such characteristics. Examples of such receptors and ligands include, without limitation, cytokine receptors and their ligands, receptor kinases and their ligands, receptor phosphatases and their ligands, receptors involved in cell-cell interactions and their ligands (including without limitation, cellular adhesion molecules (such as selectins, integrins and their ligands) and receptor/ligand pairs involved in antigen presentation, antigen recognition and development of cellular and humoral immune responses. Receptors and ligands are also useful for screening of potential peptide or small molecule inhibitors of the relevant receptor/ligand interaction. A protein of the present invention (including, without limitation, fragments of receptors and ligands) may themselves be useful as inhibitors of receptor/ligand interactions.

The activity of a polypeptide of the invention may, among other means, be measured by the following methods:

Suitable assays for receptor-ligand activity include without limitation those described in: *Current Protocols in Immunology*, Ed by J. E. Coligan, A. M. Kruisbeek, D. H. Margulies, E. M. Shevach, W. Strober, Pub. Greene Publishing Associates and Wiley- Interscience (Chapter 7.28, Measurement of Cellular Adhesion under static conditions 7.28.1- 7.28.22), Takai et al., *Proc. Natl. Acad. Sci. USA* 84:6864-6868, 1987; Bierer et al., *J. Exp. Med.* 168:1145-1156, 1988; Rosenstein et al., *J. Exp. Med.* 169:149-160 1989; Stoltenborg et al., *J. Immunol. Methods* 175:59-68, 1994; Stitt et al., *Cell* 80:661-670, 1995.

By way of example, the polypeptides of the invention may be used as a receptor for a ligand(s) thereby transmitting the biological activity of that ligand(s). Ligands may be identified through binding assays, affinity chromatography, dihybrid screening assays, BIAcore assays, gel overlay assays, or other methods known in the art.

- 5        Studies characterizing drugs or proteins as agonist or antagonist or partial agonists or a partial antagonist require the use of other proteins as competing ligands. The polypeptides of the present invention or ligand(s) thereof may be labeled by being coupled to radioisotopes, colorimetric molecules or a toxin molecules by conventional methods. ("Guide to Protein Purification" Murray P. Deutscher (ed) Methods in  
10    Enzymology Vol. 182 (1990) Academic Press, Inc. San Diego). Examples of radioisotopes include, but are not limited to, tritium and carbon-14 . Examples of colorimetric molecules include, but are not limited to, fluorescent molecules such as fluorescamine, or rhodamine or other colorimetric molecules. Examples of toxins include, but are not limited, to ricin.

15

#### 4.10.13        DRUG SCREENING

- This invention is particularly useful for screening chemical compounds by using the novel polypeptides or binding fragments thereof in any of a variety of drug screening techniques. The polypeptides or fragments employed in such a test may either be free in  
20    solution, affixed to a solid support, borne on a cell surface or located intracellularly. One method of drug screening utilizes eukaryotic or prokaryotic host cells which are stably transformed with recombinant nucleic acids expressing the polypeptide or a fragment thereof. Drugs are screened against such transformed cells in competitive binding assays. Such cells, either in viable or fixed form, can be used for standard binding assays. One  
25    may measure, for example, the formation of complexes between polypeptides of the invention or fragments and the agent being tested or examine the diminution in complex formation between the novel polypeptides and an appropriate cell line, which are well known in the art.

- Sources for test compounds that may be screened for ability to bind to or  
30    modulate (i.e., increase or decrease) the activity of polypeptides of the invention include (1) inorganic and organic chemical libraries, (2) natural product libraries, and (3)



combinatorial libraries comprised of either random or mimetic peptides, oligonucleotides or organic molecules.

Chemical libraries may be readily synthesized or purchased from a number of commercial sources, and may include structural analogs of known compounds or  
5 compounds that are identified as "hits" or "leads" via natural product screening.

The sources of natural product libraries are microorganisms (including bacteria and fungi), animals, plants or other vegetation, or marine organisms, and libraries of mixtures for screening may be created by: (1) fermentation and extraction of broths from soil, plant or marine microorganisms or (2) extraction of the organisms themselves.  
10 Natural product libraries include polyketides, non-ribosomal peptides, and (non-naturally occurring) variants thereof. For a review, see *Science* 282:63-68 (1998).

Combinatorial libraries are composed of large numbers of peptides, oligonucleotides or organic compounds and can be readily prepared by traditional automated synthesis methods, PCR, cloning or proprietary synthetic methods. Of  
15 particular interest are peptide and oligonucleotide combinatorial libraries. Still other libraries of interest include peptide, protein, peptidomimetic, multiparallel synthetic collection, recombinatorial, and polypeptide libraries. For a review of combinatorial chemistry and libraries created therefrom, see Myers, *Curr. Opin. Biotechnol.* 8:701-707 (1997). For reviews and examples of peptidomimetic libraries, see Al-Obeidi et al., *Mol. Biotechnol.*, 9(3):205-23 (1998); Hruby et al., *Curr Opin Chem Biol*, 1(1):114-19 (1997);  
20 Dorner et al., *Bioorg Med Chem*, 4(5):709-15 (1996) (alkylated dipeptides).

Identification of modulators through use of the various libraries described herein permits modification of the candidate "hit" (or "lead") to optimize the capacity of the "hit" to bind a polypeptide of the invention. The molecules identified in the binding assay  
25 are then tested for antagonist or agonist activity in *in vivo* tissue culture or animal models that are well known in the art. In brief, the molecules are titrated into a plurality of cell cultures or animals and then tested for either cell/animal death or prolonged survival of the animal/cells.

The binding molecules thus identified may be complexed with toxins, e.g., ricin  
30 or cholera, or with other compounds that are toxic to cells such as radioisotopes. The toxin-binding molecule complex is then targeted to a tumor or other cell by the specificity

of the binding molecule for a polypeptide of the invention. Alternatively, the binding molecules may be complexed with imaging agents for targeting and imaging purposes.

#### 4.10.14 ASSAY FOR RECEPTOR ACTIVITY

5 The invention also provides methods to detect specific binding of a polypeptide e.g. a ligand or a receptor. The art provides numerous assays particularly useful for identifying previously unknown binding partners for receptor polypeptides of the invention. For example, expression cloning using mammalian or bacterial cells, or dihybrid screening assays can be used to identify polynucleotides encoding binding  
10 partners. As another example, affinity chromatography with the appropriate immobilized polypeptide of the invention can be used to isolate polypeptides that recognize and bind polypeptides of the invention. There are a number of different libraries used for the identification of compounds, and in particular small molecules, that modulate (*i.e.*, increase or decrease) biological activity of a polypeptide of the invention. Ligands for  
15 receptor polypeptides of the invention can also be identified by adding exogenous ligands, or cocktails of ligands to two cells populations that are genetically identical except for the expression of the receptor of the invention: one cell population expresses the receptor of the invention whereas the other does not. The response of the two cell populations to the addition of ligands(s) are then compared. Alternatively, an expression  
20 library can be co-expressed with the polypeptide of the invention in cells and assayed for an autocrine response to identify potential ligand(s). As still another example, BIAcore assays, gel overlay assays, or other methods known in the art can be used to identify binding partner polypeptides, including, (1) organic and inorganic chemical libraries, (2) natural product libraries, and (3) combinatorial libraries comprised of random peptides,  
25 oligonucleotides or organic molecules.

The role of downstream intracellular signaling molecules in the signaling cascade of the polypeptide of the invention can be determined. For example, a chimeric protein in which the cytoplasmic domain of the polypeptide of the invention is fused to the extracellular portion of a protein, whose ligand has been identified, is produced in a host  
30 cell. The cell is then incubated with the ligand specific for the extracellular portion of the chimeric protein, thereby activating the chimeric receptor. Known downstream proteins

involved in intracellular signaling can then be assayed for expected modifications i.e. phosphorylation. Other methods known to those in the art can also be used to identify signaling molecules involved in receptor activity.

5           **4.10.15           ANTI-INFLAMMATORY ACTIVITY**

Compositions of the present invention may also exhibit anti-inflammatory activity. The anti-inflammatory activity may be achieved by providing a stimulus to cells involved in the inflammatory response, by inhibiting or promoting cell-cell interactions (such as, for example, cell adhesion), by inhibiting or promoting chemotaxis of cells  
10 involved in the inflammatory process, inhibiting or promoting cell extravasation, or by stimulating or suppressing production of other factors which more directly inhibit or promote an inflammatory response. Compositions with such activities can be used to treat inflammatory conditions including chronic or acute conditions), including without limitation intimation associated with infection (such as septic shock, sepsis or systemic  
15 inflammatory response syndrome (SIRS)), ischemia-reperfusion injury, endotoxin lethality, arthritis, complement-mediated hyperacute rejection, nephritis, cytokine or chemokine-induced lung injury, inflammatory bowel disease, Crohn's disease or resulting from over production of cytokines such as TNF or IL-1. Compositions of the invention may also be useful to treat anaphylaxis and hypersensitivity to an antigenic substance or  
20 material. Compositions of this invention may be utilized to prevent or treat conditions such as, but not limited to, sepsis, acute pancreatitis, endotoxin shock, cytokine induced shock, rheumatoid arthritis, chronic inflammatory arthritis, pancreatic cell damage from diabetes mellitus type 1, graft versus host disease, inflammatory bowel disease, inflammation associated with pulmonary disease, other autoimmune disease or  
25 inflammatory disease, an antiproliferative agent such as for acute or chronic myleogenous leukemia or in the prevention of premature labor secondary to intrauterine infections.

**4.10.16           LEUKEMIAS**

Leukemias and related disorders may be treated or prevented by administration of  
30 a therapeutic that promotes or inhibits function of the polynucleotides and/or polypeptides of the invention. Such leukemias and related disorders include but are not

Such carriers enable the compounds of the invention to be formulated as tablets, pills, dragees, capsules, liquids, gels, syrups, slurries, suspensions and the like, for oral ingestion by a patient to be treated. Pharmaceutical preparations for oral use can be obtained from a solid excipient, optionally grinding a resulting mixture, and processing the mixture of granules, after adding suitable auxiliaries, if desired, to obtain tablets or dragee cores. Suitable excipients are, in particular, fillers such as sugars, including lactose, sucrose, mannitol, or sorbitol; cellulose preparations such as, for example, maize starch, wheat starch, rice starch, potato starch, gelatin, gum tragacanth, methyl cellulose, hydroxypropylmethyl-cellulose, sodium carboxymethylcellulose, and/or polyvinylpyrrolidone (PVP). If desired, disintegrating agents may be added, such as the cross-linked polyvinyl pyrrolidone, agar, or alginic acid or a salt thereof such as sodium alginate. Dragee cores are provided with suitable coatings. For this purpose, concentrated sugar solutions may be used, which may optionally contain gum arabic, talc, polyvinyl pyrrolidone, carbopol gel, polyethylene glycol, and/or titanium dioxide, lacquer solutions, and suitable organic solvents or solvent mixtures. Dyestuffs or pigments may be added to the tablets or dragee coatings for identification or to characterize different combinations of active compound doses.

Pharmaceutical preparations which can be used orally include push-fit capsules made of gelatin, as well as soft, sealed capsules made of gelatin and a plasticizer, such as glycerol or sorbitol. The push-fit capsules can contain the active ingredients in admixture with filler such as lactose, binders such as starches, and/or lubricants such as talc or magnesium stearate and, optionally, stabilizers. In soft capsules, the active compounds may be dissolved or suspended in suitable liquids, such as fatty oils, liquid paraffin, or liquid polyethylene glycols. In addition, stabilizers may be added. All formulations for oral administration should be in dosages suitable for such administration. For buccal administration, the compositions may take the form of tablets or lozenges formulated in conventional manner.

For administration by inhalation, the compounds for use according to the present invention are conveniently delivered in the form of an aerosol spray presentation from pressurized packs or a nebuliser, with the use of a suitable propellant, *e.g.*, dichlorodifluoromethane, trichlorofluoromethane, dichlorotetrafluoroethane, carbon

limited to acute leukemia, acute lymphocytic leukemia, acute myelocytic leukemia, myeloblastic, promyelocytic, myelomonocytic, monocytic, erythroleukemia, chronic leukemia, chronic myelocytic (granulocytic) leukemia and chronic lymphocytic leukemia (for a review of such disorders, see Fishman et al., 1985, Medicine, 2d Ed., J.B.

5 Lippincott Co., Philadelphia).

#### 4.10.17 NERVOUS SYSTEM DISORDERS

Nervous system disorders, involving cell types which can be tested for efficacy of intervention with compounds that modulate the activity of the polynucleotides and/or polypeptides of the invention, and which can be treated upon thus observing an indication of therapeutic utility, include but are not limited to nervous system injuries, and diseases or disorders which result in either a disconnection of axons, a diminution or degeneration of neurons, or demyelination. Nervous system lesions which may be treated in a patient (including human and non-human mammalian patients) according to the invention include but are not limited to the following lesions of either the central (including spinal cord, brain) or peripheral nervous systems:

- (i) traumatic lesions, including lesions caused by physical injury or associated with surgery, for example, lesions which sever a portion of the nervous system, or compression injuries;
- 20 (ii) ischemic lesions, in which a lack of oxygen in a portion of the nervous system results in neuronal injury or death, including cerebral infarction or ischemia, or spinal cord infarction or ischemia;
- (iii) infectious lesions, in which a portion of the nervous system is destroyed or injured as a result of infection, for example, by an abscess or associated with infection by human immunodeficiency virus, herpes zoster, or herpes simplex virus or with Lyme disease, tuberculosis, syphilis;
- 25 (iv) degenerative lesions, in which a portion of the nervous system is destroyed or injured as a result of a degenerative process including but not limited to degeneration associated with Parkinson's disease, Alzheimer's disease, Huntington's chorea, or amyotrophic lateral sclerosis;
- 30

- (v) lesions associated with nutritional diseases or disorders, in which a portion of the nervous system is destroyed or injured by a nutritional disorder or disorder of metabolism including but not limited to, vitamin B12 deficiency, folic acid deficiency, Wernicke disease, tobacco-alcohol amblyopia, Marchiafava-Bignami disease (primary degeneration of the corpus callosum), and alcoholic cerebellar degeneration;
- (vi) neurological lesions associated with systemic diseases including but not limited to diabetes (diabetic neuropathy, Bell's palsy), systemic lupus erythematosus, carcinoma, or sarcoidosis;
- (vii) lesions caused by toxic substances including alcohol, lead, or particular neurotoxins; and
- (viii) demyelinated lesions in which a portion of the nervous system is destroyed or injured by a demyelinating disease including but not limited to multiple sclerosis, human immunodeficiency virus-associated myelopathy, transverse myelopathy or various etiologies, progressive multifocal leukoencephalopathy, and central pontine myelinolysis.

Therapeutics which are useful according to the invention for treatment of a nervous system disorder may be selected by testing for biological activity in promoting the survival or differentiation of neurons. For example, and not by way of limitation, therapeutics which elicit any of the following effects may be useful according to the invention:

- (i) increased survival time of neurons in culture;
- (ii) increased sprouting of neurons in culture or *in vivo*;
- (iii) increased production of a neuron-associated molecule in culture or *in vivo*, *e.g.*, choline acetyltransferase or acetylcholinesterase with respect to motor neurons; or
- (iv) decreased symptoms of neuron dysfunction *in vivo*.

Such effects may be measured by any method known in the art. In preferred, non-limiting embodiments, increased survival of neurons may be measured by the method set forth in Arakawa et al. (1990, J. Neurosci. 10:3507-3515); increased sprouting of neurons may be detected by methods set forth in Pestronk et al. (1980, Exp. Neurol. 70:65-82) or Brown et al. (1981, Ann. Rev. Neurosci. 4:17-42); increased production of neuron-associated molecules may be measured by bioassay, enzymatic assay, antibody

binding, Northern blot assay, *etc.*, depending on the molecule to be measured; and motor neuron dysfunction may be measured by assessing the physical manifestation of motor neuron disorder, *e.g.*, weakness, motor neuron conduction velocity, or functional disability.

5           In specific embodiments, motor neuron disorders that may be treated according to the invention include but are not limited to disorders such as infarction, infection, exposure to toxin, trauma, surgical damage, degenerative disease or malignancy that may affect motor neurons as well as other components of the nervous system, as well as disorders that selectively affect neurons such as amyotrophic lateral sclerosis, and  
10           including but not limited to progressive spinal muscular atrophy, progressive bulbar palsy, primary lateral sclerosis, infantile and juvenile muscular atrophy, progressive bulbar paralysis of childhood (Fazio-Londe syndrome), poliomyelitis and the post polio syndrome, and Hereditary Motorsensory Neuropathy (Charcot-Marie-Tooth Disease).

15           **4.10.18           OTHER ACTIVITIES**

          A polypeptide of the invention may also exhibit one or more of the following additional activities or effects: inhibiting the growth, infection or function of, or killing, infectious agents, including, without limitation, bacteria, viruses, fungi and other  
20           parasites; effecting (suppressing or enhancing) bodily characteristics, including, without limitation, height, weight, hair color, eye color, skin, fat to lean ratio or other tissue pigmentation, or organ or body part size or shape (such as, for example, breast augmentation or diminution, change in bone form or shape); effecting biorhythms or circadian cycles or rhythms; effecting the fertility of male or female subjects; effecting  
25           the metabolism, catabolism, anabolism, processing, utilization, storage or elimination of dietary fat, lipid, protein, carbohydrate, vitamins, minerals, co-factors or other nutritional factors or component(s); effecting behavioral characteristics, including, without  
30           limitation, appetite, libido, stress, cognition (including cognitive disorders), depression (including depressive disorders) and violent behaviors; providing analgesic effects or other pain reducing effects; promoting differentiation and growth of embryonic stem cells in lineages other than hematopoietic lineages; hormonal or endocrine activity; in the case of enzymes, correcting deficiencies of the enzyme and treating deficiency-related

diseases; treatment of hyperproliferative disorders (such as, for example, psoriasis); immunoglobulin-like activity (such as, for example, the ability to bind antigens or complement); and the ability to act as an antigen in a vaccine composition to raise an immune response against such protein or another material or entity which is cross-reactive with such protein.

#### 4.10.19 IDENTIFICATION OF POLYMORPHISMS

The demonstration of polymorphisms makes possible the identification of such polymorphisms in human subjects and the pharmacogenetic use of this information for diagnosis and treatment. Such polymorphisms may be associated with, e.g., differential predisposition or susceptibility to various disease states (such as disorders involving inflammation or immune response) or a differential response to drug administration, and this genetic information can be used to tailor preventive or therapeutic treatment appropriately. For example, the existence of a polymorphism associated with a predisposition to inflammation or autoimmune disease makes possible the diagnosis of this condition in humans by identifying the presence of the polymorphism.

Polymorphisms can be identified in a variety of ways known in the art which all generally involve obtaining a sample from a patient, analyzing DNA from the sample, optionally involving isolation or amplification of the DNA, and identifying the presence of the polymorphism in the DNA. For example, PCR may be used to amplify an appropriate fragment of genomic DNA which may then be sequenced. Alternatively, the DNA may be subjected to allele-specific oligonucleotide hybridization (in which appropriate oligonucleotides are hybridized to the DNA under conditions permitting detection of a single base mismatch) or to a single nucleotide extension assay (in which an oligonucleotide that hybridizes immediately adjacent to the position of the polymorphism is extended with one or more labeled nucleotides). In addition, traditional restriction fragment length polymorphism analysis (using restriction enzymes that provide differential digestion of the genomic DNA depending on the presence or absence of the polymorphism) may be performed. Arrays with nucleotide sequences of the present invention can be used to detect polymorphisms. The array can comprise modified nucleotide sequences of the present invention in order to detect the nucleotide sequences



of the present invention. In the alternative, any one of the nucleotide sequences of the present invention can be placed on the array to detect changes from those sequences.

Alternatively a polymorphism resulting in a change in the amino acid sequence could also be detected by detecting a corresponding change in amino acid sequence of the protein, e.g., by an antibody specific to the variant sequence.

#### 4.10.20 ARTHRITIS AND INFLAMMATION

The immunosuppressive effects of the compositions of the invention against rheumatoid arthritis is determined in an experimental animal model system. The experimental model system is adjuvant induced arthritis in rats, and the protocol is described by J. Holoshitz, et al., 1983, Science, 219:56, or by B. Waksman et al., 1963, Int. Arch. Allergy Appl. Immunol., 23:129. Induction of the disease can be caused by a single injection, generally intradermally, of a suspension of killed Mycobacterium tuberculosis in complete Freund's adjuvant (CFA). The route of injection can vary, but rats may be injected at the base of the tail with an adjuvant mixture. The polypeptide is administered in phosphate buffered solution (PBS) at a dose of about 1-5 mg/kg. The control consists of administering PBS only.

The procedure for testing the effects of the test compound would consist of intradermally injecting killed Mycobacterium tuberculosis in CFA followed by immediately administering the test compound and subsequent treatment every other day until day 24. At 14, 15, 18, 20, 22, and 24 days after injection of Mycobacterium CFA, an overall arthritis score may be obtained as described by J. Holoskitz above. An analysis of the data would reveal that the test compound would have a dramatic affect on the swelling of the joints as measured by a decrease of the arthritis score.

#### 4.11 THERAPEUTIC METHODS

The compositions (including polypeptide fragments, analogs, variants and antibodies or other binding partners or modulators including antisense polynucleotides) of the invention have numerous applications in a variety of therapeutic methods. Examples of therapeutic applications include, but are not limited to, those exemplified herein.

#### 4.11.1 EXAMPLE

One embodiment of the invention is the administration of an effective amount of the polypeptides or other composition of the invention to individuals affected by a disease or disorder that can be modulated by regulating the peptides of the invention. While the mode of administration is not particularly important, parenteral administration is preferred. An exemplary mode of administration is to deliver an intravenous bolus. The dosage of the polypeptides or other composition of the invention will normally be determined by the prescribing physician. It is to be expected that the dosage will vary according to the age, weight, condition and response of the individual patient. Typically, the amount of polypeptide administered per dose will be in the range of about 0.01  $\mu\text{g/kg}$  to 100 mg/kg of body weight, with the preferred dose being about 0.1  $\mu\text{g/kg}$  to 10 mg/kg of patient body weight. For parenteral administration, polypeptides of the invention will be formulated in an injectable form combined with a pharmaceutically acceptable parenteral vehicle. Such vehicles are well known in the art and examples include water, saline, Ringer's solution, dextrose solution, and solutions consisting of small amounts of the human serum albumin. The vehicle may contain minor amounts of additives that maintain the isotonicity and stability of the polypeptide or other active ingredient. The preparation of such solutions is within the skill of the art.

#### 4.12 PHARMACEUTICAL FORMULATIONS AND ROUTES OF ADMINISTRATION

A protein or other composition of the present invention (from whatever source derived, including without limitation from recombinant and non-recombinant sources and including antibodies and other binding partners of the polypeptides of the invention) may be administered to a patient in need, by itself, or in pharmaceutical compositions where it is mixed with suitable carriers or excipient(s) at doses to treat or ameliorate a variety of disorders. Such a composition may optionally contain (in addition to protein or other active ingredient and a carrier) diluents, fillers, salts, buffers, stabilizers, solubilizers, and other materials well known in the art. The term "pharmaceutically acceptable" means a non-toxic material that does not interfere with the effectiveness of the biological activity

of the active ingredient(s). The characteristics of the carrier will depend on the route of administration. The pharmaceutical composition of the invention may also contain cytokines, lymphokines, or other hematopoietic factors such as M-CSF, GM-CSF, TNF, IL-1, IL-2, IL-3, IL-4, IL-5, IL-6, IL-7, IL-8, IL-9, IL-10, IL-11, IL-12, IL-13, IL-14, 5 IL-15, IFN, TNF0, TNF1, TNF2, G-CSF, Meg-CSF, thrombopoietin, stem cell factor, and erythropoietin. In further compositions, proteins of the invention may be combined with other agents beneficial to the treatment of the disease or disorder in question. These agents include various growth factors such as epidermal growth factor (EGF), platelet-derived growth factor (PDGF), transforming growth factors (TGF- $\alpha$  and TGF- $\beta$ ), 10 insulin-like growth factor (IGF), as well as cytokines described herein.

The pharmaceutical composition may further contain other agents which either enhance the activity of the protein or other active ingredient or complement its activity or use in treatment. Such additional factors and/or agents may be included in the pharmaceutical composition to produce a synergistic effect with protein or other active 15 ingredient of the invention, or to minimize side effects. Conversely, protein or other active ingredient of the present invention may be included in formulations of the particular clotting factor, cytokine, lymphokine, other hematopoietic factor, thrombolytic or anti-thrombotic factor, or anti-inflammatory agent to minimize side effects of the clotting factor, cytokine, lymphokine, other hematopoietic factor, thrombolytic or 20 anti-thrombotic factor, or anti-inflammatory agent (such as IL-1Ra, IL-1 Hy1, IL-1 Hy2, anti-TNF, corticosteroids, immunosuppressive agents). A protein of the present invention may be active in multimers (e.g., heterodimers or homodimers) or complexes with itself or other proteins. As a result, pharmaceutical compositions of the invention may comprise a protein of the invention in such multimeric or complexed form.

25 As an alternative to being included in a pharmaceutical composition of the invention including a first protein, a second protein or a therapeutic agent may be concurrently administered with the first protein (e.g., at the same time, or at differing times provided that therapeutic concentrations of the combination of agents is achieved at the treatment site). Techniques for formulation and administration of the compounds of 30 the instant application may be found in "Remington's Pharmaceutical Sciences," Mack Publishing Co., Easton, PA, latest edition. A therapeutically effective dose further refers

to that amount of the compound sufficient to result in amelioration of symptoms, *e.g.*, treatment, healing, prevention or amelioration of the relevant medical condition, or an increase in rate of treatment, healing, prevention or amelioration of such conditions. When applied to an individual active ingredient, administered alone, a therapeutically effective dose refers to that ingredient alone. When applied to a combination, a therapeutically effective dose refers to combined amounts of the active ingredients that result in the therapeutic effect, whether administered in combination, serially or simultaneously.

In practicing the method of treatment or use of the present invention, a therapeutically effective amount of protein or other active ingredient of the present invention is administered to a mammal having a condition to be treated. Protein or other active ingredient of the present invention may be administered in accordance with the method of the invention either alone or in combination with other therapies such as treatments employing cytokines, lymphokines or other hematopoietic factors. When co-administered with one or more cytokines, lymphokines or other hematopoietic factors, protein or other active ingredient of the present invention may be administered either simultaneously with the cytokine(s), lymphokine(s), other hematopoietic factor(s), thrombolytic or anti-thrombotic factors, or sequentially. If administered sequentially, the attending physician will decide on the appropriate sequence of administering protein or other active ingredient of the present invention in combination with cytokine(s), lymphokine(s), other hematopoietic factor(s), thrombolytic or anti-thrombotic factors.

#### 4.12.1 ROUTES OF ADMINISTRATION

Suitable routes of administration may, for example, include oral, rectal, transmucosal, or intestinal administration; parenteral delivery, including intramuscular, subcutaneous, intramedullary injections, as well as intrathecal, direct intraventricular, intravenous, intraperitoneal, intranasal, or intraocular injections. Administration of protein or other active ingredient of the present invention used in the pharmaceutical composition or to practice the method of the present invention can be carried out in a variety of conventional ways, such as oral ingestion, inhalation, topical application or

cutaneous, subcutaneous, intraperitoneal, parenteral or intravenous injection. Intravenous administration to the patient is preferred.

Alternately, one may administer the compound in a local rather than systemic manner, for example, via injection of the compound directly into a arthritic joints or in  
5 fibrotic tissue, often in a depot or sustained release formulation. In order to prevent the scarring process frequently occurring as complication of glaucoma surgery, the compounds may be administered topically, for example, as eye drops. Furthermore, one may administer the drug in a targeted drug delivery system, for example, in a liposome coated with a specific antibody, targeting, for example, arthritic or fibrotic tissue. The  
10 liposomes will be targeted to and taken up selectively by the afflicted tissue.

The polypeptides of the invention are administered by any route that delivers an effective dosage to the desired site of action. The determination of a suitable route of administration and an effective dosage for a particular indication is within the level of skill in the art. Preferably for wound treatment, one administers the therapeutic  
15 compound directly to the site. Suitable dosage ranges for the polypeptides of the invention can be extrapolated from these dosages or from similar studies in appropriate animal models. Dosages can then be adjusted as necessary by the clinician to provide maximal therapeutic benefit.

#### 20 4.12.2 COMPOSITIONS/FORMULATIONS

Pharmaceutical compositions for use in accordance with the present invention thus may be formulated in a conventional manner using one or more physiologically acceptable carriers comprising excipients and auxiliaries which facilitate processing of the active compounds into preparations which can be used pharmaceutically. These  
25 pharmaceutical compositions may be manufactured in a manner that is itself known, *e.g.*, by means of conventional mixing, dissolving, granulating, dragee-making, levigating, emulsifying, encapsulating, entrapping or lyophilizing processes. Proper formulation is dependent upon the route of administration chosen. When a therapeutically effective amount of protein or other active ingredient of the present invention is administered  
30 orally, protein or other active ingredient of the present invention will be in the form of a tablet, capsule, powder, solution or elixir. When administered in tablet form, the

pharmaceutical composition of the invention may additionally contain a solid carrier such as a gelatin or an adjuvant. The tablet, capsule, and powder contain from about 5 to 95% protein or other active ingredient of the present invention, and preferably from about 25 to 90% protein or other active ingredient of the present invention. When administered in liquid form, a liquid carrier such as water, petroleum, oils of animal or plant origin such as peanut oil, mineral oil, soybean oil, or sesame oil, or synthetic oils may be added. The liquid form of the pharmaceutical composition may further contain physiological saline solution, dextrose or other saccharide solution, or glycols such as ethylene glycol, propylene glycol or polyethylene glycol. When administered in liquid form, the pharmaceutical composition contains from about 0.5 to 90% by weight of protein or other active ingredient of the present invention, and preferably from about 1 to 50% protein or other active ingredient of the present invention.

When a therapeutically effective amount of protein or other active ingredient of the present invention is administered by intravenous, cutaneous or subcutaneous injection, protein or other active ingredient of the present invention will be in the form of a pyrogen-free, parenterally acceptable aqueous solution. The preparation of such parenterally acceptable protein or other active ingredient solutions, having due regard to pH, isotonicity, stability, and the like, is within the skill in the art. A preferred pharmaceutical composition for intravenous, cutaneous, or subcutaneous injection should contain, in addition to protein or other active ingredient of the present invention, an isotonic vehicle such as Sodium Chloride Injection, Ringer's Injection, Dextrose Injection, Dextrose and Sodium Chloride Injection, Lactated Ringer's Injection, or other vehicle as known in the art. The pharmaceutical composition of the present invention may also contain stabilizers, preservatives, buffers, antioxidants, or other additives known to those of skill in the art. For injection, the agents of the invention may be formulated in aqueous solutions, preferably in physiologically compatible buffers such as Hanks's solution, Ringer's solution, or physiological saline buffer. For transmucosal administration, penetrants appropriate to the barrier to be permeated are used in the formulation. Such penetrants are generally known in the art.

For oral administration, the compounds can be formulated readily by combining the active compounds with pharmaceutically acceptable carriers well known in the art.

dioxide or other suitable gas. In the case of a pressurized aerosol the dosage unit may be determined by providing a valve to deliver a metered amount. Capsules and cartridges of, *e.g.*, gelatin for use in an inhaler or insufflator may be formulated containing a powder mix of the compound and a suitable powder base such as lactose or starch. The  
5 compounds may be formulated for parenteral administration by injection, *e.g.*, by bolus injection or continuous infusion. Formulations for injection may be presented in unit dosage form, *e.g.*, in ampules or in multi-dose containers, with an added preservative. The compositions may take such forms as suspensions, solutions or emulsions in oily or aqueous vehicles, and may contain formulatory agents such as suspending, stabilizing  
10 and/or dispersing agents.

Pharmaceutical formulations for parenteral administration include aqueous solutions of the active compounds in water-soluble form. Additionally, suspensions of the active compounds may be prepared as appropriate oily injection suspensions. Suitable lipophilic solvents or vehicles include fatty oils such as sesame oil, or synthetic  
15 fatty acid esters, such as ethyl oleate or triglycerides, or liposomes. Aqueous injection suspensions may contain substances which increase the viscosity of the suspension, such as sodium carboxymethyl cellulose, sorbitol, or dextran. Optionally, the suspension may also contain suitable stabilizers or agents which increase the solubility of the compounds to allow for the preparation of highly concentrated solutions. Alternatively, the active  
20 ingredient may be in powder form for constitution with a suitable vehicle, *e.g.*, sterile pyrogen-free water, before use.

The compounds may also be formulated in rectal compositions such as suppositories or retention enemas, *e.g.*, containing conventional suppository bases such as cocoa butter or other glycerides. In addition to the formulations described previously, the  
25 compounds may also be formulated as a depot preparation. Such long acting formulations may be administered by implantation (for example subcutaneously or intramuscularly) or by intramuscular injection. Thus, for example, the compounds may be formulated with suitable polymeric or hydrophobic materials (for example as an emulsion in an acceptable oil) or ion exchange resins, or as sparingly soluble derivatives,  
30 for example, as a sparingly soluble salt.

A pharmaceutical carrier for the hydrophobic compounds of the invention is a co-solvent system comprising benzyl alcohol, a nonpolar surfactant, a water-miscible organic polymer, and an aqueous phase. The co-solvent system may be the VPD co-solvent system. VPD is a solution of 3% w/v benzyl alcohol, 8% w/v of the nonpolar surfactant polysorbate 80, and 65% w/v polyethylene glycol 300, made up to volume in absolute ethanol. The VPD co-solvent system (VPD:5W) consists of VPD diluted 1:1 with a 5% dextrose in water solution. This co-solvent system dissolves hydrophobic compounds well, and itself produces low toxicity upon systemic administration. Naturally, the proportions of a co-solvent system may be varied considerably without destroying its solubility and toxicity characteristics. Furthermore, the identity of the co-solvent components may be varied: for example, other low-toxicity nonpolar surfactants may be used instead of polysorbate 80; the fraction size of polyethylene glycol may be varied; other biocompatible polymers may replace polyethylene glycol, e.g. polyvinyl pyrrolidone; and other sugars or polysaccharides may substitute for dextrose. Alternatively, other delivery systems for hydrophobic pharmaceutical compounds may be employed. Liposomes and emulsions are well known examples of delivery vehicles or carriers for hydrophobic drugs. Certain organic solvents such as dimethylsulfoxide also may be employed, although usually at the cost of greater toxicity. Additionally, the compounds may be delivered using a sustained-release system, such as semipermeable matrices of solid hydrophobic polymers containing the therapeutic agent. Various types of sustained-release materials have been established and are well known by those skilled in the art. Sustained-release capsules may, depending on their chemical nature, release the compounds for a few weeks up to over 100 days. Depending on the chemical nature and the biological stability of the therapeutic reagent, additional strategies for protein or other active ingredient stabilization may be employed.

The pharmaceutical compositions also may comprise suitable solid or gel phase carriers or excipients. Examples of such carriers or excipients include but are not limited to calcium carbonate, calcium phosphate, various sugars, starches, cellulose derivatives, gelatin, and polymers such as polyethylene glycols. Many of the active ingredients of the invention may be provided as salts with pharmaceutically compatible counter ions. Such pharmaceutically acceptable base addition salts are those salts which retain the biological



effectiveness and properties of the free acids and which are obtained by reaction with inorganic or organic bases such as sodium hydroxide, magnesium hydroxide, ammonia, trialkylamine, dialkylamine, monoalkylamine, dibasic amino acids, sodium acetate, potassium benzoate, triethanol amine and the like.

5       The pharmaceutical composition of the invention may be in the form of a complex of the protein(s) or other active ingredient(s) of present invention along with protein or peptide antigens. The protein and/or peptide antigen will deliver a stimulatory signal to both B and T lymphocytes. B lymphocytes will respond to antigen through their surface immunoglobulin receptor. T lymphocytes will respond to antigen through the T  
10 cell receptor (TCR) following presentation of the antigen by MHC proteins. MHC and structurally related proteins including those encoded by class I and class II MHC genes on host cells will serve to present the peptide antigen(s) to T lymphocytes. The antigen components could also be supplied as purified MHC-peptide complexes alone or with co-stimulatory molecules that can directly signal T cells. Alternatively antibodies able to  
15 bind surface immunoglobulin and other molecules on B cells as well as antibodies able to bind the TCR and other molecules on T cells can be combined with the pharmaceutical composition of the invention.

      The pharmaceutical composition of the invention may be in the form of a liposome in which protein of the present invention is combined, in addition to other  
20 pharmaceutically acceptable carriers, with amphipathic agents such as lipids which exist in aggregated form as micelles, insoluble monolayers, liquid crystals, or lamellar layers in aqueous solution. Suitable lipids for liposomal formulation include, without limitation, monoglycerides, diglycerides, sulfatides, lysolecithins, phospholipids, saponin, bile acids, and the like. Preparation of such liposomal formulations is within the level of skill in the  
25 art, as disclosed, for example, in U.S. Patent Nos. 4,235,871; 4,501,728; 4,837,028; and 4,737,323, all of which are incorporated herein by reference.

      The amount of protein or other active ingredient of the present invention in the pharmaceutical composition of the present invention will depend upon the nature and severity of the condition being treated, and on the nature of prior treatments which the  
30 patient has undergone. Ultimately, the attending physician will decide the amount of protein or other active ingredient of the present invention with which to treat each

individual patient. Initially, the attending physician will administer low doses of protein or other active ingredient of the present invention and observe the patient's response. Larger doses of protein or other active ingredient of the present invention may be administered until the optimal therapeutic effect is obtained for the patient, and at that point the dosage is not increased further. It is contemplated that the various pharmaceutical compositions used to practice the method of the present invention should contain about 0.01  $\mu\text{g}$  to about 100 mg (preferably about 0.1  $\mu\text{g}$  to about 10 mg, more preferably about 0.1  $\mu\text{g}$  to about 1 mg) of protein or other active ingredient of the present invention per kg body weight. For compositions of the present invention which are useful for bone, cartilage, tendon or ligament regeneration, the therapeutic method includes administering the composition topically, systematically, or locally as an implant or device. When administered, the therapeutic composition for use in this invention is, of course, in a pyrogen-free, physiologically acceptable form. Further, the composition may desirably be encapsulated or injected in a viscous form for delivery to the site of bone, cartilage or tissue damage. Topical administration may be suitable for wound healing and tissue repair. Therapeutically useful agents other than a protein or other active ingredient of the invention which may also optionally be included in the composition as described above, may alternatively or additionally, be administered simultaneously or sequentially with the composition in the methods of the invention. Preferably for bone and/or cartilage formation, the composition would include a matrix capable of delivering the protein-containing or other active ingredient-containing composition to the site of bone and/or cartilage damage, providing a structure for the developing bone and cartilage and optimally capable of being resorbed into the body. Such matrices may be formed of materials presently in use for other implanted medical applications.

25       The choice of matrix material is based on biocompatibility, biodegradability, mechanical properties, cosmetic appearance and interface properties. The particular application of the compositions will define the appropriate formulation. Potential matrices for the compositions may be biodegradable and chemically defined calcium sulfate, tricalcium phosphate, hydroxyapatite, polylactic acid, polyglycolic acid and polyanhydrides. Other potential materials are biodegradable and biologically well-defined, such as bone or dermal collagen. Further matrices are comprised of pure

proteins or extracellular matrix components. Other potential matrices are nonbiodegradable and chemically defined, such as sintered hydroxyapatite, bioglass, aluminates, or other ceramics. Matrices may be comprised of combinations of any of the above mentioned types of material, such as polylactic acid and hydroxyapatite or collagen and tricalcium phosphate. The bioceramics may be altered in composition, such as in calcium-aluminate-phosphate and processing to alter pore size, particle size, particle shape, and biodegradability. Presently preferred is a 50:50 (mole weight) copolymer of lactic acid and glycolic acid in the form of porous particles having diameters ranging from 150 to 800 microns. In some applications, it will be useful to utilize a sequestering agent, such as carboxymethyl cellulose or autologous blood clot, to prevent the protein compositions from disassociating from the matrix.

A preferred family of sequestering agents is cellulosic materials such as alkylcelluloses (including hydroxyalkylcelluloses), including methylcellulose, ethylcellulose, hydroxyethylcellulose, hydroxypropylcellulose, hydroxypropyl-methylcellulose, and carboxymethylcellulose, the most preferred being cationic salts of carboxymethylcellulose (CMC). Other preferred sequestering agents include hyaluronic acid, sodium alginate, poly(ethylene glycol), polyoxyethylene oxide, carboxyvinyl polymer and poly(vinyl alcohol). The amount of sequestering agent useful herein is 0.5-20 wt %, preferably 1-10 wt % based on total formulation weight, which represents the amount necessary to prevent desorption of the protein from the polymer matrix and to provide appropriate handling of the composition, yet not so much that the progenitor cells are prevented from infiltrating the matrix, thereby providing the protein the opportunity to assist the osteogenic activity of the progenitor cells. In further compositions, proteins or other active ingredients of the invention may be combined with other agents beneficial to the treatment of the bone and/or cartilage defect, wound, or tissue in question. These agents include various growth factors such as epidermal growth factor (EGF), platelet derived growth factor (PDGF), transforming growth factors (TGF- $\alpha$  and TGF- $\beta$ ), and insulin-like growth factor (IGF).

The therapeutic compositions are also presently valuable for veterinary applications. Particularly domestic animals and thoroughbred horses, in addition to humans, are desired patients for such treatment with proteins or other active ingredients

of the present invention. The dosage regimen of a protein-containing pharmaceutical composition to be used in tissue regeneration will be determined by the attending physician considering various factors which modify the action of the proteins, *e.g.*, amount of tissue weight desired to be formed, the site of damage, the condition of the damaged tissue, the size of a wound, type of damaged tissue (*e.g.*, bone), the patient's age, sex, and diet, the severity of any infection, time of administration and other clinical factors. The dosage may vary with the type of matrix used in the reconstitution and with inclusion of other proteins in the pharmaceutical composition. For example, the addition of other known growth factors, such as IGF I (insulin like growth factor I), to the final composition, may also effect the dosage. Progress can be monitored by periodic assessment of tissue/bone growth and/or repair, for example, X-rays, histomorphometric determinations and tetracycline labeling.

Polynucleotides of the present invention can also be used for gene therapy. Such polynucleotides can be introduced either *in vivo* or *ex vivo* into cells for expression in a mammalian subject. Polynucleotides of the invention may also be administered by other known methods for introduction of nucleic acid into a cell or organism (including, without limitation, in the form of viral vectors or naked DNA). Cells may also be cultured *ex vivo* in the presence of proteins of the present invention in order to proliferate or to produce a desired effect on or activity in such cells. Treated cells can then be introduced *in vivo* for therapeutic purposes.

#### 4.12.3 EFFECTIVE DOSAGE

Pharmaceutical compositions suitable for use in the present invention include compositions wherein the active ingredients are contained in an effective amount to achieve its intended purpose. More specifically, a therapeutically effective amount means an amount effective to prevent development of or to alleviate the existing symptoms of the subject being treated. Determination of the effective amount is well within the capability of those skilled in the art, especially in light of the detailed disclosure provided herein. For any compound used in the method of the invention, the therapeutically effective dose can be estimated initially from appropriate *in vitro* assays. For example, a dose can be formulated in animal models to achieve a circulating

concentration range that can be used to more accurately determine useful doses in humans. For example, a dose can be formulated in animal models to achieve a circulating concentration range that includes the  $IC_{50}$  as determined in cell culture (*i.e.*, the concentration of the test compound which achieves a half-maximal inhibition of the protein's biological activity). Such information can be used to more accurately determine useful doses in humans.

A therapeutically effective dose refers to that amount of the compound that results in amelioration of symptoms or a prolongation of survival in a patient. Toxicity and therapeutic efficacy of such compounds can be determined by standard pharmaceutical procedures in cell cultures or experimental animals, *e.g.*, for determining the  $LD_{50}$  (the dose lethal to 50% of the population) and the  $ED_{50}$  (the dose therapeutically effective in 50% of the population). The dose ratio between toxic and therapeutic effects is the therapeutic index and it can be expressed as the ratio between  $LD_{50}$  and  $ED_{50}$ . Compounds which exhibit high therapeutic indices are preferred. The data obtained from these cell culture assays and animal studies can be used in formulating a range of dosage for use in human. The dosage of such compounds lies preferably within a range of circulating concentrations that include the  $ED_{50}$  with little or no toxicity. The dosage may vary within this range depending upon the dosage form employed and the route of administration utilized. The exact formulation, route of administration and dosage can be chosen by the individual physician in view of the patient's condition. See, *e.g.*, Fingl et al., 1975, in "The Pharmacological Basis of Therapeutics", Ch. 1 p.1. Dosage amount and interval may be adjusted individually to provide plasma levels of the active moiety which are sufficient to maintain the desired effects, or minimal effective concentration (MEC). The MEC will vary for each compound but can be estimated from *in vitro* data. Dosages necessary to achieve the MEC will depend on individual characteristics and route of administration. However, HPLC assays or bioassays can be used to determine plasma concentrations.

Dosage intervals can also be determined using MEC value. Compounds should be administered using a regimen which maintains plasma levels above the MEC for 10-90% of the time, preferably between 30-90% and most preferably between 50-90%.

In cases of local administration or selective uptake, the effective local concentration of the drug may not be related to plasma concentration.

An exemplary dosage regimen for polypeptides or other compositions of the invention will be in the range of about 0.01 µg/kg to 100 mg/kg of body weight daily, with the preferred dose being about 0.1 µg/kg to 25 mg/kg of patient body weight daily, varying in adults and children. Dosing may be once daily, or equivalent doses may be delivered at longer or shorter intervals.

The amount of composition administered will, of course, be dependent on the subject being treated, on the subject's age and weight, the severity of the affliction, the manner of administration and the judgment of the prescribing physician.

#### 4.12.4 PACKAGING

The compositions may, if desired, be presented in a pack or dispenser device which may contain one or more unit dosage forms containing the active ingredient. The pack may, for example, comprise metal or plastic foil, such as a blister pack. The pack or dispenser device may be accompanied by instructions for administration. Compositions comprising a compound of the invention formulated in a compatible pharmaceutical carrier may also be prepared, placed in an appropriate container, and labeled for treatment of an indicated condition.

#### 4.13 ANTIBODIES

Also included in the invention are antibodies to proteins, or fragments of proteins of the invention. The term "antibody" as used herein refers to immunoglobulin molecules and immunologically active portions of immunoglobulin (Ig) molecules, i.e., molecules that contain an antigen binding site that specifically binds (immunoreacts with) an antigen. Such antibodies include, but are not limited to, polyclonal, monoclonal, chimeric, single chain,  $F_{ab}$ ,  $F_{ab'}$  and  $F_{(ab')_2}$  fragments, and an  $F_{ab}$  expression library. In general, an antibody molecule obtained from humans relates to any of the classes IgG, IgM, IgA, IgE and IgD, which differ from one another by the nature of the heavy chain present in the molecule. Certain classes have subclasses as well, such as IgG<sub>1</sub>, IgG<sub>2</sub>, and others. Furthermore, in humans, the light chain may be a kappa chain or a lambda chain.

Reference herein to antibodies includes a reference to all such classes, subclasses and types of human antibody species.

An isolated related protein of the invention may be intended to serve as an antigen, or a portion or fragment thereof, and additionally can be used as an immunogen to generate antibodies that immunospecifically bind the antigen, using standard techniques for polyclonal and monoclonal antibody preparation. The full-length protein can be used or, alternatively, the invention provides antigenic peptide fragments of the antigen for use as immunogens. An antigenic peptide fragment comprises at least 6 amino acid residues of the amino acid sequence of the full length protein, such as an amino acid sequence shown in SEQ ID NO: 4, and encompasses an epitope thereof such that an antibody raised against the peptide forms a specific immune complex with the full length protein or with any fragment that contains the epitope. Preferably, the antigenic peptide comprises at least 10 amino acid residues, or at least 15 amino acid residues, or at least 20 amino acid residues, or at least 30 amino acid residues. Preferred epitopes encompassed by the antigenic peptide are regions of the protein that are located on its surface; commonly these are hydrophilic regions.

In certain embodiments of the invention, at least one epitope encompassed by the antigenic peptide is a region of -related protein that is located on the surface of the protein, *e.g.*, a hydrophilic region. A hydrophobicity analysis of the human related protein sequence will indicate which regions of a related protein are particularly hydrophilic and, therefore, are likely to encode surface residues useful for targeting antibody production. As a means for targeting antibody production, hydropathy plots showing regions of hydrophilicity and hydrophobicity may be generated by any method well known in the art, including, for example, the Kyte Doolittle or the Hopp Woods methods, either with or without Fourier transformation. See, *e.g.*, Hopp and Woods, 1981, *Proc. Nat. Acad. Sci. USA* 78: 3824-3828; Kyte and Doolittle 1982, *J. Mol. Biol.* 157: 105-142, each of which is incorporated herein by reference in its entirety. Antibodies that are specific for one or more domains within an antigenic protein, or derivatives, fragments, analogs or homologs thereof, are also provided herein.

A protein of the invention, or a derivative, fragment, analog, homolog or ortholog thereof, may be utilized as an immunogen in the generation of antibodies that immunospecifically bind these protein components.

Various procedures known within the art may be used for the production of polyclonal or monoclonal antibodies directed against a protein of the invention, or against derivatives, fragments, analogs homologs or orthologs thereof (see, for example, *Antibodies: A Laboratory Manual*, Harlow E, and Lane D, 1988, Cold Spring Harbor Laboratory Press, Cold Spring Harbor, NY, incorporated herein by reference). Some of these antibodies are discussed below.

#### 5.13.1 Polyclonal Antibodies

For the production of polyclonal antibodies, various suitable host animals (e.g., rabbit, goat, mouse or other mammal) may be immunized by one or more injections with the native protein, a synthetic variant thereof, or a derivative of the foregoing. An appropriate immunogenic preparation can contain, for example, the naturally occurring immunogenic protein, a chemically synthesized polypeptide representing the immunogenic protein, or a recombinantly expressed immunogenic protein. Furthermore, the protein may be conjugated to a second protein known to be immunogenic in the mammal being immunized. Examples of such immunogenic proteins include but are not limited to keyhole limpet hemocyanin, serum albumin, bovine thyroglobulin, and soybean trypsin inhibitor. The preparation can further include an adjuvant. Various adjuvants used to increase the immunological response include, but are not limited to, Freund's (complete and incomplete), mineral gels (e.g., aluminum hydroxide), surface active substances (e.g., lysolecithin, pluronic polyols, polyanions, peptides, oil emulsions, dinitrophenol, etc.), adjuvants usable in humans such as Bacille Calmette-Guerin and *Corynebacterium parvum*, or similar immunostimulatory agents. Additional examples of adjuvants which can be employed include MPL-TDM adjuvant (monophosphoryl Lipid A, synthetic trehalose dicorynomycolate).

The polyclonal antibody molecules directed against the immunogenic protein can be isolated from the mammal (e.g., from the blood) and further purified by well known techniques, such as affinity chromatography using protein A or protein G, which provide



primarily the IgG fraction of immune serum. Subsequently, or alternatively, the specific antigen which is the target of the immunoglobulin sought, or an epitope thereof, may be immobilized on a column to purify the immune specific antibody by immunoaffinity chromatography. Purification of immunoglobulins is discussed, for example, by D.

- 5 Wilkinson (The Scientist, published by The Scientist, Inc., Philadelphia PA, Vol. 14, No. 8 (April 17, 2000), pp. 25-28).

### 5.13.2 Monoclonal Antibodies

- 10 The term "monoclonal antibody" (MAb) or "monoclonal antibody composition", as used herein, refers to a population of antibody molecules that contain only one molecular species of antibody molecule consisting of a unique light chain gene product and a unique heavy chain gene product. In particular, the complementarity determining regions (CDRs) of the monoclonal antibody are identical in all the molecules of the population. MABs thus contain an antigen binding site capable of immunoreacting with a
- 15 particular epitope of the antigen characterized by a unique binding affinity for it.

- Monoclonal antibodies can be prepared using hybridoma methods, such as those described by Kohler and Milstein, Nature, 256:495 (1975). In a hybridoma method, a mouse, hamster, or other appropriate host animal, is typically immunized with an immunizing agent to elicit lymphocytes that produce or are capable of producing
- 20 antibodies that will specifically bind to the immunizing agent. Alternatively, the lymphocytes can be immunized in vitro.

- The immunizing agent will typically include the protein antigen, a fragment thereof or a fusion protein thereof. Generally, either peripheral blood lymphocytes are used if cells of human origin are desired, or spleen cells or lymph node cells are used if non-human
- 25 mammalian sources are desired. The lymphocytes are then fused with an immortalized cell line using a suitable fusing agent, such as polyethylene glycol, to form a hybridoma cell (Goding, Monoclonal Antibodies: Principles and Practice, Academic Press, (1986) pp. 59-103). Immortalized cell lines are usually transformed mammalian cells, particularly myeloma cells of rodent, bovine and human origin. Usually, rat or mouse
- 30 myeloma cell lines are employed. The hybridoma cells can be cultured in a suitable culture medium that preferably contains one or more substances that inhibit the growth or

survival of the unfused, immortalized cells. For example, if the parental cells lack the enzyme hypoxanthine guanine phosphoribosyl transferase (HGPRT or HPRT), the culture medium for the hybridomas typically will include hypoxanthine, aminopterin, and thymidine ("HAT medium"), which substances prevent the growth of HGPRT-deficient cells.

Preferred immortalized cell lines are those that fuse efficiently, support stable high level expression of antibody by the selected antibody-producing cells, and are sensitive to a medium such as HAT medium. More preferred immortalized cell lines are murine myeloma lines, which can be obtained, for instance, from the Salk Institute Cell Distribution Center, San Diego, California and the American Type Culture Collection, Manassas, Virginia. Human myeloma and mouse-human heteromyeloma cell lines also have been described for the production of human monoclonal antibodies (Kozbor, J. Immunol., 133:3001 (1984); Brodeur et al., Monoclonal Antibody Production Techniques and Applications, Marcel Dekker, Inc., New York, (1987) pp. 51-63).

The culture medium in which the hybridoma cells are cultured can then be assayed for the presence of monoclonal antibodies directed against the antigen. Preferably, the binding specificity of monoclonal antibodies produced by the hybridoma cells is determined by immunoprecipitation or by an in vitro binding assay, such as radioimmunoassay (RIA) or enzyme-linked immunoabsorbent assay (ELISA). Such techniques and assays are known in the art. The binding affinity of the monoclonal antibody can, for example, be determined by the Scatchard analysis of Munson and Pollard, Anal. Biochem., 107:220 (1980). Preferably, antibodies having a high degree of specificity and a high binding affinity for the target antigen are isolated.

After the desired hybridoma cells are identified, the clones can be subcloned by limiting dilution procedures and grown by standard methods. Suitable culture media for this purpose include, for example, Dulbecco's Modified Eagle's Medium and RPMI-1640 medium. Alternatively, the hybridoma cells can be grown in vivo as ascites in a mammal.

The monoclonal antibodies secreted by the subclones can be isolated or purified from the culture medium or ascites fluid by conventional immunoglobulin purification procedures

such as, for example, protein A-Sepharose, hydroxylapatite chromatography, gel electrophoresis, dialysis, or affinity chromatography.

The monoclonal antibodies can also be made by recombinant DNA methods, such as those described in U.S. Patent No. 4,816,567. DNA encoding the monoclonal antibodies of the invention can be readily isolated and sequenced using conventional procedures (e.g., by using oligonucleotide probes that are capable of binding specifically to genes encoding the heavy and light chains of murine antibodies). The hybridoma cells of the invention serve as a preferred source of such DNA. Once isolated, the DNA can be placed into expression vectors, which are then transfected into host cells such as simian COS cells, Chinese hamster ovary (CHO) cells, or myeloma cells that do not otherwise produce immunoglobulin protein, to obtain the synthesis of monoclonal antibodies in the recombinant host cells. The DNA also can be modified, for example, by substituting the coding sequence for human heavy and light chain constant domains in place of the homologous murine sequences (U.S. Patent No. 4,816,567; Morrison, Nature 368, 812-13 (1994)) or by covalently joining to the immunoglobulin coding sequence all or part of the coding sequence for a non-immunoglobulin polypeptide. Such a non-immunoglobulin polypeptide can be substituted for the constant domains of an antibody of the invention, or can be substituted for the variable domains of one antigen-combining site of an antibody of the invention to create a chimeric bivalent antibody.

20

### 5.13.2 Humanized Antibodies

The antibodies directed against the protein antigens of the invention can further comprise humanized antibodies or human antibodies. These antibodies are suitable for administration to humans without engendering an immune response by the human against the administered immunoglobulin. Humanized forms of antibodies are chimeric immunoglobulins, immunoglobulin chains or fragments thereof (such as Fv, Fab, Fab', F(ab')<sub>2</sub> or other antigen-binding subsequences of antibodies) that are principally comprised of the sequence of a human immunoglobulin, and contain minimal sequence derived from a non-human immunoglobulin. Humanization can be performed following the method of Winter and co-workers (Jones et al., Nature, 321:522-525 (1986); Riechmann et al., Nature, 332:323-327 (1988); Verhoeyen et al., Science, 239:1534-1536

25

30

(1988)), by substituting rodent CDRs or CDR sequences for the corresponding sequences of a human antibody. (See also U.S. Patent No. 5,225,539.) In some instances, Fv framework residues of the human immunoglobulin are replaced by corresponding non-human residues. Humanized antibodies can also comprise residues which are found  
5 neither in the recipient antibody nor in the imported CDR or framework sequences. In general, the humanized antibody will comprise substantially all of at least one, and typically two, variable domains, in which all or substantially all of the CDR regions correspond to those of a non-human immunoglobulin and all or substantially all of the framework regions are those of a human immunoglobulin consensus sequence. The  
10 humanized antibody optimally also will comprise at least a portion of an immunoglobulin constant region (Fc), typically that of a human immunoglobulin (Jones et al., 1986; Riechmann et al., 1988; and Presta, Curr. Op. Struct. Biol., 2:593-596 (1992)).

### 5.13.3 Human Antibodies

15 Fully human antibodies relate to antibody molecules in which essentially the entire sequences of both the light chain and the heavy chain, including the CDRs, arise from human genes. Such antibodies are termed "human antibodies", or "fully human antibodies" herein. Human monoclonal antibodies can be prepared by the trioma technique; the human B-cell hybridoma technique (see Kozbor, et al., 1983 Immunol  
20 Today 4: 72) and the EBV hybridoma technique to produce human monoclonal antibodies (see Cole, et al., 1985 In: MONOCLONAL ANTIBODIES AND CANCER THERAPY, Alan R. Liss, Inc., pp. 77-96). Human monoclonal antibodies may be utilized in the practice of the present invention and may be produced by using human hybridomas (see  
Cote, et al., 1983. Proc Natl Acad Sci USA 80: 2026-2030) or by transforming human  
25 B-cells with Epstein Barr Virus in vitro (see Cole, et al., 1985 In: MONOCLONAL ANTIBODIES AND CANCER THERAPY, Alan R. Liss, Inc., pp. 77-96).

In addition, human antibodies can also be produced using additional techniques, including phage display libraries (Hoogenboom and Winter, J. Mol. Biol., 227:381 (1991); Marks et al., J. Mol. Biol., 222:581 (1991)). Similarly, human antibodies can be  
30 made by introducing human immunoglobulin loci into transgenic animals, e.g., mice in which the endogenous immunoglobulin genes have been partially or completely

inactivated. Upon challenge, human antibody production is observed, which closely resembles that seen in humans in all respects, including gene rearrangement, assembly, and antibody repertoire. This approach is described, for example, in U.S. Patent Nos. 5,545,807; 5,545,806; 5,569,825; 5,625,126; 5,633,425; 5,661,016, and in Marks et al. (Bio/Technology 10, 779-783 (1992)); Lonberg et al. (Nature 368 856-859 (1994)); Morrison (Nature 368, 812-13 (1994)); Fishwild et al, (Nature Biotechnology 14, 845-51 (1996)); Neuberger (Nature Biotechnology 14, 826 (1996)); and Lonberg and Huszar (Intern. Rev. Immunol. 13 65-93 (1995)).

Human antibodies may additionally be produced using transgenic nonhuman animals which are modified so as to produce fully human antibodies rather than the animal's endogenous antibodies in response to challenge by an antigen. (See PCT publication WO94/02602). The endogenous genes encoding the heavy and light immunoglobulin chains in the nonhuman host have been incapacitated, and active loci encoding human heavy and light chain immunoglobulins are inserted into the host's genome. The human genes are incorporated, for example, using yeast artificial chromosomes containing the requisite human DNA segments. An animal which provides all the desired modifications is then obtained as progeny by crossbreeding intermediate transgenic animals containing fewer than the full complement of the modifications. The preferred embodiment of such a nonhuman animal is a mouse, and is termed the Xenomouse<sup>TM</sup> as disclosed in PCT publications WO 96/33735 and WO 96/34096. This animal produces B cells which secrete fully human immunoglobulins. The antibodies can be obtained directly from the animal after immunization with an immunogen of interest, as, for example, a preparation of a polyclonal antibody, or alternatively from immortalized B cells derived from the animal, such as hybridomas producing monoclonal antibodies. Additionally, the genes encoding the immunoglobulins with human variable regions can be recovered and expressed to obtain the antibodies directly, or can be further modified to obtain analogs of antibodies such as, for example, single chain Fv molecules.

An example of a method of producing a nonhuman host, exemplified as a mouse, lacking expression of an endogenous immunoglobulin heavy chain is disclosed in U.S. Patent No. 5,939,598. It can be obtained by a method including deleting the J segment genes from at least one endogenous heavy chain locus in an embryonic stem cell to

prevent rearrangement of the locus and to prevent formation of a transcript of a rearranged immunoglobulin heavy chain locus, the deletion being effected by a targeting vector containing a gene encoding a selectable marker; and producing from the embryonic stem cell a transgenic mouse whose somatic and germ cells contain the gene encoding the selectable marker.

A method for producing an antibody of interest, such as a human antibody, is disclosed in U.S. Patent No. 5,916,771. It includes introducing an expression vector that contains a nucleotide sequence encoding a heavy chain into one mammalian host cell in culture, introducing an expression vector containing a nucleotide sequence encoding a light chain into another mammalian host cell, and fusing the two cells to form a hybrid cell. The hybrid cell expresses an antibody containing the heavy chain and the light chain.

In a further improvement on this procedure, a method for identifying a clinically relevant epitope on an immunogen, and a correlative method for selecting an antibody that binds immunospecifically to the relevant epitope with high affinity, are disclosed in PCT publication WO 99/53049.

#### **5.13.4 F<sub>ab</sub> Fragments and Single Chain Antibodies**

According to the invention, techniques can be adapted for the production of single-chain antibodies specific to an antigenic protein of the invention (see e.g., U.S. Patent No. 4,946,778). In addition, methods can be adapted for the construction of F<sub>ab</sub> expression libraries (see e.g., Huse, et al., 1989 Science 246: 1275-1281) to allow rapid and effective identification of monoclonal F<sub>ab</sub> fragments with the desired specificity for a protein or derivatives, fragments, analogs or homologs thereof. Antibody fragments that contain the idiotypes to a protein antigen may be produced by techniques known in the art including, but not limited to: (i) an F<sub>(ab')<sub>2</sub></sub> fragment produced by pepsin digestion of an antibody molecule; (ii) an F<sub>ab</sub> fragment generated by reducing the disulfide bridges of an F<sub>(ab')<sub>2</sub></sub> fragment; (iii) an F<sub>ab</sub> fragment generated by the treatment of the antibody molecule with papain and a reducing agent and (iv) F<sub>v</sub> fragments.

#### **5.13.5 Bispecific Antibodies**

Bispecific antibodies are monoclonal, preferably human or humanized, antibodies that have binding specificities for at least two different antigens. In the present case, one of the binding specificities is for an antigenic protein of the invention. The second binding target is any other antigen, and advantageously is a cell-surface protein or receptor or receptor subunit.

Methods for making bispecific antibodies are known in the art. Traditionally, the recombinant production of bispecific antibodies is based on the co-expression of two immunoglobulin heavy-chain/light-chain pairs, where the two heavy chains have different specificities (Milstein and Cuello, *Nature*, 305:537-539 (1983)). Because of the random assortment of immunoglobulin heavy and light chains, these hybridomas (quadromas) produce a potential mixture of ten different antibody molecules, of which only one has the correct bispecific structure. The purification of the correct molecule is usually accomplished by affinity chromatography steps. Similar procedures are disclosed in WO 93/08829, published 13 May 1993, and in Traunecker *et al.*, 1991 *EMBO J.*, 10:3655-3659.

Antibody variable domains with the desired binding specificities (antibody-antigen combining sites) can be fused to immunoglobulin constant domain sequences. The fusion preferably is with an immunoglobulin heavy-chain constant domain, comprising at least part of the hinge, CH2, and CH3 regions. It is preferred to have the first heavy-chain constant region (CH1) containing the site necessary for light-chain binding present in at least one of the fusions. DNAs encoding the immunoglobulin heavy-chain fusions and, if desired, the immunoglobulin light chain, are inserted into separate expression vectors, and are co-transfected into a suitable host organism. For further details of generating bispecific antibodies see, for example, Suresh *et al.*, *Methods in Enzymology*, 121:210 (1986).

According to another approach described in WO 96/27011, the interface between a pair of antibody molecules can be engineered to maximize the percentage of heterodimers which are recovered from recombinant cell culture. The preferred interface comprises at least a part of the CH3 region of an antibody constant domain. In this method, one or more small amino acid side chains from the interface of the first antibody molecule are replaced with larger side chains (e.g. tyrosine or tryptophan).

Compensatory "cavities" of identical or similar size to the large side chain(s) are created on the interface of the second antibody molecule by replacing large amino acid side chains with smaller ones (e.g. alanine or threonine). This provides a mechanism for increasing the yield of the heterodimer over other unwanted end-products such as  
5 homodimers.

Bispecific antibodies can be prepared as full length antibodies or antibody fragments (e.g.  $F(ab')_2$  bispecific antibodies). Techniques for generating bispecific antibodies from antibody fragments have been described in the literature. For example, bispecific antibodies can be prepared using chemical linkage. Brennan et al., Science  
10 229:81 (1985) describe a procedure wherein intact antibodies are proteolytically cleaved to generate  $F(ab')_2$  fragments. These fragments are reduced in the presence of the dithiol complexing agent sodium arsenite to stabilize vicinal dithiols and prevent intermolecular disulfide formation. The  $Fab'$  fragments generated are then converted to thionitrobenzoate (TNB) derivatives. One of the  $Fab'$ -TNB derivatives is then  
15 reconverted to the  $Fab'$ -thiol by reduction with mercaptoethylamine and is mixed with an equimolar amount of the other  $Fab'$ -TNB derivative to form the bispecific antibody. The bispecific antibodies produced can be used as agents for the selective immobilization of enzymes.

Additionally,  $Fab'$  fragments can be directly recovered from *E. coli* and  
20 chemically coupled to form bispecific antibodies. Shalaby et al., J. Exp. Med. 175:217-225 (1992) describe the production of a fully humanized bispecific antibody  $F(ab')_2$  molecule. Each  $Fab'$  fragment was separately secreted from *E. coli* and subjected to directed chemical coupling in vitro to form the bispecific antibody. The bispecific antibody thus formed was able to bind to cells overexpressing the ErbB2 receptor and  
25 normal human T cells, as well as trigger the lytic activity of human cytotoxic lymphocytes against human breast tumor targets.

Various techniques for making and isolating bispecific antibody fragments directly from recombinant cell culture have also been described. For example, bispecific antibodies have been produced using leucine zippers. Kostelny et al., J. Immunol.  
30 148(5):1547-1553 (1992). The leucine zipper peptides from the Fos and Jun proteins were linked to the  $Fab'$  portions of two different antibodies by gene fusion. The antibody



homodimers were reduced at the hinge region to form monomers and then re-oxidized to form the antibody heterodimers. This method can also be utilized for the production of antibody homodimers. The "diabody" technology described by Hollinger et al., Proc. Natl. Acad. Sci. USA 90:6444-6448 (1993) has provided an alternative mechanism for making bispecific antibody fragments. The fragments comprise a heavy-chain variable domain ( $V_H$ ) connected to a light-chain variable domain ( $V_L$ ) by a linker which is too short to allow pairing between the two domains on the same chain. Accordingly, the  $V_H$  and  $V_L$  domains of one fragment are forced to pair with the complementary  $V_L$  and  $V_H$  domains of another fragment, thereby forming two antigen-binding sites. Another strategy for making bispecific antibody fragments by the use of single-chain Fv (sFv) dimers has also been reported. See, Gruber et al., J. Immunol. 152:5368 (1994).

Antibodies with more than two valencies are contemplated. For example, trispecific antibodies can be prepared. Tutt et al., J. Immunol. 147:60 (1991). Exemplary bispecific antibodies can bind to two different epitopes, at least one of which originates in the protein antigen of the invention. Alternatively, an anti-antigenic arm of an immunoglobulin molecule can be combined with an arm which binds to a triggering molecule on a leukocyte such as a T-cell receptor molecule (e.g. CD2, CD3, CD28, or B7), or Fc receptors for IgG (FcγR), such as FcγRI (CD64), FcγRII (CD32) and FcγRIII (CD16) so as to focus cellular defense mechanisms to the cell expressing the particular antigen. Bispecific antibodies can also be used to direct cytotoxic agents to cells which express a particular antigen. These antibodies possess an antigen-binding arm and an arm which binds a cytotoxic agent or a radionuclide chelator, such as EOTUBE, DPTA, DOTA, or TETA. Another bispecific antibody of interest binds the protein antigen described herein and further binds tissue factor (TF).

25

#### 5.13.6 Heteroconjugate Antibodies

Heteroconjugate antibodies are also within the scope of the present invention. Heteroconjugate antibodies are composed of two covalently joined antibodies. Such antibodies have, for example, been proposed to target immune system cells to unwanted cells (U.S. Patent No. 4,676,980), and for treatment of HIV infection (WO 91/00360; WO 92/200373; EP 03089). It is contemplated that the antibodies can be prepared in

30

vitro using known methods in synthetic protein chemistry, including those involving crosslinking agents. For example, immunotoxins can be constructed using a disulfide exchange reaction or by forming a thioether bond. Examples of suitable reagents for this purpose include iminothiolate and methyl-4-mercaptobutyrimidate and those disclosed, for example, in U.S. Patent No. 4,676,980.

#### 5.13.7 Effector Function Engineering

It can be desirable to modify the antibody of the invention with respect to effector function, so as to enhance, e.g., the effectiveness of the antibody in treating cancer. For example, cysteine residue(s) can be introduced into the Fc region, thereby allowing interchain disulfide bond formation in this region. The homodimeric antibody thus generated can have improved internalization capability and/or increased complement-mediated cell killing and antibody-dependent cellular cytotoxicity (ADCC). See Caron et al., J. Exp Med., 176: 1191-1195 (1992) and Shopes, J. Immunol., 148: 2918-2922 (1992). Homodimeric antibodies with enhanced anti-tumor activity can also be prepared using heterobifunctional cross-linkers as described in Wolff et al. Cancer Research, 53: 2560-2565 (1993). Alternatively, an antibody can be engineered that has dual Fc regions and can thereby have enhanced complement lysis and ADCC capabilities. See Stevenson et al., Anti-Cancer Drug Design, 3: 219-230 (1989).

#### 5.13.8 Immunoconjugates

The invention also pertains to immunoconjugates comprising an antibody conjugated to a cytotoxic agent such as a chemotherapeutic agent, toxin (e.g., an enzymatically active toxin of bacterial, fungal, plant, or animal origin, or fragments thereof), or a radioactive isotope (i.e., a radioconjugate).

Chemotherapeutic agents useful in the generation of such immunoconjugates have been described above. Enzymatically active toxins and fragments thereof that can be used include diphtheria A chain, nonbinding active fragments of diphtheria toxin, exotoxin A chain (from *Pseudomonas aeruginosa*), ricin A chain, abrin A chain, modeccin A chain, alpha-sarcin, Aleurites fordii proteins, dianthin proteins, *Phytolacca americana* proteins (PAPI, PAPII, and PAP-S), momordica charantia inhibitor, curcin,

croton, saponaria officinalis inhibitor, gelonin, mitogellin, restrictocin, phenomycin, enomycin, and the tricothecenes. A variety of radionuclides are available for the production of radioconjugated antibodies. Examples include  $^{212}\text{Bi}$ ,  $^{131}\text{I}$ ,  $^{131}\text{In}$ ,  $^{90}\text{Y}$ , and  $^{186}\text{Re}$ .

- 5           Conjugates of the antibody and cytotoxic agent are made using a variety of bifunctional protein-coupling agents such as N-succinimidyl-3-(2-pyridyldithiol) propionate (SPDP), iminothiolane (IT), bifunctional derivatives of imidoesters (such as dimethyl adipimide HCL), active esters (such as disuccinimidyl suberate), aldehydes (such as glutaraldehyde), bis-azido compounds (such as bis (p-azidobenzoyl)
- 10 hexanediamine), bis-diazonium derivatives (such as bis-(p-diazoniumbenzoyl)-ethylenediamine), diisocyanates (such as tolyene 2,6-diisocyanate), and bis-active fluorine compounds (such as 1,5-difluoro-2,4-dinitrobenzene). For example, a ricin immunotoxin can be prepared as described in Vitetta et al., Science, 238: 1098 (1987). Carbon-14-labeled 1-isothiocyanatobenzyl-3-methyldiethylene triaminepentaacetic acid
- 15 (MX-DTPA) is an exemplary chelating agent for conjugation of radionuclide to the antibody. See WO94/11026.

- In another embodiment, the antibody can be conjugated to a "receptor" (such as streptavidin) for utilization in tumor pretargeting wherein the antibody-receptor conjugate is administered to the patient, followed by removal of unbound conjugate from the
- 20 circulation using a clearing agent and then administration of a "ligand" (e.g., avidin) that is in turn conjugated to a cytotoxic agent.

#### 4.14 COMPUTER READABLE SEQUENCES

- In one application of this embodiment, a nucleotide sequence of the present
- 25 invention can be recorded on computer readable media. As used herein, "computer readable media" refers to any medium which can be read and accessed directly by a computer. Such media include, but are not limited to: magnetic storage media, such as floppy discs, hard disc storage medium, and magnetic tape; optical storage media such as CD-ROM; electrical storage media such as RAM and ROM; and hybrids of these
- 30 categories such as magnetic/optical storage media. A skilled artisan can readily appreciate how any of the presently known computer readable mediums can be used to

create a manufacture comprising computer readable medium having recorded thereon a nucleotide sequence of the present invention. As used herein, "recorded" refers to a process for storing information on computer readable medium. A skilled artisan can readily adopt any of the presently known methods for recording information on computer readable medium to generate manufactures comprising the nucleotide sequence information of the present invention.

A variety of data storage structures are available to a skilled artisan for creating a computer readable medium having recorded thereon a nucleotide sequence of the present invention. The choice of the data storage structure will generally be based on the means chosen to access the stored information. In addition, a variety of data processor programs and formats can be used to store the nucleotide sequence information of the present invention on computer readable medium. The sequence information can be represented in a word processing text file, formatted in commercially-available software such as WordPerfect and Microsoft Word, or represented in the form of an ASCII file, stored in a database application, such as DB2, Sybase, Oracle, or the like. A skilled artisan can readily adapt any number of data processor structuring formats (*e.g.* text file or database) in order to obtain computer readable medium having recorded thereon the nucleotide sequence information of the present invention.

By providing any of the nucleotide sequences SEQ ID NO:1-739 or a representative fragment thereof; or a nucleotide sequence at least 95% identical to any of the nucleotide sequences of SEQ ID NO:1-739 in computer readable form, a skilled artisan can routinely access the sequence information for a variety of purposes. Computer software is publicly available which allows a skilled artisan to access sequence information provided in a computer readable medium. The examples which follow demonstrate how software which implements the BLAST (Altschul et al., J. Mol. Biol. 215:403-410 (1990)) and BLAZE (Brutlag et al., Comp. Chem. 17:203-207 (1993)) search algorithms on a Sybase system is used to identify open reading frames (ORFs) within a nucleic acid sequence. Such ORFs may be protein encoding fragments and may be useful in producing commercially important proteins such as enzymes used in fermentation reactions and in the production of commercially useful metabolites.

As used herein, "a computer-based system" refers to the hardware means, software means, and data storage means used to analyze the nucleotide sequence information of the present invention. The minimum hardware means of the computer-based systems of the present invention comprises a central processing unit  
5 (CPU), input means, output means, and data storage means. A skilled artisan can readily appreciate that any one of the currently available computer-based systems are suitable for use in the present invention. As stated above, the computer-based systems of the present invention comprise a data storage means having stored therein a nucleotide sequence of the present invention and the necessary hardware means and software means for  
10 supporting and implementing a search means. As used herein, "data storage means" refers to memory which can store nucleotide sequence information of the present invention, or a memory access means which can access manufactures having recorded thereon the nucleotide sequence information of the present invention.

As used herein, "search means" refers to one or more programs which are  
15 implemented on the computer-based system to compare a target sequence or target structural motif with the sequence information stored within the data storage means. Search means are used to identify fragments or regions of a known sequence which match a particular target sequence or target motif. A variety of known algorithms are disclosed publicly and a variety of commercially available software for conducting search  
20 means are and can be used in the computer-based systems of the present invention. Examples of such software includes, but is not limited to, Smith-Waterman, MacPattern (EMBL), BLASTN and BLASTA (NPOLYPEPTIDEIA). A skilled artisan can readily recognize that any one of the available algorithms or implementing software packages for conducting homology searches can be adapted for use in the present computer-based  
25 systems. As used herein, a "target sequence" can be any nucleic acid or amino acid sequence of six or more nucleotides or two or more amino acids. A skilled artisan can readily recognize that the longer a target sequence is, the less likely a target sequence will be present as a random occurrence in the database. The most preferred sequence length of a target sequence is from about 10 to 300 amino acids, more preferably from about 30  
30 to 100 nucleotide residues. However, it is well recognized that searches for

commercially important fragments, such as sequence fragments involved in gene expression and protein processing, may be of shorter length.

As used herein, "a target structural motif," or "target motif," refers to any rationally selected sequence or combination of sequences in which the sequence(s) are chosen based on a three-dimensional configuration which is formed upon the folding of the target motif. There are a variety of target motifs known in the art. Protein target motifs include, but are not limited to, enzyme active sites and signal sequences. Nucleic acid target motifs include, but are not limited to, promoter sequences, hairpin structures and inducible expression elements (protein binding sequences).

10

#### 4.15 TRIPLE HELIX FORMATION

In addition, the fragments of the present invention, as broadly described, can be used to control gene expression through triple helix formation or antisense DNA or RNA, both of which methods are based on the binding of a polynucleotide sequence to DNA or RNA. Polynucleotides suitable for use in these methods are preferably 20 to 40 bases in length and are designed to be complementary to a region of the gene involved in transcription (triple helix - see Lee et al., Nucl. Acids Res. 6:3073 (1979); Cooney et al., Science 15241:456 (1988); and Dervan et al., Science 251:1360 (1991)) or to the mRNA itself (antisense - Olmno, J. Neurochem. 56:560 (1991); Oligodeoxynucleotides as Antisense Inhibitors of Gene Expression, CRC Press, Boca Raton, FL (1988)). Triple helix-formation optimally results in a shut-off of RNA transcription from DNA, while antisense RNA hybridization blocks translation of an mRNA molecule into polypeptide. Both techniques have been demonstrated to be effective in model systems. Information contained in the sequences of the present invention is necessary for the design of an antisense or triple helix oligonucleotide.

25

#### 4.16 DIAGNOSTIC ASSAYS AND KITS

The present invention further provides methods to identify the presence or expression of one of the ORFs of the present invention, or homolog thereof, in a test sample, using a nucleic acid probe or antibodies of the present invention, optionally conjugated or otherwise associated with a suitable label.

30

In general, methods for detecting a polynucleotide of the invention can comprise contacting a sample with a compound that binds to and forms a complex with the polynucleotide for a period sufficient to form the complex, and detecting the complex, so that if a complex is detected, a polynucleotide of the invention is detected in the sample.

- 5 Such methods can also comprise contacting a sample under stringent hybridization conditions with nucleic acid primers that anneal to a polynucleotide of the invention under such conditions, and amplifying annealed polynucleotides, so that if a polynucleotide is amplified, a polynucleotide of the invention is detected in the sample.

- 10 In general, methods for detecting a polypeptide of the invention can comprise contacting a sample with a compound that binds to and forms a complex with the polypeptide for a period sufficient to form the complex, and detecting the complex, so that if a complex is detected, a polypeptide of the invention is detected in the sample.

- 15 In detail, such methods comprise incubating a test sample with one or more of the antibodies or one or more of the nucleic acid probes of the present invention and assaying for binding of the nucleic acid probes or antibodies to components within the test sample.

- Conditions for incubating a nucleic acid probe or antibody with a test sample vary. Incubation conditions depend on the format employed in the assay, the detection methods employed, and the type and nature of the nucleic acid probe or antibody used in the assay. One skilled in the art will recognize that any one of the commonly available  
20 hybridization, amplification or immunological assay formats can readily be adapted to employ the nucleic acid probes or antibodies of the present invention. Examples of such assays can be found in Chard, T., *An Introduction to Radioimmunoassay and Related Techniques*, Elsevier Science Publishers, Amsterdam, The Netherlands (1986); Bullock, G.R. et al., *Techniques in Immunocytochemistry*, Academic Press, Orlando, FL Vol. 1 (1982), Vol. 2 (1983), Vol. 3 (1985); Tijssen, P., *Practice and Theory of immunoassays: Laboratory Techniques in Biochemistry and Molecular Biology*, Elsevier Science Publishers, Amsterdam, The Netherlands (1985). The test samples of the present invention include cells, protein or membrane extracts of cells, or biological fluids such as sputum, blood, serum, plasma, or urine. The test sample used in the above-described  
25 method will vary based on the assay format, nature of the detection method and the tissues, cells or extracts used as the sample to be assayed. Methods for preparing protein  
30

spotted on nylon membrane filters and screened with oligonucleotide probes (e.g., 7-mers) to obtain signature sequences. The clones were clustered into groups of similar or identical sequences. Representative clones were selected for sequencing.

In some cases, the 5' sequence of the amplified inserts was then deduced using a  
5 typical Sanger sequencing protocol. PCR products were purified and subjected to  
fluorescent dye terminator cycle sequencing. Single pass gel sequencing was done using a  
377 Applied Biosystems (ABI) sequencer to obtain the novel nucleic acid sequences. In  
some cases RACE (Random Amplification of cDNA Ends) was performed to further extend  
the sequence in the 5' direction.

10

## 5.2 EXAMPLE 2

### Novel Contigs

The novel contigs of the invention were assembled from sequences that were  
obtained from a cDNA library by methods described in Example 1 above, and in some cases  
15 sequences obtained from one or more public databases. Chromatograms were base called  
and assembled using a software suite from University of Washington, Seattle containing  
three applications designated PHRED, PHRAP, and CONSED. The sequences for the  
resulting nucleic acid contigs are designated as SEQ ID NO: 1-739 and are provided in the  
attached Sequence Listing. The contigs were assembled using an EST sequence as a seed.

20 Then a recursive algorithm was used to extend the seed EST into an extended assemblage,  
by pulling additional sequences from different databases (i.e., Hyseq's database containing  
EST sequences, dbEST version 120, gb pri 120, UniGene version 120, and Genpept 120)  
that belong to this assemblage. The algorithm terminated when there was no additional  
sequences from the above databases that would extend the assemblage. Inclusion of  
25 component sequences into the assemblage was based on a BLASTN hit to the extending  
assemblage with BLAST score greater than 300 and percent identity greater than 95%.

The nearest neighbor result for the assembled contig was obtained by a FASTA  
version 3 search against Genpept release 120, using FASTXY algorithm. FASTXY is an  
improved version of FASTA alignment which allows in-codon frame shifts. The nearest  
30 neighbor result showed the closest homologue for each assemblage from Genpept (and



extracts or membrane extracts of cells are well known in the art and can be readily be adapted in order to obtain a sample which is compatible with the system utilized.

In another embodiment of the present invention, kits are provided which contain the necessary reagents to carry out the assays of the present invention. Specifically, the invention provides a compartment kit to receive, in close confinement, one or more  
5 containers which comprises: (a) a first container comprising one of the probes or antibodies of the present invention; and (b) one or more other containers comprising one or more of the following: wash reagents, reagents capable of detecting presence of a bound probe or antibody.

In detail, a compartment kit includes any kit in which reagents are contained in separate containers. Such containers include small glass containers, plastic containers or strips of plastic or paper. Such containers allows one to efficiently transfer reagents from one compartment to another compartment such that the samples and reagents are not cross-contaminated, and the agents or solutions of each container can be added in a  
15 quantitative fashion from one compartment to another. Such containers will include a container which will accept the test sample, a container which contains the antibodies used in the assay, containers which contain wash reagents (such as phosphate buffered saline, Tris-buffers, etc.), and containers which contain the reagents used to detect the bound antibody or probe. Types of detection reagents include labeled nucleic acid probes,  
20 labeled secondary antibodies, or in the alternative, if the primary antibody is labeled, the enzymatic, or antibody binding reagents which are capable of reacting with the labeled antibody. One skilled in the art will readily recognize that the disclosed probes and antibodies of the present invention can be readily incorporated into one of the established kit formats which are well known in the art.

25

#### 4.17 MEDICAL IMAGING

The novel polypeptides and binding partners of the invention are useful in medical imaging of sites expressing the molecules of the invention (e.g., where the polypeptide of the invention is involved in the immune response, for imaging sites of  
30 inflammation or infection). See, e.g., Kunkel et al., U.S. Pat. NO. 5,413,778. Such methods involve chemical attachment of a labeling or imaging agent, administration of

the labeled polypeptide to a subject in a pharmaceutically acceptable carrier, and imaging the labeled polypeptide *in vivo* at the target site.

#### 4.18 SCREENING ASSAYS

5           Using the isolated proteins and polynucleotides of the invention, the present invention further provides methods of obtaining and identifying agents which bind to a polypeptide encoded by an ORF corresponding to any of the nucleotide sequences set forth in SEQ ID NO:1-739, or bind to a specific domain of the polypeptide encoded by the nucleic acid. In detail, said method comprises the steps of:

- 10           (a)     contacting an agent with an isolated protein encoded by an ORF of the present invention, or nucleic acid of the invention; and
- (b)     determining whether the agent binds to said protein or said nucleic acid.

             In general, therefore, such methods for identifying compounds that bind to a polynucleotide of the invention can comprise contacting a compound with a

15           polynucleotide of the invention for a time sufficient to form a polynucleotide/compound complex, and detecting the complex, so that if a polynucleotide/compound complex is detected, a compound that binds to a polynucleotide of the invention is identified.

             Likewise, in general, therefore, such methods for identifying compounds that bind to a polypeptide of the invention can comprise contacting a compound with a polypeptide

20           of the invention for a time sufficient to form a polypeptide/compound complex, and detecting the complex, so that if a polypeptide/compound complex is detected, a compound that binds to a polynucleotide of the invention is identified.

             Methods for identifying compounds that bind to a polypeptide of the invention can also comprise contacting a compound with a polypeptide of the invention in a cell for

25           a time sufficient to form a polypeptide/compound complex, wherein the complex drives expression of a receptor gene sequence in the cell, and detecting the complex by detecting reporter gene sequence expression, so that if a polypeptide/compound complex is detected, a compound that binds a polypeptide of the invention is identified.

             Compounds identified via such methods can include compounds which modulate

30           the activity of a polypeptide of the invention (that is, increase or decrease its activity, relative to activity observed in the absence of the compound). Alternatively, compounds

identified via such methods can include compounds which modulate the expression of a polynucleotide of the invention (that is, increase or decrease expression relative to expression levels observed in the absence of the compound). Compounds, such as compounds identified via the methods of the invention, can be tested using standard  
5 assays well known to those of skill in the art for their ability to modulate activity/expression.

The agents screened in the above assay can be, but are not limited to, peptides, carbohydrates, vitamin derivatives, or other pharmaceutical agents. The agents can be selected and screened at random or rationally selected or designed using protein modeling  
10 techniques.

For random screening, agents such as peptides, carbohydrates, pharmaceutical agents and the like are selected at random and are assayed for their ability to bind to the protein encoded by the ORF of the present invention. Alternatively, agents may be rationally selected or designed. As used herein, an agent is said to be "rationally selected  
15 or designed" when the agent is chosen based on the configuration of the particular protein. For example, one skilled in the art can readily adapt currently available procedures to generate peptides, pharmaceutical agents and the like, capable of binding to a specific peptide sequence, in order to generate rationally designed antipeptide peptides, for example see Hurby et al., Application of Synthetic Peptides: Antisense Peptides," In  
20 Synthetic Peptides, A User's Guide, W.H. Freeman, NY (1992), pp. 289-307, and Kaspiczak et al., Biochemistry 28:9230-8 (1989), or pharmaceutical agents, or the like.

In addition to the foregoing, one class of agents of the present invention, as broadly described, can be used to control gene expression through binding to one of the ORFs or EMFs of the present invention. As described above, such agents can be  
25 randomly screened or rationally designed/selected. Targeting the ORF or EMF allows a skilled artisan to design sequence specific or element specific agents, modulating the expression of either a single ORF or multiple ORFs which rely on the same EMF for expression control. One class of DNA binding agents are agents which contain base residues which hybridize or form a triple helix formation by binding to DNA or RNA.  
30 Such agents can be based on the classic phosphodiester, ribonucleic acid backbone, or

can be a variety of sulfhydryl or polymeric derivatives which have base attachment capacity.

Agents suitable for use in these methods preferably contain 20 to 40 bases and are designed to be complementary to a region of the gene involved in transcription (triple  
5 helix - see Lee et al., Nucl. Acids Res. 6:3073 (1979); Cooney et al., Science 241:456 (1988); and Dervan et al., Science 251:1360 (1991)) or to the mRNA itself (antisense - Okano, J. Neurochem. 56:560 (1991); Oligodeoxynucleotides as Antisense Inhibitors of Gene Expression, CRC Press, Boca Raton, FL (1988)). Triple helix-formation optimally results in a shut-off of RNA transcription from DNA, while antisense RNA hybridization  
10 blocks translation of an mRNA molecule into polypeptide. Both techniques have been demonstrated to be effective in model systems. Information contained in the sequences of the present invention is necessary for the design of an antisense or triple helix oligonucleotide and other DNA binding agents.

Agents which bind to a protein encoded by one of the ORFs of the present  
15 invention can be used as a diagnostic agent. Agents which bind to a protein encoded by one of the ORFs of the present invention can be formulated using known techniques to generate a pharmaceutical composition.

#### 4.19 USE OF NUCLEIC ACIDS AS PROBES

20 Another aspect of the subject invention is to provide for polypeptide-specific nucleic acid hybridization probes capable of hybridizing with naturally occurring nucleotide sequences. The hybridization probes of the subject invention may be derived from any of the nucleotide sequences SEQ ID NO:1-739. Because the corresponding gene is only expressed in a limited number of tissues, a hybridization probe derived from  
25 of any of the nucleotide sequences SEQ ID NO:1-739 can be used as an indicator of the presence of RNA of cell type of such a tissue in a sample.

Any suitable hybridization technique can be employed, such as, for example, in situ hybridization. PCR as described in US Patents Nos. 4,683,195 and 4,965,188 provides additional uses for oligonucleotides based upon the nucleotide sequences. Such  
30 probes used in PCR may be of recombinant origin, may be chemically synthesized, or a mixture of both. The probe will comprise a discrete nucleotide sequence for the detection

of identical sequences or a degenerate pool of possible sequences for identification of closely related genomic sequences.

Other means for producing specific hybridization probes for nucleic acids include the cloning of nucleic acid sequences into vectors for the production of mRNA probes.

5 Such vectors are known in the art and are commercially available and may be used to synthesize RNA probes *in vitro* by means of the addition of the appropriate RNA polymerase as T7 or SP6 RNA polymerase and the appropriate radioactively labeled nucleotides. The nucleotide sequences may be used to construct hybridization probes for mapping their respective genomic sequences. The nucleotide sequence provided herein  
10 may be mapped to a chromosome or specific regions of a chromosome using well known genetic and/or chromosomal mapping techniques. These techniques include *in situ* hybridization, linkage analysis against known chromosomal markers, hybridization screening with libraries or flow-sorted chromosomal preparations specific to known chromosomes, and the like. The technique of fluorescent *in situ* hybridization of  
15 chromosome spreads has been described, among other places, in Verma et al (1988) *Human Chromosomes: A Manual of Basic Techniques*, Pergamon Press, New York NY.

Fluorescent *in situ* hybridization of chromosomal preparations and other physical chromosome mapping techniques may be correlated with additional genetic map data. Examples of genetic map data can be found in the 1994 Genome Issue of Science  
20 (265:1981f). Correlation between the location of a nucleic acid on a physical chromosomal map and a specific disease (or predisposition to a specific disease) may help delimit the region of DNA associated with that genetic disease. The nucleotide sequences of the subject invention may be used to detect differences in gene sequences between normal, carrier or affected individuals.

#### 25 4.20 PREPARATION OF SUPPORT BOUND OLIGONUCLEOTIDES

Oligonucleotides, i.e., small nucleic acid segments, may be readily prepared by, for example, directly synthesizing the oligonucleotide by chemical means, as is commonly practiced using an automated oligonucleotide synthesizer.

Support bound oligonucleotides may be prepared by any of the methods known to  
30 those of skill in the art using any suitable support such as glass, polystyrene or Teflon. One strategy is to precisely spot oligonucleotides synthesized by standard synthesizers.

Immobilization can be achieved using passive adsorption (Inouye & Hondo, (1990) J. Clin. Microbiol. 28(6) 1469-72); using UV light (Nagata *et al.*, 1985; Dahlen *et al.*, 1987; Morrissey & Collins, (1989) Mol. Cell Probes 3(2) 189-207) or by covalent binding of base modified DNA (Keller *et al.*, 1988; 1989); all references being specifically incorporated  
5 herein.

Another strategy that may be employed is the use of the strong biotin-streptavidin interaction as a linker. For example, Broude *et al.* (1994) Proc. Natl. Acad. Sci. USA 91(8) 3072-6, describe the use of biotinylated probes, although these are duplex probes, that are immobilized on streptavidin-coated magnetic beads. Streptavidin-coated beads may be  
10 purchased from Dynal, Oslo. Of course, this same linking chemistry is applicable to coating any surface with streptavidin. Biotinylated probes may be purchased from various sources, such as, e.g., Operon Technologies (Alameda, CA).

Nunc Laboratories (Naperville, IL) is also selling suitable material that could be used. Nunc Laboratories have developed a method by which DNA can be covalently bound  
15 to the microwell surface termed CovaLink NH. CovaLink NH is a polystyrene surface grafted with secondary amino groups (>NH) that serve as bridge-heads for further covalent coupling. CovaLink Modules may be purchased from Nunc Laboratories. DNA molecules may be bound to CovaLink exclusively at the 5'-end by a phosphoramidate bond, allowing immobilization of more than 1 pmol of DNA (Rasmussen *et al.*, (1991) Anal. Biochem.  
20 198(1) 138-42).

The use of CovaLink NH strips for covalent binding of DNA molecules at the 5'-end has been described (Rasmussen *et al.*, (1991). In this technology, a phosphoramidate bond is employed (Chu *et al.*, (1983) Nucleic Acids Res. 11(8) 6513-29). This is beneficial as immobilization using only a single covalent bond is preferred. The phosphoramidate bond  
25 joins the DNA to the CovaLink NH secondary amino groups that are positioned at the end of spacer arms covalently grafted onto the polystyrene surface through a 2 nm long spacer arm. To link an oligonucleotide to CovaLink NH via an phosphoramidate bond, the oligonucleotide terminus must have a 5'-end phosphate group. It is, perhaps, even possible for biotin to be covalently bound to CovaLink and then streptavidin used to bind the probes.  
30 More specifically, the linkage method includes dissolving DNA in water (7.5 ng/ul) and denaturing for 10 min. at 95°C and cooling on ice for 10 min. Ice-cold 0.1 M

1-methylimidazole, pH 7.0 (1-MeIm<sub>7</sub>), is then added to a final concentration of 10 mM 1-MeIm<sub>7</sub>. A ss DNA solution is then dispensed into CovaLink NH strips (75 ul/well) standing on ice.

Carbodiimide 0.2 M 1-ethyl-3-(3-dimethylaminopropyl)-carbodiimide (EDC),  
5 dissolved in 10 mM 1-MeIm<sub>7</sub>, is made fresh and 25 ul added per well. The strips are incubated for 5 hours at 50°C. After incubation the strips are washed using, e.g., Nunc-Immuno Wash; first the wells are washed 3 times, then they are soaked with washing solution for 5 min., and finally they are washed 3 times (where in the washing solution is 0.4 N NaOH, 0.25% SDS heated to 50°C).

10 It is contemplated that a further suitable method for use with the present invention is that described in PCT Patent Application WO 90/03382 (Southern & Maskos), incorporated herein by reference. This method of preparing an oligonucleotide bound to a support involves attaching a nucleoside 3'-reagent through the phosphate group by a covalent phosphodiester link to aliphatic hydroxyl groups carried by the support. The  
15 oligonucleotide is then synthesized on the supported nucleoside and protecting groups removed from the synthetic oligonucleotide chain under standard conditions that do not cleave the oligonucleotide from the support. Suitable reagents include nucleoside phosphoramidite and nucleoside hydrogen phosphorate.

An on-chip strategy for the preparation of DNA probe for the preparation of DNA  
20 probe arrays may be employed. For example, addressable laser-activated photodeprotection may be employed in the chemical synthesis of oligonucleotides directly on a glass surface, as described by Fodor *et al.* (1991) Science 251(4995) 767-73, incorporated herein by reference. Probes may also be immobilized on nylon supports as described by Van Ness *et al.* (1991) Nucleic Acids Res. 19(12) 3345-50; or linked to Teflon using the method of  
25 Duncan & Cavalier (1988) Anal. Biochem. 169(1) 104-8; all references being specifically incorporated herein.

To link an oligonucleotide to a nylon support, as described by Van Ness *et al.* (1991), requires activation of the nylon surface via alkylation and selective activation of the 5'-amine of oligonucleotides with cyanuric chloride.

30 One particular way to prepare support bound oligonucleotides is to utilize the light-generated synthesis described by Pease *et al.*, (1994) PNAS USA 91(11) 5022-6,

incorporated herein by reference). These authors used current photolithographic techniques to generate arrays of immobilized oligonucleotide probes (DNA chips). These methods, in which light is used to direct the synthesis of oligonucleotide probes in high-density, miniaturized arrays, utilize photolabile 5'-protected *N*-acyl-deoxynucleoside phosphoramidites, surface linker chemistry and versatile combinatorial synthesis strategies. A matrix of 256 spatially defined oligonucleotide probes may be generated in this manner.

#### 4.21 PREPARATION OF NUCLEIC ACID FRAGMENTS

The nucleic acids may be obtained from any appropriate source, such as cDNAs, genomic DNA, chromosomal DNA, microdissected chromosome bands, cosmid or YAC inserts, and RNA, including mRNA without any amplification steps. For example, Sambrook *et al.* (1989) describes three protocols for the isolation of high molecular weight DNA from mammalian cells (p. 9.14-9.23).

DNA fragments may be prepared as clones in M13, plasmid or lambda vectors and/or prepared directly from genomic DNA or cDNA by PCR or other amplification methods. Samples may be prepared or dispensed in multiwell plates. About 100-1000 ng of DNA samples may be prepared in 2-500 ml of final volume.

The nucleic acids would then be fragmented by any of the methods known to those of skill in the art including, for example, using restriction enzymes as described at 9.24-9.28 of Sambrook *et al.* (1989), shearing by ultrasound and NaOH treatment.

Low pressure shearing is also appropriate, as described by Schriefer *et al.* (1990) Nucleic Acids Res. 18(24) 7455-6, incorporated herein by reference). In this method, DNA samples are passed through a small French pressure cell at a variety of low to intermediate pressures. A lever device allows controlled application of low to intermediate pressures to the cell. The results of these studies indicate that low-pressure shearing is a useful alternative to sonic and enzymatic DNA fragmentation methods.

One particularly suitable way for fragmenting DNA is contemplated to be that using the two base recognition endonuclease, *Cvi*II, described by Fitzgerald *et al.* (1992) Nucleic Acids Res. 20(14) 3753-62. These authors described an approach for the rapid fragmentation and fractionation of DNA into particular sizes that they contemplated to be suitable for shotgun cloning and sequencing.



The restriction endonuclease *Cvi*JI normally cleaves the recognition sequence PuGCPy between the G and C to leave blunt ends. Atypical reaction conditions, which alter the specificity of this enzyme (*Cvi*JI\*\*), yield a quasi-random distribution of DNA fragments from the small molecule pUC19 (2688 base pairs). Fitzgerald *et al.* (1992) quantitatively evaluated the randomness of this fragmentation strategy, using a *Cvi*JI\*\* digest of pUC19 that was size fractionated by a rapid gel filtration method and directly ligated, without end repair, to a lac Z minus M13 cloning vector. Sequence analysis of 76 clones showed that *Cvi*JI\*\* restricts pyGCPy and PuGCPu, in addition to PuGCPy sites, and that new sequence data is accumulated at a rate consistent with random fragmentation.

As reported in the literature, advantages of this approach compared to sonication and agarose gel fractionation include: smaller amounts of DNA are required (0.2-0.5 ug instead of 2-5 ug); and fewer steps are involved (no preligation, end repair, chemical extraction, or agarose gel electrophoresis and elution are needed).

Irrespective of the manner in which the nucleic acid fragments are obtained or prepared, it is important to denature the DNA to give single stranded pieces available for hybridization. This is achieved by incubating the DNA solution for 2-5 minutes at 80-90°C. The solution is then cooled quickly to 2°C to prevent renaturation of the DNA fragments before they are contacted with the chip. Phosphate groups must also be removed from genomic DNA by methods known in the art.

#### 4.22 PREPARATION OF DNA ARRAYS

Arrays may be prepared by spotting DNA samples on a support such as a nylon membrane. Spotting may be performed by using arrays of metal pins (the positions of which correspond to an array of wells in a microtiter plate) to repeated by transfer of about 20 nl of a DNA solution to a nylon membrane. By offset printing, a density of dots higher than the density of the wells is achieved. One to 25 dots may be accommodated in 1 mm<sup>2</sup>, depending on the type of label used. By avoiding spotting in some preselected number of rows and columns, separate subsets (subarrays) may be formed. Samples in one subarray may be the same genomic segment of DNA (or the same gene) from different individuals, or may be different, overlapped genomic clones. Each of the subarrays may represent replica spotting of the same samples. In one example, a selected gene segment may be amplified from 64 patients. For each patient, the amplified gene segment may be in one 96-well plate

(all 96 wells containing the same sample). A plate for each of the 64 patients is prepared. By using a 96-pin device, all samples may be spotted on one 8 x 12 cm membrane. Subarrays may contain 64 samples, one from each patient. Where the 96 subarrays are identical, the dot span may be 1 mm<sup>2</sup> and there may be a 1 mm space between subarrays.

5           Another approach is to use membranes or plates (available from NUNC, Naperville, Illinois) which may be partitioned by physical spacers e.g. a plastic grid molded over the membrane, the grid being similar to the sort of membrane applied to the bottom of multiwell plates, or hydrophobic strips. A fixed physical spacer is not preferred for imaging by exposure to flat phosphor-storage screens or x-ray films.

10           The present invention is illustrated in the following examples. Upon consideration of the present disclosure, one of skill in the art will appreciate that many other embodiments and variations may be made in the scope of the present invention. Accordingly, it is intended that the broader aspects of the present invention not be limited to the disclosure of the following examples. The present invention is not to be limited in scope by the  
15       exemplified embodiments which are intended as illustrations of single aspects of the invention, and compositions and methods which are functionally equivalent are within the scope of the invention. Indeed, numerous modifications and variations in the practice of the invention are expected to occur to those skilled in the art upon consideration of the present preferred embodiments. Consequently, the only limitations which should be placed upon  
20       the scope of the invention are those which appear in the appended claims.

          All references cited within the body of the instant specification are hereby incorporated by reference in their entirety.

## 5.0     EXAMPLES

### 5.1     EXAMPLE 1

#### 25       Novel Nucleic Acid Sequences Obtained From Various Libraries

          A plurality of novel nucleic acids were obtained from cDNA libraries prepared from various human tissues and in some cases isolated from a genomic library derived from human chromosome using standard PCR, SBH sequence signature analysis and Sanger sequencing techniques. The inserts of the library were amplified with PCR using primers  
30       specific for the vector sequences which flank the inserts. Clones from cDNA libraries were

contains the translated amino acid sequences for which the assemblage encodes). The nearest neighbor results for SEQ ID NO: 1-739 are shown in Table 2.

Tables 1, 2, and 3 follow. Table 1 shows the various tissue sources of SEQ ID NO: 1-739. Table 2 shows the nearest neighbor result for the assembled contig. The nearest neighbor result shows the closest homologue for each assemblage and contains the translated amino acid sequences for which the assemblage encodes. Table 2 also shows homologues with identifiable functions for SEQ ID NO: 1-739. The polypeptides were predicted using a software program called FASTY (available from <http://fasta.bioch.virginia.edu>) which selects a polypeptide based on a comparison of translated novel polynucleotides to known polynucleotides (W.R. Pearson, Methods in Enzymology, Vol. 183: pp. 63-98, (1990), herein incorporated by reference). Table 3 shows the predicted amino acid sequence corresponding to the novel nucleic acid contig sequences.

Table 1 - Tissue Sources

Tissue Origin	RNA Source	Hyseq Library Name	SEQ ID NOS:
adult brain	GIBCO	AB3001	28 46 54 62 95 117 134 175 188-189 324 330 337 356 369 371 378 386 389 396 432 435-436 468 472-473 476-477 483 486 518 538-539 543 545 557 565 571 573 578 582 598 613-614 619 627 632 634 639 687 709
adult brain	GIBCO	ABD003	5 12 46 52 57 66 79 91 97 134 144 148 150 162 164 172 175-176 181 186 193 250 323 325-327 330 334 338 362 367 369 371 378-379 386 388-389 392 396-397 399-401 403 416 422 435 444 449 451 454 461 463-464 468 472-473 483 486 494 506 511 513 516 520 523-524 526 529 533 536-537 539 545 548 552 556 558-559 562-563 565 567 569 573-574 576 579-580 582-584 590 593-594 598 602 606 613-614 619- 621 623-624 627 634 637 641 646 648 659 675 688-689 694 696-698 703 714 729
adult brain	Clontech	ABR001	57 162 164 227 266 316 334 356 367 385 438 468 512 524 528 557 582 590 621 627 631 634 689 714
adult brain	Clontech	ABR006	189 228 385 438 571 584 632 650 677
adult brain	Clontech	ABR008	1 3 5 11-25 31-32 46-47 55-57 59

Tissue Origin	RNA Source	Hyseq Library Name	SEQ ID NOS:
			61 65-67 69 75 79 91 103 108 111 113-114 126 132 150 160 162 164 171-172 186 188-189 193 202-203 206 210-212 220 222-224 227-229 233 235-236 243-247 251-252 257 264-266 268 275 313 324 328-331 334-335 338-339 343 346-347 351 355 357 359-361 365 367 370-371 378 380 382 386-389 391 396 399- 400 402 406 413 419-420 423 426 432 434 437-438 442 446 448-449 459-460 465 468 470 472-473 475 481-483 487 489-490 495-497 499 501 503-504 507-509 511 520 524 526 528 532-533 536 539-540 543- 546 551-552 556-557 563 565-567 569 572-573 576-577 579-580 582 584 586 590-591 593 595-597 599- 602 604 610-616 620-621 624-625 627-628 632 634 637-638 641 643- 644 646-647 650 653-657 660-662 668 672 675 677-678 680-681 688- 689 691 693 695-696 698 706-707 709 711 713-727 729 731 733-734 736 738-739
adult brain	Clontech	ABR011	334 476 634 677
adult brain	BioChain	ABR012	379 587
adult brain	Invitrogen	ABR013	334 634
adult brain	Invitrogen	ABT004	3 19 57 62 66 75 110 122 150 160 162 167 171 176 186 197 203 211 230 232 259 328-331 334 369 382 389 394 400 406 417 426 429 442 457 472 483-484 492 511 514 529 531 534 537 540 553 558 562 572 580 582-584 590 604 611 613 615 622 637 639 643-644 648 688-689 692 695
cultured preadipo-cytes	Strategene	ADP001	16 37-39 66 109 120 141 144 193 273 316 331 333 338 389 415 429 442 444 464-465 475 489 501 511 513 531 534 539-540 545-546 557 583-584 590 596 602 607 613 615 619 622 629 632 634 643
adrenal gland	Clontech	ADR002	4-5 12 48 53 57 162 164 172 186 188 192 196 203 207 213 258 316 330-331 333 339 354 356-357 369 383 385 388 392 395 402 406 411 415 434 454-455 465 468 473 475 477 491 498 501 509 511 517 528- 529 532 537-539 542 545 558 560 565 567 576-577 586 600 606 615 621 624 627 632 634 647 653 660 667 683 689 696 714

Tissue Origin	RNA Source	Hyseq Library Name	SEQ ID NOS:
adult heart	GIBCO	AHR001	28 39 57 64-65 75 79 89 97-98 108 117 134 144 157 159-160 164-166 169 171 174 184 192-193 203 207 220 243 256 258 266-267 281 314 316 318 328-329 331 338-339 341 346 348 354 356-357 366-367 369 371 377-379 382 385-386 388 393 395-396 399-401 403 415 420 422 425 431-432 435-436 445 451 459 465 472-473 477 483 486 488 490 496 501 503 508 515 519-520 526 528 531 533-534 537-538 540-541 544 546 552 556-557 562-563 566- 571 573 576-581 583-584 586-587 594 602 606 608 611 613-615 618 620-621 626-628 632 634 641 643 646 648 653 659 667 676 678 687 689 696 703-704 708 711 714 729- 730
adult kidney	GIBCO	AKD001	3 28-29 48 56-57 67 79 84 93 106 117 134 138 140 144 156 160-164 168-170 172 177 183 188-189 192- 193 199 203 207 235 251 257 275 319 321-323 328-330 337 346-347 349 354-356 360 367-369 371 375 378-381 383-386 388-389 392 396- 397 399 401 404 407 409 411-412 415-416 420-422 427 432 436-437 439-440 444 451-456 458-459 464- 465 468 470 472-473 477 481 483 486-487 492 496 501 503 505-506 508 511 513-516 518 524 526 529 533 535 537-541 543 545-546 548 552 557 559-560 562-563 565-569 572-574 576-577 579-587 589-591 593-594 602 604-607 613-614 617- 618 620-624 627-628 630 632-635 637-638 640-642 644-645 652 662 664 667-668 677 682 685 687 689 694-696 698 703 716 723 728-729 732 734
adult kidney	Invitrogen	AKT002	92 136 154 160 164 178 271 314 347 353 360 367 376 378-379 386 391 402 409 423 432 449 451 477 490 494 503 526 528 531 534 538-539 541 545-546 559 566 579 584 588 594 602 613 621 624 632 647 652 689
adult lung	GIBCO	ALG001	56-57 67 69 98 113 134 144 164 172 191-192 270 321 328 338 369 371 374 378 380 388-389 396 405 411 416 424 443-444 456 473-474 482- 483 497 508 518 529 531 534 536

Tissue Origin	RNA Source	Hyseq Library Name	SEQ ID NOS:
			540 552 556 559 563 568 573 579-580 585-586 588-589 593 601-602 606 612-613 618 634 662 667 685 696 702 726 729-730
lymph node	Clontech	ALN001	28 57 79 113 164 172 179 193 240 325 332 367 378-379 386 388 402 485 526 580 586 603 613-614 621-622 628 634 662 667 686 734
young liver	GIBCO	ALV001	3 24 28 54 60 117 134 137 154 160 193 196 242 273 316 328-329 334 351 354 370-371 388 392 395-396 401 406 411 415 432 435 439 448 454-455 477 483 486-487 495 506 509 514 518 523-524 526 529 531 534 537-538 540 544 548 566 568 571 573 579 587-588 591 594 602 621 641 645 686 713 723
adult liver	Invitrogen	ALV002	3 24 27 56-57 65-66 71 79 92 97 106 134 140 164 192 200 214 220 232 240 242 271-272 291 313 316 328 347 349-350 353 355 357 368-369 371-372 378-379 381-382 385 397 430 435 448 457 459 471-472 475 485 487 502 505-506 511 520 530-531 533-534 537 540-541 543 548 566 574-575 579 582 588 590 612 623 640 648-649 681 687 689 710 714
adult ovary	Invitrogen	AOV001	3 10 14 28 54 56-58 62 65-66 68 73 75 79 98 127 144 154 162 164-165 172-174 182 186 188-189 192-196 206 213 224 234-235 241 243 248 253 261 273 275 289 314 316 321-322 325-327 329-331 333-334 336-338 340 343 345-348 354-357 367 369 371-372 378 382 386 388 395-397 399-402 404 407 411 415-416 419-420 425 427 429 431 435-437 441 444 451 453-459 465 468-470 472-475 481 485 490 494 496 501 503 509-510 513 517-518 522-524 526 528-529 531-534 537-542 545-546 548 552 554 556-557 559-560 562-563 565 567-569 572-579 581-582 584-588 590-591 593-598 602-604 606 611-615 618 620-623 627 629 631-632 635-638 643 647 652-654 657 659 661-662 667 674-675 677-678 682 684 689 693 695-698 703 705-707 714 717-718 723 729 731 738
adult placenta	Clontech	APL001	172 224 239 363 371 392 437 531 534 622 690 696

Tissue Origin	RNA Source	Hyseq Library Name	SEQ ID NOS:
placenta	Invitrogen	APL002	57 66 122 161 172 241 326 329 334 369 388 407 427 429 436 459 464 506 508 511 539 541 545 566 573 575 590 597 637 648 690
adult spleen	GIBCO	ASP001	28 57 65 78 93 95 117 134 156-157 172 186 188 194 214 273 314 319 331 334 338 344 354 371 374 392 436 457 471-473 478-479 481 483 515 526 528-529 541 548 557 559 563 565 569 573 585-587 603 606 613 615 618 621-622 627 632 634 637 643 654 671 689 696-698 701 712 739
testis	GIBCO	ATS001	3 67 134 160 192 235 327 329 337 342 371 375 378 380-381 396 399 415 431 436 441 451 472 477-478 483 486 494 496 503 522 524 526 531 533-534 538 541-542 546 548 557 568 573 577 579 581 584 594 596 618 641 658 662 689 700 714 729-730
adult bladder	Invitrogen	BLD001	28 57 112 161 164 172 192 194 250 334 354 370 397 404 487 513 526 531 534 545 572 599 602 620 634 651 659 672 689 713 725
bone marrow	Clontech	BMD001	10-11 28 31 54 57 62 75 78-83 88 131-133 135-137 141-143 157 159 164 171-173 176-177 187-189 192 195 200 202 205 207 218 225 282 314-318 325 330 334-335 337 346- 348 367 369 372 378 383 386 388 395 401 405 412-413 416 422 436 442-443 447 449 455 465 472 475 477 503 516 523 528-529 533-534 539 545 551 556 559 563 565-567 571 573-574 576 579-586 594 601- 602 606 613 620-623 628-629 634 638 642-643 646 656 659 666 686 689 691 696 698-699 703 705 714 720 726 729
bone marrow	Clontech	BMD002	2 15 23 35 49 54 57 59 78 81 114 156-157 164 171-172 189-190 202 223 240 325 334 346 357 367 379 381-382 388 397 412 454 465 482 490 509 516 526 535 537 563 566 579 595 600 638 640-641 654-655 676 689 714
adult colon	Invitrogen	CLN001	48. 79 94 138 162 167 189 333 368- 369 375 386 404 409 414 435-436 455 470 525 541 548 553 567 603 634 656 659 689 694 721
adult cervix	BioChain	CVX001	3 28 35 54 57 79 83 95 97 113 117 154 162 164 172 176 220 235 248-

Tissue Origin	RNA Source	Hyseq Library Name	SEQ ID NOS:
			249 321 327 329 333 338 346 348 354 356 362 367-368 371 374-375 378-379 386 388-389 395 401-402 404 407 420 429 431 437 443 451 459 468 475 477 479 483 485 490 493-494 496 506 508 511 517 526 528 531 534 544 550 552 559 566 569 571-573 575-576 581-583 588 590 593-594 604 606 614 622 628 631-635 639 661-662 675 689 692 695 715 718 738
endothelial cells	Strategene	EDT001	3 28 31 39 54 58 65-66 79 89 144 160 173 187 189 191 193 197-199 207 220 230 267 273 314 324 326 329-331 336 347 354 369 372 378- 379 384 386 388 391-394 396-397 399 401 407 420 422 429 431-432 435-437 444 449 451 455 459 465 472 474-475 481-482 486 490 499- 501 503 506 511 513 515-517 520 522-524 528 531-534 538-539 541 545-546 548 550 552 557 559-560 563 565 567 569 571 573 577 579- 580 583-584 587-590 593-594 596- 597 599 602 611 614-615 618 620- 621 624 630 632-634 637-638 642- 643 647-648 651 675 677 680 682 694 696-698 703 708 714 719 724- 725 728-730 734
Genomic clones from the short arm of chromosome 8	Genomic DNA from Genetic Research	EPM001	38 41-45 118-121 164 198 292-312
Genomic clones from the short arm of chromosome 8	Genomic DNA from Genetic Research	EPM003	43 164 295
Genomic clones from the short arm of chromosome 8	Genomic DNA from Genetic Research	EPM004	121 164 306 482
Genomic clones from the short arm of chromosome 8	Genomic DNA from Genetic Research	EPM006	293



Tissue Origin	RNA Source	Hyseq Library Name	SEQ ID NOS:
esophagus	BioChain	ESO002	513 526
fetal brain	Clontech	FBR001	57 468 563 634
fetal brain	Clontech	FBR004	162 186 254 265 491 582
fetal brain	Clontech	FBR006	1-2 5-6 11-12 22-23 49 57 62 73 94 103 114 162 164 172 189 193 203 218 240 244 251-252 259 279 330- 331 334-335 346-347 351 367 378 386 388-389 399 413 420 422 424 434 442 444 448 465 468 470 472- 473 490 496 501 503-504 511 520 524 528 532-533 539 544-546 548 551 553 563 571 573 576 587 591 601 613 615-616 620-621 628 634 641 644 648 653 657 662 672-673 689 691 698 706 714 718 725-728 733 735-739
fetal brain	Clontech	FBRs03	444 587
fetal brain	Invitrogen	FBT002	17 66 157 162 164 186 190 193 250 270 324 331 334-335 338 346 354- 355 374 382 389-390 426 429-430 437 442 453 467 471 475 481 485 491 507-508 513-514 526 528 532 540 544 548 550 552-553 557-558 563 565-566 590 593 602 612 615 637 641 648 654 662 672 676 692 703
fetal heart	Invitrogen	FHR001	57 75 164 547
fetal kidney	Clontech	FKD001	57 164 172 179 188 194 208 218 230 240 250 330 334 369 388 401 413 439 454 465 529 546 550 573 576 581 583 594-596 602 634 648 667 676 689 698 706
fetal kidney	Clontech	FKD002	2 560
fetal kidney	Invitrogen	FKD007	565 596-597
fetal lung	Clontech	FLG001	75 164 355 386 428 455 513 524 528 631 689
fetal lung	Invitrogen	FLG003	30 157 162 169 188 243 253 256 283 330 392 400-401 404 407 424 428 435-436 479 506 508 520 530-531 534 572 578 584 602 611 613 631 654 658 662 676 689 701 716
fetal lung	Clontech	FLG004	371
fetal liver-spleen	Columbia University	FLS001	2-3 5 26 29 31 35 48 54-58 60 62 65 67 70 74-77 79-80 84-87 89 92 96 98-100 104 117 122-130 138 140 144-158 160 162 164 172-173 185- 186 188-189 192-194 196 199-200 207 214 218-219 237-238 241 269 273 280 282 314-316 318-322 324 327 329-331 334-335 337 340 345 348-350 354-358 363-364 367-371

Tissue Origin	RNA Source	Hyseq Library Name	SEQ ID NOS:
			373 375 377-380 382-383 385-386 388 394-396 399 402 409 411-412 418 420-422 424 427 431 435-437 440 442 448-451 453 455 459 461 464-465 470 472-473 475 477-478 480-485 488-490 501 503 505-506 509 511-513 515-518 520 522-524 526-534 538-539 541 543-547 549- 550 552-553 556-557 559-564 566- 567 569 571 573 576 578-580 582- 587 589 591-594 596-597 599-600 602 611-615 618 620-625 627-628 631-636 638 641-642 646 648 651 659-660 662-664 667-668 675-678 680-681 684 689-690 696-698 709 714 723 738
fetal liver-spleen	Columbia University	FLS002	15 31-32 39-40 47-49 52 56 60 65 69 72 75 78 84 97-98 100 104 115 123 138 140 144 146 152-153 157 161 164 172-173 182 188 194 196 199 220 241-242 246 249 253 255 266 273-275 280-281 288-291 314- 316 318-319 321-322 324 329-331 336-339 343 347-350 353-354 357- 358 363 367 369-370 372 374 378- 380 382-383 386 388-389 393-397 399 405 407 409-410 412 421 424 432 435 439 448 450-451 453-457 459 461 464-465 470 472-475 477 479-481 483 485 488 490 497 501 503 506 509 511-513 516-518 520 524 527-528 531-532 534 539 541- 546 556 559-560 565-566 569 571 574 576 579 582-586 588 590 597- 599 602-604 606 615 618 620-621 623 625 627 632-634 639 641 644 648 666-668 675-676 681 684 689- 690 696-697 701 703 714 719 723 734-735
fetal liver-spleen	Columbia University	FLS003	60 79 157 190 690
fetal liver	Invitrogen	FLV001	3 27 35 48 50 56-57 66 75 92 94 105 157 161 164 176 189 209 220 243 272 324 328 333 335 353 369- 370 381 392 396 429-430 435 439- 440 442 444 465 471 483 487 502 506 513-514 519 534-535 537 548 554 566 568 576-577 580 582 590 613 621 645 648-649 689
fetal liver	Clontech	FLV002	343
fetal muscle	Invitrogen	FMS001	51 79 97 108-110 166 194 196 266 341 352 380 389 402 407 444 464

Tissue Origin	RNA Source	Hyseq Library Name	SEQ ID NOS:
			475 501 513 524 546 552 554 560 570 572 598 605 628 634 649 675 703-704 714 737
fetal muscle	Invitrogen	FMS002	524
fetal skin	Invitrogen	FSK001	31 33 35 48 57 63 67 75 112-114 117 157 162 164 172 178 180 188 196 220 243 254 319 324 328 330 333-334 367 369 371 375 379-383 386 388-389 400 404 407 412 419- 420 429 444 455 472-473 491 499 503 508 511 514 517 522-524 529 531 534 537 540 542 547 552 554 556-557 560 563 565 567 571-572 574 576 579 590 596 599 616 621 625 627 631-632 634 639-640 648 653-654 662 689 708 714
fetal skin	Invitrogen	FSK002	501 537
fetal spleen	BioChain	FSP001	465 729
umbilical cord	BioChain	FUC001	27-28 35 57 68 83 105 136 157 159- 160 164 188 191 225 279 315-316 321 328 334 363 367 369 378-379 383 386 388-389 392 397 406-407 413 415-416 427 440 449 455 458 461 464-465 468 473-475 479 485- 486 488 490 496 514 517 522 524 526 528-529 531 533-534 538 540 546 550 552 556-558 572 582 584- 585 587-588 594-597 602 606 613 616 618-619 631 634 637 651 689 696 698 706 729
fetal brain	GIBCO	HFB001	3 5 22 26 46 53 66 73 94 117 134 139 164 172-173 188-189 212 215 230-231 248 251 262 288-289 316 325 329-331 334 337-338 348 352 365-367 369 371 377-379 385-386 388 392 394 396 400 403 420 422 429 437 444-446 449 451 455 459 461-463 466-468 472-473 475 477 481 483 485-486 488 490-491 496 503-504 506 513 523-524 529 532- 533 539-541 545 548 550 552 557- 560 563 565-566 569 571 576-577 579-580 583-584 586 590 593-594 596-599 601-602 604 606 611 613 615 618 621-623 627-628 634-635 637 641 643 647 662 664-665 667 675 677 680 689 695-697 703 726
macrophage	Invitrogen	HMP001	97 518 532 569
infant brain	Columbia University	IB2002	28 46 56-57 59 67 75 78 109 117 122 129 144 157 162 164-165 172 176 180 190 193 212 220 226 236-

Tissue Origin	RNA Source	Hyseq Library Name	SEQ ID NOS:
			237 251 261-262 316 318 324 328-330 334-335 337 340 354-356 361 364-365 367 369 371-373 377-380 382 385-386 389 392 395 397 400 411 416 421-422 429 432 436 438 444 448 451 456 464-465 469 471-475 484 486 496 504-506 511 520 524 526 529 531 533-534 537-540 544-546 548 553 556 558 562 565 567 576 579-580 582 584 586 589-590 593 597-598 602 613-614 618 620-621 627-628 632 634 636 641 650 654 659 662 667 683 689 721 730
infant brain	Columbia University	IB2003	46 54 75 109 156 164 220 244 251 314 324-325 331 335 340 361-362 367 369 377-379 400 408 438 442 456 460 464 469 472 496 506 523-524 526 529 538 540 544-545 547 558 560-562 565 567 569 579 584 598 602 613 615 621 627 632 634 637 639 650 738
infant brain	Columbia University	IBM002	262 340 432 436 438 472 531 534 569 613 634
infant brain	Columbia University	IBS001	162 231 283 331 369 385 438 444 472 506 513 523 531 534 580 615 636 689
lung, fibroblast	Stratagene	LFB001	28 54 57 65 172 188 233 321 331 340 347 367 369 378-379 388 401 451 459 475 479 503 511 522 524 532 534 559-560 573 580 583 587 597 615 632 634 638 686 689 708
lung tumor	Invitrogen	LGT002	3 7 21 24 26 28 31 54 56-57 62-63 66 92-93 101 109 112 162 164 171-172 176 183 188-189 192-193 196 201-202 223 230 235 259 273-274 316 321 329-331 333-334 338 345 347-348 356 367 369 371-372 378-379 381-382 386 388-390 396 399-404 406 409 416 424-425 427 429 432 436-437 439 451 455-456 459 464-465 467 473 475 484-486 490 499 502-503 506 508 511 513-514 517-518 522 524 526 528 531-532 534-535 538-539 541 543-546 553 557-559 563 567-568 571 573 575-576 579-580 585-588 590-591 593-594 598 601-604 609 611-613 615 621 627-628 631-632 636-637 645 648 651-652 654 662 667 672 677 681 683 689 698 701-702 714 718 724 726 729 734
lymphocytes	ATCC	LPC001	4 31-32 35 57 65-66 70 110 116 156

Tissue Origin	RNA Source	Hyseq Library Name	SEQ ID NOS:
			162 164 230 243 250 282 287 326 328-330 334 336 346-347 359 378 386 388 397 407 414 416 419 472 497 520 525 539 545 549 551 582 590 606 615 618 621 631 634 686 692 698 701 714
leukocyte	GIBCO	LUC001	4 7 9-11 23 28 31 35 39 54 65 75- 76 79 90 97 110 117 134 152 157 159 162 164-167 171 173 176 188 193 199 204 207 220 244 253 255 314 316 318 321 324 326 329-330 337-339 346-347 352 354 356 367 369 371 378-379 382 388-389 392 396-397 400-402 405 415-416 420 422 429 432 435-436 443-444 449 454-455 457-459 465 479 481-486 491 497 501 503-504 506 508 511 514 516 520 523-525 529 532-533 535 538-539 545 548 552-554 556 559-560 562-563 565-566 569 571- 573 576 579 581 585-587 590 593- 594 598 600-602 604 606-609 613- 614 618 620-622 624 627 630 632- 634 636 638 643 645 660-662 667 678 682 684 686 689 691 693 696- 698 714 726
leukocyte	Clontech	LUC003	11 54 97 152 164 330 479 546 564- 565 593 613 627 634 646 696 729
melanoma from cell line ATCC #CRL 1424	Clontech	MEL004	2 57 67 79 164 171-173 188 193 196 232 321 337 341 346 367 379-380 388 407 427 454 472 477 482 501 520 539 545 552 556 579 588 593 598 611 621 631 648 665 714 730
mammary gland	Invitrogen	MMG001	3 20-21 29 31 54 56-57 63-66 79 94 109 112-113 117 122 125 138 141 154 160 162 164 172 176 186 189 192 204 214 220-221 232 238 251 255 257 273 276-278 324 326 328- 331 333 335 337 341-343 347 354- 355 357 367-371 374-375 379 382- 386 388-392 397 399-400 404 406- 408 410-411 425 431 435-436 444 451 455 457 459 461 464-465 470- 471 475 479 483 485 487-488 491 501 506-508 511 513-519 523-524 526 529 531-532 534-535 537 539- 540 542-545 552-554 557-560 563 566 569 572 577 580 584 587-588 590 597-598 602 604-605 609 611 613 615 624 627 631-634 637 639- 640 643 648-649 654 664 669-670 672-673 676-679 681 689 691-695 697-698 706 714 731 734 737

Tissue Origin	RNA Source	Hyseq Library Name	SEQ ID NOS:
induced neuron cells	Stratogene	NTD001	36 57 164 284 388 397 420 481 485 501 524 528-529 539 542 545 560 571 579 582 595 602 620 637 654 667 689 730
retinoid acid induced neuronal cells	Stratogene	NTR001	524 584 693
neuronal cells	Stratogene	NTU001	36-38 120 204 331 351 354 357 386 388 399 411 442 459 516 533 539 545 565 586 606 615 621 637-638 642 646 648 714 730
placenta	Clontech	PLA003	503 579 690
prostate	Clontech	PRT001	15 40 65 164 187 207 229 337 348 367 375 377-378 395 406 416 428 458 468 476 511 524 526 531 534 538 555 559 563 576 584 597 613 622 624 631 642 667 672 677 684 724 734
rectum	Invitrogen	REC001	57 67 164 260 331 343 370-371 380 382 384 404 409 436 444 475 485 498 513 524 526 540 542 552 554 581 615 619 624 627 634 654 659 671 689 714
salivary gland	Clontech	SAL001	21 84 106-107 152 179 238 246 255 273 287 371 378 383 401 407 420 455 475 477 509 512 515 521 541 548 565 570-571 573-574 589 606 628 634 636 652 689 703 738
skin fibroblast	ATCC	SFB002	192
skin fibroblast	ATCC	SFB003	464
small intestine	Clontech	SIN001	57 66 71 98 116 150 164 172 327 336 343 362 367 379 388 397 401- 402 417 429 433 436 496 526 528 533 590 602 620 631 634 667 678 711
skeletal muscle	Clontech	SKM001	3 57 66 101 164 172 256 266 325 379 385 449 468 485 487 518 552 554 566-567 570 582 584 590 606 611 628 631 738
spinal cord	Clontech	SPC001	10 54 57 66 75 100 102 114 144 164 175 193 199 215-216 325 334 337 367 370 380 385-386 406 411-413 419 429 466 470 486 518 526 529 531 534 574 579 585 587 590 604 620-621 631-632 634 642 644 648 659 688-689 691 693 695
adult spleen	Clontech	SPLc01	478 572
stomach	Clontech	STO001	26 90 164 218 358 369 386 468 475

Tissue Origin	RNA Source	Hyseq Library Name	SEQ ID NOS:
			485 526 532 569 576 579 581 586 603 631 634 677 682 689
thalamus	Clontech	THA002	17 31 57 66 109 127 164 217-218 262 315-316 324 330 357 369 386 388 400 406 435 456 459 464 468- 469 515-516 537 540-541 556 566 574 590 611 622 631 634 644 648 656 677-678 680
thymus	Clontech	THM001	6 15 26 54 79 164 172 187 193 201 264 291 315 329 331 351 356 367 397-398 401 407 412 424 427 429 435-436 443 451 474 478 482 549 563 565 567 569 576 578 581-582 610 615 621 631-632 634 648 662 667 669 679 689 693 696
thymus	Clontech	THMc02	3-6 8 11 16 18 34 58-59 67 132 149 162 164 167 172-173 186 188-189 193 200 203 216 223 232 239 255 263 265 319-320 331 333-334 355 359 370 373 377-380 382 387-390 393 395 398-399 402 404 408 420 427 434 436 467 475-476 503 508 518 524 526 532 540 560 563 565 571-572 576-577 579 582 598 601 603 612-613 615 621 627 632 634 639 641 648 651 657 659 662 672 677-678 684-686 689 696 699 706 714-716 722 726-729 732
thyroid gland	Clontech	THR001	5 29-30 40 54 57 66 72 79 117 144 160 164 166 170 172 176 183 188- 189 208-209 219 230 285-286 314 318 327 331 335 338 344 347 354 363 367 375 377-380 382 384-386 388 393 397 399 401-403 419 422 429 436 442 444 451 456 458-461 464 467-468 470 472-473 476-477 481 488 494 503 508-509 511 516 519-521 524 528-529 533 537-538 543 548 557 559-560 563 565-566 571-574 576 582 585 587 590-591 593-594 596-597 606 614-615 620- 621 623-624 627 631-634 640 650- 651 653 662 667 669-670 675 679 689 708 712 714
trachea	Clontech	TRC001	156 164 171 240 375 378 390 400 422 468 484 565 574 581 585 587 631 654 689 714
uterus	Clontech	UTR001	65 77 79 101 164 220 367 369 451 468 526 530 533 548 554 559 562 568 573 582 594 637 648 689

Table 2 - Nearest Neighbor Results

SEQ ID NO:	SEQ ID NO: in USSN 09/48 8, 725	Accession No.	Species	Description	Smith - Waterman Score	% Identity
1	1000	gi70214 84	Mus musculus	secretory carrier membrane protein 4	567	85
2	10017	R06463	Homo sapiens	Derived protein of clone ICA13 (ATCC 40553).	848	100
3	10020	gi10659 67	Caenorhab- ditis elegans	similar to other protein phosphatases 1, 2A and 2B	325	36
4	10024	G03460	Homo sapiens	Human secreted protein,	439	98
5	10032	Y12505	Homo sapiens	Human 5' EST secreted protein	136	87
6	10042	Y29511	Homo sapiens	Human lung tumour protein SAL-25 1st predicted amino acid sequence.	701	100
7	1006	Y92324	Homo sapiens	Human alpha- 2-delta-D polypeptide from splice variant 1.	763	100
8	10064	gi45893 75	Homo sapiens	Gab2	425	58
9	1007	gi70183 98	Homo sapiens		151	75
10	1008	gi89606 5	Homo sapiens	protein that is immuno- reactive with anti-PTH polyclonal antibodies	1226	99
11	10088	gi37792 44	Homo sapiens	Metallo- protease 1	1512	98
12	10089	gi29472 32	Homo sapiens	membrane associated guanylate kinase 2	523	100
13	10091	gi33478 63	Mus musculus	cAMP-specific cyclic	223	54



SEQ ID NO:	SEQ ID NO: in USSN 09/488,725	Accession No.	Species	Description	Smith - Waterman Score	% Identity
				nucleotide phosphodiesterase PDE8; MMPDE8		
14	10098	gi6979311	Homo sapiens	cysteine-rich repeat-containing protein S52 precursor	1068	100
15	10102	G01395	Homo sapiens	Human secreted protein,	297	88
16	10103	gi854733	Rattus norvegicus	casein kinase 1 gamma 1 isoform	293	84
17	10104	Y60017	Homo sapiens	Human endometrium tumour EST encoded protein 77.	154	100
18	10108	G03290	Homo sapiens	Human secreted protein,	215	97
19	10110	gi7292299	Drosophila melanogaster	CG1271 gene product	208	46
20	10111	gi4512334	Rattus norvegicus	Ca/calmodulin-dependent protein kinase kinase alpha, CaM-kinase kinase alpha	822	89
21	10113	Y41694	Homo sapiens	Human PRO382 protein sequence.	633	97
22	10114	gi349075	Rattus norvegicus	calmodulin-binding protein	531	99
23	10116	gi162981	Bos taurus	endozepine-related protein precursor	937	87
24	10121	gi8979743	Canis familiaris	Band4.1-like5 protein	643	100
25	10126	Y99420	Homo sapiens	Human PRO1486 (UNQ755) amino acid sequence	607	100
26	1013	gi804750	Homo sapiens	protein tyrosine	614	73

SEQ ID NO:	SEQ ID NO: in USSN 09/488,725	Accession No.	Species	Description	Smith - Waterman Score	% Identity
				phosphatase		
27	10136	W02105	Homo sapiens	Human L-asparaginase.	1243	98
28	10142	Y35924	Homo sapiens	Extended human secreted protein sequence,	862	89
29	10148	gi3334982	Homo sapiens	R27216_1	329	98
30	1015	G02485	Homo sapiens	Human secreted protein,	120	72
31	10154	gi10798804	Homo sapiens	sperm antigen	2607	98
32	10175	Y96864	Homo sapiens	SEQ. ID. 37 from WO0034474.	536	100
33	10196	gi553621	Homo sapiens	profilaggrin	346	39
34	10198	gi1419016	Mus musculus	odorant receptor	281	53
35	10200	Y57903	Homo sapiens	Human transmembrane protein HTPN-27.	448	100
36	10208	gi4062492	Escherichia coli		505	100
37	10212	gi882529	Escherichia coli	ORF_f141	625	96
38	10213	gi4062778	Escherichia coli	Hypothetical protein HI0761	773	98
39	10214	gi6693832	Rattus norvegicus	opioid growth factor receptor	661	44
40	10227	G01360	Homo sapiens	Human secreted protein,	384	100
41	10236	gi1651257	Escherichia coli	.	373	100
42	10241	gi2769262	Escherichia coli	catabolite gene activator protein	178	96
43	10245	gi1789539	Escherichia coli	orf, hypothetical protein	679	98
44	10246	gi882492	Escherichia coli	ORF_o179	488	97
45	10247	gi1742149	Escherichia coli	Sn-glycerol-3-phosphate	323	100

SEQ ID NO:	SEQ ID NO: in USSN 09/48 8,725	Accession No.	Species	Description	Smith - Water man Score	% Identity
				transport system permease protein UgpA.		
46	10282	Y29817	Homo sapiens	Human synapse related glycoprotein 2.	521	96
47	1031	gi64351 30	Mus musculus	putative E1- E2 ATPase	990	86
48	1040	gi85412 4	Homo sapiens	Human giant larvae homologue	471	63
49	1043	gi38822 85	Homo sapiens	KIAA0782 protein	154	61
50	1051	gi17821 6	Homo sapiens	anion exchange protein 1	172	100
51	1053	Y76748	Homo sapiens	Human protein kinase homologue, PKH-1.	180	92
52	1062	gi96501 4	Mus musculus	ADAM 4 protein precursor	492	65
53	1063	gi23938 80	Drosophila melanogaster	A-kinase anchor protein DAKAP550	580	60
54	1066	gi27467 88	Caenorhabditis elegans	contains similarity to transacylases	607	35
55	107	G00357	Homo sapiens	Human secreted protein,	183	77
56	1071	gi91059 37	Xylella fastidiosa	Acetylgluta- mate kinase	505	36
57	1085	R95913	Homo sapiens	Neural thread protein.	257	55
58	1086	Y76332	Homo sapiens	Fragment of human secreted protein encoded by gene 38.	387	58
59	1088	gi45896 42	Homo sapiens	KIAA0999 protein	873	99
60	109	gi76343 1	Homo sapiens	KIAA0999 protein	360	85
61	1095	Y94907	Homo sapiens	Human secreted	701	97

SEQ ID NO:	SEQ ID NO: in USSN 09/48 8,725	Accession No.	Species	Description	Smith - Waterman Score	% Identity
				protein clone cal06_19x protein sequence		
62	1102	Y07096	Homo sapiens	Colon cancer associated antigen precursor sequence.	1982	100
63	1105	Y84907	Homo sapiens	A human proliferation and apoptosis related protein.	983	91
64	1108	gi13989 03	Mus musculus	Ca2+ dependent activator protein for secretion	1307	89
65	1109	Y91524	Homo sapiens	Human secreted protein sequence encoded by gene 74	2400	99
66	1113	gi16574 62	Sus scrofa	calcium/cal- modulin- dependent protein kinase II isoform gamma-E	1348	94
67	1117	Y32169	Homo sapiens	Human growth- associated protease inhibitor heavy chain precursor.	2831	97
68	1118	gi30635 17	Homo sapiens		1138	98
69	1125	gi82482 .85	Homo sapiens	sphingosine kinase type 2 isoform	1290	98
70	1132	Y94918	Homo sapiens	Human secreted protein clone dd504_18 protein sequence	437	59
71	1143	gi45806	Homo sapiens	prepro-major	209	40

SEQ ID NO:	SEQ ID NO: in USSN 09/488,725	Accession No.	Species	Description	Smith - Waterman Score	% Identity
		77		basic protein homolog		
72	1146	gi182395	Homo sapiens	focal adhesion kinase	131	87
73	1161	W90962	Homo sapiens	Human CSGP-2 protein.	931	100
74	117	W69428	Homo sapiens	Human secreted protein bp537_4.	159	93
75	1170	gi34339	Homo sapiens		586	87
76	1175	gi7960243	Homo sapiens	SNARE protein kinase SNAK	308	100
77	118	gi5360093	Homo sapiens	NY-REN-18 antigen	178	96
78	1183	gi292037	Homo sapiens	helix-loop-helix phosphoprotein	361	91
79	1193	gi1899186	Rattus norvegicus	polysialyltransferase	171	76
80	1195	gi1399462	Homo sapiens	serine/threonine-protein kinase PRP4h	208	71
81	1198	gi181535	Homo sapiens	defensin precursor	150	71
82	1201	gi5668935	Rattus norvegicus	plasma membrane Ca <sup>2+</sup> ATPase isoform 1kb	244	73
83	1207	gi6224868	Homo sapiens	TANK binding kinase TBK1	716	86
84	1210	gi179646	Homo sapiens	complement component C1s	242	61
85	1211	gi1483187	Homo sapiens		296	65
86	1214	gi7800638	Streptococcus pneumoniae	PspA	121	37
87	123	Y44810	Homo sapiens	Human Aspartic Protease-2 (NHAP-2).	218	93
88	1259	gi2116672	Homo sapiens	EAR-1r	128	70
89	1266	gi7243125	Homo sapiens	KIAA1372 protein	403	53
90	1270	gi1289445	Homo sapiens	diacylglycerol kinase epsilon DGK	125	96

SEQ ID NO:	SEQ ID NO: in USSN 09/48 8,725	Accession No.	Species	Description	Smith - Water man Score	% Identity
91	1290	gi14293 71	Drosophila melanogaster	ubiquitin- specific protease	470	41
92	1291	Y66755	Homo sapiens	Membrane-bound protein PRO1185.	993	100
93	1296	gi96520 87	Homo sapiens	scavenger receptor cysteine-rich type 1 protein M160 precursor	1183	99
94	1299	gi73003 98	Drosophila melanogaster	CG7683 gene product	397	40
95	1317	gi36951 15	Rattus norvegicus	CL1AA	216	100
96	132	gi18717 1	Homo sapiens	12- lipxygenase	176	97
97	1330	Y12482	Homo sapiens	Human 5' EST secreted protein	65	44
98	1336	gi10798 814	Homo sapiens	MLTK-beta	2366	99
99	135	gi45609 0	Homo sapiens	effector cell protease receptor 1	190	74
100	1356	gi19305 7	Mus musculus	envelope polyprotein precursor	131	36
101	1369	gi45865 7	Homo sapiens	glucocorticoid receptor alpha-2	596	89
102	1392	gi84935 19	Mus musculus	nuclear localization signal binding protein	145	59
103	1408	gi31270 51	Rattus norvegicus	potassium channel regulatory protein KChAP	176	84
104	141	gi64536 13	Mus musculus	putative protein kinase	204	33
105	1424	gi29825 01	Homo sapiens	neuropathy target esterase	769	100
106	143	W50033	Homo sapiens	Human immunity related factor.	1201	98
107	1431	gi10644	Heterodera	hypothetical	133	36

SEQ ID NO:	SEQ ID NO: in USSN 09/48 8,725	Accession No.	Species	Description	Smith - Waterman Score	% Identity
		565	glycines	esophageal gland cell secretory protein 10		
108	1441	gi3044086	Myxococcus xanthus	unknown	149	32
109	1444	gi7248381	Homo sapiens	adaptor protein p130Cas	1615	97
110	1447	Y65168	Homo sapiens	Human 5' EST related polypeptide	403	97
111	1457	W19919	Homo sapiens	Human Ksr-1 (kinase suppressor of Ras).	227	77
112	1471	G02532	Homo sapiens	Human secreted protein,	97	59
113	1473	gi6062874	Homo sapiens	candidate tumor suppressor protein DICE1	581	100
114	1474	Y64896	Homo sapiens	Human 5' EST related polypeptide	197	100
115	1483	gi436218	Homo sapiens	KIAA0037	295	76
116	1486	gi5852834	Homo sapiens	bridging integrator-2	133	64
117	149	gi3327162	Homo sapiens	KIAA0674 protein	2243	98
118	1503	gi1736785	Escherichia coli	.	1270	97
119	1506	gi4062298	Escherichia coli	YhhI protein	612	90
120	1513	gi4062346	Escherichia coli	.	556	94
121	1514	gi216609	Escherichia coli	PhoQ protein	661	90
122	1523	gi5712756	Rattus norvegicus	calcium transporter CaT1	1178	90
123	1527	gi1853980	Mus musculus	glucocorticoid receptor interacting protein 1	171	84
124	1536	Y17227	Homo sapiens	Human secreted	452	100

SEQ ID NO:	SEQ ID NO: in USSN 09/48 8,725	Accession No.	Species	Description	Smith - Water man Score	% Identity
				protein (clone yal-1).		
125	154	gi85150 90	Pinus taeda	putative arabinogalactan protein	81	40
126	1544	gi38799 33	Caenorhabditis elegans	Similarity to Xenopus F- spondin precursor (PIR Acc. No. comes from this gene	134	34
127	1554	gi65238 17	Homo sapiens	SIR protein	255	84
128	1555	gi66352 05	Homo sapiens	beta- ureidopropionase	210	90
129	1556	Y39286	Homo sapiens	Phosphodiesterase 10 (PDE10) clone FB93a.	161	61
130	1564	gi89779 45	Streptomyces coelicolor A3(2)	putative secreted serine protease	231	45
131	1576	gi30258 28	Rattus norvegicus	signal transducer and activator of transcription 4	183	97
132	1578	gi51065 72	Homo sapiens	transcriptional activator SRCAP	758	98
133	1579	gi85755 27	Homo sapiens	toll-like receptor 8	595	99
134	158	gi40605 8	Mus musculus	protein kinase	168	70
135	1580	gi63340	Gallus gallus	c-Rmil	231	90
136	1588	gi22179 31	Homo sapiens	PKU-alpha	127	92
137	1589	gi12724 22	Mus musculus	Phosphoinositide 3-kinase	720	99
138	159	gi22246 29	Homo sapiens	KIAA0344	215	43
139	1600	gi10160 12	Rattus norvegicus	neural cell adhesion protein BIG-2 precursor	543	93
140	161	gi66495 83	Homo sapiens	kidney and liver proline	1651	98



SEQ ID NO:	SEQ ID NO: in USSN 09/488,725	Accession No.	Species	Description	Smith - Waterman Score	% Identity
				oxidase 1		
141	1612	gi406113	Rattus norvegicus	protein kinase I	125	89
142	1615	gi219992	Homo sapiens	phSR2	150	78
143	1620	gi5714636	Homo sapiens	serine/threonine protein kinase Kp78 splice variant CTAK75a	126	71
144	1644	Y13352	Homo sapiens	Amino acid sequence of protein PRO228.	2542	100
145	1647	Y99444	Homo sapiens	Human PRO1575 (UNQ781) amino acid sequence	704	100
146	1650	gi3789765	Homo sapiens	transmembrane receptor UNC5C	271	100
147	1663	W75258	Homo sapiens	Fragment of human secreted protein encoded by gene 26.	163	96
148	1665	gi10432431	Homo sapiens	secreted modular calcium-binding protein	1428	99
149	1671	gi6708169	Mus musculus	inositol phosphatase eSHIPD183	169	97
150	1672	Y68773	Homo sapiens	Amino acid sequence of a human phosphorylation effector PHSP-5.	1030	99
151	1678	gi6063017	Homo sapiens	tousled-like kinase 1	132	86
152	1680	gi3510603	Homo sapiens	nuclear receptor co-repressor N-CoR	278	80
153	1692	gi1546084	Homo sapiens	farnesol receptor HRR-1	165	100
154	1698	gi520469	Oryctolagus cuniculus	597 aa protein related to	177	94

SEQ ID NO:	SEQ ID NO: in USSN 09/488,725	Accession No.	Species	Description	Smith - Waterman Score	% Identity
				Na/glucose cotransporters		
155	1702	gi10432382	Homo sapiens		519	95
156	1704	Y91668	Homo sapiens	Human secreted protein sequence encoded by gene 73	214	75
157	1708	gi3080757	Mus musculus	growth factor independence-1B	457	78
158	1716	gi29653	Homo sapiens	putative oncogene	220	92
159	173	gi3452473	Rattus norvegicus	serine/threonine protein kinase TA01	699	100
160	1731	Y27581	Homo sapiens	Human secreted protein encoded by gene No. 15.	774	100
161	1732	gi9652087	Homo sapiens	scavenger receptor cysteine-rich type 1 protein M160 precursor	1025	98
162	174	Y35923	Homo sapiens	Extended human secreted protein sequence,	1691	100
163	1740	Y53014	Homo sapiens	Human secreted protein clone fn189_13 protein sequence	337	60
164	1748	gi7770237	Homo sapiens	PRO2822	218	93
165	1751	gi8979825	Homo sapiens		306	50
166	1755	R95332	Homo sapiens	Tumor necrosis factor receptor 1 death domain ligand (clone	1184	62

SEQ ID NO:	SEQ ID NO: in USSN 09/488,725	Accession No.	Species	Description	Smith - Waterman Score	% Identity
				3TW).		
167	1762	gi7380947	Homo sapiens	Gem-interacting protein	1545	99
168	1776	gi5912265	Homo sapiens	hypothetical protein	224	100
169	1777	Y70461	Homo sapiens	Human membrane channel protein-11 (MECHP-11).	413	95
170	1781	R26060	Homo sapiens	Growth Factor Receptor Bound protein GRB-1.	398	98
171	1796	gi10312169	Homo sapiens	serine carboxypeptidase 1 precursor protein	1381	99
172	180	gi3002527	Homo sapiens	neuronal thread protein AD7c-NTP	477	61
173	182	gi7385131	Homo sapiens	HBV pX associated protein-8; XAP-8	2066	82
174	1820	G03249	Homo sapiens	Human secreted protein,	370	97
175	1822	gi473969	Oryctolagus cuniculus	one of the members of sodium-glucose cotransporter family	1048	90
176	1829	gi10440355	Homo sapiens	FLJ00012 protein	310	96
177	1832	gi165650	Oryctolagus cuniculus	phosphorylase kinase beta-subunit	146	96
178	1834	W75132	Homo sapiens	Human secreted protein encoded by gene 11 clone HCENJ40.	423	47
179	1837	gi60369	Saimiriine herpesvirus 2	ORF 48~EDLF5~sim. to EBV BRRF2	615	71

SEQ ID NO:	SEQ ID NO: in USSN 09/488,725	Accession No.	Species	Description	Smith - Waterman Score	% Identity
341	309	Y76145	Homo sapiens	Human secreted protein encoded by gene 22.	1313	99
342	3095	gi7300159	Drosophila melanogaster	CG14899 gene product	190	57
343	3098	gi532056	Homo sapiens	protein-tyrosine-phosphatase	2641	86
344	3105	gi285987	Homo sapiens	mitochondrial outer membrane protein 19	192	71
345	3118	gi9929935	Macaca fascicularis	hypothetical protein	180	61
346	3124	gi8131903	Mus musculus	transient receptor potential-related protein	226	100
347	3126	Y02370	Homo sapiens	Polypeptide identified by the signal sequence trap method.	261	100
348	3166	gi7290860	Drosophila melanogaster	CG1531 gene product	534	42
349	3175	gi6649583	Homo sapiens	kidney and liver proline oxidase 1	1752	95
350	3176	gi7208438	Homo sapiens	long-chain 2-hydroxy acid oxidase HAOX2	1048	95
351	3188	Y02693	Homo sapiens	Human secreted protein encoded by gene 44 clone HTDAD22.	243	57
352	3191	gi7105926	Homo sapiens	calcium channel alpha2-delta3 subunit	300	96
353	3208	gi10334774	Homo sapiens	MUCDHL-FL	613	98
354	3226	Y87209	Homo sapiens	Human secreted protein sequence	3147	99

SEQ ID NO:	SEQ ID NO: in USSN 09/488,725	Accession No.	Species	Description	Smith - Waterman Score	% Identity
180	1859	gi9989696	Homo sapiens	ROR2 protein	645	87
181	1880	gi7340847	Mus musculus	chondroitin 4-sulfotransferase	275	40
182	1881	gi7573291	Homo sapiens		298	100
183	1890	gi3149950	Homo sapiens	ST1C2	183	94
184	1899	gi2143260	Homo sapiens	Phosphoinositide 3-kinase	346	98
185	19	gi1808582	Homo sapiens	U2AF1-RS2	224	46
186	192	G03192	Homo sapiens	Human secreted protein,	267	86
187	1922	gi485858	Mus musculus	IB3/5-polypeptide	1206	78
188	1945	gi37261	Homo sapiens		1402	97
189	195	W67863	Homo sapiens	Human secreted protein encoded by gene 57 clone HFEBF41.	551	98
190	1957	gi406738	Homo sapiens	Shb	263	44
191	1969	Y41701	Homo sapiens	Human PRO708 protein sequence.	975	98
192	1970	gi3979817	Caenorhabditis elegans	Weak similarity to Human tyrosine-protein kinase CSK	254	49
193	1973	G00796	Homo sapiens	Human secreted protein,	365	98
194	1985	gi4558637	Homo sapiens	Putative homolog of hypoxia inducible factor three alpha	1420	99
195	1986	gi4455015	Homo sapiens	host cell factor homolog	367	50

SEQ ID NO:	SEQ ID NO: in USSN 09/488,725	Accession No.	Species	Description	Smith - Waterman Score	% Identity
				LCP		
196	2	G02532	Homo sapiens	Human secreted protein,	106	85
197	2004	gi10503935	Homo sapiens	type A calpain-like protease	961	100
198	2023	gi1651341	Escherichia coli	.	1075	97
199	2025	Y71069	Homo sapiens	Human membrane transport protein, MTRP-14.	540	100
200	2038	gi8572543	Homo sapiens	membrane-associated lectin type-C	686	98
201	2041	gi37400	Homo sapiens	trk-2h polypeptide	228	89
202	2043	W75096	Homo sapiens	Human secreted protein encoded by gene 40 clone HNEDJ57.	290	38
203	2068	G03394	Homo sapiens	Human secreted protein,	595	97
204	2072	gi2116552	Rattus norvegicus	cationic amino acid transporter 3	1025	85
205	2076	gi157409	Drosophila melanogaster	fat protein	369	39
206	2078	gi1054940	Gallus gallus	cSH-PTP2	605	94
207	2084	gi9663128	Homo sapiens	hypothetical protein	874	99
208	2088	gi10567590	Homo sapiens	sodium bicarbonate cotransporter-like protein	609	100
209	2089	gi1789001	Escherichia coli	putative ATP-binding component of a transport system	961	98
210	2097	Y70460	Homo sapiens	Human membrane channel	258	96

SEQ ID NO:	SEQ ID NO: in USSN 09/48 8,725	Accession No.	Species	Description	Smith - Water man Score	% Identity
				protein-10 (MECHP-10) .		
211	2108	gi32075 08	Rattus norvegicus	hexokinase	767	74
212	2111	gi63302 33	Homo sapiens	KIAA1176 protein	3710	99
213	2118	W74797	Homo sapiens	Human secreted protein encoded by gene 68 clone HKIXR69.	156	96
214	2134	gi17809 91	Homo sapiens	branched chain acyl-CoA oxidase	209	97
215	2146	gi76881 48	Homo sapiens	hypothetical protein	1038	100
216	2149	gi22804 85	Homo sapiens	KIAA0376	917	100
217	2153	gi18424 29	Rattus norvegicus	ankyrin binding cell adhesion molecule neurofascin	592	88
218	2155	gi65267 91	Homo sapiens	Eps15R	1126	100
219	2161	gi73004 27	Drosophila melanogaster	CG7709 gene product	200	33
220	2163	Y52296	Homo sapiens	Human isomerase homologue-3 (HIH-3) .	186	91
221	2173	W34526	Homo sapiens	hTCP protein fragment.	164	93
222	2178	gi33605 12	Rattus norvegicus	Citron-K kinase	299	94
223	2180	Y74008	Homo sapiens	Human prostate tumor EST fragment derived protein #195.	261	41
224	2184	gi53041	Mus musculus		130	41
225	2186	gi40177 4	Homo sapiens	ribosomal protein S6 kinase 3	142	64
226	2190	gi57729 5	Homo sapiens	The ha1225 gene product is related to human alpha-	176	100

SEQ ID NO:	SEQ ID NO: in USSN 09/488,725	Accession No.	Species	Description	Smith - Waterman Score	% Identity
				glucosidase.		
227	2210	gi2055392	Rattus norvegicus	transmembrane receptor UNC5H1	620	90
228	2214	gi7861733	Homo sapiens	low density lipoprotein receptor related protein-deleted in tumor	1360	98
229	2223	gi7959189	Homo sapiens	KIAA1464 protein	884	99
230	223	W88627	Homo sapiens	Secreted protein encoded by gene 94 clone HPMBQ32.	300	77
231	2233	gi7839587	Homo sapiens	organic anion transporting polypeptide 14	1092	99
232	2237	gi10440400	Homo sapiens	FLJ00033 protein	1212	99
233	2251	gi5923786	Homo sapiens	zinc metallo-protease ADAMTS6	277	44
234	2256	W63698	Homo sapiens	Human secreted protein 18.	516	100
235	2259	gi4678722	Homo sapiens	hypothetical protein	387	36
236	2262	Y33741	Homo sapiens	Beta-secretase.	793	99
237	2265	gi7018545	Homo sapiens	hypothetical protein	608	94
238	2271	gi4186183	Homo sapiens	unknown	684	53
239	2273	gi7243035	Homo sapiens	KIAA1327 protein	1031	100
240	2280	gi5809678	Homo sapiens	sperm membrane protein BS-63	342	95
241	2286	gi6224691	Homo sapiens	Na+/sulfate cotransporter SUT-1	1221	99
242	2291	gi207621	Rattus norvegicus	uromodulin	345	50
243	2292	gi7296304	Drosophila melanogaster	CG5274 gene product	272	35
244	2294	Y28503	Homo sapiens	HGFH3 Human Growth Factor	320	98



SEQ ID NO:	SEQ ID NO: in USSN 09/488,725	Accession No.	Species	Description	Smith - Waterman Score	% Identity
				Homologue 3.		
245	2296	W88799	Homo sapiens	Polyptide fragment encoded by gene 45.	223	86
246	2303	gi7110160	Homo sapiens	guanine nucleotide exchange factor	1212	99
247	2306	gi6434874	Mus musculus	calcium/calmodulin dependent protein kinase kinase alpha	576	84
248	2309	Y95433	Homo sapiens	Human calcium channel SOC-2/CRAC-1 C-terminal polypeptide.	1203	99
249	2313	gi7300943	Drosophila melanogaster	CG4677 gene product	689	79
250	2318	W48351	Homo sapiens	Human breast cancer related protein BCRB2.	202	59
251	2329	G01772	Homo sapiens	Human secreted protein,	311	84
252	2330	Y41729	Homo sapiens	Human PRO1071 protein sequence.	886	99
253	2342	gi3786430	Caenorhabditis elegans		268	42
254	2350	gi930104	Homo sapiens	protein-tyrosine phosphatase	571	79
255	2359	gi9392591	Homo sapiens	CC chemokine CCL28	679	99
256	2361	gi1666689	Mus musculus	alpha-NAC, muscle-specific form gp220	357	41
257	2374	G03172	Homo sapiens	Human secreted protein,	112	78
258	2387	gi1399197	Homo sapiens	pyruvate dehydrogenase kinase isoform 4	201	85
259	2401	G01757	Homo sapiens	Human	612	99

SEQ ID NO:	SEQ ID NO: in USSN 09/48 8,725	Accession No.	Species	Description	Smith - Water man Score	% Identity
				secreted protein,		
260	2409	gi18112 3	Homo sapiens	cleavage signal 1 protein	194	86
261	2431	gi70185 47	Homo sapiens	hypothetical protein	473	50
262	2432	gi48264 96	Homo sapiens		327	39
263	2467	G03667	Homo sapiens	Human secreted protein,	640	97
264	2471	gi76881 48	Homo sapiens	hypothetical protein	1284	91
265	2478	gi79081 9	Homo sapiens	polycystic kidney disease- associated protein	615	90
266	2484	gi33270 80	Homo sapiens	KIAA0633 protein	1747	99
267	249	G03793	Homo sapiens	Human secreted protein,	139	65
268	2490	gi64673 71	Homo sapiens	thyrotropin- releasing hormone degrading ectoenzyme	757	98
269	25	G03203	Homo sapiens	Human secreted protein,	137	65
270	2504	gi40977 12	Homo sapiens	HBV associated factor	166	74
271	2506	gi20727 84	Homo sapiens	Na <sup>+</sup> /nucleoside cotransporter	201	95
272	2507	gi59240 07	Homo sapiens		335	38
273	2510	gi77173 85	Homo sapiens	beta-site APP-cleaving enzyme 2, EC 3.4.23.	383	89
274	2523	gi33970 9	Homo sapiens		150	96
275	253	gi36615	Homo sapiens	serine/threo- nine protein kinase	391	77
276	2533	gi45896	Homo sapiens	KIAA0985	191	61

SEQ ID NO:	SEQ ID NO: in USSN 09/488,725	Accession No.	Species	Description	Smith Waterman Score	% Identity
		14		protein		
277	2536	gi2088685	Caenorhabditis elegans	strong similarity to the CDC2/CDX subfamily of ser/thr protein kinases	419	55
278	2544	gi1002425	Mus musculus	YSPL-1 form 2	280	80
279	2568	Y41738	Homo sapiens	Human PRO541 protein sequence.	379	49
280	2580	gi3004482	Rattus norvegicus	putative integral membrane transport protein	382	49
281	2593	gi7300049	Drosophila melanogaster	CG4525 gene product	582	50
282	2600	gi4530437	Homo sapiens	thyroid hormone receptor-associated protein complex component TRAP240	334	90
283	2625	gi8099652	Homo sapiens	toll-like receptor 9 form A	761	96
284	2641	gi148019	Escherichia coli	tolA	692	100
285	2667	gi1750387	Pseudomonas aeruginosa	Carbamoyl-phosphate synthetase large subunit	143	76
286	2670	gi4883437	Mus musculus	RNA binding protein	139	92
287	2673	Y66656	Homo sapiens	Membrane-bound protein PRO943.	1869	98
288	2676	gi3885978	Mus musculus	mismatch-specific thymine-DNA glycosylate	123	88
289	2680	gi6453438	Homo sapiens	hypothetical protein	465	82
290	2682	gi18417	Mus musculus	GATA-5	527	77

SEQ ID NO:	SEQ ID NO: in USSN 09/488,725	Accession No.	Species	Description	Smith - Waterman Score	% Identity
		56		cardiac transcription factor		
291	2684	gi9844920	Homo sapiens	nicotinic acetylcholine receptor subunit alpha 10	294	88
292	2695	gi1789764	Escherichia coli	putative transport	879	98
293	2697	gi349229	Escherichia coli	peripheral membrane protein	936	99
294	2698	gi4062194	Escherichia coli	.	737	100
295	2700	gi529240	Escherichia coli	homoserine kinase	578	100
296	2704	gi1552831	Escherichia coli	hypothetical	420	100
297	2712	gi1789672	Escherichia coli	putative ATP-binding component of a transport system	262	100
298	2716	gi4062409	Escherichia coli	Transmembrane protein dppC	382	100
299	2719	gi304976	Escherichia coli	matches PS00017: ATP_GTP_A and PS00301: EFACTOR_GTP; similar	921	95
300	2724	gi145856	Escherichia coli	nmpC	647	97
301	2725	gi1789473	Escherichia coli	putative transport protein	312	100
302	2728	gi1805561	Escherichia coli	.	222	97
303	2729	gi43248	Escherichia coli	.	655	91
304	2744	gi396299	Escherichia coli	similar to E. coli pyruvate formate-lyase activating enzyme	675	100
305	2749	gi1742648	Escherichia coli	.	592	100
306	2752	gi40622	Escherichia	Sensor kinase	357	100

SEQ ID NO:	SEQ ID NO: in USSN 09/488,725	Accession No.	Species	Description	Smith - Waterman Score	% Identity
		36	coli	CitA		
307	2762	gi1787795	Escherichia coli	putative LACI-type transcriptional regulator	342	100
308	2764	gi1799743	Escherichia coli	putative LACI-type transcriptional regulator	151	84
309	2768	gi405964	Escherichia coli	yohG	534	94
310	2774	gi4062338	Escherichia coli	.	387	97
311	2790	gi4062338	Escherichia coli	.	420	86
312	2800	gi1789805	Escherichia coli	putative transport	572	100
313	2811	gi5305333	Mus musculus	protein kinase Myak-S	421	49
314	2827	gi10047251	Homo sapiens	KIAA1588 protein.	531	97
315	2830	G02872	Homo sapiens	Human secreted protein,	185	62
316	2836	gi191175	Cricetulus sp.	cAMP-dependent protein kinase alpha-catalytic subunit	1677	97
317	2851	gi558846	Homo sapiens	BCL2/adeno-virus E1B 19kD-interacting protein 3	220	61
318	2856	gi3882211	Homo sapiens	KIAA0745 protein	232	93
319	2866	gi6329708	Homo sapiens	KIAA1119 protein	1331	91
320	2874	gi2853033	Mus musculus	tousled-like kinase	203	82
321	2882	gi10185134	Schizosaccharomyces pombe	hypothetical zinc-finger protein	318	42
322	2886	G03797	Homo sapiens	Human secreted protein,	140	69
323	2899	gi4240325	Homo sapiens	KIAA0918 protein	170	53

SEQ ID NO:	SEQ ID NO: in USSN 09/488,725	Accession No.	Species	Description	Smith - Waterman Score	% Identity
324	2906	Y94988	Homo sapiens	Human secreted protein vll_1,	1738	100
325	2920	gi9453735	Homo sapiens		1926	100
326	2925	gi6434876	Homo sapiens	CDK4-binding protein p34SEI1	1210	100
327	2930	gi3941320	Schistosoma japonicum	myosin	208	28
328	2934	Y31645	Homo sapiens	Human transport-associated protein-7 (TRANP-7).	642	63
329	2955	G01165	Homo sapiens	Human secreted protein,	528	99
330	2967	gi7263960	Homo sapiens		466	100
331	2980	gi4589530	Homo sapiens	KIAA0943 protein	1849	94
332	2994	G03812	Homo sapiens	Human secreted protein,	124	61
333	2996	gi9857400	Homo sapiens	tumor endothelial marker 1 precursor	2666	98
334	2999	Y66697	Homo sapiens	Membrane-bound protein PRO1383.	2254	100
335	3	gi6289072	Homo sapiens	JM24 protein	930	100
336	3008	Y45219	Homo sapiens	Human CASB47 protein.	557	92
337	3013	gi5262678	Homo sapiens	hypothetical protein	1747	100
338	3041	Y73335	Homo sapiens	HTRM clone 1850120 protein sequence.	1315	99
339	306	gi4868443	Mesocricetus auratus	Mx-interacting protein kinase PKM	1867	95
340	3061	gi433338	Homo sapiens	protein-tyrosine kinase	3934	94

SEQ ID NO:	SEQ ID NO: in USSN 09/488,725	Accession No.	Species	Description	Smith - Waterman Score	% Identity
355	3235	gi6715135	Homo sapiens	Fanconi anemia, complementation group F	1947	99
356	3257	gi5441615	Canis familiaris	zinc finger protein	326	42
357	3282	G03002	Homo sapiens	Human secreted protein,	211	61
358	3289	gi3288457	Homo sapiens	PI3-kinase	5832	97
359	3296	gi7770139	Homo sapiens	PRO1722	293	64
360	3298	gi2198815	Ambystoma tigrinum	electrogenic Na <sup>+</sup> bicarbonate cotransporter; NBC	1278	52
361	3303	gi4028015	Homo sapiens	potassium channel	1881	92
362	3305	gi5902966	Homo sapiens	very large G-protein coupled receptor-1	1770	100
363	3308	gi219944	Homo sapiens	The first in-frame ATG codon is located at nucleotides NPPase.	3967	86
364	3325	gi3510234	Homo sapiens	R31237_1, partial CDS	192	94
365	3341	W78899	Homo sapiens	Human UNC-5 homologue UNC5H-1.	1614	90
366	3342	gi1478205	Mus musculus	PNG protein	341	70
367	3350	gi2739460	Bos taurus	regulator of G-protein signaling 7	2263	98
368	3372	gi7671663	Homo sapiens		375	79
369	338	Y84322	Homo sapiens	A human cardiovascular system associated protein kinase-3.	2606	100
370	3383	gi10441	Homo sapiens	protein	1127	100

SEQ ID NO:	SEQ ID NO: in USSN 09/48 8,725	Accession No.	Species	Description	Smith - Waterman Score	% Identity
		382		kinase		
371	3395	gi530823	Homo sapiens	epidermal growth factor receptor kinase substrate	402	47
372	3405	Y29332	Homo sapiens	Human secreted protein clone pe584_2 protein sequence.	1220	94
373	3408	gi3334741	Homo sapiens	shal-type potassium channel	2888	90
374	345	gi4539527	Homo sapiens	NAALADase L protein	600	72
375	346	Y95434	Homo sapiens	Human calcium channel SOC-3/CRAC-2 C-terminal polypeptide.	1802	99
376	3470	gi9798452	Homo sapiens	putative capacitative calcium channel	277	100
377	3482	gi3818572	Homo sapiens	cAMP-specific phosphodiesterase 8B; PDE8B1; 3',5'-cyclic nucleotide phosphodiesterase	2353	96
378	3492	gi1665825	Homo sapiens		3878	99
379	3530	gi505100	Homo sapiens	KIAA0066	3637	100
380	3533	Y32169	Homo sapiens	Human growth-associated protease inhibitor heavy chain precursor.	2860	99
381	3545	gi6624133	Homo sapiens		449	98
382	3549	gi1469193	Homo sapiens	The KIAA0135 gene is related to	5374	99



SEQ ID NO:	SEQ ID NO: in USSN 09/48 8,725	Accession No.	Species	Description	Smith - Waterman Score	% Identity
				pim-1 oncogene.		
383	3595	gi6330190	Homo sapiens	KIAA1169 protein	1893	100
384	3601	gi808915	Homo sapiens	tumor necrosis factor receptor type 1 associated protein	992	99
385	3612	gi5305448	Mus musculus	SH2-B PH domain containing signaling mediator 1 gamma isoform	1439	92
386	3613	Y32194	Homo sapiens	Human receptor molecule (REC) encoded by Incyte clone 266775.	1438	100
387	3621	gi897849	Mus musculus	ubiquitinating enzyme E2-230 kDa	393	68
388	3624	R47858	Homo sapiens	Human LDL receptor Domains 1 and 2.	2895	100
389	3625	Y57949	Homo sapiens	Human transmembrane protein HTMPN-73.	1868	100
390	3626	W69342	Homo sapiens	Secreted protein of clone CJ424_9.	442	94
391	3627	gi6537136	Homo sapiens	putative organic anion transporter	982	92
392	3630	Y06886	Homo sapiens	HWHHJ20 polypeptide.	1109	91
393	3642	gi4886467	Homo sapiens	hypothetical protein	570	52
394	3645	gi9588402	Homo sapiens		598	98
395	3647	Y12050	Homo sapiens	Human 5' EST secreted protein	517	98

SEQ ID NO:	SEQ ID NO: in USSN 09/48 8,725	Accession No.	Species	Description	Smith - Waterman Score	% Identity
396	3653	Y70018	Homo sapiens	Human Protease and associated protein-12 (PPRG-12).	2232	99
397	3676	W67818	Homo sapiens	Human secreted protein encoded by gene 12 clone HMSJJ74.	338	100
398	3677	gi32093	Homo sapiens	HGMP07J	650	52
399	3681	Y48443	Homo sapiens	Human prostate cancer-associated protein 140.	803	93
400	3682	gi46917 26	Homo sapiens	ARF GTPase-activating protein GIT1	2435	91
401	3688	gi66938 24	Homo sapiens	ubiquitin-specific protease	1995	99
402	3689	Y94927	Homo sapiens	Human secreted protein clone ck213_12 protein sequence	530	81
403	3690	gi18716 12	Oryctolagus cuniculus	ryanodine receptor	594	95
404	3706	gi60027 14	Homo sapiens	membrane-type serine protease 1	2630	94
405	3714	gi26957 08	Homo sapiens	SPOP	553	81
406	3720	gi93092 93	Homo sapiens	asc-type amino acid transporter 1	566	95
407	3726	gi10440 381	Homo sapiens	FLJ00026 protein	1023	69
408	373	gi57146 96	Mus musculus	alpha 2 delta calcium channel subunit	243	95
409	3788	gi69112 19	Homo sapiens	type II membrane serine protease	841	100

SEQ ID NO:	SEQ ID NO: in USSN 09/488,725	Accession No.	Species	Description	Smith - Waterman Score	% Identity
410	3789	Y45023	Homo sapiens	Human sensory transduction G-protein coupled receptor-B3.	1084	95
411	3790	gi1524088	Homo sapiens	Polio virus receptor protein	1508	99
412	3801	gi6723675	Homo sapiens	mitotic kinase-like protein-1	2035	99
413	3803	gi968973	Homo sapiens	mitotic kinase-like protein-1	332	86
414	3820	gi1770478	Homo sapiens	NK receptor	1988	99
415	3831	gi2781386	Homo sapiens		1493	99
416	3837	gi9367840	Homo sapiens	neuronal apoptosis inhibitory protein 2	2243	99
417	385	gi1526978	Homo sapiens	ryanodine receptor 2	149	96
418	3856	gi995654	Homo sapiens	interleukin-11 receptor	147	100
419	386	gi4960038	Mus musculus	T2K protein kinase homolog	669	66
420	3861	Y74129	Homo sapiens	Human prostate tumor EST fragment derived protein #316.	842	98
421	3883	gi6635205	Homo sapiens	beta-ureidopropionase	1576	100
422	3898	gi37231	Homo sapiens	DNA topoisomerase II	8436	99
423	3921	gi8648881	Homo sapiens	putative organic anion transporter	131	100
424	3932	gi8575775	Homo sapiens	KRAB zinc finger protein	1935	99
425	3934	gi4689128	Homo sapiens	SIH003	127	92
426	3963	gi3212996	Homo sapiens		339	64
427	3974	G03790	Homo sapiens	Human	232	63

SEQ ID NO:	SEQ ID NO: in USSN 09/488,725	Accession No.	Species	Description	Smith - Waterman Score	% Identity
				secreted protein,		
428	3983	gi181971	Homo sapiens	vascular endothelial growth factor	433	85
429	3999	gi1657464	Sus scrofa	calcium/calmodulin-dependent protein kinase II isoform gamma-G	484	75
430	4001	gi6572230	Homo sapiens		329	100
431	4009	gi2143260	Homo sapiens	phosphoinositide 3-kinase	521	99
432	401	gi6572379	Homo sapiens		1372	56
433	4020	gi2815624	Homo sapiens	tumor necrosis factor superfamily member LIGHT	1252	100
434	4024	Y21166	Homo sapiens	Human bcl2 proto-oncogene mutant protein fragment 14.	84	40
435	4040	Y57285	Homo sapiens	Human GPCR protein (HGPRP) sequence (clone ID 2214673).	1726	99
436	4057	W74873	Homo sapiens	Human secreted protein encoded by gene 145 clone HFXHL79.	531	100
437	4066	G03714	Homo sapiens	Human secreted protein,	92	70
438	4067	gi8331760	Homo sapiens	LUL1 protein	1077	92
439	4078	Y57900	Homo sapiens	Human transmembrane protein HTMPN-24.	996	100
440	4120	gi18715	Homo sapiens	mitogen-	927	100

SEQ ID NO:	SEQ ID NO: in USSN 09/48 8,725	Accession No.	Species	Description	Smith - Waterman Score	% Identity
		39		activated protein kinase phosphatase 4		
441	4123	gi5360125	Homo sapiens	NY-REN-58 antigen	140	100
442	4130	gi6289072	Homo sapiens	JM24 protein	604	100
443	4133	gi8575527	Homo sapiens	toll-like receptor 8	755	100
444	4166	gi6118555	Homo sapiens	DEAD-box protein abstrakt	2512	100
445	4167	gi3800830	Rattus norvegicus	putative four repeat ion channel	615	93
446	4172	gi7209676	Homo sapiens	potassium channel Kv8.1	369	100
447	4185	gi5305405	Homo sapiens	Na <sup>+</sup> /H <sup>+</sup> exchanger isoform 2	1769	100
448	4197	gi2811122	Xenopus laevis	NaDC-2	524	69
449	4203	Q89840_aal	Homo sapiens	Human death associated protein DAP-3.	198	97
450	4262	gi5901478	Marmota marmota	olfactory receptor	209	92
451	4276	gi32456	Homo sapiens	protein-tyrosine phosphatase	3270	99
452	4283	R41231	Homo sapiens	GAT-2 transporter gene.	477	100
453	4331	gi3171912	Homo sapiens	RAMP2	443	98
454	4340	gi8118223	Homo sapiens	unknown	1330	100
455	4351	gi1754515	Rattus norvegicus	aminopeptidase -B	2050	92
456	4354	Y57906	Homo sapiens	Human transmembrane protein HTMPN-30.	1402	100
457	4385	gi5596433	Homo sapiens	candidate tumor suppressor protein NOC2	509	97

SEQ ID NO:	SEQ ID NO: in USSN 09/48 8,725	Accession No.	Species	Description	Smith - Waterman Score	% Identity
458	4388	W78140	Homo sapiens	Human secreted protein encoded by gene 15 clone HSDES04.	100	94
459	4405	Y48226	Homo sapiens	Human prostate cancer-associated protein 12.	1246	99
460	441	gi291536	Bovine herpesvirus 1	BICP4	106	35
461	4417	gi6562533	Homo sapiens	sialin	939	100
462	4419	gi1841555	Homo sapiens	NG5	146	33
463	4443	gi496139	Mus musculus	AMPA selective glutamate receptor	262	94
464	4470	gi7248381	Homo sapiens	adaptor protein p130Cas	2592	100
465	4482	gi7329979	Homo sapiens	apoptosis regulator	2071	100
466	4487	gi6706659	Homo sapiens		405	100
467	4491	gi9837341	Homo sapiens	CamKI-like protein kinase	1044	100
468	4492	Y42751	Homo sapiens	Human calcium binding protein 2 (CaBP-2).	586	99
469	4497	gi6179740	Homo sapiens	paraneoplastic cancer-testis-brain antigen	352	37
470	4502	gi6329742	Homo sapiens	KIAA1124 protein	327	100
471	4519	Y99426	Homo sapiens	Human PRO1604 (UNQ785) amino acid sequence	1563	100
472	4526	Y08008	Homo sapiens	Human HLIG-1 protein.	4023	99
473	4547	gi4589562	Homo sapiens	KIAA0959 protein	4165	99
474	4554	gi1381029	Mus musculus		1164	77

SEQ ID NO:	SEQ ID NO: in USSN 09/488,725	Accession No.	Species	Description	Smith - Waterman Score	% Identity
475	4555	gi2792366	Homo sapiens	unknown protein IT12	4461	99
476	457	Y70551	Homo sapiens	Human latent transforming growth factor-beta binding protein 3 (I).	1825	100
477	4571	gi5360115	Homo sapiens	NY-REN-45 antigen	869	100
478	4613	Y05868	Homo sapiens	Human Toll protein PRO358.	2413	100
479	4614	Y27129	Homo sapiens	Human bone marrow-derived polypeptide (clone OAF038-Leu).	1815	100
480	4622	G03789	Homo sapiens	Human secreted protein,	173	53
481	4667	gi7673638	Danio rerio	Deddl	446	48
482	4670	gi402649	Homo sapiens	c-rel	2309	100
483	4683	Y68773	Homo sapiens	Amino acid sequence of a human phosphorylation effector PHSP-5.	2234	99
484	4698	Y73470	Homo sapiens	Human secreted protein clone yd141_1 protein sequence	746	100
485	4724	gi6456846	Homo sapiens	hypothetical protein	1101	99
486	4734	gi3334982	Homo sapiens	R27216_1	1151	80
487	4814	gi6274473	Homo sapiens	pregnancy-induced growth inhibitor	1348	100
488	4819	Y07825	Homo sapiens	Human secreted protein fragment #4 encoded from	117	67

SEQ ID NO:	SEQ ID NO: in USSN 09/488,725	Accession No.	Species	Description	Smith - Waterman Score	% Identity
				gene 28.		
489	4821	Y81498	Homo sapiens	Human foetal bone-derived growth factor-like protein.	1200	100
490	4851	gi5689491	Homo sapiens	KIAA1077 protein	4364	99
491	4872	gi5911953	Homo sapiens	hypothetical protein	3723	99
492	4902	B08917	Homo sapiens	Human secreted protein sequence encoded by gene 27	717	100
493	5006	gi435774	Homo sapiens	receptor tyrosine kinase isoform FLT4 long, FLT41 {C-terminal}	385	100
494	5007	Y93951	Homo sapiens	Amino acid sequence of a Brainiac-5 polypeptide.	804	100
495	5027	gi3548791	Homo sapiens	R33590_1	1606	100
496	5029	gi5689527	Homo sapiens	KIAA1095 protein	5722	99
497	5033	Y14482	Homo sapiens	Fragment of human secreted protein encoded by gene 17.	166	66
498	5040	Y95019	Homo sapiens	Human secreted protein vq1_1,	258	92
499	5061	gi1304434	Pseudorabies virus	EP0	85	38
500	5081	gi4038081	Homo sapiens	vascular endothelial cell growth inhibitor	134	100
501	5129	gi3169158	Homo sapiens	BC269730_2	2340	99
502	5139	gi4062856	Homo sapiens	HEXIM1 protein	293	47
503	5174	gi93685	Homo sapiens	140up gene	576	90



SEQ ID NO:	SEQ ID NO: in USSN 09/488,725	Accession No.	Species	Description	Smith - Waterman Score	% Identity
		40		product		
504	524	G00329	Homo sapiens	Human secreted protein,	565	100
505	5291	Y92515	Homo sapiens	Human OXRE-12.	1271	98
506	5335	gi7296158	Drosophila melanogaster	CG3862 gene product	753	46
507	5346	Y94987	Homo sapiens	Human secreted protein vjl_1,	849	100
508	5379	gi7144506	Homo sapiens	cytokine-inducible SH2-containing protein	1353	99
509	5441	gi8096551	Homo sapiens	similar to mouse Ehm2	1516	100
510	549	Y22113	Homo sapiens	Human ZSMF-3 protein sequence.	294	62
511	5542	Y76267	Homo sapiens	Fragment of human secreted protein encoded by gene 11.	1066	100
512	5560	G03790	Homo sapiens	Human secreted protein,	103	36
513	5696	gi7920398	Homo sapiens	PTOV1	1904	91
514	5704	B08930	Homo sapiens	Human secreted protein sequence encoded by gene 2	987	100
515	5758	W18878	Homo sapiens	Human protein kinase C inhibitor, IPKC-1.	368	100
516	5760	gi6562176	Homo sapiens	hypothetical protein	425	100
517	5763	Y41706	Homo sapiens	Human PRO381 protein sequence.	441	100
518	5787	Y57907	Homo sapiens	Human transmembrane protein HTPN-31.	952	100

SEQ ID NO:	SEQ ID NO: in USSN 09/488,725	Accession No.	Species	Description	Smith - Waterman Score	% Identity
519	5823	gi9800242	rat cytomegalovirus Maastricht	pr5	153	36
520	5886	gi1781037	Mus musculus	neuronal tyrosine threonine phosphatase 1	1135	52
521	5924	W69221	Homo sapiens	Human parotid secretory protein.	710	96
522	5960	Y91529	Homo sapiens	Human secreted protein sequence encoded by gene 79	1300	99
523	5962	W69784	Homo sapiens	Protein Kinase C Inhibitor-like Protein (IPKC-2).	395	100
524	5969	Y79141	Homo sapiens	Human haemopoietic stem cell regulatory protein SCM113.	1205	79
525	5976	gi780310	Homo sapiens	natural killer associated transcript 4	1808	91
526	6002	gi2104553	Homo sapiens		4367	67
527	6008	Y66765	Homo sapiens	Membrane-bound protein PRO1384.	822	100
528	6020	gi1911548	Homo sapiens	cytochrome c-like polypeptide	322	50
529	6036	W71362	Homo sapiens	Human cytokine/steroid receptor protein.	353	51
530	6070	Y42750	Homo sapiens	Human calcium binding protein 1 (CaBP-1).	626	100
531	6075	gi10732648	Homo sapiens	angiopoietin-like protein	2164	100

SEQ ID NO:	SEQ ID NO: in USSN 09/488,725	Accession No.	Species	Description	Smith - Waterman Score	% Identity
				PP1158		
532	6106	gi2217970	Homo sapiens	p40	1349	96
533	6420	W82000	Homo sapiens	Human adult brain secreted protein dm26_2.	929	100
534	6434	gi10732648	Homo sapiens	angiopoietin-like protein PP1158	2164	100
535	6439	gi189701	Homo sapiens	endothelial cell growth factor	376	100
536	6463	Y41720	Homo sapiens	Human PRO792 protein sequence.	360	82
537	6466	gi4884084	Homo sapiens	hypothetical protein	538	100
538	6508	gi5442030	Homo sapiens	aminopeptidase	2317	96
539	6570	gi5921491	Homo sapiens		1591	99
540	6719	gi31847	Homo sapiens	glypican	1625	87
541	6772	Y65432	Homo sapiens	Human 5' EST related polypeptide	180	53
542	6789	gi537292	Homo sapiens	ICH-1L	1556	100
543	6805	gi4454702	Homo sapiens	HSPC007	634	84
544	6833	gi1890660	Homo sapiens	protein tyrosine phosphatase receptor omicron	5726	87
545	6834	gi5921491	Homo sapiens		1746	88
546	6851	gi2407641	Homo sapiens	neuropilin	3968	98
547	6868	gi6714641	Drosophila melanogaster	MAP kinase phosphatase	218	49
548	6876	Y13138	Homo sapiens	Human secreted protein encoded by 5' EST	414	76
549	688	Y73463	Homo sapiens	Human secreted protein clone	701	98

SEQ ID NO:	SEQ ID NO: in USSN 09/488,725	Accession No.	Species	Description	Smith - Waterman Score	% Identity
				yk199_1 protein sequence		
550	6897	gi5815180	Homo sapiens	unknown	509	97
551	690	gi10645186	Homo sapiens	meningioma-expressed antigen 5s splice variant	522	100
552	6909	W78149	Homo sapiens	Human secreted protein encoded by gene 24 clone HSVBF78.	485	100
553	6924	Y35923	Homo sapiens	Extended human secreted protein sequence,	514	99
554	6937	G03798	Homo sapiens	Human secreted protein,	281	70
555	6951	gi511857	Homo sapiens	prostate-specific antigen	364	95
556	7008	G03200	Homo sapiens	Human secreted protein,	548	98
557	7009	Y22213	Homo sapiens	Human V201 protein sequence.	856	100
558	7057	gi6003654	Homo sapiens	brain specific membrane-anchored protein BSMAP	1814	100
559	7098	W27291	Homo sapiens	Human H1075-1 secreted protein 5' end.	712	100
560	7114	gi3212110	Homo sapiens	prefoldin subunit 1	534	98
561	712	gi4558641	Homo sapiens	P85B_HUMAN; PTDINS-3-KINASE P85-BETA	470	74
562	7215	gi4868366	Homo sapiens	delta-6 fatty acid desaturase	2437	100

SEQ ID NO:	SEQ ID NO: in USSN 09/48 8,725	Accession No.	Species	Description	Smith - Waterman Score	% Identity
563	7244	Y12445	Homo sapiens	Human 5' EST secreted protein	428	100
564	7248	gi311376	Homo sapiens	Humig	633	100
565	7252	gi5689531	Homo sapiens	KIAA1097 protein	5240	100
566	7292	gi5106998	Homo sapiens	HSPC040 protein	580	100
567	7306	Y32201	Homo sapiens	Human receptor molecule (REC) encoded by Incyte clone 2057886.	1974	95
568	7338	Y73880	Homo sapiens	Human prostate tumor EST fragment derived protein #67.	1566	100
569	736	gi10178317	Homo sapiens		1468	100
570	737	G00851	Homo sapiens	Human secreted protein,	522	98
571	740	W85610	Homo sapiens	Secreted protein clone eh80_1.	1115	87
572	7400	Y93948	Homo sapiens	Amino acid sequence of a lectin ss3939 polypeptide.	1982	98
573	7415	gi3043670	Homo sapiens	KIAA0573 protein	2392	100
574	7429	Y40864	Homo sapiens	A human glutathione-S-transferase (hGST) protein.	1183	99
575	7458	Y53643	Homo sapiens	A bone marrow secreted protein designated BMS6.	554	99
576	7516	gi4468311	Homo sapiens		1146	99
577	7526	gi4138922	Homo sapiens	promyelocytic leukemia zinc finger	3571	99

SEQ ID NO:	SEQ ID NO: in USSN 09/488,725	Accession No.	Species	Description	Smith - Waterman Score	% Identity
				protein; kruppel-like zinc finger protein; PLZF		
578	7571	G02915	Homo sapiens	Human secreted protein,	209	100
579	7614	W74726	Homo sapiens	Human secreted protein fg949_3.	1879	100
580	7663	gi5912548	Homo sapiens		1634	100
581	7686	gi4929711	Homo sapiens	CGI-121 protein	870	100
582	7714	gi388765	Homo sapiens	phospholipase D	4428	99
583	7724	G03933	Homo sapiens	Human secreted protein,	570	100
584	7834	gi8919166	Homo sapiens	mesenchymal stem cell protein DSC92	1133	100
585	7855	Y48505	Homo sapiens	Human breast tumour-associated protein 50.	684	100
586	7870	Y13372	Homo sapiens	Amino acid sequence of protein PRO223.	2559	100
587	7871	Y91689	Homo sapiens	Human secreted protein sequence encoded by gene 93	768	100
588	7892	gi34659	Homo sapiens	macrophage inflammatory protein-2alpha precursor	532	100
589	7927	gi32575	Homo sapiens		183	91
590	7944	gi1657458	Sus scrofa	calcium/calmodulin-dependent protein kinase II isoform gamma-B	2744	100
591	7947	G01131	Homo sapiens	Human	574	96

SEQ ID NO:	SEQ ID NO: in USSN 09/488,725	Accession No.	Species	Description	Smith - Waterman Score	% Identity
				secreted protein,		
592	800	gi3021428	Homo sapiens	neutral sphingomyelinase	167	68
593	8055	gi4929637	Homo sapiens	CGI-84 protein	1038	100
594	8082	gi4679014	Homo sapiens	HSPC014	715	100
595	8127	gi9955693	Homo sapiens	twisted gastrulation protein	905	95
596	8174	gi5532294	Homo sapiens	MUM2	767	100
597	8178	gi4530587	Homo sapiens	TADA1 protein	1132	100
598	8215	R66278	Homo sapiens	Therapeutic polypeptide from glioblastoma cell line.	830	100
599	8263	Y48371	Homo sapiens	Human prostate cancer-associated protein 68.	713	98
600	827	gi3172337	Cavia porcellus	phospholipase B	955	73
601	828	Y29517	Homo sapiens	Human lung tumour protein SAL-82 predicted amino acid sequence.	833	94
602	8294	gi4929767	Homo sapiens	CGI-149 protein	1085	100
603	8313	gi5771420	Homo sapiens	group IID secretory phospholipase A2	852	100
604	832	Y86260	Homo sapiens	Human secreted protein HELHN47,	319	78
605	8357	gi4191358	Mus musculus	claudin-7	164	47
606	8373	gi1945271	Homo sapiens	protein phosphatase 6	1666	100
607	8379	gi58529	Homo sapiens		1226	100

SEQ ID NO:	SEQ ID NO: in USSN 09/488,725	Accession No.	Species	Description	Smith - Waterman Score	% Identity
		81		cardiotrophin-like cytokine CLC		
608	8380	gi3402216	Homo sapiens	protein	974	100
609	8386	gi386988	Homo sapiens	oncostatin M	1297	99
610	8418	Y70210	Homo sapiens	Human TANGO 130 protein.	722	98
611	8442	G01895	Homo sapiens	Human secreted protein,	490	95
612	8457	G04048	Homo sapiens	Human secreted protein,	450	98
613	8458	W97119	Homo sapiens	S-adenosyl-L-methyltransferase (SAM-MT) protein.	1484	100
614	8469	gi7159799	Homo sapiens		255	100
615	8480	gi4589530	Homo sapiens	KIAA0943 protein	1998	100
616	8521	gi5726235	multiple sclerosis associated retrovirus element	unknown protein U5/2	250	82
617	857	gi9663958	Homo sapiens	cysteinyl leukotriene CysLT2 receptor	612	99
618	8574	gi6841260	Homo sapiens	HSPC305	1049	100
619	8606	gi3367707	Homo sapiens	scrapie responsive protein 1	544	100
620	8632	G01158	Homo sapiens	Human secreted protein,	502	100
621	8646	gi3882249	Homo sapiens	KIAA0764 protein	2175	100
622	8666	Y66196	Homo sapiens	Human bladder tumour EST encoded protein 54.	1080	95
623	8675	gi9963908	Homo sapiens	NPD009	432	96
624	8683	G04018	Homo sapiens	Human	469	98



SEQ ID NO:	SEQ ID NO: in USSN 09/48 8,725	Accession No.	Species	Description	Smith - Water man Score	% Identity
				secreted protein,		
625	8708	gi16335 64	Homo sapiens	C8	364	98
626	8720	gi82484 65	Homo sapiens	hepatocellular carcinoma- associated antigen 56A	191	69
627	8756	Y94984	Homo sapiens	Human secreted protein vell_1,	369	97
628	8765	Y00346	Homo sapiens	Fragment of human secreted protein encoded by gene 2.	1068	97
629	8783	Y27918	Homo sapiens	Human secreted protein encoded by gene No. 123.	1051	95
630	8804	Y25426	Homo sapiens	Human SIGIRR protein.	887	100
631	8838	Y99409	Homo sapiens	Human PRO1343 (UNQ698) amino acid sequence	1279	100
632	8851	W74785	Homo sapiens	Human secreted protein encoded by gene 56 clone HSAXS65.	454	100
633	8853	W75116	Homo sapiens	Human secreted protein encoded by gene 60 clone HILCJ01.	245	95
634	8857	gi25651 96	Homo sapiens	non- functional folate binding protein	479	74
635	8859	Y02690	Homo sapiens	Human secreted protein encoded by gene 41c lone	600	100

SEQ ID NO:	SEQ ID NO: in USSN 09/488,725	Accession No.	Species	Description	Smith - Waterman Score	% Identity
				HSZAF47.		
636	8901	Y86491	Homo sapiens	Human gene 59-encoded protein fragment,	548	99
637	8907	W88745	Homo sapiens	Secreted protein encoded by gene 30 clone HTSEV09.	2004	99
638	8934	W75088	Homo sapiens	Human secreted protein encoded by gene 32 clone HAGBB70.	421	98
639	8960	Y02693	Homo sapiens	Human secreted protein encoded by gene 44 clone HTDAD22.	267	72
640	8979	Y76143	Homo sapiens	Human secreted protein encoded by gene 20.	1374	98
641	8980	Y11433	Homo sapiens	Human 5' EST secreted protein	466	100
642	8986	G02626	Homo sapiens	Human secreted protein,	306	100
643	8987	G02093	Homo sapiens	Human secreted protein,	486	97
644	8995	Y12908	Homo sapiens	Human 5' EST secreted protein	181	100
645	9035	Y71108	Homo sapiens	Human Hydrolase protein-6 (HYDRL-6).	800	100
646	9062	gi8886005	Homo sapiens	lysophosphatidic acid acyltransferase-delta	523	100
647	9074	Y25761	Homo sapiens	Human	1366	99

SEQ ID NO:	SEQ ID NO: in USSN 09/488,725	Accession No.	Species	Description	Smith - Waterman Score	% Identity
				secreted protein encoded from gene 51.		
648	9075	Y73336	Homo sapiens	HTRM clone 1852290 protein sequence.	1591	100
649	9098	Y57878	Homo sapiens	Human transmembrane protein HTMPN-2.	516	100
650	9109	gi23903	Homo sapiens	63kDa protein kinase	1141	97
651	911	gi32456	Homo sapiens	protein-tyrosine phosphatase	2591	100
652	912	gi1136743	Homo sapiens	human P5	212	46
653	9163	Y34129	Homo sapiens	Human potassium channel K+Hnov28.	377	71
654	9164	Y41324	Homo sapiens	Human secreted protein encoded by gene 17 clone HNFIY77.	1083	99
655	9173	gi6851256	Mus musculus	protein tyrosine phosphatase-like protein PTPLB	631	93
656	9187	Y66721	Homo sapiens	Membrane-bound protein PRO511.	1173	95
657	9190	W40378	Homo sapiens	Human breast cancer protein CH14-2a16-1 from 2.0 kB DNA fragment #2.	792	81
658	9194	Y02781	Homo sapiens	Human secreted protein.	462	70
659	9210	G02994	Homo sapiens	Human secreted protein,	166	80

SEQ ID NO:	SEQ ID NO: in USSN 09/488,725	Accession No.	Species	Description	Smith - Waterman Score	% Identity
660	9222	G02520	Homo sapiens	Human secreted protein,	186	43
661	9230	gi6706554	Homo sapiens	inositol 1,4,5-trisphosphate 3-kinase B	1315	95
662	9258	gi522145	Homo sapiens	B-cell growth factor	120	56
663	9260	G04072	Homo sapiens	Human secreted protein,	138	51
664	9271	gi6690095	Homo sapiens	tetraspanin protein	317	67
665	9272	gi163042	Bos taurus	factor activating exoenzyme S	444	72
666	9275	gi401774	Homo sapiens	ribosomal protein S6 kinase 3	424	81
667	930	G02355	Homo sapiens	Human secreted protein,	167	41
668	9304	gi8979743	Canis familiaris	Band4.1-like5 protein	1493	93
669	9346	gi2738989	Mus musculus	high mobility group protein homolog HMG4	384	89
670	9347	gi36613	Homo sapiens	serine/threonine protein kinase	199	91
671	935	gi5541870	Homo sapiens	QA79 membrane protein, allelic variant airm-1b	334	57
672	9350	gi3327124	Homo sapiens	KIAA0655 protein	757	87
673	9351	W57260	Homo sapiens	Human semaphorin Y.	573	95
674	9356	gi59977	Human endogenous retrovirus	tripartite fusion transcript PLA2L	127	59
675	9363	Y17834	Homo sapiens	Human PRO361 protein sequence.	968	92
676	9366	gi72431	Homo sapiens	KIAA1374	649	96

SEQ ID NO:	SEQ ID NO: in USSN 09/48 8,725	Acces- sion No.	Species	Description	Smith - Water man Score	% Identity
		29		protein		
677	9369	G03793	Homo sapiens	Human secreted protein,	222	69
678	9378	gi44683 11	Homo sapiens		163	39
679	9393	gi27389 89	Mus musculus	high mobility group protein. homolog HMG4	384	89
680	9444	G01399	Homo sapiens	Human secreted protein,	157	93
681	9467	gi44547 02	Homo sapiens	HSPC007	230	71
682	9486	gi10047 243	Homo sapiens	KIAA1584 protein	605	93
683	949	Y30895	Homo sapiens	Human secreted protein fragment encoded from gene 25.	704	99
684	9499	W36002	Homo sapiens	Human Fchd531 gene product.	2173	96
685	9510	gi16657 99	Homo sapiens		867	83
686	9523	Y53022	Homo sapiens	Human secreted protein clone qf116_2 protein sequence	1252	89
687	9534	Y66670	Homo sapiens	Membrane-bound protein PRO1180.	998	100
688	9539	Y76144	Homo sapiens	Human secreted protein encoded by gene 21.	633	100
689	954	G02490	Homo sapiens	Human secreted protein,	160	78
690	9546	gi18112 1	Homo sapiens	chorionic somatomammotropin	616	96
691	955	gi72431 03	Homo sapiens	KIAA1361 protein	2042	100
692	9551	gi17723	Homo sapiens	ras-related	341	57

SEQ ID NO:	SEQ ID NO: in USSN 09/48 8,725	Accession No.	Species	Description	Smith - Waterman Score	% Identity
		45		GTP-binding protein		
693	9558	W88403	Homo sapiens	Human adult testis secreted protein ga63_6.	2252	100
694	9561	gi66900 17	Herpesvirus papio	NTR	100	30
695	957	Y86260	Homo sapiens	Human secreted protein HELHN47,	319	78
696	9572	gi97294 0	Mus musculus	Elf-1	806	92
697	9576	gi32490 05	Homo sapiens	geminin	448	98
698	9586	gi28872 88	Homo sapiens	mRNA cleavage factor I 25 kDa subunit	208	100
699	9587	G00995	Homo sapiens	Human secreted protein,	726	99
700	9592	gi49527 3	Rattus norvegicus	ribosomal protein S15a	202	78
701	9595	gi77999 12	Homo sapiens	UBASH3A protein	453	47
702	9610	Y07875	Homo sapiens	Human secreted protein fragment encoded from gene 24.	574	100
703	9634	Y73325	Homo sapiens	HTRM clone 001106 protein sequence.	820	99
704	9639	G00805	Homo sapiens	Human secreted protein,	155	67
705	9647	G03786	Homo sapiens	Human secreted protein,	196	73
706	9653	gi38823 41	Homo sapiens	KIAA0810 protein	523	100
707	9654	G01924	Homo sapiens	Human secreted protein,	469	100
708	9678	Y99376	Homo sapiens	Human PRO1244 (UNQ628) amino	474	100

SEQ ID NO:	SEQ ID NO: in USSN 09/488,725	Accession No.	Species	Description	Smith - Waterman Score	% Identity
				acid sequence		
709	9709	Y11825	Homo sapiens	Human 5' EST secreted protein	657	100
710	9722	gi7677422	Mus musculus	GTPase Rab37	189	75
711	9731	Y12424	Homo sapiens	Human 5' EST secreted protein	207	100
712	9742	Y57954	Homo sapiens	Human transmembrane protein HTPMN-78.	484	100
713	9749	gi3687829	Homo sapiens	hT41	386	65
714	9755	gi2055295	Homo sapiens	Similar to a C.elegans protein in cosmid C14H10	2583	100
715	9762	G03436	Homo sapiens	Human secreted protein,	176	61
716	9763	gi6180011	Homo sapiens	anaphase-promoting complex subunit 4	1016	100
717	9784	G03570	Homo sapiens	Human secreted protein,	401	96
718	9794	G00803	Homo sapiens	Human secreted protein,	333	69
719	9795	gi2516242	Mus musculus	Rab33B	669	94
720	9798	gi558599	Homo sapiens	ZID, zinc finger protein with interaction domain	605	96
721	9805	Y25881	Homo sapiens	Human secreted protein fragment encoded from gene 61.	566	96
722	9816	gi532056	Homo sapiens	protein-tyrosine-phosphatase	384	100
723	9830	G00857	Homo sapiens	Human	539	96

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
74	813	2	348	ARDFHPKQTLDFLRSDMANSKITEEVKRSTIAQQYLDLTVA/LE QVDPDAEVDAA PSTTSSCGH*DSHAGS*RVL SLLGD*GPA*TG ANSMAGKLLLVAWLGFDPDFWGKELSDPAFK
75	814	2	366	KQSGDVTCTCNDGRLAPSCLTGVGHCIFGGYCTMNSKMMPECQ SPPHMTGPRCEEHVFSQHQP GHITSILIPML*LLLLVLVAGVI FCHKRRVQGA GFQHQ RMTNGAMNAQIANPTYKMY
76	815	420	681	TVENAGRWL*EEAETQAELERLERVRNLHIRELKRINNEDNSQ FKDHPTLNERYLL LHL LGRGGFSEVYKVMYGLFWFFYT NVARI
77	816	37	428	MCEEFLVMGKGCSCVF*ILSNPQMWWLNDSPETDNRQESPS QENIDRVSD/MAFVPSAWTASGGVAWGNLGESGSR TGGVRAET LAPRLQV*PAHLRGHPRSNRGQGRPPWKAGLKGKCQEVLFRA AF
78	817	1	358	FRAMFLAVQHDCRPMDSAGSGHKSEEKREKMKRTLLKDWKTR LSYFLQNSSTPGKPKTGKKSQQA FIK*VENPELANINS*LLN *KGEL**A*ANIQLSCRPSPEEAQLWSEAFDE
79	818	1	169	GFFNFSSPKLKGWKINSSSLVLEIRKNILRFLDAERDVSVVKSS FPSKDARHSSVHR*FTQLHWGPPSHTPARP*RGFFNFSSPKLK GWKINSSSLVLEIRKNILRFLDAERDVSVVKSSFPSKDARHSSV HR
80	819	55	310	RIDDQQELKRV T*YSQKEYTKKKLHKCNIIQADIKPDNILDN ESITILKLSDFGSASHVADNDITPSSSQTTSAASSPRTLRR
81	820	1	134	SSKPWD*SLAPKHSG*TKNMDCYCIPTCIGRERCYGT CIGDT V
82	821	187	360	NSSKKLVMEHQWKYLRRNYQRMNLRLITLIGSCGV L*LISTI PTSRLKFLKETGHGTPMEEIPEEELSEDVEQIDHADRELRRGQ NLRCKGIHRLPTHIQVGQN
83	822	208	723	KWMLLHFSKIFCLSLYPQL*CPFEFFSHSATIFHEL VYKQTKI ISSNQELIYEGRRLLVLEPGRLAQHF PKTTEENPIFVVSREPLN TIGLIYEKISLPKVHPRYDLGDGASMAKAITGVVCYACRIAST LLLYQELMRKGIRWLI ELIKDDYNETVHKKTEVVITLGLVSR
84	823	1	314	GTRKMGPTVSPICLP GTWGDYNLMDGDLGLISGWGRTEKRDRA DRLKAGRSPAAG*RKWEPGRGDPTWEESEEDVHKS KWTRCVDE KGA*C*TDNKRPLRCGVT
85	824	3	302	HELENLIKSAHSYSLY*G*YLHGA*TAEPEASFCPRRGWNRQA GAAGSRMNF RPGVLSSRQLGLPGPPDGPDTVYYPFHRLAMVT AASRLEREHLTHL
86	825	87	422	PVPLPHPILEVC PGQ*EPQSAISLTA FQVQAGASRASPGPPAP SSSKPGRKAKVASPCPDRPAPPPT*PRPAAAPGSESSPRPPRP RTGRRQRAHARRAAARTAPWRPSC
87	826	3	289	HEGRRRGWASASQRFLRNWAF LTPSKVRRLKGQKAFGLPSHS DTSLSLTDLGFHHRFNP NASSSFKPSGTFKFAIQYGTGRVDGILS EDKLTVSGL
88	827	1	101	GRNIMHYPNGHAICIANGHCTIL*NSHNIKVVW



SEQ ID NO:	SEQ ID NO: in USSN 09/48 8,725	Accession No.	Species	Description	Smith - Waterman Score	% Identity
				secreted protein,		
724	9836	G00914	Homo sapiens	Human secreted protein,	527	100
725	9837	gi2662099	Homo sapiens	KIAA0409	230	67
726	984	Y29517	Homo sapiens	Human lung tumour protein SAL-82 predicted amino acid sequence.	833	94
727	9849	gi7229305	Homo sapiens	ZNF264, partial cds	140	90
728	9851	gi5262560	Homo sapiens	hypothetical protein	369	64
729	9859	gi3881976	Homo sapiens	hypothetical protein	167	93
730	9863	gi7295707	Drosophila melanogaster	CG15433 gene product	837	78
731	9888	gi3319677	Homo sapiens		209	72
732	989	gi4557143	Rattus norvegicus	zinc finger protein RIN ZF	604	92
733	9919	G01843	Homo sapiens	Human secreted protein,	586	100
734	9922	W67869	Homo sapiens	Human secreted protein encoded by gene 63 clone HHGDB72.	551	93
735	9947	W78239	Homo sapiens	Fragment of human secreted protein encoded by gene 3.	251	78
736	9956	Y36203	Homo sapiens	Human secreted protein #75.	273	77
737	9961	Y99357	Homo sapiens	Human PRO1190 (UNQ604) amino acid sequence	650	99
738	9972	Y12149	Homo sapiens	Human 5' EST secreted protein	284	100
739	9977	gi10039	Homo sapiens	osteoblast	822	98

SEQ ID NO:	SEQ ID NO: in USSN 09/488,725	Accession No.	Species	Description	Smith - Waterman Score	% Identity
		439		differentiation promoting factor		

Table 3 - Amino Acids

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
1	740	2	557	FVGRLLRLGEALRLRPDPSSGGCRLQPALVGETEMSEKENNFPP LPKFIPVKPCFYQNFSD EIPVEHQVLVKRIYRLWMFYCATLGV NLIACLAWWIGGGSGTNFGLAFVWLLLFPCGYVCWFRPVYKA FRADSSFNFMMAFFFI FRSPVCPDRHPGDWLLRLGRVRLAVGNW ILPVQPGRCRGHA
2	741	305	838	FLGAGADIFCAYLRMSSKQATSPFACAADGEDAMTQDLTSREK EEGSDQHVASHLPLHPIMHNKPHSEELPTLVSTIQDADWDSV LSSQQRMESENKCLSLYSFRNTSTSPHKPDGSRDREIMTSV TFGTPERRKGLADVVDTLKQKKLEEMTRTEQEDSSCMEKLLS KDWKE
3	742	12	1315	EGYLTGRPTRPVAVRGKSTADLRMMGRSPGFAMQHIVGVPHVL VRRGLLGRDLFMTRTLCSPGPSQPGKEKRPEEVALGLHHRLPAL GRALGHSIQQRATSTAKTWWDREYEEFVGLNEVREAQGVTEAE KVFMVARGLVREAREDELVHQAKLKEVRDRDRVSREDSQYLE LATLEHRMLQEEKRLRTAYLRAEDSEREKFSLSAAVRESHEK ERTRAERTKNWSLIGSVLGALIGVAGSTYVNRVRLQELKALLL EAQKGPVSLQEAIREQASSYSRQQRDLHNLMDLRLGLVHAAGP GQDSGSQAGSPPTDRDVLVLSAALKEQLSHSRQVHSCLEGLR EQLDGLEKTCQMAGVVQLVKSAAHPGLVEPADGAMPSPFLLEQ GSMILALSDEQRLEAQVNRNTIYSTLVTCVTFVATLPVLYML FKAS
4	743	112	745	NLPPLTPQPGPRLAGSGPSHWFSPLSLPVASKAPGTMAQALGE DLVQPPPELQDDSSSLGSDSELSGPGPYRQADRYGFIGGSSAEP GPGHPPADLIRQREMKWVEMTSHWEKTMSRRYKKVKMQCRKGI PSALRARCWPLLGAHVQCQNSPGTYQELAEAPGDPQWMETIG RDLHRQFPLHEMFVSPQGHGQQGLLQVLKAYTLTYRPEQG
5	744	99	265	LRGMAAAAAGPAASQRFFQSFSDALIDQDPQAALVGEFPFLLP PLPADPPPSSTA

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
6	745	210	758	WACFRSAHCSRHRLNRIFMYLYWDKTRSPVCKGPALREERPQP RLKLEDYKDRLLKSGEHLNPDQLEAVEKEYEVLHNLEFAKELQK TFSGLSLDLLKKAQKKAQRREHMLKLEAEKKLRTILQVQYVLQ NLTOEHVQKDFKGGGLNGAVYLPSELDYLIKFSKLTCPERNES LRQTLLEGSTV
7	746	48	450	XAGVQMKLEFLQRFWAATROCSTVDGPCTQSCEDSDLDCEFI DNNGFILISKRSRETGRFLGEVDGAVLTQLLSMGVFSQVTMYD YQAMCKPSSHHHSAAQPLVSPISAFLTATRWLLQELVLFLEW SVWGSX*
8	747	1	469	CRGRLAQLLEEAAVAATMSAGDAVCTGWLKSPERKLQRYAWR KRWFLRRGRMSGNPDVLEYRNRKHSSKPIRVIDLSECAVWKH VGPSFVRKEFQNNFVIVKTTSTRTFYLVAKTEQEMQVWVHSIS QVCNLGHLEDGAADSMESLSYTRSYLQ
9	748	242	409	IPAVPLTSCVTGVSYSLSVRDYPDPRQGDVTKHYKIRTL\DKRG FYISP\RSTFSTLQ
10	749	1	1146	KDSVLNIARGKKYGEKTKRVSSRKKPALKC/TSQKQPALKAIC DKEDSVPTATEKKDEQISGTVSSQKQPALKATSDKKDSVSN PTEIKDQGSQSGTVSSQKQPAWKATSVKKDSVSNIAIEIKDQGI \RGTVSSQRQPALKA\TGDEKDSVSNIAIEIKDGEKSGTVSPQ KQSAQKVIKFKKVSLLNIATRITGGWKSGETYPENLPTLKATI ENKNSVLNTATKMKDVQTSTPEQDLEMASEGQKRLEEYENNQ PQVKNQIHSRDDLDIIQSSQTVSEDDGSLCCNCKNVILLIDQ HEMKCKDCVHLLKIKKTFCLCKRLTELKDNHCEQLRVKIRKLK NKASVLQKRLSEKEEIKSQLKHETLELEKELCSLRFAIQQ
11	750	3	892	SPLRYRAGQSGSTISSSSCAMWRCCGGRQGLCVLRRLSGGHAHH RAWRWNSNRACERALQYKLGDKIHGFTVNQVTSVPELFLTAVK LTHDDTGARYLHLAREDITNNLFSVQFRTTPMDSTGVPHILEHT VLCGSQKYPICRDPFFKMLNRSLSFTMNAFTASDYTLYPFSTQN PKDFQNLISVYLDATFFPCLRELDWFQEGWRLEHENPSPDQTP LVFKGVVFNEMKGAFTDNERIFSQHLQNRLLPDHTYSVVSGGD PLCIPELTWEQLKQFHATHYHPSNARFFTYGNFPLDQH
12	751	367	856	RGAKAKSAVLPPGPPCSSILILSPPAPLTPRSPGTEATRPTAM SKSLKKKSHWTSKVHESVIGRNPEGQLGFELKGAENGQFPYL GEVKPGKVAYESGSKLVSEELLLEVNETPVAGLTIRDVLAVIK HCKDPLRLKCVKQGESSGLLSVLPGGGTARGAGQ
13	752	144	442	SHRPQPDARQGNFQCVQKEKMQVSSAEVRIGPMRLTQDP VLLIFAKEDSQSDGFWWACDRAGYRCNIARTPESALECFLDKH HEIIVIDHRQTQN
14	753	1	581	FRLAGCGHLVLSLLGLLLLLARSGTRALVCLPCDESKCEEPRN CPGSIQVQVCGCCYTCASQRNESCAGGTFGIYGTCDRGLRCVIR PPLNGDSLTEYEAGVCEDENWTDQLLGFKPCNENLIAGCNII NGKCECNTIRTCNPFEPSPQDMCLSAKRIEEKPDCKARC EVQFSPRCPEDSVLIEGYAPP

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
15	754	1	219	FRMAANVGSMPQYWKRFDLQQLQRELDATATVLANRQDESEQS RKRLIEQSREFKNTPEVRRVTIVFALKGS
16	755	313	562	ETLSCRIMDHPREKDERQRTTKPMAQRSAHCSRPSGSSSSSG VLMVGPNNFRVGKKIGCGNFGELRLGEGLPQVYFPGCGKY
17	756	273	574	GCCKD*HSGVIGRSWAMLFASGGFQVKLYDIEQQQIRNALENI RWASRRSPEGMEVGLFSLVGLVCHILKAMRICDVTFFSSDGYCS ASELVKARPTVAGM
18	757	3	390	NSRVDDFVSARPKPRPLPRARGMVVVTGREPDSRRQDGAMSSS DAEDDFLEPATPTATQAGHAL/PPAAT/GSFLRLFLPTSEGLT SLHACPHCGATKTPCWQPCSVGGTTSPTPRAGTSSTEMAHTL EMC
19	758	98	461	RALWVGCGSGEACGIGMSGLLTDPEQRAQEPYPGFVLGLDVG SSVIRCHVYDRAARVCGSSVQKVENLYPQIGWVEIDPDVLWIQ FVAVIKEAVKAAGIQMNQIVGLGISTQRATFITWN
20	759	100	731	GLAAEQSMQFVKLWCGCSGEFPTLRRLRRTPLTEAMEGGPAVCC QDPRAELVERVAIDVTHLEADGGPEPTRNGVDPPPRARAAS VIPGSTSRLLPARPSLSARKLSLQERPAGSYLEAQAGPYATGP ASHISPRAWRRPTIESHHVAISDAEDCVQLNQYKLQSEIGKGA YGVVRLAYNESEDHYAMKVLSSKKLLKQYGFPRRPPP
21	760	2	520	FVYGKPVTLWPTISSVVPSTFLGLGNVEVEAEPPDVRGPETV TMGENDPPAVEAPFSFRSLFGLDDLKISPVAPDADAVAAQILS LLPLKFFPIIVIGIIALILALAIGLGIHFDCSGKYRCRSSFKC IELIARCDGVSDCKDGEDEYRCVRVGGQNAALQVFTAASRKT M
22	761	158	470	SLAMPFGCVTLGDKKNYNQPSVETDRYDLGQVIKTEEFCEIFR AKDKTTGKLHTCKKFQKRDGRKVRKAANEIGILKMVKHPNIL QLVDVFTVTRKEYFIFLEL
23	762	1	749	QRRFRFRAGLWGGHGLTDGLRRNGGCGCSARVPRVGERLRGHR C PDPLCLLLDMLFLSFHAGSWESWCCCLIPADRPWDRGQHWQL EMADTRSVHETRFEAAVKVIQSLPKNGSFQPTNEMMLKFYSFY KQATEGPKLSRPGFWDPIGRYKWDWSSLDGMTKEEAMIAVY EEMKKIIETMPMTEKVEELLRVIGPFYEIVEDKKSGRSSDITS DLGNVLTSTPNAKTVNGKAESSDSGAEESEEEAC
24	763	3	558	SCFKGRTGGRSGSSGDSRWARCGRHFSASTEPPPLSQPCSA L PRSGRRGCAVPSSVTKMLSFRRRTLGRRSMRKHAERLREAO RAATHIPAAGDSKSIITCRVSLLDGTDVSDLPKKAKGQELFD QIMYHLDLIESDYFGLRFMDSAQVAHWLDGTSKIKKQVKIGSP YCLHLRVKIFYSS
25	764	9	424	ESRERSGNRRGAEDRGTCGLQSPSAMLGAKPHWLPGLHSPGL PLVLVLLALGAGWAQEGSEPVLLGECLVCEPGRAAAGGPGG AALGEAPPGRVAFAAVRSHHEPAGETGNGTSGAIYFDQVLVN EGGGFDRAS

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
26	765	2	507	EDVKSYYTVHLPLQLENINSGETRTISHFYHTTWPDFGVPQSPA SFLNFLFKVRESGSLNPDHGPVVIHRSAGTGRSSTFSVHTCL VLMEKGDDINIKQVLLNIRKFQMGLI\QTFDQLRFSYMAITEG AKCVKGDSSIQRWKELSKE/DLPPAFDHSPNKIMTEKYNR
27	766	84	852	LNRQRCGDQVLVPGTGLAAILRTLPMFHDEEHARARGLSEDTL VLPPASRNQRILYTVLECQPLFDSSDMTIAEWVCLAQTIKRHY EQYHGFVVIHGTDTMAFAASMLSFMLENLQKTVILTGAQVPIH ALWSDGRENLLGALLMAGQYVPEVCLFFQNLFRGNRATKVD ARRFAAFCSNNLLPLATVGADITINRELVRKVDGKAGLVVHSS MEQDVGLLRLLYPGIPALVRAFLQPPKGVVMTFGSGNG
28	767	992	210	LFRLAPGFLRLSLARQGYHQIWAFFPLPSGATATWPAASRSRSL AARSLPRSPARPGPNDALLGEHDFRGQGVRAQRFSEEPGPG ADGAVLEVHVPQIGAGVSLPGILAAKCGAEVILSDSSELPHCL EVCRCQSCQMNPLPHLQVVGLTWGHISWDLALPPQDIILASDV FFEPEDFEDILATIYFLMHKNPKVQLWSTYQVRSADWSLEALL YKWDKCVHIPLSFADADKEDIAESTLPGRHTVEMLVISFAKD SL
29	768	23	624	SFIYKHTHRARFGPRAIVASPALTAGPHVSLTASCRVGMWVSC SPSPFLHPTNTLVAVLERDTLGIREVRLFNAVVRWSEAEQCRQ QLQVTPENRRKVLGKALGLIRFPLMTIEEFAAGNRARAQGLVW EGSGTQVGIW/CTEDSAPEFTAESLADAWHIQIGRNLACEDAS T/WAIC*PRPGSVPTVHTARPLSCLSSCF
30	769	100	2	MASTQDAELAVSRXRAIALXPGXQSQXPSQKKK
31	770	158	1957	LLKSCGVLLSGVCIPCEGKGPTVLVIQTAVPQDRPTKSSMRSA AKPWNPAIRAGGHGPDVRPLPAASSGMKSSKSSTSLAFESRL SRLKRASSEDTLNKPSTAAAGVVRLLKKTATAGAISELTESRL RSGTGAFSTTKRTGIPAPREFSVTVSRERSVPRGSPNPKSVS SPTSSNTPTPTKHLRTPSTKPKQENEGGEK\VRSLPK/FRELL AEAKAKDSEINRLRSELKKYKEKRTLNAEGTDALGPNVDGTSV SPGDTEPMIRALEEKKNKFQKELSDLEENRVLKEKLIYLEHS PNSEGAASHTGDSSCPTSITQESSFGSPGNQLSSDIDEYKKN IHGNALRTSGSSSSDVTKASLSPDASDFEHITAETPSRPLSST SNPFKSSKCSTAGSSPNSVSELSLASLTEKIQKMEENHHSTAE ELQATLQELSDQQMVQELTAENEKLVDKILETSFHQHRER AEQLSQENELMNLQERVKNNEPTTQEGKIIIELEQKCTGILE QGRFEREKLNIQQQLTCSLRKVEEENQGALEMIRLKEENEK LNEFLELERHNNMMAKTLEECRVTLGLEGLKMENGLSKSHLQG
32	771	203	514	SQMHRLIFVYTLICANFCSCRDTSATPQSASIKALRNANLRD ESNHLTDLYRRDETIVKGNQYVQSPRFNSYPRNLLLTWRLLH SQENTRIQLVFDNQFGL

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
33	772	59	713	PFKKMTDLLRSVVTVIDVFYKYTKQDGECSGLSKGELKELLEK ELHPVLKPNPDDPDPTVDVIMHMLDRDHDRRLDFTEFLMIFKLT MACNKVLSKEYCKASGSKKHRRGHRHQEESETEDEEDTPGH KSGYRHSSWSSEGEHGYSSGHSRGTVKCRHGSNSRRLGRQGNL SSSGNQEGSQKRYHRSSCGHSWSGGKDRHGSSSVELRERINKS HIK
34	773	209	601	VPKISGPDHIDFIPWDQLFMASSSSVTEFLVLGFSLSLGEQLVL LFAVFLCLYLIILSGNIIIIISVIHLDHSLHTPMYFFLGILSIS EIFYTTVILPKMLINLFSVFRTLSFVSCATQMFYEVGPQTQE R
35	774	373	987	DHSTETPGIPAAEPVSHGTGKLERAPTLPAGAEPPAPAAVPCP TL*VC/LYPQLLGLSVATMVTLTLYFGAHFAVIRRASLEKNPYQ AVHQWGTQQRLLIQHPESGSEGQSLGLPLRAFSAGLSLVGLLTL GAVLSAAATVREAQGLMAGGFLCFLAFCAQVQVFWRLHSPT QVEDAMLDTYDLVVEQAMKGTSHVRRQELAAIQ
36	775	102	466	QPGYSEYDKNRGQGMMLNMMCGRQLSAISLCLAVTFAPLFNAQ ADEPEVIPGDSPPVAVSEQGEALPQAQATAIMAGIQPLPEGAAE KARTQIESQLPAGYKPVYLNQLQLLYAARGISCSV
37	776	2	430	RTRAADVVFSLTGKSRNVSSSTVRRSAVGGMSALALFDLLKP NYALATQVEFTDPEIVAIEYITYPSPNGHGEVRYLVKPAKMSG KTPAVVVVHENRGLNPYIEDVARRVAKAGYIALAPDGLSSVGG YPGNDIKVVSAAA
38	777	106	556	VKQRHGNLSLLTTETKCI SCRLGVPLSPQRRFQAIRIEEVKLRW FAFLIVLLAGCSSKHDTNPPWNAKVPVQRAMQWMPISQKAGA AWGVDPQLITAI IAIESGGNPNAVSKSNAIGLMQLKASTSGRD VYRRMGWSGEPTTSELKNSSR
39	778	3	892	HAAGIRHEAKPKRSFYAARDLYKYRHQYPNFKDIRYQNDLSNL RFYKNKIPFKPDGVYIEEVLSKWKG DYKLEHNHTYIQWLFPL REQGLNFYAKELTTYEIEEFKKTKEAIRRFLAYKMLEFFGI KLTDKTGNVARAVNWQERFQHLNESQHNYLRITRILKSLGELG YESFKSPLVKFILHEALVENTIPNIKQSALEYFVYTIRDRRER RKLLRFAQKHYPSENFIWGPPRKEQSEGSKAQKMSSPLASSH NSQTSMHKKAKDSKNSSSAVHLNSKTAEDKKVAPKEPV
40	779	123	395	ELQVFQPIGMSDSGSQLGSMGSLTMKSQLQITVISAKLKENK KNWFGPSPYVEVTVDGQSKKTEKCNNTNSPKWKQPLTVIVTPV SKLH
41	780	173	438	IETLSFVIRNWNTHAMSKPIVMERGVKYRDADKMALIPVKNAV TEREALLRKPEWMKIKLPADSTRIQGIKAAMRKNGLHSVCEEAS C
42	781	287	393	PRMVLGKPQTDPTLEWFLSHCHTHKYPSTLIPQ
43	782	119	556	GLRISVQERIKACFTESIQTQIAAAEALPDAISRAAMTLVQSL LNKILCCGNGTSAANAQHFASMINRFETERPSLPAIALNT DNVVLTAIANDRLHDEVYAKQVRALGHAGDVLLAISTRGNSRD IVKAVEAAVTRDTTIV

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
44	783	248	554	KQTQHAPGMMKKYLALALIALPLLLISCSTTKKGDYNEAWVKDT NGFDILMGQFAHNIENIWGFKEVVIAGPKDYVKYTDQYQTRSH INFDDGTITIEPIPGT
45	784	77	311	TDRTALNPGQESAMNRLFSGRSDMPFALLLLAPSLLLLGLLVA WPMVSNIEISFLRLPLNPNIESTFVGVSNYVRILS
46	785	184	627	KELVDEKSERGRAMDPVSQLASAGTFRVLKEPLAFLRALELLF AIFAFATCGGYSGGLRLSVCVNKTESNLSIDIAFAYPFRHLHQ VTFEVPTCEGKERQKLALIGDSSSSAEFFVTAVFAFLYSLAA TGRYIFFHNKNRENNRGPL
47	786	3	742	LGTVSYGADTMDIEIQSHVRDSYSQMQSQAGGNNTGSTPLRKAQ SSAPKVRKSVSSRIHEAVKAIIVLCHNVTPVYESRAGVTEETEF AEADQDFSDENRTYQASSPDEVALVQWTESVGLTLVSRDLTSM QLKTPSGQVLSFCILQLFPFTSESKRMGVIVRDESTAEITFYM KGADVAMSPIVQYNDWLEEECGNMAREGLRTLIVVAKKALTEEQ YQDFEVSRLPGIPSSYDGAFLTLKLVLVPVFV
48	787	864	335	EGPHR\RLFQMVKA/LQEAPEDPNQILIGYSRGLVVIWDLQGS RVLYHFLSSQQLENIWWQRDGRLLVSDGSGYCQW\PVSSEA QQPEPLRSLVPYGPFPCKAITRILWLTTRQGLPFTIFQGGMPR ASYGDRHCISVIHDGQQTAFDFTSRVIGFTVLTEADPAASRRA SGVGAQG
49	788	410	951	KQGLEVRDLHFKEITSGRALLRVACKRPSMVPGGQLQRAGAGA QARITGLSPALWGARVHGWIPELPAGLPPGACLWPLIPACPSR HWGWVSAPVKG/WAQAILGLALCL/RGEHRGLGAGVSKVRSRK MDRKVWTETLIEVGMPLLATDTWGLPHSTAVWVSQPPPYLSDH STLELERDPL
50	789	1	437	LSCNSEQALLSLVPVQRELLRRRYQSSPAKPDSSFYKGLGTCP SQLRLSEPPPTPRHLSVASVSHHMFPSHRSLCPHLPDFFAAPP PSDNLPTYTLQSPFPSPPPATPSDHALILHH\DLNGGPDDPLQQ TGQLFGGLVRDIRRRYP
51	790	1	198	SPSSKLVGMWWAGRAGSSRTTSVSLCLP/SAPFGASNLLVNP LEPQNADKIKIKIADLGNACWV
52	791	3	435	RVDPRVRAPRCGDKIKNHMY\KCDGSLKDCASDRCCETSCTL SLGSVCNTGLCCHKCKYAAPGVVCRDLGGICDLPEYCDGKKEE CPNDIYIQDGTPCSASVVCIRGNCSDRDMQCQALFGYQVKDGS PACYRKLNRIGNRFGT
53	792	1	728	PGRPTRPDASLAQ/DPRTTMFRIPEFKWSPMHQRLTLTDLFAL ETDVHVWRS\HSTKSVMDFVNSNENIIFVHNTIHLISQMVNDNI IIACGGILPLLSAATSPTGSKTELENIEVTQGMSAETAVTFLS RLMAMVDVLVFASSLNFSEIEAEKNMSSGGLMRQCLKLVCVA VRNCLECRQRQDRGNKSSHGSSKQPQEVQSVTATAASKTPLE NVPGNLSPIKDPDRLLQDVIDINRLRAVVF

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
54	793	2230	990	NSSGVKLLQALGLSPGNGKDHSILHSRNDLEEAFIHFMGKGAA AERFFSDKETFFHDIAQVASEFPGAQHYVGGNAALIGQKFAANS DLKVLCCGPVGPKLHELDDNVFVPPESLQEVDEFHLILEYQA GEEWGQLKAPHANRFIFSHDLSNGAMNMLEVFVSSLEEFQPD GGLSGLHMMEGQSKELQRKRLLEVVTISIDIPTGIPV\HLELG \SMTNRELMSSIV\LQQVFPVAVTSLGLNEQELFLFTQSASGPH SSLSSWNGVPDVGVMVSDILFWILKEHGRSKSRASDLTRIFHT LVYHILATVDGHWANQLAAVAAGARVAGTQACATETIDTSRVS LRAPQEFMTSHSEAGSRIVLNPKNKPVVEWHREGISFHFTPVLV CKDPIRTVGLGDAISAEGLFYSEVHPHY
55	794	249	3	DDSSGWGLEQLVVRWSLALWPRLECSGMISAHCNLC/LGSSD SPASAPRVAGITDVCHHAWLVFVFLVVMGFPVHVGLELL
56	795	2	1176	LGEVLKCCQGVSSSLAFALAFLOQMDMKPLVVLGLPAPTAPSGC LSFWEAKAQLAKSCKVLVDALRHNAAAVFPFGGGSVLRAAEP APHASYGGIVSVETDLLQWCLESISIPILCPIGETAARRSVLL DSLEVTASLAKALRP TKIIFLNNTGGLRDSSHKVLSNVNLPAD LDLVCNAEWVSTKERQQMRLIVDVLRLPHHSSAVITAASTLL TELF SNKSGT LFKNAERMLRVRSLDKLDQGRVLVDLVNASFGK KLRDDYLASLRPRLHSIYVSEGYNAAAILTMEPVLGTPYLDK FVSSSRQGGSGQMLWECLRRDLQTLFWRSRVTNPINPWYFK HSDGSFSNKQWIFFWGLADIRDSYELVNHAKGLPDSFHKPAS DPGS
57	796	755	374	YHAPALQPGQSKTSLSQEKKNFPRGAVAHTCNPSTLGGRGGR ITRSGDRDHPG*HGETPSLLKIQKLAGRDGGRL*SQLLGRLR QENGVNPPGGGCSEPRLRHCTPAW*QSETISRKKRKKERKY
58	797	2	476	FRPIGIIRQALCSADGHQRRILTLRLGLLVIPFLPASNLFFRV GFVVPVSGCCVMLLFGFG/ALRKHTEKKKLIAAVVLGILLS/N DAERLRCAVRGGGEWRSE/EAVFRGAVSVCPLSAEVRNIGRNL AAKGNQTGAIRYHREAVSLNPKTKSSTREFRPC
59	798	3	711	KIADFGFSNLFTPGQLLKTWCGSPPYAAPELFEGKEYDGPVKD IWSLGVVLYVLVCGALPFDGSTLQNLRARVLSGKFRIPFFMST ECEHLIRHMLVLDPNKRLSMEQICKHKWMKLGADPNFDRLIA ECQQLKEERQVDPLNEDVLLAMEDMGLDKEQTLQSLRSDAYDH YSAIYSLLCDRHKRHKTTLRLGALPSMPRALGLSSTSQYP\AEQ AGTAMNISVPQVQLINPENQIV
60	799	2	344	AREFLGHRASITWS*ARVHHRFPKAEVA*P/SLLRDTLTEDRT KCCHGDLLCADDRLVEDIWENQDSISTILIECCEKPLLEK SHCIAEVENDEMPADLP SLADFVESKDV



SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
61	800	142	594	VPPKMKRGTSLSHRRGKPEAPKGSPPQINRKSGQEMTAVMQSGR PRSSSTTDAPTGSAMMEIACAAAAAAACLPGEEGTAEIRLER EVSSLAQTSSAVASSTDGSIHTDSVDGTPDPQRTKAAIAHLQQ KILKLTQIKIAQTARRNRRPGS*KDCTP*KCLRKSDEALNRV LQQI\RVPPKMKRGTSLSHRRGKPEAPKGSPPQINRKSGQEMTA VMQSGRPRSSSTTDAPTGSAMMEIACAAAAAAACLPGEEGTAE RIERLEEVSSLAQTSSAVASSTDGSIHTDSVDGTPDPQRTKAA IAHLOQKILKLTQIKIAQTARRNRRPG
62	801	232	1299	MQTIERLVKERDDLMSALVSVRSSLADTQOREASAYEQVKQVL QISEEANFEKTKALIQCDQLRKELERQAERLEKELASQQEKRA IEKDMMKKEITKEREYMGSKMLILSQNIAQLEAQVEKVTKEKI SAINQLEEIQSQLASREMDVTKVCGEMRYQLNKTNMEKDEAEK EHREFRAKTNRDLEIKDQEIETKLRIELDESKQHLEQEQQKAAL AREECLRLTELLGESEHQLHLTRQEKDSIQQSFSKEAKAQAALQ AQOREQELTQKIQQMEAQHDKTENEQYLLLLTSQNTFLTKLKEE CCTLAKKLEQISQKTRSEIAQLSQEKRYTYDKLGKLQRRNEEL EEQCVQHGRST*
63	802	3	334	SYPVWVNSPLTAEVPPPELLAAAGFFHTGHQDKVRCFFCYGGLQ SWKRGDDPWTEHAKWFPSCQFLLRSKGRDFVHSVQETHSQLLG SWDPWEEPEDAAPVAPSVPASGYPELPTPRREVQSESAQEPGG VSPAQAQRAWVLEPPGARDVEAQLRRLQEERTCKVCLDRAVS IVFVPCGHLVC\AECAPGLQLCPI\CRSPCGPLRPLWVP
64	803	70	456	MCSYREKKAEPQELLQLDGYTVDYTDPPQGLEGGRAFFNAVKE GDTVIFASDDEQDRILWVQAMYRATGQSHKVPVPTQVQKLNK GGNVPQLDAPISQFYADRAQKHGMDEFISSNPCNFDHASLFEM *
65	804	2	1376	KQLIVLGNKVDLLPQDAPGYRQRLRERLWEDCARAGLLAPGH QGPQRPVKDEPDQGENPNPNWSRTVVRDVRILISAKTGYGVEE LISALQRSWRYRGDVYLVGATNAGKSTLFNTLLESDYCTAKGS EADIRATISPPWPGTTLNLLKFPICNPTPYRMFKRHQRLKDDST QAEEDLSEQEQNLNVLKKHGYVVGVRGRTFLYSEEQKDNIPF EFDADSLAFDMENDPVMGTHKSTKQVELTAQDVKDAHWFYDTP GITKENCILNLLTEKEVNIVLPTQSIVPRTFVLKPGMVFLGA IGRIDFLQGNQSAWFTVVASNILPVHITSIDRADALYQKHAGH TLLQIPMGGKERMAGFPPLVAEDIMLKEGLGASEAVADIKFSS AGWVSVTPNFKDRHLHRYGTPEGTVLTVRPPLLPYIVNIKGQR IKKSVAYKTKKPPSLMYNVRKKKGKINV
66	805	1	874	STVASMMHRQETVECLRKFNARRKLKGAILTMTLVSRNFSAAK SLLNKKSDGGVKPQSNKNLSVSPAQEPAPLQTAMEPQTTVVH NATDGIGKSTESCNTTTEDEDLKAAPLRTGNGSSVPEGRSSRD RTAPSAGMQPQPSLCSSAMRKQEI IKITEQLIEAINNGDFEAY TKICDPGLTSFEPEALGNLVEGMDFKFYFENLLSKNSKPIHT TILNPHVHVIGEDAACIAYIRLTQYIDGQGRPSNPAKSEE\TR VWH\RR\DGKWLNVHYHCSGAPCPHRCSELSHRGF

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
67	806	3	1714	LPKNVVFVLDSSASMVGTKLRQTKDALFTILHDLRPQDRFSII GFSNRKIVVKDHLISVTPDSIRDGVYIHMSPTGGTDINGAL QRAIRLLNKYVAHSGIGDRRVSLIVFLTDGKPTVGETHTLKIL NNTREAAARGQVCIFTIGIGNDVDFRLEKLSLENCGLTRRVHE EEDAGSQLIGFYDEIRTPLLSDIRIDYPPSSVVQATKTLFPNY FNGSEII IAGKLVDKLDHLHVEVTASNSKKFIILKTDVPRP QKAGKDVGTGSPRPGDGEGDTNHIERLWSYLTTKELLSSWLQS DDEPEKERLRQRAQALAVSYRFLTPFTSMKLRGPVPRMDGLEE AHGMSAAMGPPEPVVQSVRGAGTQPGPLLKKPYQPRIKISKTSV DGDPHFVDFPLSRLTVCFNIDGQPGDILRLVSDHRDSGVTVN GELIGAPAPPNGHKKQRTYLRITITILINKPERSYLEITPSRVI LDGGDRLVLPNCNQSVVVGSWGLEVSANANVTVTIQGSIAFV ILIHLYKKPAPFQRHHLGFYIANSEGLSSNCRVFCESGILIQE LTQQSVAVAGR
68	807	2	841	FFLEQVSQYTFAMCSYREKKSEPQELMQLEGYTVDYTDPHPGL QGGCMFFNAVKEGDTVIFASDDEQDRILWVQAMYRATGQSYKP VPAIQTKLNPKGGLHADAQLYADRFQKHGMDEFISANPCKL DHAFLFRILQRQTLDRHLNDSYSCLGWFS PGQVFVLDEYCARY GVRGCHRHLCYLAELMEHSENGAVIDPTLLHYSFAFCAS\HVF GNRPDGI GTVSVEEKERFEEIKERLSSILENQISHFRYCFPG RPEGALKATLSLLERVLMKDIA
69	808	2	757	DGLLHEVLNGLLDRPDWEEAVKMPVGILPCGSGNALAGAVNQH GGFEPALGLDLLNCSILLCRGGGHPDLLSVTLASGSRCSF LSVANGFVSDVDIQSERFRALGSARFTLGTVLGLATLHTYRGR LSYLPATVEPASPTPAHSLPRAKSELTLTPDPAPPMASPLHR SVSDLPLPLPQALASPGSPEPLPILSLNGGGPELAGDWGGAG DAPLSPDPQLSSPPGSPKAALHSPV*KKAPVIPPDM
70	809	3	530	KGVP TLLMAAGSFYDILAITGFNTCLGIAFSTGSTVFNVLRGV LEVVGIVATGSVLGFYFIQYFPSRDQDKLVCKRTFLVLGLSVLA VFSSVHFGPGSGGLCTLVMAFLAGMGWTSEKAEVEKIIAVAW DIFQPLLFLGLIG\AEVSI\SSLRPETVGLCVATVGI\AVLIRI FDYIF
71	810	228	541	LLKEVVVQASPVCKTCCSQLVTRTPVTFTEVQNV/CRCSAGYLI SVCSYTSSDHNQCYAGTASLALLWIGGILKGCLLWKQFRWTER SHWNFGYWALWSPGNGNGC
72	811	173	404	ICTSTYLQIFPGKPSCFMCKGRLMCIYFILWYLGHYTSLHWNW CRYISDPNVD/ACPDPRNAEVSMTHTVPALMELID
73	812	2	586	LES LPGAKEIVSRGVKVDYLTDPFPLSYPNYYTLMTGRHCEV HQMIGNYMWDP TTNKSF DIGVNKDSLMLPLWNGSEPLWVTLTK AKRKVYMYYPGCEVEILGVRPTYCLEYKNVPTDINFANAVSD ALDSFKSGRADLAAIYHERIDVEGHYGPASPQRKDALKAVD TVLKYMTKWIQERGLQDRLNVII

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
89	828	1	535	INLGNTCYMNSVI*ALFMATDFRRQVLSLNLNGCNSLMKKLQH LFAFLAHTQREAYAPRIFFEASRPPWFTPRSQQDCSEYLRFLLDRLHHEEKILKVQASHKPSEILECSETSLQEVASKAAVLTETPRTSDGEKTLIEKMFGGKLRTHIRCLNCTSTSQKVEAFTDLSLAFWPSSS
90	829	1	434	ARDDPRVRLSLSPNFF*LASKLGKQWTPLIILANSLSGTNMG
91	830	3	782	MHRIKLNDRMTPPEELDMSTFIDVEDEKSPQTESCTDSGAENEGSCHSDQMSNDFSNDGVDGICLETNSGTEKISKSGLEKNSLIYELFSVMVHSGSAAGGHYACIKSFSDEQWYSFNDQHVSRITQEDIKKTGGSSSGRGYSSAFASSTNAYMLIYRLKDPARNAKFLEVDEYPEHIKNLVQKERELEEQEKQRQREIERNTCKIKLFLCHPTKQVMED*IEVHKDKTLKEAVEMAYKMDLEEVIPLDCCRL
92	831	2	604	SVMPVPALCLLWALAMVTRPASAAPMGGPELAQHEELTLLFHGTLLQLGQALNGVYRTTEGRLTKARNSLGLYGRITIELLGQEVSRGRDAAQELRASLLETQMEEDILQLQAEATAEVLGEVAQAQKVLRRDSVQRLEVLRSALWGPAYREFEVLKAHADKQSHILWALTGHVQRQRREMAQQHRLRQIQERLHTAALPA
93	832	16	690	ITSVDPRVRGNASTGYGKIWLDDVSCDGDSDLWSCRN SGWGNDCSHSEVDGVICSDASDMELRLVGGSSRCAGKVEVNVQGA VILCANGWGMNIAEVVCRQLECGSAIRVSREPHFTERTLHILMSNSGCAGGEASLWDCIRWEWKQTACHLNMEASLICS AHRQPRLVGADMPCSGRVEVKHAHTWRSVCSDSDFSLHAANVLCRELNCGDAISLSVGDHFG
94	833	108	727	SNYPSSRFRVAGITGVKLGMRSIPIATACTIYHKFFCETNLDA YDPYLIAMSSIIYLAGKVEEQHLRTRDIINVS NRYFNP SGEPLELDSRFWELRDSIVQCELLMLRVLR FQVS FQHPHYLLHYLVSLQNWLNRHSWQRTPVAVTAWALLRDSYHGALCLRFQAQHI AVAVLYLALQVYGVVEVPAEVEA/DEAVGWQIYAMDTEIP
95	834	118	376	RGSRHAVHGWAFGLLFINKESVMAYLFTTFNAFQGVFI FV FHCALQKKVRSRRGPGSQPPLETFPGYPGEGGEGGDS GAPSSPQ
96	835	3	333	ARKDDLPPNMRFHEEKRLDFEWTLKAG*EKG*PSK*NGWEGQ E***TVRD*GIS**VKPQHLS*\ALQMALKRVYTLTSSWNCLEDFDQIFWGQKSALAGQWFPEVSIIP
97	836	740	951	GKQORETLRPSPTISVQRAGSPEHSSASH*HSPCPAPGQRVLP TALCTLMTSKHFHGCPLAGQGRAVTL

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
98	837	81	1503	GVCGLPRFCGSIILCHYEMSSLGASFVQIKFDDLQFFENC GGG SFGSVYRAKWISQDKEVAVKLLKIEKEA ILSVLSHRNIIQF YGVILEPPNYGIVTEYASLGSLYDYINSNRSEMDMDHIMTWA TDVAKGMHYLHMEAPVKVIHRDLKSRNVVIAADGVLKICDFGA SRFHNHTTHMSLVGTFPWWMAPEVIQSLPVSETCDTYSYGVVLW EMLTREVPFPGLEGLQVAWLVEKNERLTIPSSCPRSFAELLH QCWEADAKKRPSFKQIIISILESMSNDTSLPDKCNSFLHNKAEW RCEIEATLERLKKLERDLSFKEQELKERERRLKMWEQKLTEQS NTPLLLPLAARMSEESYFESKTEESNSAEMSCQITATSNGEGH GMNPSLQAMMLMGFGDIFSMNKAGAVMHSGMQINMQAKQNSSK TTSKRGRGKVNMA LGFSDFDLSEGDDDDDDGEEYNDMDNSE
99	838	185	328	MLWETGCSAACRVTVSPTVTFATFSTRGIDAMRPGPSFLWRQQ LSQG*
100	839	1	348	PTLGDQPDLSHITRASRPKLCTRKNCNPLTITVHDPNSTQ*YY GMSWELRFYIPGFDVGTMTIQKILVSWSPPKPIGPLTDLGDP MFQKPPNKVDLTVPFPFLVIKDTLQKFEKI
101	840	1	416	SLNNVTLPQAKTEKDFIQLCTPGVIKQEKLGTVYQASSPGAN MIGNKMSAISVHGVSTSGGQMYHYDMNTASLSQ* DQKPIFNV IPPIPVGS ENWNR CQSGGDDNLTSLGTLNFPGRTVSFSFEMES RSV AQAGVQ
102	841	105	354	RHTQECRCPTHITHTHSHTHSHTHSHSHSHSTTPRCSTQPP HAQAPALC*S*EDRGQPTWKLCAHRPRLKVIKEGWLGG
103	842	171	347	NYLSVVLVRQLTAGTLLQKLRAKGIRNPDHSRALSE*HLSSL PHLIWIQVFLALQPS
104	843	2	690	ATYIVDFGFSTTFREGQMLTAFCGMYPYVAPERSLGQACQ*PA RDIQSLSVILYFRNTVGRRTLPFYS/ AEASKLQEKILTGRY HAPPLALQLDSL/IKLLMLNARKCPSL*LMKNPWWKSSQKMP LIPYEEPL/RGPPQTIQLMVAMGFQAKNISVAIERKFNYPMA TYLILEHTKQERKCS TIRELSLPPGVPTSPSPSTELSTFP LSL MRAHREP AFNVQPPEESQ
105	844	2	777	AKQELAKLMRIEDPSLLNSRVLLHHAAGTIIARQGDQDVSLH FVLWGCLHVYQRMIDKAEDVCLFVAQPGELVGQLAVLTGEPLI FTLRAQRDCTFLRISKSDFYEMRAQPSVVLAAHTVAARMSF FVRQMDFAIDWTAVEAGRALYRCSSHRAAQARPRGGDLGVVRP C*PPRPLRQGRSDCTYIVLNGRLRSVIQRGSGKKELVGEYGR GD LIGVVSATPTH*PLAFSRPVPRQLTRIIPGNPGSGEVFPGA
106	845	3	709	HASGWTPTGTTQTLGQGTAWDTVASTPGTSETTASAEGRRTPGA TRPAAPGTGSWAEGSVKAPAPIPESPPSKSRMSNTTEGVWEG TRSSVTNRARASKDRREMTTTKADRPREDIEGVRIALDAKKV LGTIGPPALVSETLAWELPQATPVSKQSQSGSIGETTPAAGM WTLGTPAADVWILGTPAADVWTSMEAASGEGSAAGDLDAATGD RGPQATLSQTPAV*PWGPPG

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
107	846	3	406	AGTSGTGDGTGPGNTAVSGTPVVSFGATPGAPGSSTPGEADIGN TSFGKSGTPTVSAASTTSSPVSKHTDAASATAVTISGSKPGTP GTPGGATSGGKITPGIA*PTLDQKSPCFSGYGGYFPVNPQN CADSL
108	847	1	565	RAHRCCLPLPSLSCEIQIGFS*SSIFPGQ*ACPCSCCRSCRRN WPQSPRCPHPPAPCSLLLSSCLPPPLSCSWRGTSKGPPSQSP AASRSMRPRCSPTSSLRGASCRGPGGSAPAAASGPRCRGCSR SPRRCSRSGCCAAASPPRSQRRSPPLSPPPFPSTGTLLLKTSRF GSATRE*SSPRPRPRP
109	848	2	987	DDVPPPAPDLYDVPPGLRRPGPGTLYDVPRERVLPEVADGGV VDSGVYAVPPPAEREAPAEGKRLSASSTGSTRSSQSASSLEVA GPGREPLELEVAVEALARLQQGVSAVAHLLDLGASAGATGSW RSPSEPQEPVQDLQAAVAVQSAVHELLEFARSavgNAAHTS DRALHAKLSRQLQKMEDVHQTLVAHQALDAGRGGSGATLEDL DRLVACSRAPVEDAKQLASFLHGNASLLFRRTKATAPGPEGGG TLHPNPTDKTSSIQSRPLPSPPKFTSQDSPDGQYENSEGGWME DYDYVHLTGGRRSF*KTQKELLGKRAA
110	849	84	372	MATDEENVYGLEENAQSRQESTRRLTLVGRGTGAGKSATGNSIL GQRRFFSRLGATSVTRACTTGSRWDKCHVEVDTPDIFSSQV SKTDPGCEERX*
111	850	2	47	TLGLRSLTKEGGGGGDVAAFEVGTGAAASRALGQCGQLQKLIV IFIGSLCGLCTKCAVSNDLTQEQIQTPEIQQRNA*CDSRVFTT NEGGRWWG
112	851	1192	1040	FFFLVETRFFHHIGQAGLELLTSLIK*SARLGLPKCWDDRREPP YLAGFMI
113	852	791	362	RRSPPPPAPPPLPSPLSPPPPRAPVSPASTMPILLFLIDTSASMN QRSHLGTTYLDTAKGAVETFMKLRRDPASRGDRYMLVTFEEP PYAIKAGWKENHATFMNELKNLQAEGLTTLGQSLRTAFDLLNL NRLVTGIDNYGQVG
114	853	812	348	NCRTYVFCFVLVFRLLFLHGSPLSPSLLSRAGLLCGSAENPTP FLCGITMAAGVSLALVVRVILSTAILCPSGASRRQRSSEVEW GTDSGVYRLYCWRVGFGLPGGELRLGLSEARGGRVWGRGEKRC RVWAVRSLRKGFSGVAALRRGIWAG
115	854	93	170	VTPTPPQYYTCSCVLGFIACSI FLQMSLKPVMLLTVALVACL VLENLSCQWQRDCCSQGLGNLTPEPSGTNR*GPAAVSWASLPAP SSCR
116	855	1	183	GKAGGAAGLFAKQVQKKFSRAQEK*TRRFGKTCQPEERAREER QEGPEIEFGFSFFSLSLY

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
117	856	53	2400	PKRLFLFQDVNTLQGGGQPVVTPSVQPSLQPAHPALPQMSTQA PQPSVTGLQAPSAALMQVSSLDHSAVSGNAQSFQPYAGMQAY AYPQASAVTSQLQPVRLYPAPLSQPPHFQSGDMASFLMTEA RQHNTEIRMAVSKVADKMDHLMTKVEELQKHSAGNSMLIPSMS VTMETSMIMSNIQRIIQENERLKQEI LEKSNRIEEQNDKISEL IERNQRYVEQSNLMMEKRNNSLQTATENTQARVLHAEQEKAV TEELAAATAQVSHLQKMTAHQKKETELQMLTESLKETDLLR GQLTKVQAKLSELQETSEQAQSKFKSEKQNRKQLELKVTSLEE ELTDLRVEKESLEKNLSEKSKSAQERSQAEEIDEIRKSYQE ELDKLRQLLKKTRVSTDQAAAEQLSLVQAEQTQWEAKCEHLL ASAKDEHLQQQYQEVCAQRDAYQQKLVLQLEKSVCF\CLALQA QITALTQNEQHIKELEKNKSQMSGVEAAASDPSEKVKKIMNQ VFQSLRREFELEESYNGRTILGTIMNTIKMVTLLQLLNQEQEK EESSEEEEEKAEERPRRPSQEQSASASSGQPAPLNRERPES PMVPSEQVVEEAVPLPPQALTTSQDGHRRKGDSEAEALSEIKD GSLPPELSCIPSHRVLGPPTSIPPEPLGPVSMDECEESLAAS PMAAK\PDNPSGK\VCVQKG*APDGPTYKE\SSTRLFPGFQDP E\EGDPLALGLE\SPG\EPQPPQLQKQVDVH*VPPVPHKGAFO EQEGRFPQFCRE
118	857	1	791	SETAQQIIDRLRVKLAKKEPGANLFLMAVQDIRVGGRRQSNASYQ YTLSDDLAALREWEKPKIRKKLATLPELADVNSDQDNGAEMN LVYDRDRTMARLGIDVQAANSLNNAFGQRQISTIIYQPMNQYKV VMEVDPRYTQDISALEKMFVINNEGKAIPLSYFAKWQAPANAPL SVNHQGLSAALTISFNLP TGKSLSDASAAIDRAMSOLGVPSTV RGSFAGPAQVFQETMNSQVILIIAAIATVYIVLGIPYERYVHP PTILL*RPGANLFLMAVQDIRVGGRRQSNASYQYTLSDDLAAL REWEKPKIRKKLATLPELADVNSDQDNGAEMNLVYDRDRTMARL GIDVQAANSLNNAFGQRQISTIIYQPMNQYKVMEVDPRYTQD ISALEKMFVINNEGKAIPLSYFAKWQAPANAPLSVNHQGLSAAL TISFNLP TGKSLSDASAAIDRAMSOLGVPSTVRGSFAGPAQVF QETMNSQVILIIAAIATVYIVLGIPYERYVHPPTILL
119	858	3	417	IITPDAMGCQKDIAEKIQKGGDYLFVAVKGNQGRNLKAFEEKF PLKELNNPEHDSYAISEKSHGRBEIRLHIVCDVPDELIDFTFE WKGLKKLCVAVSFRSIIAEQKKEPEMTVRYNIS*LGIAGDISV TAISGTD
120	859	2	373	HYLKMLTQARREVIIANAYFFPGYRFLHALRKAARRGVRIKLI IQGEPMPIVRVGARLLYNLVKGGVQVFEYRRRPLHGKVALM DDHWATVGSSNLHPVS*SGNLQANVILHVLRVPTLNP
121	860	286	495	CWSKSAAFHSKLATTCIVPVCAGHCSAAW*SLRPTEALAKEV RELK*HTR*LLNPATTRELTSLGRNLNRLKSERERYDKYRTT LTDLTHSLKTPLAVLQSTLRLRSEKMSVSDAEPVMLEQISRI SQQIGYYLHRASMRGGTLLSREIHPVAPLLDNLTALIKGKPR KGGNVTVFPPTAMYRDGH

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
122	861	2	725	GNTVMFQHLMQKRKHTQWTYGPLTSTLYDLTEIDSSGDEQSLLELIITTKKREARQILDQTPVKELVSLKWKRYGRPYFCMLGAIYLLYIICFTMCCIVRPLKPRNTNRTSPRDNLTLLQKLLQEA YMT PKDDIRLVGELVTVIGAI IILLVEVPDIFRMGVTRFFGQTILG GPFHVLIIITYAFMVLVTMVMRLISASGEVVPMSFALVLGWCNV MYFARGFQMLGPFTIMI QKMI FGDLM
123	862	1	135	EKAAAANIDEVQKSDVSSTGQGVIDKDALGPMMLVAHLHFSAVF
124	863	2	364	LEV PSEVTPLGFAMQATKTL LRLTCCLOEFNIMEKNKGWALLG GKDGHLQGLFLLANALLERNQLLAQKVMYLLVPLLN RGN DKHK LTSAGFFVELLRSPVAKRLPSIYSVARFKDWLQD
125	864	1	374	RPAPAPSAAP EEPSP\GVKGRGMAKRRVPAPVWGGAGGGTKSARRAAAA PDTERSEEGRAVKEAYPSSRQPPPPSP*PLRCARRCHPNLAPSMPI SNREGKGRREEKIRPLSPASTHTSARA
126	865	3	364	LQGVHGSSSTFCSSLSDDFDPLEYCS PKGDPQRVDMQPSVTSR PRSLDSEVPTGETQVSSHVYHRHRHHYKRFQRHGRKPGPE TGVPQSRPPIPRTPQPEPPSPDQOVTRSNSAAP
127	866	2	250	MADPDPRYPRSSIEDDFNYGSSEASDTVHIRMAFLRRVYSILSLQDLLATVTSTDNLAFEDGRDWDLQRPDCVSFKIHVLP M
128	867	194	375	AGMSVVVPPPIGSSYLGLISQEHFPNEFTSGDGKKAHQDFGYFYGSSYVAASDSSRTPGL
129	868	104	339	VAAALTLFPQQLSPPGAWGLGLSACFCCAEGFSRLNQVLSSSLLLRSRTNCPCKYSFLDNLKKLTPRRDVPYTPKVR
130	869	2	360	RDDACLYSPASAPEVITVGATNAQDQPVTLGTLGTFNGRCVDLFAPGEDII GASSDCSTCFVSQSGTSQAAAHVAGIAAMMLSAEP ELTLAELRQRLIHFSADVINEAWFPEDQRVLT
131	870	2	105	LEIKFLEQVDQFYDDNFPMEIRHLLAQWIENQDW
132	871	2	466	EAGDADEDEADANSSDCEPEGPVEAEPPQEDSSSQSDSVEDRSEDEEDEHSEEEETSGSSASEESESSESEDAQSQSQADEEEEDDDFGVEYLLARDEEQSEADAGSGPPTPGPTTLGPKKEITDIAA AAESLQPKGYTLATTQVKTPIPLLL
133	872	1	354	LKNLREILLLEDNQLPQIPSGLPESLTLSLIQTNIYNITKEGISRLINLKNLYLAWNCYFNKVCEKTNIEDGVFETLTNLELLSLSFNSLSHVPPKLPSSLRKLFLSNTQIKYISEED
134	873	59	184	MRSQALGQSAPSLTASLKELSLPRRGSFPVCPNAGRTSP LG*
135	874	1	210	LLCVCLPVGACPSLSLLTAPLNQLMRCLRKYQSRTPSPLLHSVPSEIVDFEPGPVFRGSWALLSWSTRP
136	875	131	254	QTPDKKQNDQRNRKRKAEPYETSQGSNNFVSTKVLNSNVLR
137	876	84	504	YFI IKGMVELVPASDTLRKIQVEYGVGTGSFKDKPLAEWLRKYNPSEEEYEKASENFIYSCAGCCVATYVLGICDRHNDNIMLRSTGHMFHIDFGKFLGHAQMFGSFKRDRAPFVLTSDMAYVINGGEKPTIRFQLFVDL

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
138	877	3	215	PSPLPSLSLPPPVAPGGQESPSPHTAEEVESEASPPPARPLPGE ARLAPISEEGKPOLVGRF\QVTSSK\NRLSLFPCSQHPPLSLV LQNLQPLSSLQRAQIQRTV/PGGGPETREALAESDRAAEGGLGA GVEEGDDGKEPQVGGSPQPLSHSPVWMNYSYSSLCLSSSEES ESSGEDEEFWAELOSLRQKHLSEVETLQTLQKEIEDLYSRLG KQPPPGIVAPAAAMLSSRQRRLSKGSFPTSRNLSRSEPPGPG ETA/GHPASIFSLRPLSVDCFSPGPGGLPRGNRPPLPTSPFLT *CSPSPHTAEVESEASPPPARPLPGEARLAPISEEGKPOLVGR FPSDFIQGTG
139	878	1	337	RRFVSQETGNLYIAKVEKSDVGNVTCVVTNTVTNHKVLGPPTP LILRNDGVMGEYEPKIEVQFPETVPTAKGATVKLECFALGNPV PTIIWRRADGKPIARKARRHKS RVGK
140	879	72	917	MLRTCIVLCSQAGPRSRGWQSLSFDDGGAFLKGTGELTRALLV LRLCAWPLVTHGLLLQAWSRLLGSRLLSGAFLRASVYQGFVA GETAEVKGCVQQLRTLRLPLAVPTTEEPDSAAKSGEAWYE GNLGAMLRCDLSRGLLEPPSLAEASLMQLKVTALTSTRCKE LASWVRRPGASLELSPERLAEAMDSGQNLQVSCINAEQNQHLLR ASLSRLHRVAQYARAQHVRLLVDAEYTSLNPAISLLVAALAVR WNSPGEQGPWWNTYQACLKDTF*
141	880	219	308	PHHRIAGDTAIDKNIHQSVSEQIKKNFAK
142	881	182	317	QMTNPFFLCFTTMISNCNFFKGPFGPPGEGKDRGPTGESGPRG FP
143	882	177	341	NGIIASFLLRTFIFCFIHIQGCQAGQTIKVQVSFDLLSLMFTF VSPCTNDLIH
144	883	3	1441	KLSVNHRRTHLTCLMHTVEQATLRISQSFOKTTEFDNSTDIA LKVFFFDSDYNMKHIHPHMNMDGDIINIFPKRKAAYDSNGNVAV AFLYYKSIGPILLSNDNFKLPQNYDNSEEEERVISSVISVSM SSNPPTLYELEKITFTLSHRKVTDYRSLCAFWNYSPTMNGS WSSEGCELTYSNETHTSCRCNHLTHFAILMSSGPGSIGIKDINI LTRITQLGIIISLICLAICIFTFFWFSEIQSTRTTIHKNLCCS LFLAELVFLVGINTNTNKLFCSSIIAGLLHYFFLAFAWMCIEG IHLYLIVVGVIYKNGFLHKNFYIFGYLSPAVVVGFSALGYRY YGTTKVCWLSTENNFIWSFIGPACLIILVNLLAFGVIIYKVFR HTAGLKPEVSCFENIRSCARGALALLFLLGTTWIFGVLVHVA SVVTAYLFTVSNFAQGMFIFLFLCVLSRKIQEYYRLFKNVPC CFGCLR
145	884	1	429	GTREAAAPSRFMFLFLLTCELAEEVAEEVEKSSDGPAAQEPT WLTDPVPAAMEFIAATEVAVIGFFQDLEIPAVPILHSMVQKFPG VSFGISTDSEVLTHYNITGNTICLFRIVDNEQLNLEDEDIESI DATKLSRFIEINSL
146	885	1	156	DETSGLIVREVSIEISRQOVEELFGPEDYWCQCVAWSSAGTTK SRKAYVRIA
147	886	1	121	GTRSIHVKLDVGLHTQPKLAAQLRMVDDGSGKVEGLPGI



SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
148	887	128	652	XCGEDGSFTQVQCHTYTGVCWCVTPDGKPISGSSVQNKTPVCS GSVTDKPLSQGNSGRKDDGSKPTPTMETQPVFDGDEITAPTLW IKHLVIKDSKLNNTNIRNSEKVYSCDQERQSALEEAQQNPREG IVIPECAPGGLYKPVQCHQSTGYCWCVLVD TGRPLPGTSTRYV MPSX*
149	888	128	273	VLQLIKSQKFLNKLVLVETEKEKILRKEYVFADSKVSDSKLL KWA VR
150	889	1	948	RRLSLDLQLGLPLGRDPPQECSTFSPTDSGEEPGQLSPGVQFQ RRQNQRFSMEDVSKRLSLPMDIRLPQEFLLQKLQMESPDLPKP LSRMSRRASLSDIGFGKLETYVKLDKLGEGTYATVFKGRSKLT ENLVALKEIRLEHEEGAPCTAIREVSLKLNKLANIVTLHDLI HTDRSLTLVFYLDSDLKQYLDHCGNLSMHNKVRPRGQGP ILAATCPEAQCGDPLSPGIRLLRWLKP SHVGKRERAMPSTSP GTGLSALPQEQTHTVCHCLAVGIKPTLNSEHQFPLSNGSVSY LPKCREASGEARGYE
151	890	3	108	HERHEPSPTALAFGDHPVQPKQLSFKIIQVNDN
152	891	2	208	ARGPSLLSEFHPGSDRPQERRTSYEPHHPGSPVDHDSLESKR PRLEQASDSHYQGHITGESLPGRVH
153	892	1	116	GTRKEEFSAEENFLITEMATNHVQVLVEFTKKLPGIF
154	893	74	661	HTHKLVA PRPGLPPTSQWPRDAGRQASGGLPSLSTGPPKGP GLARGHPAEWLAGSPGNNSPTQGSLLPQLDLYAGALFVHICLG WNFYLSLITLGTALYTIAGMVPAAGRSTQGTCKGVRRPPPP TGPREQPRKWPQEPQKFLPVSLLPGARAPSSNLASTGRGP CNLHGRPADAHGGGGCHPDNQR
155	894	55	312	MVNHSIQETSEQNVILQHTLQQQQMLQOETIRNGELED TQTK LEKQVSKLEQELQKQRESSAEKLRKMEEKCEAAHEADLKRQK *
156	895	38	185	VCPKWCRFLTMLGHCCYFHWVWPAS*ALSAGPTPTSRFSFSP LRSIST
157	896	37	462	MRGPFVLLQAAPMECPVPQGI PAGSSPEPAPDPGPHFLRQE RSFECRMCGKAFKRSSTLSTHLLIHS DTRPYPCQFCGKRHFQK SDMKKHTYIHTGEKPHKCQTQREPTMVLSPADKTNVKAAXX*
158	897	3	175	HEQLTNNATATAPSATPVFGQVAASTAPSLFGQQTGITASTAVA TPQVISSRFINLDF
159	898	187	677	VSVFKNCMPY*ICIFLTKMFCVLII\*NKF*VHKRPLQEVEIA AITHGALQGLAYLHSHMTMIHRDIKAGNILLTEPGQVKLADFGS ASMASPANSFVGTPLYWMAPEVILAMDEGQYDGKVDVWSLGITC IELAERKPLFLNMNAMSALYHIAQNESPTLQSNW

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
160	899	2	1060	RHARPGGGGHSNQRKMSLEQEEETQPGRLLGRRDAVPAPFIEPN VRFWITERQSFIRRFLOWTELLDPTNVFISVESIENSQQLLCT NEDVSSPASADQRIQEAWKRSLATVHPDSSNLIPKLFRAAFL PFMAPTVFLSMTPLKGIKSVILPQVFLCAYMAAFNSINGNRSY TCKPLERSLLMAGAVASSTFLGVIPQFVQMKGILTGPIKRL PVIFLVQASGMNVMSRSLESIKGIAMDKEGNVLGHSRIAGT KAVRETLASRIVLFGTSALIPVFTYFFKRTQYFRKNPGSLWI LKLSCITLAMGLMVPFSSIFPQIGQIQYCSLEEKIQSPTEET EIFYHRGV
161	900	3	564	HASGRLEVFYNGTWGVSVGRNITTATAGIVCRQLGCGENGVS LAPLSKTGSGFMWDDIQCPKTHISIWQCLSAPWERRISSPAE ETWITCEDRIRVRGGDTECSGRVEIWHAGSWGTVCDSDWLAE AEVVCQQLGCGSALAALRDASFGQGTGTIWLDDMRCKGNESFL WDCHAKPWGQSDCG
162	901	1099	2	LGDFPQPQRQRRPGASDLPPHLAGARQWEVFRHRLPARTLPP SLRMPEGPELHLASQFVNEACRALVFGGCVKSSVSRNPEVPF ESSAYRISASARGKELRLILSPLPGAQPPQEPLALVFRFGMSG SFQLVPREELPRHAHLRFYTAPPGRALALCFVDIRRFGRWDLG GKWQPGRGPCVLQEYQQFRENVLRLADKAFDRPICEALLDQR FFNGIGNYLRAEILYRLKIPPFKARSVLEALQHRPSPELTL SQKIRTKLQNPDLLELCHSVKPEVVQLGGRGYGSESSEEDFAA FRAWLRCYGMPGMSSLQDRHGRTIWFQGDGPLAPKGRKSRKK KSKATQLSPEDRVEDALPPSK
163	902	3	335	LTWSACYWRDILRIQLWIAADILLRMLEKALLYSEHQNISNTG LSSQGLLIFAELIPAIRTLARLLVITASLDYGIEKPHLGTM HRVIGLMLLYLIFANAESVIRVIG
164	903	2	135	FFFEMESRSAAQAGVQWCNLSLQALPPRFTPFSCSLSPSSWD Y
165	904	74	645	YECHEELAKKLENSQRDGISRNKLALAELEYDEVKCKSSKSNRP KATVFKSPRTPPQRFYSSEHEYSGLNIVRPSTGKIVNELFKEA REHGAVPLNEATRSGDDKSKSFTGGGYRLGSSFCRSEYIYG ENQLQDVQILLKLWSNGFSLDDGELRPYNEPTNAQFLESVKRG VTLIACMPETIQQLMLEIF
166	905	14	1257	WPCGAAPGLTHASERMFTLTMTIQALAPVMGWDRKPLKMFSSSE EMRGLHHHHKCLTKILKVEGQVPDLPSCLPLTDNTRMLASIL INMLYDDLRCDDPERDHFRIKICEEYITGKFDQDMDKNLNAIQ VSGILQGPFDLGNQLLGLKGVMMVALCGSERETDQLVAVEA LIHASTKLSRATFIITNGVSLLKQIYKTTKNEKIKIRTLVGLC KLGSAGGTDYGLRQFAEGSTEKLAKQCRKWLNCNMSIDTRTRRW AVEGLAYLTLDADVKDDFVQDVPALQAMFELAKTSDKTIILYSV ATTLVNCTNSYDVKEVIPELVQLAKFSKQHVPEEHPKDKKDFI DMRVKRLKAGVISALACMVKADSAILTDQTKELLARVFLALC DNPKDRGTIVAQGGGKALIPLALEGT

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
167	906	3	894	VDSVGGGSESRLDSPTSSPGAGTRQLVKASSTGTSSDDFEE RDPDLGDGLENGLGSPFGKWLSSAAQTHQLRRLRGPACRECE EAFMVSGTECEECFLTCHKRCLETLLILCGHRRLPARTPLFGV DFLQLPRDFPEEVPPFVTKCTAEIEHRALDVQGIYRVSGSRVR VERLCQAFENGRLVELSGNSPHDVSSVLKRFQLTEPVIPF HLYDAFISLAKTLHADPGDDPGTSPSPSEVIRSLKTLVLQPLD SNYNTLRHLVAHLFRVAARFMENKMSANNLGIVFGPTL
168	907	1	394	GLHVISLHSDGRHWEDPLSELDSERVSAFLVTETLVFYFLCCL LADETVVPPDVP SYLSSQGTLSDRQETVVRTEGGPQANGHIES NGKASVTVKQSSAVTVSLGAGGGLQVFTGQVPGIRWGKLGAEH AS
169	908	179	551	KIKHRPEEEPRWAAAGASAGPGAAEVAPPRPGTVAPGANGMT DSATANGDDRDP EIELFVKAGIDGESIGNCPFSQRLFMILWLK GVVFNVTVDLKRKPADLRNLAPGTHPPFLAFNWYVKT
170	909	1	335	LGFSDGQEARPEEIGWLNNGYNETTGERGDFPGTYVEYIGRKKI SPPTPKPRPPRPLPVAPGSSKTEADVEQQVLYKYRKKPSSSHR PQTPHNGSKSNFLHKQGLKKKKASL
171	910	1	895	RTRGVMEALARRSPVPRWLLLLPLLLGLNAGAVIDWPTEEGKE VWDYVTVRKDAYMFWWLYATNSCKNFSELPLVMWLQGGPGGS STGFGNFEEIGPLSDSLKPRKTTWLQAASLLFVDNPFVGTGFSY VNGSGAYAKDLAMVASDMMGLLKTFFSCHKEFQTVPFYIFSES YGGKMAAGIGLELYKAIQRGTIKCNFAGVALGDSWISPVDSVL SWGPLYLSMSLLEDKGLAEVSKVAEQVLNAVNGLYREATELW GKAEMIEQVKRGNTQRRACLAFSGGYRAHWCCQTWSLH
172	911	553	194	PGWSRSPDLVIRLPRPPKVLGLQYHFFFFLRLWSL/DSVAQAE VQWHDRLRLQAPPPGFTFPFSCSLSPGSWDYRCPPPRANFLYF **RRGFTVLARMVSI*PRDPPASASQSAGITVLSLFFFFEME SCSVAQAGVQWRYLGSLLQALPPGFTFPFSCSLSPSSWDYRRPPP RPAFFVFLVETGVSPC*PGWSRSPDLVIRLPQPPKVLGLQV
173	912	1761	1	PSMKTGELEKETAPLRKADSSISVLEIHSQKAQIEEPDPPPEM ETSLDSSEMAKDLSSKTALSSSTESCTMKGEEKSPKTKDKRPP ILECLEKLEKSKKTFLDKDAQRLSPIPEEVPKSTLESEKPGSP EAAETSPPSNIIDHCEKLASEKEVVECQSTSTVGGQSVKQVDL ETLKEDSEFTKVEMDNLDNAQTSGIEEPSETKGSQMOKSKFKYK LVPEEETTASENTEITSERQKEGIKLTIRISSRKKKPDSPPKV LEPENKQEKTEKEEEKTNVGRTLRRSPRISRPTAKVAEIRDQK ADKKRGEGEDEVEEESTALQKTDKKEILKKSEKDTNSKVSQV PKGKVRWTGSRTGRWKYSSNDESEGGSGSEKSSAASEEEEEKE SEEAAILADDDPECKKCGLPNHPELILLCDSCDSGYHTALPFAP PLMIHPQMGGW\F\CPTFCPTLNLLEKLEDQF\QDL\DVALL KKERALPERK\ERLVYVGI\SIENIIPPQ\EPDFSEDQEEKK KDSKSKANLL\ERRSTRTRKCISYRFDEFDEALDEAIEDDIK EADGGGVGRGKDITITGHRGKDITILDEER

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
174	913	3	539	KRRGSFKMAELDQLPDESSAKALVSLKEGSLNNTWNEKYSSL QKTPVWKGRNTSSAVEMPFRNSKRSRLFDEDDRQINTRSPKR NQRVAMVPQKFTATMSTPDKKASQKIGFRLRNLLKLPKAHKWC IYEFYFNSNIDKPLFEGDNDFCVCLKESFPNLKTRKLRVWVGK IRRLMG
175	914	166	635	MPEYLKRKRFGGIRIPITILAVLYLFYIFTKISVDMYAGAIFIQ QSLHLDDLylaIVGLLAITAVYTVAGGLAAVIYTDALQTLIMLI GALTLMGYSFAAVGGMEGLKEKYFLALASNRSENSSCGLPRED AFHIFRDPLTSDLPPWPGVLFGMSIPSLX*
176	915	673	1025	XSASATSLTSLSHCVDVVKGLLDFKKRRGHSIGGAPEQRYQIIP VMCCSLLATGGADRLIHLWNVVGSRLEANQTLEGAGGSITSVD FDPSPGYQVLAATYNQVAQFWK*
177	916	3	139	QKRFPNSNCGRDGKLFLLWGQALHIIAKLLGKWRRLGMVFFSLLL SY
178	917	1	541	VHVCSSKMGALSTERLQYYTQELGVRERSGHSVSLIDLWGLLV EYLLYQEEENPAKLSDQQEAVRQGNPYPIYTSVNVRTNLSGED FAEWCEFTPYEVGFPPKYGAYVPTLFGSELFMGRLLQLQPEPR ICYLQGMWGSAAFATSLDEIFLKTAGSGLSFLEWYRGSVNITDD CQKPQLHN
179	918	1	628	EFLGRPTRPAKDEGNDGKDEGKDEGKDEGKDEGKDEGKDERK DEGKDEGKDERKDEGKDEGKDEGKDEGKDEGKDEGKDEGKDEG NDEGKDEGKDEGKDEGKDEGKDEGKDERKDEGKDEGKDERKDE GKDEGKDEGKDEGKDEGKDEGKDEGKDEGNDEGKDEGKDEGKD EGKDEGKDEGKDEGNDEGNDEGNDEGKDEGKDERNDEGKDEGK DEGKDEGKDERNDEGKDERKDEGKDEGKDEGKDEGKDEGKDEG NDEGKDERKDEGKDEGKDEGKDK
180	919	27	471	PSLRPAWHEGEDFSYGLQPYCYGSFQVVGEMIRNREVLPCPDD CPAWAYALMIEGWNEFPSSRRARFQDIHSRLRAWGNLSNYSSE QTSGGRNTTQTSSLSSTSPLCNVSNAPIYVGPQKQVPPFPQTQVI PMKGQIRPMVPPPPQLYVP
181	920	2	454	RNSGRHPRVRWILEERKRVMQEACAKYRASSRRRAVTPRHVSR IFVEDRHRVLYCEVPKAGCSNWKRVLMVLAGLASSTADIQHNT VHYSALKRLDTFDRQGIHLRLSTYTKMLFVREPFERLVSFAFR DKFEHPNSYYHPVFCMAILAR
182	921	2	378	IMYSISPANSEEGQELYVCTVKDDVNLDTVLLLPFLKETAVSQ LDQLSPPEQLLVKCAAIIGHSFHIDLLQHLLPGWDKNKLLQVL RALVDIHVLCWSDKSQELPAEPIIMPSSIIDIIDGTKEKK
183	922	181	513	GPHVVVLVLRRCFLLSYFKGVEKAKAMPSPRILKTHLSTQLLPP SFWENNCKVRYQQLPVTEGKVSQPKRVLTPTQTSIRDHLCLST VSDAQQRENKIFYIQDQIHLNSFK
184	923	32	239	FYYICRLSKEDKAFLEWKRYCYFHPNCLPKILASAPNWKWVN LAKTYSLLHQWPALYPLIALELLDSK

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
185	924	3	361	KMMI*GLFEIQQCPIGKHCNLFQVLRN/PNRDL/WLVSSFSGKS SKGRERMGMHHDEYYRLRGR/HNPSPDHSYKRNSESERKRKKSH *HMSKSQERHNSPSRGRNSDRSGGRCSRSNDNGRSRYR
186	925	443	1412	PLSLFARVAGSRVEMPEPPGLGDEGRPLLHPGRREAVGSWVSA FAGDSTPCGPGDLSVPRREPFRLTAL*PHRSPVVRTSLIGLLL GFSVKEELRGVGAARTPLGIR
187	926	2	917	FDKRQHEARIQQMENEIHYLQENLKSMEETQGLTDLQLQEAD EKERILAQLELEKKKKLEDAKSQEQVFGDLKELKKLKKAVAT SDKLATAELTIAKDQLKSLHGTVMKINQERAELEQAERFSRK AAQAARDLTRAEEIELLQNLRLQKGEQFLEMEKTGVGTGAN SQVLEIEKLNEMERQRTETIARLQNVLYLTGSDNKGGFENVLE ETAEILRREGSYQNDYISSMADPFKRRGYWYFMPPPSSKVS SSQATKDSGVGLKYSASTPVRKPRPGQDQDKEGSQPPASGYW VYSP
188	927	171	1082	SDASSFKTRVIVVPRPRVPLGSAITENSLESQIGQFGVGF YSAFLVADKVIVTSKHNDTQHIWESDSNEFSVIADPRGNTLG RGTTITLVLKEEASDYLELDTIKNLVKKYSQFINFPIYVWSSK TETVEEPMEEEEAAKEEESDDEAAVEEEEEKKPKTKKVEK TVWDWELMNDIKPIWQRPSKEVEDEYKAFYKSFSKESDDPMA YIHFTAEGEVTFKSI L FVPTSAPRGLFDEYGSKSDYIKLYVR RVFITDDFHDMPKYLNFVKGVDSDDLPLNVSRETLOQHKLL KV
189	928	718	275	CGSWMRRALIPPCRGGPSASDRCCSCSPSGFSAGRGRCPVQGC LRPHRVQLLRWGPSPAGQRLSKGFQLLRWGPSPAPEPRK GPFPPDPFPVPTAVTVMAGSVPSAQSVDALESPGLALEGPS SPRNLWREMSIFLPGIF
190	929	1	550	PGPTPPPRHGSPPHRLIRVETPGPPAPPADERISGPPASSDRL AILEDYADPFVQETGEGSAGASGAPEKVPENDGYMEPYEAQK MMAEIRGSKETATQPLPLYDTPYEPEEDGATPEGEGAPWPRES RLPEDDERPPEEYDQPWEWKKERISKAFVAVDIKIKDLPPPPP VGQLDSSPSLP
191	930	1	562	QFFSLFLRYQIHTGLQHSIIRPTQPNCLPLDNATLPQKLKEVG YSTHMVGKWHLGFYRKECMPTRRGFDTFFGSLLGSGDYTHYK CDSPGMCGYDLYENDNAAWDYDNGIYSTQMYTQRVQQILASHN PTKPIFLYIAYQAVHSPLQAPGRYFEHYRSIININRRRYAAML SCLDEAINNVTLALK
192	931	3	580	RVRKGRGGERLQSPLRVPQKPERPPLPPKPQFLNSGAYPQKPL RNQGVVRTLSSSAQEDIIRWFKEEQPLRAGYQKTSDTIAPWF HGILTLKKANELLLSTGMPGSFLIRVSEIKGYALSYLESDGC KHFLIDASADAYSFLGVDQLQHATLADLVEYHKEEPITSLGKE LLLYPCGQQDQLPDYLELFE

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
193	932	3	1641	GSLEKALFQLLKVWGQWAEQTRRLQRLDVSLSVARVRSAGPSC QNKGDLVMEALLEGIQNRHGSGGFLTSCEAELQELMKQIDIMV AHKKSEWEGRTHALETCLKIREQELKSLRSQLDVTHKEVGMLH QQVEEHEKIKQEMTMMEYKQELKKLHEELCILKRSYEKLQKKQM REFRGNTKNHREDRSEIERLTAKIEEFQKSLDWEKQRLIYQQ QVSSLEAQRKALAEQSEIIQAQLVNRKQKLESVELSSQSEIQH LSSKLERANDTICANELEIERLTMRVNDLVGTSMTVLQEQQQK EEKLRSEKLEALQEEKRELKAALQSQENLIHEARIQKEKLQ EKVKATNTQHAVEAISLESVSATCKQLSQELMEKYEELKRMEA HNNEYKAEIKKLKEQILQGEQSYSSALEGMKMEISHLTQELHQ RDTITIASTKSSSDMEKRLRAEMQKAEDKAHEKEILDQLES LKLENRHLSEVMKLELGLHECPLVSPPLSGSIATRFLEEEELRS HHILERLDAHIEELKRESEKTVRQFTALK
194	933	159	1053	TGFLGWSQGPSLTPTSLSALYPSQVEETGVVLSLEQTEQHSRR PIQRGAPSQKDTPNPGDSLDTGPRILAFHPPSLSEAALAAD PRRFCSPDLRRLGPILDGASVAATPSTPLATRHQPSPLSADL PDELPGVTENVHRLFTSGKDTEAVETDLDAQDADALDLEMLA PYISMDDDFQLNASEQLPRAYHRPLGAVPRPARSFHGLSPPA LEPSLLPRWGS DPRLSCSSPSRGDPSASSPMAGARKATQSS KODEDEGVELLGVRPPKRSPSPEHENFLLFPLSLSFLLTG
195	934	3	425	ELQDCFDVHDASWEEQIFWGWHDVHIFDTKTQTFWQPEIKGG VPPQPRAAHTCAVLGNKGYIFGGRVLQTRMNDLHYLNLDWTW SGRITINGESPKHRSWHTLTPIADDKLFLCGGLNAYNMPLSDG WIHNVTTCHWK
196	935	2	295	FFFLRTRSHSVTPRWECSDDITAHWQPQPWGSSDPLTFS/RPQ VVVPPRHTTLCF\ANFFVFCIFCRNRISPCWPGWSRTPWAQLI RLPRPPKVLGLQV
197	936	2	737	PREGQVKQGLLGDCWFLCACAALQKSRHLLDQVIPPQPSWAD QEYRGSFTCRIWQFGRWVEVTTDDRPLCLAGRLCFSRCQREDV FWLPLEKVKYAKVHGSYHLWAGQVADALVDLTGGLAERWNLK GVAGSGGQQDRPGRWEHRTCRQLHLKQCLISCCVLSPRAGE ARGQHGRAAASVPPTARPAHCSFLCDWLHSPVRTKWEVSLF SRVSSVCDLPLLSSSRGTWPFSPLTSPFH
198	937	3	638	AECLEASIARYAHRVANSRYTFDGETVTLSPSQGVNQLHGGPE GFDKRRWQIVNQDRQVLFALSSDDGDQGFPGNLGATVQYRLT DDNRISITYRATVDKPCPVNMTNHVYFNLDGEQSDVRNHLQI LADEYLPVDEGGIPHDGLKSVAGTSFDFRSAKI IASEFLADDD QRKVKGYDHAFLQAKGDGKVAHVWSADEKLQLKVYT
199	938	69	425	PLSRFLSKESQEDWGMERQSRVMSEKDEYQFQHQGAVELLVFN FLLILTILTIWLFKNHRFRFLHETGGAMVYDKPPKFAMSREQM SQSCSHTAHNASLLTDAGPLSCGESRASCLFL

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
200	939	3	435	DSKEPRLQQLGLLEEEQLRGLGFRQTRGYKSLAGCLGHGPLVL QLLSFTLLAGLLVQVSKVPSSISQEQSRQDAIYQNLTLQKAAV GELSEKSKLQEIYQELTQLKAAVGELPEKSKLQEIYQELTWLK AAVGELPEKSKMQE
201	940	657	469	MQSIAGHRRDRGESPLGWGQSEASPSALTEAPKAAHTTRLG FLAANNPNHGSQPQDSFLL*
202	941	1	714	FETLSMRGIPHMLALGPQQLLAQDEEGDTLLHLFAARGLRWAA YAAAEVLQVYRRLLIREHKGKTPLLVAANQPLIVEDLLNLG AEPNAADHQGRSVLHVAATYGLPGVLLAVLNSGVQVDLEARDF EGLTPLHTAILALNVAMRPSDLCPRVLSTQARDRLDCVHMLLQ MGANHTIQVSGDVGGQTLGDCVEWGHLDVRELQANADFASLL RALEHVTSLLCALRVFCLFLCQL
203	942	3	479	DAWADAWVGTKMADLDSPPKLSGVQQPSEGVGGRCSSEISAE IRSLTELQELEAVYERLCGEEKVVERELDALLEQONTIESKMW TLHRMGPNLQLIEGDAKQLAGMITFTCNLAENVSSKVRQLDLA KNRLYQAIQRADDILDLKFCMDGVQTALR
204	943	1	706	AVEFRVPRSGSAYLYSYVTVGELWAFTTGWNILISYVIGTASV ARAWSSAFDNLIGNHISKTLQGSIALHVPVLAEYPDFALGL VLLLTGLLALGASESALVTKVFTGVNLLVLGFVMISGFVKGDV HNWKLTEEDYELAMAEINDTYSLGPLGSGGFVPFGFEGILRGA ATCFYAFVGFDCIATTGEEAQNQPORSIPMGIGISLSVCFLADF AVSSALTLMMPYYQLQPESP
205	944	1	852	GFHPNTHYRARAARAGAGSFFVGEVSAVDKDFGPNGEVRYSF EMVQPDFELHAISGEITNTHQFDRESLMRRRGTA VFSFTVIAT DQGIPOPLKDQATVHVYMKDINDNAPKFLKDFYQATISESAAN LTQVLRVSASDVDEGNGLIHYSIIKGNEERQFAIDSTSGQVT LIGKLDYEATPAYSLVIQAVDSGTIPLNSTCTLNIDILDENDN TPFF/LLNQHFFVDVLENMRIGELGASGTATDS\DSGDIADLY YKFTGTGKHPPTFSISPKHLGVFFLAQK
206	945	3	363	GDCYDLYGGEKFATLAELVQYYMEHHGQLKEKNGDVIELKNPL NCADPTSQRWFHGLSGKEAKLLTEKGKHSFVLVRESQSHPG DFVLSVCTGDDKGESNDGKSKVTHVMIHCQELK
207	946	218	717	IDSGNQNGNDDKTKNAERNYLNVLPGEFYITRHSNLSEIHVA FHLCDVDDHVKSGNITARDPAIMGLRNILKVCCTHDITTISIPL LLVHDMSEEMTIPWCLRRAEVLFKCVKGFMMEMASWDGGISRT VQFLVPQSISEEMFYQLSNMLPQIFRVSSLTTLTSKH
208	947	3	368	SILPALLVTILIFMDQQITAVIVNRKENKLKKAAGYHLDLFWV GILMALCSFMGLPWYVAATVISIAHIDSLKMETETSAPGEQPG FLGVREQSVGTGIIIVFILTGISVFLAPILKCIPLPV
209	948	2	575	GASRVEAGSANGMLIDGGSQIVKVQGHADGTTINKSGSQDVVQ GSLATNTTINGGRQYVEQSTVETTTIKNGGEQRYVESRALDTT IEGGTQSLNSKSTAKNTHIYSGGTQIVDNTSTSDVIEVYSGGV LDVRGGTATNVTQHDGAILKTNTNGTTVSGTNSGAFSINHVA ADNVLLENGGHLDINAYGS

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
210	949	1	296	FFSSIQLTDDQGPVLMTTVAMPVFSKQNETRSKGILLGVVGTDPVKELLKTIPKYKVMNDLIPEIKATEMPRALFSQSSGFKLYFGAMFLTTITAC
211	950	3	594	SCSGTGTNACYMEDMSNIDLVEGDEGRMCINTEWGAFGDDGALEDIRTEFDRELDLGSNLNPGKQLFEKMISGLYLGLVRLILLKMAKAGLLFGGEKSSALHTRGKIETRHVAAMEKYKEGLANTREILVDLGLEPSEADCIQVHCVCTIVSFRSANLCAALAAAILTRLRENKKVERLRRTTVGMDGTLYKIHPOY
212	951	2	2167	FVAIATNGVVPAGGSYYMISRLGPEFGGAVGLCFYLGTTFAGAMYILGTIEILLAYLFPAMAIFKAEDASGEAAAMLNMRVYGT CVLTCMATVVFVGKYNKFALVFLGCVILSILAIYAGVIKSAFDPPNFPICLLGNRTLSRHGFDVCAKLAWEGNETVTTRLWGFLCSSRFLNATCDEYFTRNNVTEIQGIPGAASGLIKENLWSSYLT KGVIVERSGMTSVGLADGTPIDMDHPYVFSDMTSYFTLLVGIYFPSVTGIMAGSNRSGDLRDAQKS IPTGTILAIATTSAYYISSV VLFACIEGVVLRDKFGEAVNGNLVVGTLAWPSPWVIVIGSFFSTCGAGLQSLTGAPRLQAIISRDGIVPFLQVFGHGKANGEPTW ALLLTACICEIGILIASLDEVAPILSMFFLMCYMFVNACAVQ TLLRTPNWRPRFRYYHWTL SFLGMSLCLALMFICSWYALVAM LIAGLIYKYIEYRGAKKEWGDGIRGLSLSAARYALLRLEEGPP HTKNWRPQLLVLRVDQDNVHPQLLSLTSQKAGKGLTIVG SVLEGTFLFNHPQAQRAEESIRRLMEAEKVKGFCQVVISSNLR DGVSHLIQSGLGGLQHNTVLVGWPRNWRQKEDHQTWRNFIEL VRETTAGHLALLVTKNVSMFPGNPERFSEGSIDRWGIGHDGGMLMLVPFLLRHHKVWRKCKMRIFTVAQMVDHAM
213	952	1	128	FYLRLLSFFCFQEHEKRCWSVDENLMDPKLLASGSDDAKGTV
214	953	3	244	RNSKAMHRSSCDGPILLSLPSVGRSATHALVQAQLICSGARRGM HAFIVPIRSLQDHTPLPGKPIMLPQGTLPGGEPRWPP
215	954	2	609	CGTLILQARAYVGPHVLAVVTRTGFTAKGGLVSSILHPRPINFKFYKHSKMFVAALSVLALLGTIYSIFILYRNRVPLNEIVIRALDLVTVVVPPALPAAMTVCTLYAQSLRRQGI FCIHPLRINLG GKLQLVCFDKTGTLTEDGLDVMGVVPLKGQAFPLPLVPEPRRLP VGPLLRALATCHALSRLQDTPVGDPMDLKM
216	955	292	855	QIEYFRSLLEHHHSYVIDEDVKSGRYMELEQRYMDLAENARFEREQLLGVQOHLSENTLKMAEQDNKEAQEMIGALKERSHMERIIESEQKGKAAALATLEEYKATVASDQIEMNRLKAQLENEKQKV AELYSIHNSGDKSDIQDLLESVRLDKEAETLASSLQEDLAHT RNDANRLQDAIAKGRG
217	956	2	400	ARYRFTLSARTQVSGEAVTEESPAPPNEATPTAAPPTLPPTT VGATGAVSSDTAIAATTEATTVP I IPTVAPTMTATTTTVAT TTTTAAATTTTESPPTTSGTKIHESAPDEQSIWNVTVLPSN KWA



SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
218	957	1	662	LKSTQDEINQARSKLSQLHESRQEAHRSLEQYDQVLDGAHGAS LTDLANLSEGVSLAERGSFGAMDDPFKNKALLFSNNTQELHPD PFQTEDPFKSDPFKGADPFKGDPFQNDPFABEQTTSTDPFGGD PFKESDPFRGSATDDFFKKQTKNDPFTSDPFTKNPSLPSKLDP FESSDPFSSSSSVSSKGSDFFGTLDPPFGSGSFNSAEGFADFSTI EGRRG
219	958	1	752	RTRGGSGNSSQPSLREGHDKPVFNAGAKPHSSTSSPSVPKTSR SRQKSAVEHKAKKSLSHPSHSRPGPMVTPHNKAKSPGVRQPG SSSSSAPGQPSTGVARPTVSSGPVPRRQNGSSSSGPERSISGS KKPTNDSNPSSRRTVSGTCGPGQPASSSGGPRPISGSVSSARP LGSSRGPGRPVSSPHELRRPVSGLGPPGRSVSGPGRSISGSIP AGRTVSNSVPGRPVSSSLGPGQTVSSSGPTIKPKCT
220	959	439	582	RGKITPRYHLCISDPHNLKICCRVNGEVVQSSNTNQMVFKTE DLIW
221	960	230	420	VVAVTRWLCENGVSYLKRCVCSACRHGTRCAGEVAAAANNSHC TVGIAFNAKIGGMGNQLTWM
222	961	311	490	GAPPPFVPTLKSDDDTSNFDEPKKNSWSSSPCQLSPSGFSGE ELPFVGFSYSKALGIL
223	962	2	422	FVERLAHLHAACAPRRKVALLLLEVCRDVYAGLARGENQDPLGA DAFLPALTEELIWSPIGDTQLDVEFLMELLDPDELARGEAGYY LTTWFGALHHIAHYQPETDRAPRGLSSEARASLHQWHRRTLH RKDHPRAQQLD
224	963	385	844	FWMDPYNPLNFKAPFQTSGENEKGCRDSKTPSESIVAISECHT LLSCKVQLLGSQSECPDSVQRDVLSGGRHTHVKRKKVTFLEE VTEYYISGDEDRKGPWEEFARDGCRFQKRIQETEDAIGYCLTF EHRERMFNRLQGTCTFKGLNVLKQC
225	964	3	166	AASTAYSFFGTVENMAPKVVRNRPQHTQSADWGSFGGLMGRFEF GIFLKGKEIVK
226	965	1	118	GFVFLPGPMSVGLDFSLPGMEHVYGIPEHADNLRLLKVTE
227	966	1	390	GSECQGTDLDRNCTSDLCVHTASGPDVALYVGLIAVAVCLV LLLLVLLVYCRKKEGLSDVDADSSILTSGFQPVSIKPSKADN PHLLTIQPDLSITTTTTTYQGSGLCPRQDGPSPKFQLTNGHLLSPL G
228	967	1	777	LIYNEDMICWIESRESSNQLKCIQITKAGGLTDEWTINILQSF HNVQQMAIDWLTRNLYFVDHVGDRIFVCNSNGSVCVTLIDLEL HNPKAIAVDPIAGKLFFTDYGNVAKVERCDMDGMNRTRIIDS K TEQPAALALDLVNKLIVYWDLYLDYVGVVDYQGKNRHAIVQGR QVRHLYGITVFEDYLYATNSDSYNIVRISRFGNTDIHSLIKIE NAWGIRIYQKRTQPTVRSHACEVDYPGMPGGCSHICLLSSSYT K
229	968	3	488	SSGNPQPGDSSGGGAGGGLPSGPEQELSRRLQRLYPVAVNQOET PLPRSWSPKDKYNYIGLSQGNLRVHYKGHGKHNKDAASVRATH PIPAACGIYYFEVKIVSKGRDGYMGIGLSAQGVNMNRLPGWDK HSYGYHGDDGHSFCSSGTGQPYGPTFTTGDVI

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
230	969	1	228	FFFFKMGSRSVTQAGVQWCDVSSLQAPPPRFTLFCLSLPSSWD YRCVPPCPANFFVFLVETGFHRVSQYGLDLTS
231	970	2	119	QLSLARGKVFLCALS FVYFAKALAEGLKSTITQIERRVDIPS SLVGVIDGSFEIGNLLVITFVS YFGAKLHRPKIIGAGCVIMGV GTLIIAMPQQFMEQYKYERYSPSSNSTLSISPCLLESSQLPV SVMEKSKSKISNECEVDTS SSMWIYVFLGNLLRGIGETPIQPL GIAYLDDFASEDNAAFYIGCVQTVAIIGPIFGFLLGSLCAKLY VDIGFVNL/DHF*VSAQLGTRKGVLVCLVFCLLCQSIGRRLSE EHHHSDREKG
232	971	221	1068	QPAGRVEAFCKFHMWAEGMTSLMKAALDLTYPITSMFSGAGFN SSIFSVFKDQQIEDLWIPYFAITTDITASAMRVHTDGS LWRYV RASMSLSGYMPPLCDPKDGHLLMDGGYINNLPADVARSMGAKV VIAIDVGSRDETDLTNYGDALSGWLLWKRWNPATKVKVLMN AEIQTRLAYVCCVRQLEVVKSSDYCEYL RPPIDSYSTLDFGKF NEICEVGYQHGRTVFDIWGRSGVLEKMLRDQQGPSKKPASAVL TCPNASFTDLAEIVSRIEPAKPAM
233	972	133	635	LWVIMFVSYLILTLHLVQTAVLARPGGESIGCDDYLGS DKVVD KCGVCGDNTGCVVSGVFKHALTSLGYHRVVEIPEGATKINI TEMYKSNNYLALRSRSGRSIINGNWAIDRPGKYEGGGTMTFTYK RPNEISSTAGESFLAEGPTNEILDVYVSLDVSGLFFGF
234	973	1	420	ISGGTRSAGPLRRNYNFIAAVVEKVAPSVVHVQLWGRNQQWIE VVLQNGARYEAVVKDIDLKLDLAVIKIESNAELPVLMLGRSSD LRAGEFVVALGSPFSLQNTATAGIVSTKQRGKGELGMKDSMD YVQIDATINYG
235	974	2	860	PRVRELKEILDRKGHFSENETRWIIQSLASAIAYLHNNDIVHR DLKLENIMVKSSLIDDNNEINLNKIVTDFGLAVKKQSRSEAML QATCGTPIYMAPEVISAHDYQQCDIWSIGVVMYMLLRGEPF LASSEKLFELIRKGE LHFENAVWNSISDCAKSVLKQLMKVDP AHRITAKELLDNQWLTGNKLSSVRPTNVLEMMKEWKNNPESVE ENTTEENKPKSTEEKLSYQPGWNPETNYTSDEEEKQVGRI IAAFLPSVKYPHHTWNIFLQICLFVVSL
236	975	1	467	LSISVSDVSLSDEGQYTCSLFTMPVKTSKAYLTVLGVPKPKQI SGFSSPVMEGDLMQLTCKTSGSKPAADIRWFKNDKEIKDVKYL KEEDANRKTFTVSSTLDFRVD RSDDGVAVICRVDHESLNATPQ VAMQVLEMHYTPSVKIIIPSTFPFQEG
237	976	3	417	YNQKVDLFSLGIIFFEMSYHPMVTASERIFVLNQLRDPTSPKF PEDFDDGEHAKQKSVISWLLNHDPAKRPTATELLKSELLPPQ MEESLHEVLHHTLTNVDGKAYRTIDGPRSFRQRISPAIA\YT YD\SDILKGN

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
238	977	2	740	DQDYKYDSTSDSNFLNPPRGWDHTAPGHRTFETKDQPEYDST DGECDWSLWSVCSVTCGNGNQKRTRSCGYACTATESRTCDRPN CPGIEDTFRTAATEVSLLAGSEEFNATKLFVDTDS CERWMSK KSEFLKKYMHKVMNDLPSCPCSYPTVAYSTADIFDRIKRKDF RWKDASGPKKLEIYKPTARYCIRSMLSLESTTLAAQHCCYGD NMQLITRGKGAGTPNLISTEFS AELHYKV DV
239	978	2	612	ESEENGESAMDSTVAKEGTNVPLVAAGPCDDEGIVTSTGAKEE DEEGEDVVTSTGRGNEIGHASTCTGLGEESEGLICESAEGDS QIGTVVEHVEAEAGAAIMNANENNVDMSGTEKGSKDIDICSS AKGIVESSVTSVAVSGKDEVTPVPGGCEGPM TSAASDQSDS QLE KVEDTTISTGLVGGSYDVLVS GEVPECEVAH
240	979	79	361	VCIICLIFSYYSFDSALQSAKSSSLGGNDEL SATFLEMKGHFYM YAGSLLLKMGQHGNNVQWRAL SELAALCYLIAFQVSLPLGAID ISRSLDVF
241	980	2	681	QHPSQEKQPVLTPSPRKQKLNRYRSHHDQMICKCLSLSISYS ATIGGLTTIIGTSTSLIFLEHFNNQYPASEVNVFGTWFLFSFP ISLIMLVSVFWMHWLF LGCNFKETCSLSKKKKTKREQ LSEKR IQEYKLGDISYPEMVTGFFFI LMTVLWFTREP GFVPGWDSF FEKKGYRTDATVS VFLGFLFLIPAKKPCFGKKNDGENQEHSL GTEPIITWKDF
242	981	1	491	LEREGDKGTPVLRGFSVSGSWSRRMPPFLLLTCLFITGTSVS PVALDPCSAYISLNEPWRNTD HQLD ESQGPPLCDNHVNGEWHY FTGMAGDAMPTFCIPENHCGTHAPVWLN GSHPLEGDGIVQRQA CASFNCGNCLWNTTVEVKACPGGYVYRLTKPSV
243	982	1	983	CGR TMSDIRHSLLRDALSAAKEVLYHLDIYFSSQLQSAPLPI VDKGPVELLEEFVQVPKERSAQPKRLNSLQELQLEIMCNYF QEQT KDSVRQII FSSLSFPQGNKADDSRMSLLGKLVSM AVAVC RIPVLECAASWLQRTPVVYCVRLAKALVDDYCCLVPGSIQTLK QIFSASPRFCCQFITSVTALYDLSSDDLIPMDLLEMIVTWIF EDPRLILITFLNTPIAANLP IGFLELTPLVGLIRWCVKAPLAY KRKKKPPLSNGHVS NKVTKDPGVGM DRD SHLLYSKLHLSVLQV LMTLQLHLTEKNLYGPPGADPLRPHG
244	983	32	362	SACSTGPELPGRATRS LTRPANQKGCDGDRLYYDGCAMIAMNG SVFAQGSQFSLDDVEVL TATLDLEDVRSYRAEISSRNLA VSAP VDTVCVGCSSKTKVAPFVRAWWRP
245	984	158	398	APLSRLCFPQVLVNEG GGFDRASGSFVAPVRGVYSFRFHVVKV YNRQT VQVTSALAPIPGSGGWGGRRGAQLTSGWTLH
246	985	2	707	PHIIGAEDDDFGTEHEQINGQCSCFQSI ELLKSRPAHLAVFLR HVVSQFDPATLLCYLYSDLYKHTNSKETRRIFLEFHQFFLDRS AHLKVSVPDEMSADLEKRRPELIPEDLHRHYIQTMQERVHPEV QRHLED FRQKRSMGLTLAESELTKLDAERDKDRITLEKERTCA EQIVAKIEEVLMTAQAVEEDKSSTMQYVILMYMKHLGVKVKEP RNLEHKRGRIGFLPKIKQSM

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
247	986	18	441	SPGTGRGPGPTSFVCLPTPQC PFIDDFILALHRKIKNEPVVFP EGPEISEELKDLILKMLDKNPETRIGVPDIKLHPVVTKNGEPP LPSEEEHCSVVEVTEEEVKNSVRLIPSWTTVILVKSMLRKRSF GNPFEPQARMA
248	987	3	732	HASGIKIDKTS DGP KLF LTEDQKKLHDFEEQCVEMYFNEKDD KFHSGSEERIRVT FERVEQMC IQI KEVGDRVNYIKRSLQSLDS QIGHLQDLSALTVDTLKTLTAQKASEASKVHNEITRELSISKH LAQNLIDDG PVRPSVWKHGVNTLSSSLPQGDLESNNPFHCN ILMKDDKDPQCNI FGQDLPAVPQRKEFNFEAGSSSGALFPSA VSPPELRQRLHGVVELLKI FNKKQKKRA
249	988	3	468	CCRWDICFALYDQOEELVRHIEKVHIDQRKGEDFTCFWAGCPR RYKPFNARYKLLIHM RVHSGEKP NKCTFEGCEKAFSRL ENLKI HLRSHTGEKPYLCQHGPCQKAFSNSSDRAKHQRTHLDTKPYAC QIPGCTKRYTDPSSLRKHVKAHSSK
250	989	356	553	LPLLWTLSDFGGTMDQSGMEIPVTLIIKAPNQKYS DQTISCFL NWTVGK LKTHLSNVYPSKPVSV
251	990	1	895	AGTRMCVVA AEELVCGA\RGLWMRRTRRPRFVLMNKMDLNL HYRFLNWRRIREIREVRAFRYQERFKHILVDGDTLSYHGNSG EVGCYVASRPLTKDSNYFEVSIVDSGVRGTIAVGLVPQYYS LD HQP GWLPDSVAYHADDGKLYNGRAKGRQFGSKCNSGDRIGCGI EPVSFDVQTAQIFFTKNGKRVGSTIMPMSPDGLFPAVGMSLG EEVRLHLNAELGREDDSVMMVDSYEDWGR LHDVRVCGT LLEY LGKGKSIVDVGLAQARHPLSTRSHYFEVEIVDPGEKCYIA
252	991	51	674	QQAEEHLAAYSVSDSDSGKDP SMECCRRATPGTLLLFLAFLLL SSRTARSEEDRDGLWDAGPWSECSRTC GGGASYSLRRLSSK SCEGRNIRYRTCSNVDCPPEAGDFRAQQCSAHNDVKHHGQFYE WLPVSNPDNP CSLKCQAKGTTLVVELAPKVL DGT RCTESLD MCISGLCQVSADLFSFNLSRGFQCLCVNGLHSLTL
253	992	2	554	RLLRQELVVLCHLHHPSLISLLAAGIRPRMLVME LASKGSLDR LLQQDKASLTRTLQHRIALHVADGLRYLHSAMIYRDLKPHNV LLFTLYPNAAI IAKIADYGIAQYCCRMGIKTSEGT PGFRAPEV ARGNVIYNQADVYSFGLLLYDILTGGRIVEGLKFPNEFDEL EIQGKLDPVKE
254	993	3	437	KASNSTHEFRIGLPEGWESEKKAVIPLGIGPPLTLICLGV LGG ILIIYGRKGFQTAHFY LKDSPPK VISTPPPPIFPISKEVGPI P IKHFPKHVANLHASRGFTEKFETLKKFYQEGQSC T VDLGITAN SSNHDPDNHRNRS LI
255	994	3	445	SFPDR TASLVLLSVPVQGAGMQQRGLAIVALAVCAALHASPAI LPIASSCCTEVSHHISRLLERVMCR IQRADGDCDLAAVILH VKRRRICVSPHNHTVKQWMKVQA AKKNGKGNVCHRRKKHHGKRN SNRAHQGKHETYGKTPY

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A = Alanine; C = Cysteine, D = Aspartic Acid, E = Glutamic Acid, F = Phenylalanine, G = Glycine, H = Histidine, I = Isoleucine, K = Lysine, L = Leucine, M = Methionine, N = Asparagine, P = Proline, Q = Glutamine, R = Arginine, S = Serine, T = Threonine, V = Valine, W = Tryptophan, Y = Tyrosine, X = Unknown, * = Stop Codon, / = possible nucleotide deletion, \ = possible nucleotide insertion)
256	995	2	737	FEQPGNPGDPRVRTPPPWGPHFFALIPSSPKVPATPSSRRDP IAPTATLLSKKTPATLAPKEALIPPAMTVSPKKTTPAIPTPKE APATPSSKEASSPPAVTPSTYKGAPSPKELLIPPAVTSPPSPE APTTPAVTPPSPEKGPATPAPKGTPTSPVTPSSLKDSPTSPA SVTCKMGATVPQASKGLPAKKGPTALKEVLVAPAPESTPIITA PTRKGPQTKKSSATSPPICPDPSAKNGSKG
257	996	79	3	FFLKIQGLGWARWLTVPVPLWEAE
258	997	307	475	AGFGYGLPISRLYAKYFQGDNLNLSYLSGYGTDAIYLVKSLEF NSKILFLKPLLLL
259	998	26	622	WMRAFMLQKQAPRMDTPPPEERLEKQNEKLNQEBETEFKEL DGLREALANLRLGLSEERSEKAMLRSRIEEQSQLICILKRRSD EALERCQILELLNAELEKMMQEAELKAQGEYSRKLEERFMT LAANHEMLMLRFKDEYKSENIKLREENEKLRLNENSLFSQALKD EEAKVLQLTVRCEALTGELETLKERC
260	999	2	241	DPGASHASVQVQLKEQLFAGRMPSPPFRSCALMGMCGRSADN LSCPSPLNVMEPVSFPLKSLGKGMIOHFRHIVSLV
261	1000	1	620	VTTTTHSVGRGHEQLLNEELRNIELECQNIHQHRLQKVTDQ YGDWTLHDGGFRNYNTSIDMQRGKLDDIMEHPEKSDKDSSSA YNTAESCRSTPLTVDRSPDSSLPRVINLTNKKNLSTMAATQS SSGQSSKESTSTKAKTTEQGCSAESKEKVLEGSKLDPQEKAVS EHIPYLSPHYSSSYRYANI PAHARHYQSYMQLIQ
262	1001	3	420	VWGCLATVSTHKKIQGLPFGNCLPVSDGPFNNSTGIPFFYMTA KDPVVADLMKNPMASLMLPESEGEFCRKNIVDPEDPRCVQLTL TGQMIASVPEEVEFAKQAMFSRHPGMRKWPRQYEWFFMKMRIE HIWLQKWYG
263	1002	43	441	QAANMAVARVDAALPPGEGSVVNWSGQGLQKLGNLPCEADIH TLILDKNQIKLENLEKCKRLIQLSVANNRLVRMMGVAKLTLL RVLNLPHNSIGCVEGLKELVHLEWNLNLAGNNLIAMEQINSCTA LQHL
264	1003	3	834	FRAAVGAVPEGAWKDTAQLHKSEEAQVRLRYLFFQGGQRYIIE TQQAFYQVSLLDHGRSCDDVHRSRHGLSLQDQMERKAIYGNV ISIPVKSYPQLLVDEAFSIALWLADHYWYALCFLISSISIC LSLYKTRKQSQTLRDMVKLSMRVCVCRPGGEEWVDSSSELVPG DCLVLSQEGGLMPCDAALVAGECMVNDSSLTGESIPVLKTALP EGLGPYCAETHRRHTLFCGTLILHARAYVGPVHLAVVTRTGMS REAGLERDPGSAPLKRWS
265	1004	2	670	FVGGGLHLHLCLLLCFMLPEDAAMAVLTASNHVSNTVNYNIT VERMNRMQGLRVSTVPAVLSPNATLALTAGVLVDSAVEVAFLW TFGDGEQALHQFQPPYNESFPVPDPSVAQVLVEHNVHTHYAAP GEYVLTVLASNAFENRTQQVLIRSGRVPISLECVSCKAQAVY EVSRSYVYLEGRCLNCSSGSKRGRWAARTFSNKTIVLDETTT STGSASM

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
266	1005	2	1093	PEFLGRLFRGKAATLHVHSDQKPLHDGALGSQONLVRMKBALR ASTMDVTTVLPSPGLEKRSVLNGSHAMMDLLVELCLQNHLNPSH HALEIRSETQQPLSFKPNTLIGTLNVHTVFLKEKVPEEKVKP GPPKVPEKSVRLVVNYLRTQKAVVRVSPEVPLQNILPVICAKC EVSPEHVLLRDNIAGEELELSKSLNELGIKELYAWDNRRETF RKSSLGNDETDEKKEKFLGFFKVNKRNSNSKGLTTPNSPSMHS RSLTLGPSLSLGSISGVSVKSEMKRRAPPPPGSGPPVQDKAS EKVSLGSQIDLQKKRRAPAPPPPPQPPPSPLIPNRTEDEEN RKSTMVYCCASFPTQAKRF
267	1006	686	400	VQWHNLHSLQPLPAGEFK*FLCFSLPSSWDYRCAPPLP/APFFF YFLFLVELGFHHIG*AGLELTSTDLPASAS/ESAGITGMSHRA RPMDFLLKIL
268	1007	1	453	GRRFRPPSDEEREPEPWTQLRLSGHLKPLHYNLMLTAFMENF TFSGEVNVEIACRNATRYVVLHASRVAVEKVQLAEDRAFGAVP VAGFFLYPQTQVLVVVLNRTLDAQRNLYNLKIYNALIENELLG FFRSSYVLHGERRFLGVTQFSP
269	1008	333	526	KELDPFYNS*RKIKYLRITYLTKEVKDLYKENYKTLTLLKEITDDT N/KKHIPSSWTGRINTVKMTIL
270	1009	699	882	VPHPLQAIHEQMNCKEYQEDLALRAQNDAARRPSEMFKVRLA QGRGLASLSSGIQSGVG
271	1010	16	148	RWNSLTCVVLTFGLGHRLLKRFLVPKLRRLFLKPQGHPRLLLWFK R
272	1011	1	659	YGEFVTYQGVAVTRSRKEGIAHNYKNETEWRANIDTVMWAFTE EDLDLVTLTYFGEPDSTGHRYGPESPERREMVRQVDRTVGYLRE SIARNHLTDRLNLIITSDHGMTTVDKRAAGDLVEFHKFPNFTFR DIEFELLDYGPNGMLLPKEGRLEKVYDALKDAHPKLHVYKKEA FPEAFHYANNPRVTPLLMYSDLGYVIHGVSRLLLEAPPPGAPSP GSGS
273	1012	146	413	RIPLRLRSSTYRSKGFDTVKHSHGWSWTFGGGEDLATIPKGL NTYFLVNIATIFESKNFFLPGIKWNGILGLSYATLAKPSSSLE TFF
274	1013	3	251	IKSYSGPNRSCQIWQRLRWGSRELLLGWKLSSHFSSTCPFQFP DIVEFCEAMANAGKTVIVAALDGTQFQKVRRLIQVWSWD
275	1014	326	651	YCFCDLLH*CIHRDVKPENILITKHSVIKLCDFGFARLLTGP SDYYTDYVATRWYRSPPELPGDTQY\GPPV\DVW\AIGCVSAE \LLSGKCLWWPGKS/DMLDQLYLIRK
276	1015	224	435	RGWALDWIGADLSLHLQEEVETEVAWEECGHVLLSLCYSSQQG GLLVGVLRCAHLAPMDANGYSDFVRL
277	1016	2	429	GGILAMEYAPGGTLAEFIQKRCNSLLEETILHFFVQILLALH HVHTHLILHRDLKTQNILDKHRMVVKIGDFGISKILSSSKA YTVVGTPCYISPCEGKPYNQKSDI WALGCVLYELASLKRAF EAANLPALVLKIM

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
278	1017	1	262	VQCGGIHQVSGAVVVSGLLQGMMGLLGSPGHVFPHCGLVLAP SLVVAGLSAHREVAQFCFTHWGLALLYVSPERRGMVPSGGVWG D
279	1018	1	480	PRMTGSTHASAPSYGGSCRNNLFYREETYTPKAETDEMNEVET APIPEENHVWLQPRVMRPTKPKKTSAVNYMTQVVRCDTKMKDR CIGSTCNRYQCPAGCLNHHKAKIFGSLFYESFASICRAAIHYGI LDDKGGLVDITRNGKVPFFVKSERHGVQSLR
280	1019	271	792	VPQNIICAFFCVPCRFASTIPFWGLTLHLQHLGNVFLQLTFL GAVTLLANCVAPWALNHMSRRLSQMLLMFLLATCLLAIIFVPQ EMQTLRVVLATLGVAASLGITCSTAQENELIPSIIRGRATGI TGNFANIGGALASLVMILSIYSRPLPWIIYGVFAILSGLVVL LP
281	1020	2	679	VLVSRDHMKSAQQFFQLVGGSSASECDTIPGRQCMASCFLLKQ FDDVLIYLNFSFKSHFYNDIDFNFNAYAQAATGNTSEGEAEFL LIQSEKMKNDYIYLSWLARGYIMNKKPRLAWELYLKMETSSES FSLQLLIANDCYKMGQFYSAKAFDVLRLDPNPEYWEQKRG CVGIFQMI IAGREPKETLREVLHLLRSTGNTQVEYIMIRIMKKW AKENRVSILK
282	1021	3	359	LKVSDELVQQYQIKNQCLSAIASDAEQEPKIDPYAFVEGDEEF LFPDKKDRQNSEREAGKKHKVREITVHQRVTVDVFLHIVTLL LPQLSHFFCLRIERVIIYLEKPIFARLRWLM
283	1022	3	538	GVPRNLPSSLEYLLLSYNRIVKLAPEDLANLTALRVLDVGGNC RRCDHAPNPMCPCPRHFPQLHPDTFSLSRLEGLVLKDDSSLSW LNASWFRGLGNLRVLDLSENFYLYKCITKTKAFQGLTLRLKLN SFNYQKRVSFHVLVSGPPFLRGSGLGRPLKGAGTWHGNLSFPLH FEWGKT
284	1023	3	442	ILFAALIWSSFDENIEASAGGGGGSSIDAVMVDGSAVVEQYKR MQSQESSAKRSDEQRKMKEQQAEEELREKQAAEQERLQKLEKE RLAAQEQKKQAEAAKQAEELKQKQAEAAAKAAADAKAKAEAD AKAAEEAAKAAADAKK
285	1024	1	119	AMEIVHEPRDLERYMREAVKVSNDSPVLLDRFLNDAIEC
286	1025	67	227	MLSPGYDYGYVCVEFSLLEDAIGCMANQVALYFGQMMLEGYI FLYMGREGFK
287	1026	2	1101	PRVRSSGGQEDPASQQWARPRFTQPSKMRRRVIAARPVGSSVRL KCVASGHPRPDITWMKDDQALTRPEAAEPRKKKWTLSLKNLRP EDSGKYTCRVSNRAGAINATYKVDVIQRTSRKPVLTGTHPVNT TVDFGGTTSFQCKVRSVDPKPIQWLKRVEYGAEGRHNSTIDVG GQKFVVLPTGVDVSRPDGSYLNKLLITRARQDDAGMYICLGAN TMGYSFRSAFLTVLPDPKPPGPPVASSSSATSLPWPVVIGIPA GAVFILGTLILLWLCQAQKKPCTPAPAPPLPGHRPPGTARDRSG DKDLPSLAALSAGPGVGLCEEHGSAPAQHLLGPGPVAGPKLY PKLYT\DI PHHTHTHTPHPPAN
288	1027	3	96	NFHFTGKCLFMSGLSEVQLTHMDDHTLPGY

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine; I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
289	1028	95	407	SPRKRKTRHSTNPPLECHVGWVMDSRDHGPGTSSVSTSNASPS EGAPLAGSYGCTPHSFQKQHPHELLKENGTQQVYHKYRRR CLSERKRLGIGQSQEMNT
290	1029	1	359	PGSGGSAGGRDGSAYQGALLPREQFAAPLGRPVGTSSYSATYPA YVSPDVAQSWTAGPFDGSLHGLPGRRPFTVSDFLSEFPGEGR ECVNCGALSTPLWRRDGTGHYLCNACGLYHKMN
291	1030	2	513	PDHRHGALWWYSCGVLPVTVSRNEGDERNQVLTLYLWIRQEW TDAYLRWDPNAYGGLDAIRIPSSLVWRPDIVLYNKYCLS/AAP PLSYPSLDLPLAVGV**SPLPTT*PGCHAALEAFPQDPSKLP TQPLHGTTPLGYPRPAQAERLLGTYCVVQGRCLNHKGLSRAHF
292	1031	1	595	YALTGALVIVTGMVMGNIADYFNLVSSMSNTFTFLNAGILIS IFLNAWLMEIVPLKTQLRFGFLMLVAVAGLMFHSLSLALFSA MFILGVVSGITMSIGTFLVTQMYEGRQGRSRLFTDSFFSMAG MIFPMIAAFLARSIEWYVYACIGLVYVAIFILTFGCEFPAL CSHATKLGTAASSYPSLDVVQLRTLNA
293	1032	71	479	MAKVGLKTEHYDRYPHMFSGGQRQRIAIARGMLDLPDVVIAD PVSALDVSVRAQVLNLMMDLQQELGLSYVFISHDLSVVEHIAD EVMVMYLGRCVEKGTKDQIFNNPRHPYTQALLSATPRLNPDDR RERIKLSX*
294	1033	2	427	SATLERVLNHPDETQARRLMTLEDIVSGYSNVLSLADSSQGT VYHSPGAPDIREFTTRDAIPDKDAQGGEVYLLSGPTMMMPGHGH GHMEHSNWRMINLPVGPLVDGKPIYTLYIALSIDFHLHYINDL MNKLIMTASVII
295	1034	3	342	VLAYPGIKVSTAEARAILPAQYRRQDCIAHGRHLAGFIHACYS RQPELAALKMKDVIAEPYRERLLPGFRQARQAVAEIGAVASGI SGSGPTLFALCDKPETAQRVADWLK
296	1035	2	279	GQQQRVALARALILKPKVLLFDEPLSNLDANLRSMRDKIREL QKQFDITSLYVTHDQSEAFVSDTVLVMNKGHIMQIGSPQDLR VRLNLW
297	1036	3	157	AVHYLERVRIAEHAHKFPQGQISGGQQORVAIARSLCMKPKIML FDEPTSAL
298	1037	1	217	APYDAENYFDYDNLNNGPSLQHWFGVDSLGRDIFSRVLVGAQI SLAAGVFVAFVIGAAIGTLLGLLAGYYEGW
299	1038	3	570	VFCLIAIDLDPIDELVDFPIVYASALNGIAGLDHEDMAEDMTPL YQAIVDHVPAPDVLDDGPFQMQLSOLDYNSYVGVIGIGRIKRG KVKPNQQVTIIDSEGKTRNAKVGKVLGHLGLERIEIDLAEAGD IVAITGLGELNISDTVCDTQNVEALPALSVDEPTVSMFFCVNT SPFCGKEGKFVTSRQI
300	1039	1	366	QGTRAESQSSKDKTRLAFAGLKFQDYGSIDYGRNYGVAYDIG AWTDVLPFEGGDTWTQTDVFMTRATGVATYRNNDFGLVDGL NFAAQYQGNDRSDFDNYTEGNHGHGFGFSATYEYEG
301	1040	3	201	DTYSVSIPLGATINMAGAAITITVTLAAVNTLGIPLDLPAL LLSVVASLACAGASGVAGGSLL



SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
302	1041	1	140	ANAQQGLPSGITLKLNNLVDKGLVDRLYAASSSGVPVNLLVRG TCS
303	1042	2	442	ARMTLIPGTHLLENIHNIWVNGVGTNSAPFWRMLLNSFVMAFS ITLGKITVSMLSAFAIVWFRFPLRNLFFWMIFITLMLPVEVRI FPTVEVIANLQMLDSYAGLTLPLMASATATFLFRKLNMSPDK VVPAARISGYGPRVRKQ
304	1043	2	403	CAKCLRDADECPSGAFERIGRDISLDALEREVMKDDIFFRTSG GGVTLSSGGEVLMQAEFATRFRLRLWGVSCAIETAGDAPASK LLPLAKLCDEVFLDKIMDATQARDVVKMNLPRVLENLRLLVSGV N
305	1044	1	346	YLLLFVCFVMSLLVGLVYKFTAERAGKQSLDDLMNSSLYLMR SELREIPPHDWGKTLKEMDLNLSFDLRVEPLSKYHLDDISMHR LRGGEIVALDDQYTFLQRI PRSHYVLAVG
306	1045	1	207	VELFLSDEGDDVVEVADQGCVPESLRDKIFEQGVSTRADEP GEHGIGLYLIASVYVTRCGGVITLEDN
307	1046	3	213	DAI IAPDANALPAAQAENLKNKVAIVGFSTPNVMRPYVER GTVKEFGLWDVVQGGKISVYVADALQ
308	1047	1	129	YIVVTGKTHCGTPLTTVTGDATQSGYLTNLNLPMEWVSGYNRV
309	1048	271	46	XEGVEPDINASKTRQQLNDVAGKMKIIEARLSALTNNQTKSLK LNPVALPKVASQLLDELGYSLARRADLQSAHX*
310	1049	16	253	ENIAEEYATKRYRSNVINWGMLPLQMAEVPTFEVGDYIYIPGI KAALDNPGTTFKGYVIHEDAPVTEITLYMESQEART
311	1050	2	299	LQTEIGSMVYAVKPGDGSAREQAASCQRVIGGLANIAEEYATK RYRSNVINWGMLPLQMAEVPTFEVGDYIYILGFKAAYSPGTA FTVYAISGYGPRI
312	1051	1	344	TLEDLLMALDGEQHLQQQVSEKVLADNVLIAPGSVKPDATFWS ALIQDRYNVMTICIEKDACVLVEQDLNSDQGAERILFAFNDDR IVYGFSDSRKEWDALDMSLLPNEITKEK
313	1052	2	630	ESNSRCRKMPGERCRGGPARLSLLDLPLTRPLPHPRQVIDFGS ASIFSEVRYVKEPYIQSRFYRAPEILLGLPFCEKVDVWSLGCV MDELHLGWPLYPGNNEYDQVRYICETQGLPKPHLLHAACKAHH FFKRNPHPDANPWQLKSSADYLAETKVRPLERRKYMLKSLDQ IETVNGGSVASRLTFPDREALAEHADLKSMVEL/MKRL
314	1053	1	302	RLVKKRVECRQCGKAGRNQSTLKTMRSHTEGKPYECDHCGKA FSGSNLNVHRRHTGKPYECLVCGEAFSDHSSLRSHVKTHER GEKLFVSSVWKRLQ
315	1054	1318	730	CGPGFSLSFLLRWSF\ALVAQAGVQWHDLGSLQPPAPGFKRF SSLSLLSRWDYRHAHARLI FVFLVEMGFLHVGQAGLELPTSGD PPTSASQSARITGVTTPLGTFFFFLRSFALVAQAGQCCLDLG SLQLPPPGFKRLVCHFQTPQKHRCSCQAPGDCQESFVMTGCV LRTVSESQRANAGAGAETVQGL

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
316	1055	2486	1429	MGNAAAARKGSEQESVKEFLAKAKEDFLKKWESPAQNTAHLDDQ FERIKTLGTGSFGRVMLVKHKETGNHYAMKILD*KQVGKLGKQI EHTLNEKRILQAVNFPFLVKLEFSFKDNSNLYMVMYVPGGEM FSLRRIGRFSEPHARFYAAQIVLTFEYLHSLDLIYRDLKPEN LLIDQQGYIQVTDFGFAKRVKGRWTLCGTPEYLAPEIILSKG YNKAVDWWALGVLIYEMAAGYPPFFADQPIQIYEKIVSGKVRP PSHFSSDLKDLLRNLLQVDLTKRFGNLKNGVNDIKNHKWFATT DWIAIYQRKVEAPFIPKFKGPGDTS\NFDDYEEEEIRV\SINE KFG\KEFSEF
317	1056	867	461	SSSRSSHGDSPPHSQTPCDTNRGLDTKH*/DSQSIEEKDSSQS E*NRIERRKEVERILQTNSDYM*HWSN*PENILPKKFFSKHQK CTATLSMRNTSIM/KKEGLF*AQFPSLLLSHLPVGLGIYTGT HLTSTSTF
318	1057	544	784	TFHSSLEKNILQPCR*RRALICLPLLL*PSVPLLAPQYFSDLR NSIVNSQPPEKQAMHLCFENLMEGIERNLLTKNRDR
319	1058	1606	228	GTSGVQQEISRLTNENLDLKEKLEKNERKLKKQLKIYMKK AQDLEAAQALAQSERKRHELNQVTVQRKEKDFQGMLEYHKED EALLIRNLVTDLPQMLSGTVPCLPAYILYMCIRHA\DYTNDD LKVHSLTSTINGIKKVLKKHNDDEFMTSFWSNTC\RLLHCL KQYSGDEGFMTQNTAKQN\EHCLKNFDLTEYRQV\L\SDLSIQ IYQQLIKIAEGVLQPMIVSAMLEN*SIQGLSGVKPTGSKHSS SMADEDNSYRLEAIIRQMNAFHTVMCDQGLDPEIILQVFKQLF YMINAVTLNDLLLRKDVCSWSTGMQLRYNISQLEEWLRGRNLH QSGAVQTMEPLIQAAQLLQLKKKTQEDAEAICSLCTSLSTQOI VKILNLYTPLNEFEERVTVAFIRTIQAQLQERNDPQQLLLDAK HMFVPLFPNPSLTMDSIHIPACLNLEFLNEV
320	1059	3	250	HEENTILKAAEVQVPPK*VVTPEAKAFI*RCLAYQKEDCIDAQ QLACDP\YLLHYIQKLVFVSSPAGAAIASTFGVSNSSCN
321	1060	1332	500	GTTDEIMTRWARVSTTYNKRPLPATSWEDMKKGSFEGTSQNL KRKQLEANRLSLKNDAPQAKHKKKKKEYLNEDVNGFMEYLR QNSQMVHNGQIIATDSEEVREEIAVALKKDSRREGRRLLKQAA KKNAMVCFHCRKPGHGIADCPAALENQDMGTGICYRCGSTHE ITKCKAKVDPALGEFFPAKCFVCGEMGHLSRSCPDNPGLYAD GGGCKLCGSVEHLKKDCPESQNSERMVTVGRWAKGMSADYEEI LDVPPKPKPKTKIPKVVNF
322	1061	384	102	DHVRKSLKKNRAENIVNIFKCNVVSPLNLPAGQAQWLTPVIP ALWEAEVGGG*GQEIETILANAVK/SPFLLKIQKKKISRWW AP/VSPRYSGG

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
323	1062	1	777	SDAWADAWARSLSVSPSSYPELHTEVPLSVLILGLLVVFILSV CFGAGLFFVFLKRRKGVPSPVRNTNNLDVSSFQLQYGSYNTET HDKTDGHVYNYIPPPVVMCQNPIMYAGREGRPSSLLPKPGKE FQLLGNLEEKKEPATPAYTISATELLEKQATPREPELLYQNI AE/PSQGTS/TAQA*STITFVPYLKGQFAPSYESRRQNQDRIN KTVLYGTPRKCFVGQSKPNHPLLQAKPQSEPDYLEVLEKQTAI SQL
324	1063	1	1496	ALCHIAVGQQMNLHWHKIGLVVILASTVVAMSAVAQLWEDEW EVLILISLQGTAPFLHVGAAVMTLSWIVAGQFARAERTSSQV TILCTFFTIVFALYLAPLTISSPCIMEKKDLGPKPALIGHRGA PMLAPEHTLMSFRKALEQKLYGLQADITISLDGVPFLMHDTTL RRTTNVEEEFPELARRPASMLNWTTLQRLNAGQWFLKTDPFWT ASSLSPSDHREAQNQSICSLAELLELAGKNATLLNLNRDPPRE HPYRSSFINVTLEAVLHSGFPQHQMMLPSRQRPLVRKVAPGF QQTSGSKEAVASLRGHIQRLNLRYTQVSRQELRDYASWNLSV NLYTVNAPWLFSLWCAGVPSVTSDNSHTLSQVPSPLWIMPPD EYCLMWVTADLVSFLLVIGIFVLQKWRLGGIRSYNPEQIMLSA AVRRTSRDVSIMKEKLIFSEISDGEVSDVLSVCSDNSYDTYA NSTATFVGPRGGGSHTKTLIERSGR
325	1064	1899	776	NSADYGDGPDSSDADPDSTEGVLDVDFSDPFSTEVKPRILLMG LRRSGKSSIQKVVFFHKMSPNETLFLESTNKCREDVSNSSFVN FQIWDFFPGQIDFFDPTFDYEMIFRGTGALIFVIDSQDDYMEAL ARLHLTVTRAYKVNTDINFEVF IHKVDGLSDDHKIETQORDIHQ RANDDLADAGLEKIHLSFYLTSIYDHSIFEAFSKVVQKLIPQL PTLENLLNIFISNSGIEKAFLEDVVSKIYIATDSTPVDQMOTYE LCCDMIDVVIDISCIYGLKEDGAGTPYDKESTAI IKLNNTTVL YLKEVTKFLALVCFVREESFERKGLIDYNFHCFRKAIHEVFV RMKVVKSRKVQNRLQKKKRATPNGTPRVLL
326	1065	1181	346	RTRGRDPGAGFRRTANKRCCRRRFLIGCGWLPLRSDWPLVSKM LSKGLKRKREEEEEKEPLAVDSWWLDPGHAAVAQAPPVAVASS LFDLSVLKLHHSLOQSEPDRLHLVLVNTLRRIQASMAPAAAL PPVPSPPAAPSVADNLLASSDAALSASMASLLEDLSHIEGLSQ APQPLADEGPPGRSIGGAAPSLGALDLLGPATGCLLDDGLEGL FEDIDTSMYDNELWAPASEGLKPGPEDGPGKEEAPELDEAELD YLMDEVLTQALERP PGPR

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide(A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
362	1101	1	5433	<p>RTRGIIEFDPKYTA FEVEEDVGLIMIPVVR LHGT YGYVTAD FISISQSSASPGG</p> <p>VDYILHGSTVTFQHGQNL SFINISI IDNNESEFE EPIELLTGATGGAVLGRH</p> <p>LVSRIIIAKSDSPFGVIRFLNQSKISIANPNSTMILSLVLERTGGLLGEIQVN</p> <p>WETVGPN SQEALLPQNRDIADPVSGLFYFGE GEGGVRTIIILTIYPHEEIEVEE</p> <p>TFIIKLHLVKGEAKLDSRAKDVTLT IQEFGDPNGVVQFAPETLSKTYSEPLA</p> <p>LEGPLLTITFFVRRVKGTFGEIMVWELSS EFDITEDFLSTSGFFT IADGESEA</p> <p>SFDVHLLPDEVPEIEEDYVIQLVSVEGGAELDLEKSITWFSVYANDDPHGVPFA</p> <p>LYSDRQSI LIGQNLIRSIQINITRLAGTFGDVAVGLRISSDHKEQRIVTENAE</p> <p>RQLVVKDGATYKVDVVP IKNQVFLSLGSNFTLQLVTVMLVGGRFYGMPTLQ E</p> <p>AKSAVLPVSEKAANSQVGFESTAFQLMNITAGTSHVMISRRGTYGALSVAWTT</p> <p>GYAPGLEIPEFIVGNMPTTLGSLSF SHGEQRKGVFLWTFPSPGWPEAFVLHL</p> <p>SGVQSSAPGGAQLRSGFIVAEI EPMGVFQFSTSSRNII VSED TQMIRLHVQRL</p> <p>FGFHSDLIKVSYQT TAGSAKPLEDFEPVQNGELFFQKFQTEVD FEITIIINDQL</p> <p>SEIEEFFYINLTSVEIRGLQKFDVNWS PRLNLD FSVAVITILND DDLAGMDIS</p> <p>FPETTIVAVADTTILIPVETESTTYLSTSKTTIILQPTNVVAIVTEATGVS AIP</p> <p>EKLVTLHGT PAVSEKPDVATVTANVSIHGTFSLGPSIVYIEEEMKNGTPTAE</p> <p>VLIRRTGGFTGNVSITVKT FGERCAQMEPNALPFRGIYGISNL TWAVEEEDFE</p> <p>EQTLTLI FLDGERERKVSQI LDDDEPEGQEFFYVFLTNPQGGAQIVEGKDDT</p> <p>GFAAFAMVITGSDLHNGIIGFSEESQSGLELREGAVMRRLHLIVTRQPNRAF</p> <p>EDVKVFWRVTLNKT VVVLQKDG VNLMEELQSVSGTTTCTMGQTKCFISIELKP</p> <p>EKVPQVEVYFFVELYEATAGAAINNSARFAQIKILESD ESQSLVYF SVGSRLA</p> <p>VAHKKATLISLQVARDSGTGLMMSVNFSTQELRSAETIGRTII SPAISGKDFV</p> <p>ITEGTLVFEPGQRSTVLDVILT PETGSLNSFPKRFQIVLFD PKGGARIDKVYG</p> <p>TANITLVSDADSAIWGLADQLHQPVND DILNRVLHTISMKVATENTDEQLSA</p> <p>MMHLIEKITTEGKIQA FSVASRTLFYEILCSLINPKRKDTRGFSHFAELTENF</p> <p>AFSLLTNVTCGSPGEKSKTILDCPYLSILALHWYPPQINGHKFEGKEGDYIR</p> <p>I PERLLDVQDAEIMAGKSTCKLVQFTEYSSQQWFI SGNNLPTLKNKVLSSLVK</p> <p>GQSSQLLTNDNEVLYRIYAAEPRIIPQTSCLLWNQAASWLSDSQFCVKVIEB</p> <p>TADYVEACACLHMSVYAVYARTDNLSSYNEAFTSGFICISGLCLAVLSHIFCA</p> <p>RYSMFAAKLLTHMMAASLGTOILFLASAYASPQLAEESCSAMA AVTHYLYLCQ</p> <p>FSWMLIQSVNFWYVLMNDEHTERRYL LFFLLSWGLPAFVVILLIVILKGIYH</p> <p>QSMSQIYGLIHGDLCFIPNVYAALFTAALVPLTCLVVFVVFVIAHQVQKQWK</p> <p>AYDDVFRGRTNAAEIP LILYLFALISVTWLGGLH MAYRHFWMVLVLFVIFNSL</p> <p>QLL\YPLFFYLLL* DQSSASPGGV DYLHGSTVTFQHGQNL SFINISI IDN</p> <p>ESEFE EPIELLTGATGGAVLGRH LVSRIIIAKSDSPFGVIRFLNQSKISIAN</p> <p>PNSTMILSLVLERTGGLLGEIQNWETVGPN SQEALLPQNRDIADPVSGLFYF</p> <p>GE GEGGVRTIIILTIYPHEEIEVEET FIIKLHLVKGEAKLDSRAKDVTLT IQE</p> <p>FGDPNGVVQFAPETLSKTYSEPLA LEGPLLTITFFVRRVKGTFGEIMVWELSS</p> <p>EFDITEDFLSTSGFFT IADGESEASFDVHLLPDEVPEIEEDYVIQLVSVEGGA</p> <p>ELDLEKSITWFSVYANDDPHGVPFALYSDRQSI LIGQNLIRSIQINITRLAGTF</p> <p>GDVAVGLRISSDHKEQPIVTENAE RQLVVKDGATYKVDVVP IKNQVFLSLGSN</p> <p>FTLQLVTVMLVGGRFYGMPTILQEA KSAVLPVSEKAANSQVGFESTAFQLMNI</p> <p>TAGTSHVMISRRGTYGALSVAWTTGYAPGLEIPEFIVGNMPTTLGSLSF SHG</p> <p>EQRKGVFLWTFPSPGWPEAFVLHL SGVQSSAPGGAQLRSGFIVAEI EPMGVFQ</p> <p>FSTSSRNII VSED TQMIRLHVQRLFGFHSDLIKVSYQT TAGSAKPLEDFEPVQ</p> <p>NGELFFQKFQTEVD FEITIIINDQLSEIEEFFYINLTSVEIRGLQKFDVNWS P</p> <p>RLNLD FSVAVITILND DDLAGMDISFPETTIVAVADTTILIPVETESTTYLSTSK</p> <p>TTTILQPTNVVAIVTEATGVS AIP EKLVTLHGT PAVSEKPDVATVTANVSIHG</p> <p>TFSLGPSIVYIEEEMKNGTPTAEVLIRRTGGFTGNVSITVKT FGERCAQMEP</p> <p>NALPFRGIYGISNL TWAVEEEDFE EQTLTLI FLDGERERKVSQI LDDDEPEG</p> <p>QEFFYVFLTNPQGGAQIVEGKDDTGFAAFAMVITGSDLHNGIIGFSEESQSG</p> <p>LELREGAVMRRLHLIVTRQPNRAFEDVKVFWRVTLNKT VVVLQKDG VNLMEEL</p> <p>QSVSGTTTCTMGQTKCFISIELKPEKVPQVEVYFFVELYEATAGAAINNSARF</p> <p>AQIKILESD ESQSLVYF SVGSRLAVAHKKATLISLQVARDSGTGLMMSVNFST</p> <p>QELRSAETIGRTII SPAISGKDFVITEGTLVFEPGQRSTVLDVILT PETGSLN</p> <p>SFPKRFQIVLFD PKGGARIDKVYGTANITLVSDADSAIWGLADQLHQPVND D</p> <p>ILNRVLHTISMKVATENTDEQLSAMMHLIEKITTEGKIQA FSVASRTLFYEIL</p> <p>CSLINPKRKDTRGFSHFAELTENF AFSLLTNVTCGSPGEKSKTILDCPYLSI</p> <p>LALHWYPPQINGHKFEGKEGDYIRIPERLLDVQDAEIMAGKSTCKLVQFTEYS</p> <p>SQQWFI SGNNLPTLKNKVLSSLVK GQSSQLLTNDNEVLYRIYAAEPRIIPQTS</p> <p>LCCLLWNQAASWLSDSQFCVKVIEBTADYVEACACLHMSVYAVYARTDNLSSYNE</p> <p>AFTSGFICISGLCLAVLSHIFCARYSMFAAKLLTHMMAASLGTOILFLASAY</p> <p>ASPQLAEESCSAMA AVTHYLYLCQFSWMLIQSVNFWYVLMNDEHTERRYL L</p> <p>FLLSWGLPAFVVILLIVILKGIYHQSMSQIYGLIHGDLCFIPNVYAALFTAAL</p> <p>VPLTCLVVFVVFVIAHQVQKQWKAYDDVFRGRTNAAEIP LILYLFALISVTW</p> <p>LNGGLH MAYRHFWMVLVLFVIFNSLQLLVPSVLLFTSMRSTFFSFHTGTLTSRE</p> <p>KKSTFVLTCLLSPDSKGLGVLCFLNTEWAFQVH</p>

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
327	1066	1844	337	LQEVKARRNTLHKEKDHLVNDYEQNMKLLQTKYDADINLLKQE HALSASKASSMIEELEQNVCQLKQQLQSEELQQRKQQLRDQENK FQMEKSHLKHIEYKKAHDLQSELDKGKEDTQKKIHKFEEALKW KKWRQI*LDPN/LLREKQSKEFLWQLEDIRQRYEQQIVELKLE HEQEKTHLLQQHNAEKDSLVRDHEREIENLEKQLRAANMEHEN QIQEFKKRDAQVIADMEAQVHKLREELINVNSQRKQQLVELGL LREEEKQRATREHEIVVNKLKAESKMKIELKKTAAETEMTL EKANSKLKQIEKEYTQKLAKSSQIIAELQTTISSLKEENSQQQ LAAERRLQDVRQKFEDEKKQLIRDNDQAIKVLQDELENRSNQV RCAEKKLQHKELSESQEQITYIRQYETKLGMPASLRQLEED TISSLSQVNFLOKRAILQEE/RDYISROKVQPISR*LHERM QMRISRLCCGTSSSRFEDLDIVNCEISGIF
328	1067	1149	238	VINLVYLISPRPELKPVDKESEVVMKFPDGFKEFSPPIQLD EVDIFYDPKHVIFSRLSVSADLESRICVVGENGAGKSTMLKLL LGDLPVGRIRHAHRNLKIGYFSQHHV\EQL\DLNVQCLWELA GHASFPG\RPEEEY\RHQLGFGMGISGEL\AMRPLCQPVLGAR KKPKWPFAQMDYCPAPTFYIL\DEPTN\HLGHGRAIEALGPC QTISGVGVILVSHE*SALSRLVCRE\LWVC*G\GGVTRVERKD FDQYRALLQGTVSAREGFPLGPPRLKDSPRDMGLVSQTPWGH VGYPLPGRG
329	1068	26	674	CSAVEVKMAARTAFGAVCRRLWQGLGNFSVNTSKGNTAKNGGL LLSTNMKWVQFSNLHVDVPKDLTKPVVTISDEPDILYKRLSVL VKGHDKAVLDSYEFYFAVLAAKELGISIKVHEPPRKIERFTLLQ SVHIYKKHRVQYEMRTLYRCLELEHLEHTGSTADVLEYIQRNLP EGVAMEVTKFCFFIFL\TQLEQLPEHIKEPIWETLSEEKEESK S
330	1069	2105	1283	DFWDTAGQERFQSMHASYYHKTHACIMVFDVQRKVTHRNLSW YTELREFRPEIPCIIVANKIDGGAIPAPGC*QFTGDLPSYISS SIPRAGNLQ*LVLPPTIRYNPWLIVACILPTL*RSQLSRPAFP RHRSLLEFLGPVSQSSLPIPLSGMKASSGPPLQTFPPLDR QTNVLPSTLY\ADINVTQKSFNFAKKFSLPLYFVSAADGTNVVK LFNDAILRAVSQKNSQDFMDEIFQELNFSLEQEEEDVPDQE QSSSIETPSEEVASPHS
331	1070	1	1109	GATPLGSVGGRTGKMDAATLTDTLRFDEFEDFPETSEPVWIL GRKYSIFTEKDEILSDVASRLWFTYRKNFPAIGGTGPTSDTGW GCMLRCGQMIFAQALVCRHLGRDWRWTQRKRQPDYSYFVLNAF IDRKDSYYSIHQIAQMGVGEKSGIQWYGPNPTVAQVLKKLAVF DTWSSLAVHIAMDNTVMEEIRRLCRTSVPCAGATAFPADSDR HCNGFPAGAEVTNRPSWRPLVLLIPLRLGLTDINEAYVETLK HCFM\MPQSLGVIGGKPNASH\YFIG*VG\EELIYLDPHTTQP AVEPTDGCIFPDES FHCQHPPCRMSIAELDPSIAVVRGGHLS QAFGAECCLGMTRKTFGFLRFFFSMLG
332	1071	39	284	ALCVVPFNTFHN\DFLLLDKEGTLDPVMDSFSTHWTITIGPADM FFS\FRQHYKNFKSHGTNPSKSVWAHATCQSCAFPNLLGW

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
333	1072	2	1484	TRLAEFGTRDPCAQAPCEQQCEPGGPQGYSCHCRLGFRPAEDD PHRCVDTDECQIAGVCQCMCVNYVGGFECYCSEGHELEADGIS CSPAGAMGAQASQDLGDELDDGEDEDEDEAWKAFNGGWTEM PGILWMEPTQPPDFALAYRPSFPEDREPQIPYPEPTWPPPLSA PRVPYHSSVLSVTRPVVVSATHPTLPSAHQPPVIPATHPALSR DHQIPVIAANYPDLPASAYQPGILSVSHSAQPPAHQPPMISTKY PELFPAHQSPMFPDTRVAGTQTTHLPGIPPNHAPLVTTLGAQ LPPQAPDALVLRQTATQLPIIPTAQPSLTSTTSRSPVSPAQIS VPAATQPAALPTLLPSQSPTNQTSPISPTHPHSKAPQIPREDG PSPKLALWLPSAPTAAPTALGEAGLAHSQRDDRWLLVALLV PTCVFLVLLALGIVYCTRCGPHAPNKRITDCYRWVIHAGSKS PTEPMPPRGSLLTGVQTCRTSV
334	1073	1	1406	LRVRRRPHLPAPPALRARRSDRRSSRAPAAFPPRPPHASAPAG PAMAQAVWSRLGRILWLACLLPWAPAGVAAGLYELNLTDDSPA TTGAVVTISASLVAKDNGSLALPADAHLRFHWIHTPLVLTGK MEKGLSSTIRVVGHVPGEFPVSVWVTAADCWMCQPVARGFVVL PITEFLVGLDVLVTQNTSLPWSSYLTKTVLKVSFLLHDPNLF KTALFLYSWDFGDTQMVTEDSVVYNYNYSIIGTFTVKLVVAE WEEVEPDATRAVKQKTGDFASLKLQETLRGIQVLGPTLIQTF QKMTVTNLNFLGSPPLTVCWRLKPECLPLEEGECPVSVASTAY NLTHTRDPGDYCFISIRAENIISKTHQYHKIQVWPSRIQPAVF AFPCATLITVMLAFIMYMTLRNATQQKDMVENPEPPSGVRCCC QMCCGFPLELTPSEYLEIVRENHGLLPPLYKSVKTYTV
335	1074	1	866	VVEFAFQLSSVSVCCLTVSFGWQLGTVSSCLSRDWFLKGNLLII IVSVLIILPLALMKHLGYLGYTSGLSLTCMLFFLVSVIYKKFQ LGCAIGHNETAMESEALVGLPSQGLNSSCEAQMFVDSQMSYT VPIMAFVCHPEVLPIYTELCRPSKRRMQAVANVSI GAFMFCM YGLTATFGYLTFFYSVKAEMLMYSQKDPLILCVRLAVLLA\V TLTVPVVLPPIRRALQQLLFPKGAFSWPRHVAIALILLVLVNV LVICVPTTIRDIFGVIGSTSAPSLIFILPSCI
336	1075	3	825	GAGSKSSMMQLMHLESFYEK\PPPGLIKEDDTKPEDCIPDVP NEHAREFLAHTPTKGLWMPLKEVKVKH/CTFHWIAS*FLGDG KFIPKATRLKDVVSN*FTCLFWDLTRFIHDCIFF*NWSLMNK NFNIIY*FFISLR*NTLILQKYFPFSLLLGWHCKWYGHRTGYK ECPFFIKDNQKLQOFRVAHEDFMYDIIRDNKQHEKNVRIQQLK QLLEDSTSGEDRSSSSSSSEGKEKHKKKKKKEKHKRKKKEKKK KKRKHKSSEKSDSE

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
337	1076	3	2451	ETAGAAENMLGSLCLPGSGSVLLDPCTGSTISETTSEASV EVLPSDSEAPDLKQEERLQELSCSGLGSTSDDTDVREVSSRP STPGLSVVSGISATSEDI PNKIEDLRSECS SDFGGKDSVTSPD MDEITHDFLYILQPKQHFQHIEAEADMRIQLSSSAHQLTSPPS QSESLAMFDPLSSHEGASAVVRPKVHYARPSHPPDPPILEG AVGGNEARLPNFGSPMF* LPAEMEAQKQRHS /YTPERLVRSRS S\DIVSSVRRPMSDPSWNRPF\GNEERELPPAAAIGATSLVAA PHSSSSSPSKDSSRGETEERKDSDEKSDRNRPWWRKRFVSAM PKAPIFRKKEKQEKDKDDLGPDRFSTLTDDPSRPLSAQAQVA EDILDKYRNAIKRTSPSDGAMANYESTEVMGDESAHDSRDE ALQNISADDLPDSASQAHPQDSAFSYRDAKKLRLLALCSADS VAFPVLT\HSTRNGLPDHTDPEDNEIVCFKLVQIAEAINLQDK NLMAQLQETMRCVCRFDNRCTCRKLLASIAEDYRKRAPIAYLT RCRQGLQTTQAHLERLLRVLRDKEVANRYFTTVCVRLLESK EKKIREFIQDFQKLTAADDKTAQVEDFLQFLYGAMAQDVIWQN ASEEQQLQDAQLAIERSVMNRIFKLAFYPNQDGDILRDQVLHEH IQRLSKVVTANHRALQIPEVYLREAPWPSAQSEIRTISAYKTP RDKVQCILRMCMSTIMNLLSLANEDSVPGADDFVPVLFVFLIKA NPPCCLSTVQYISSFYASCLSGEESYWWMQFTAAVEFIKTIDD RK
338	1077	536	1305	WPMSLARGHGDTAASTAAPLSEEGEVTSGQLQALAVEDTGGPSA SAGKAEDEGEGGREETEREGSGGEEAQGEVPSAGGEEPAEEDS EDWCVPSCSDEEVELPADGQPMPPSEIQRLYELLAHGTLEL QAEILPRRPPTPEAQSEEEERSDEEPEAKEEEEEKPHMPTEFDF DDEPVTPKDSLIDRRRTPGSSARSQKREARLDKVLSDMKRHKK LEEQILRTGRDLFSLDSEDPSPASPLRSSGSSLFPRQRKY
339	1078	2	1771	LGRGTFGQVV*CWKRGNTNEIVAIIKILKNHPSYARQGQIEVSIL ARLSTESADDYNFVRAYECFQHKNHTCLVFEMLEQNLIDFLKQ NKFSPPLPKYIRPVLQOVATALMKLKSGLIHADLKPENIMLV DPSRQPYRVKVIDFGSASHVSKAVCSTYLQSRYYRAPEIILGL PFCEAIDMWSLGCVIAELFLGWPLYPGASEYDQI /RYISQTQG LPAEYLLSAGTKTTRFFNRDTSYPLWRLKTPDDHEAETGIK SKEARKYIFNCLDDMAQVNMTTDLEGSDMLVEKAVRREFIDLL KKMLSIDSVKRFSPVGSNLNHPFVTMSLFLDFPHSTHVKS CFQ MEICKRRVNMVYDVTNQS KTFITHVAPSTSTNLMTFNNQLTT VHNQPSAASMAAVAQRSMPLQTGTAQICARPDFFQALIVCPP GFQGLQASPSKHAGYSVRMENAVPIVTQAPGAQPLQIQPGLLA QQAWPSGTQQILLPPAWQQLTG VATHTSVQHA AVIPETMAGTQ QLADWRNTHAGSHYNPIMQQPALLTGHTVTLPAAPLVNGVAH VMRQOPTSTTSRKSQKQHLVYCGRARVSKIASR

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
340	1079	2	2721	EFAICRYPLGMSGGQIPDEDITASSQWSESTAACYGRLDSEEG DGAWCPEIPVEPDDLKEFLQIDLHTLHFITLVGTQGRHAGGHG IEFAPMYKINYSRDGTRWISWRNRHGKQVLDGNSNPYDIFLKD LEPPIVARFVRFIPVTDHSMNVCMRVELYGCWVLDGLVSYNAP AGQQFVLPGGSI IYLND SVYDGAVGYSMTTEGLGQLTDGVSGLD DFTQTHEYHVWPGYDYVGVWRNESATNGYIEIMFEFDRIRNFTT MKVHCNNMFAGVKIFKEVQC YFRSEASEWEPNAISFPLVLDD VNPSARFVTVP LHHMASAIKCYHFADTWMMFSEITFQSDAA MYNNSEALPTSPMAPTTYD PMLKVDDSNTRILIGCLVAII FIL LAIIVII LWRQFWQKMLEKASRRMLDDEMTVSLSLPSDSSMFN NNRSSSPSEQGSNSTYDRIFPLRPDYQEPSRLIRKLPEFAPGE EESGCSGVVKPVQPSGPEGVPHYAEADIVNLQGVTTGNTYSVP AVTMDLLSGKRCGCGREFPPGKLLTFKEKLGEQGFEVHLCV EGMEKFKDKDFALDVSANQPV LVAVKMLRADANKNARNDFLKE IKIMSRLKDPNI IHL LSVCTITDDPLCMITEYMENGDLNQFLSR HEPPNSSSSDVRTVSYTNLKFMATQIASGMKYLSSLNFVHRDL ATRNC LVGKNYTIKIADFGMSRNLYSGDYRIQGRAVLPIRWM SWESILLGKFTTASDVWAFG\ VTLWE\ TFTFCQRKG PYS\ QLS \ DETGY* RNTGEFFPRPKGGQTYLPSTSPFPVDS CVIKMLSC WRDRTKNRPSFQEIHL LLLQGGDERCCQCLAMFLRLRSSLQDL PLTHAYATPSGHLMKLRDRGLFALPSFPGHPHSLPLTHIYFFF FTLKN
341	1080	916	3	CSASPLRPGLLAPDLLYLPAGQPRRPEAEPGQKPVVPTLYVT EAEAHSPALPGLSGPQPKWVEVEETIEVRVKMGPQGVSP TTE VPRSSSGHLFTLP GATPGGDPNSNNSNNKLLAQEAWAQGTAMV GVREPLVFRVDARGSV DWAASGMGSLEEETMEEAGEEEGEDG DAFVTEESQDTHSLGDRDPKILTHNGRMLTLADLEDYVPGE TFHCGGPGPGAPDDPPCEVSVIQREIGEPTVG\ SLCCSAWGMH WVPEALSASLGLSPMGR\ HHRDPRSVLRAPPSSCGRPRLGLW AVLPG
342	1081	862	444	QGLAAEFLOQVPAVTRAYTAACVLTTAAVQLELLSPFQLYFNPH LVFRKFQAPFLPWALMGFSLLGNSILVDLLGIAVGHIIYFLE DVFPNQPGGKRLQTGFLGLQSSKAPAGSSLTITWQQSQGGP GTAGELAAPS



SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
343	1082	3658	337	EKNALEPTVYFGMGV*APQVPRFQQRITGYQYYLQLRKDIWEE GIPCTLEQPIHLAGLAVQAIFGDFDQYESQDFLQKFALFPVGV LQDEKVLSEATQKVALLHQKYRGLTAPDAEMLYMQEVERMDGY GEESYPAKDSQGSDDISIGACLEGIFVKHKNGRHPVFRWHDIA NMSHNKSFFALELANKEETIQFQTEDMETAKYIWRLCVARHKF YRLNQCNLQTQTVTVNPIRRSSSRMSLPKPQPYVMPPPP\QL HYNGHYTEPYASSQDNLFVFNQEG\YYGQFQTSLNRAQIDFNG RIR\NASVYSAHSTNSLNNPQPYLQSPMSNPSITGSDVMRP DYLPSHRHSAVIPPSPYRPTPDYETVMKQLNRLVHAERQSHSL RNLNIGSSYAYSRAALVYSQPEIREHAQLPSPAAHCPFSLS YSFHSPPYPYPAERRPVVGAVSVPELTNAQLQAQDYPSPNIM RTQVYRPPPPYPPPRANSTPDLSRHLYISSNPDLTIRRVHH SVQTFQEDSLPVAHSLQEVSEPLTAARHAQLHKRNSIEVAGLS HGLEGRLRKERTLSASAAEV\APRAVSVGSQP\SVFTERTQRE GPEEAEGRLRYGHKKSLSDATMLIHSSEEEDEDFEESGARAP PARAREPRPGLAQDPPGCPRVLLAGPLHILEPKAHVPDAEKRM MDSSPVRTTAEAQRPWRDGLLMPMSSESDDLTTSGRYRARRDSL KKRPVSDLLSGKKNIVEGLPPLGGMKKTRVDACKIGPLKLAAL NGLSLSRVPLPDEGKEVATRATNDERCKILEQRLEQGMVFTEY ERILKKRLVDGECSTARLPENAERNRFQDVLPHYDDVRVELVPT KENNTGYINASHIKVSVSGIEWDYIATQGQLQNTCQDFWQMVW EQGIAI IAMVTAE EEGREKSFYWPRLGSRHNTVTYGRFKIT TRFRDSCGYATTGLMKHLLTGQERTVWHLQYTDWPEHGCP DLKGFLSYLEEIQSVRRHTNSTSDPQSPNPPLL VHCSAGVGR GVVILSEIMIACLEHNEVLDIPRVLDMRL\QORMMLVQTLQCY TFVYRVLIQVPEKAPRLILSSPQFPYGAQSCEAFTA
344	1083	6	304	RKKQKLAEE*VELSKLADLKDAEAVQKFFLEET*L\GEEILAK GVDHLTNPSAVCGQPQWLLQVLQQTLPPLPVIQMLLT KPLPVNQ RLVSAG/SLAKDDVE
345	1084	1255	635	SFCLHEFGWLGSPPQSDHPVPALLGLGAFVHHSLLQVHSSPGA GPVSFLLFGESCPVDEPRCPVPSCAFGLSCFPLLSAALERG LFFVVFVFFLESQSCQVARAGVRD/RDRGSLQPPPPGLKQFCL SLPSRWDRHPPPLRVP*FVFVFLVELGFHHVAQAGLKLTL DPPAPASHSAGITGVSQRDQPVFLRWASCSELVG
346	1085	116	415	EGFPGRSLSGGLCCRLRRRFPIDGYRPRRRRRWSCCPSGVRPV RRMSQKSWIESTLTKRECVYIIPSSKDPHRCLPGCQICQQLVR RGFTVLARMVSIS
347	1086	918	760	QNSTCLTAQTHSLQHQPLQLTLLDQYIREQREKDSVMSANG KPDPTVPDS

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
348	1087	1	750	LNPWKNALQDFCLPFLRITSLQHHLFGE DLPSQEEEEFSVL ASCLGLLPFYQTEHPFISASCLDWPVPAFDIITHWCFEIKSF TERHAEQKALLIQESKWKLPHLLQLPENYNTIFQYYHRKTCS VCTKVPKDPVCLVCGTFVCLKGLCKQQS YCECVLHSQNCGA GTGIFLLINASVIIIRGHRFCLWGSVYLDAGGEEDRDLRRGK PLYICKERYKVLQEQWISHTFDHINKRWGPHYNGL
349	1088	3	1374	KGQLVNLLPPE NFPWCGGSQGPRLR TCYVLC SQAGPRSRGWQ SLSF DGGAFHLKGTGELTRALLVLR LCAWPP LVTHGLLLQAWS RRL LGSRLSGAFLRASVYGQFVAGETA E EVKGC VQQLRTL SLR P LLAVPT EEE PD SAAKSGEAWYEGNLGAMLRCVDLSRGLLEPP SLAEASLMQLKV TALTSTR LCKELASWVRRPGASLELSPERLA EAMDSGQNLQV SCLNAEQNH L RASLSRLHRVAQYARAQHVRL LVDAEYTS LNPALSL LVAALAVRWNSPGEGGPWVWNTYQACLK DTFERLGRDAEAAHRAGLAFGVKLVRGAYLDKERAVAQL\HG\ MEDPPTQADYEATS\QSYS\RCLELMLTHVARHGPMCHLMVAS HNEESVRQATK\GQAGYVVYKSI PYGSLEEVIPY LIRRAQENR SVLQGARREQE LLSQKLWRRLLPGCRRIPH
350	1089	1036	306	VVEFGEMSTARAPEGLRWFQLYVHPDLQLNKQLIQRVESLGFK ALVITLDT PVCNRRHDIRNQLRRNLTLTDLQSPKKGNAI PYF QMTPISTSLCWN DL S W FQSITRLPIILKGILT KEDAELAVKH N VQGIIVSNHGGRQLDEV LASIDALTEVGAAE*GNMKYYLDAGV RTGNDVQKALALGAKCIFLGRPI LWGLACKGEHGVKEVLNILT NEFHTSMA\LTGCRSVAEINRN LVQFSRL
351	1090	1229	957	FFLRWSFTL\LPRL E/CQWLN LGSLQPPPPGFK*SSCLRLSS WGLQVPTSM LG*FFCIFSREGISPCWPGWSQTPKVIHLPRPPR VLRLQA
352	1091	1145	365	LLCFVHTALQSFQGE LYEPHVVI AIVVFLV KLGICK*RASWRK KVTLVVK*S/LKICFTKYGSCYHPGEKSSSWLFN*RMVNDCLA TSCSNRSFVIQIPSSNLFMVVDSSCLCESVAPITMAPIEIR YILLCAGPLTTTETSKGYQW*GNLGEKY*RRKITSFPLLERES S*ESCHQILTSEMQRKKQSLETCLNYSQH NESLK CERLKAQ KIRRRPESCHGFHPEENARECGGAPSLQAQTVL LLLPLLLMLF SR
353	1092	1140	790	VPSPTHDPKPAEAPMPA*PAPPGPASPGGALEPPAAARAGGSP TAVRSILT KERRPEGGYKAVWFGEDIGTEADVVLNAPTLDVD GASDSGSGDEGEGAGRGGGYPDAPGGDDSYI

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
354	1093	3	2293	LISLAGPTDDIQSTGPOVHALNILRALFRDTRLGENIIPYVAD GAKAAILGFTSPVWAVRNSSTLLFSALITRIFGVKRAKDEHSK TNRMTGREFFSRFPELYFPFLKQLETVANTVDSMDGEPNRHPS MFLLLLVLRLYASPM DGTSSALSMGPFVVPFIMRCGHSPPVYHS REMAARALVPFVMIDHIPNTIRTLLSTLPSC TDQCFRQNHIG TLLQVFHLVQAYSDSKHGTNSDFQHELT DITVCTKAKLWLAKR QNPCLVTRAVYIDILFLLTCCLNRS AKDNQPVLES LGFWEEVR GIISGSELITGFPWAFKVPGLPQYLQSLTRLAIAAVWAAAAS GERETNPISFSQ LLESAPFEVRS LTLEALLEKFLAAASGLGE KGVPPLLCNMGEKFLLLAMKENHPEC FCKILKILHCM DPGEWL PQTEHCVHLTPKEFLIWTMDIASNERSEIQSVALRLASKVISH HMQTCVENRELIAELKQWVQLVILSCEDHLPTESRLAVVEVL TSTTPLFLTNPPILELQDTLALWKCVLTLQSEEQAVRDAAT ETVTTAMSQENTCQSTEF AFCQVDASIALALALAVLCDLLQQW DQLAPGLPILLGWLLGESDDL VACVESMHQVEEDYLFKEAEVN FWAETLIFVKYLCKHLFCLLSKSGWRPPSP EMLCHLQRMVSEQ C\HLLSQFFRELPPAEFVKTFEFTRLRIQEERTLACLRLIAF LEGKEGEDTLVLSVWDSYAESRQLTLPRTEAAC
355	1094	25	1265	HAFRPIALQRGVSFRGCSNQYAESRR LQGESGSRFAHLMESL LQHLDRFSELLAVSSTTYVSTWDPATVRRALQWARYLRIHRR FGRHGP IRTALERRLHNQWRQEGGFGRGPVGLANFQALGHCD VLLSLRLLENRALGDAARYHLVQQLFPGPGVRDADEETLQESL ARLARRRS AVHMLRFNGYRENPNLQEDSLMKTOAELLERLQE VGKAEAEERPARFLSSLWERLPQNNFLKVI AVAL LQPPLSRRPQ EELEPGIHKSPGEGSQVLVHWLLGNSEVF AAFCRALPAGLLTL VTSRHPALSPVYLGLLTDWQORLHYDLQKGIWVGTESQDVPWE ELHNRFSQLCQAPPPLKDKVLTALETCKAQDGD FEEPGLSIWT DLLLALRSGAFRKRQVLGLSAGLSSV
356	1095	3	1027	SHLIQHQR IHT*E*AHECNECGKAFSQTSC LIQH HKMRKEKS YECNEYEGSF SHSSDLILQQEVLTRQKAFDCDVWEKNSSQRAH LVQHQS IHTKE/K/PHECNE DGKIF/NQIQ A/LIQHLRVHTRE K\YVCTACGKAFSHSSAIAQHQI IHTREK PSECDE*RKGISVK LLIDSC/RIYTSEKSYKCI ECGKFFMLLVFSYLSHIWRIHMG I KFHCCNECEKAISQRNYLV*YQIHAMQDYKCN/EACMCVRRF SHNPTLIQHQR IYT*ENLFGCSK/C/GRSFNRS L TSLCHIRIS I/RRQEF DVTQMEKLD TTFQA/STQHRNNGEKIVDYLFMKLLI HSPNLFHCTKI
357	1096	2638	2867	AVTLTAKICSFTPEPSETMSPPAGTNN SRHAALRAVTL PVKVC SFTPEPARSRTHQKEETPNTSEHQEQ TPEAPP

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corre- sponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corre- sponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
358	1097	4747	4550	<p>MAYSQWTDPNPNESHEKQYEHQEFLEFVNQPHSSSQVSLGFDQI  VDEISGKIPHYESEIDENTFFVPTAPKWDSTGHSLNEAHQISL  NEFTSKSRELSWHQVSKAPAIGFSPSVLPKPQNTNKECSWGSP  IGKHHGADDSRFSILAPSFTSLDKINLEKELENENHNYHIGFE  SSIPTNSFSDFMPKEENKRSQHVNIPEPSLMLLKGLQPG  MWESTWQKNIESIGCSIQLEVPQSSNTSLASFCNKVKIRER  YHAADVNFNSGKIWSTTTAFQPYQLFSKTKFNIHIFIDNSTQPL  HFMPCANYLKVDLIAETLHFCTNDQLLPKDHLISVWGSEEFLLQ  NDHCLGSHKMPQKDKSVIQLHLQKSREAPGKLSRKHEEDHSQF  YLNQLLEFMHIWVSRQCLLTLLIRKYDFHLKYLKLTQENVYNI  IEEVKKICSVLGCVETKQITDAVNELSLILQRKGENFYQSSET  SAKGLIEKVTTTELSTSIYQLINVYCNSFYADFQPVNVPRCTSY  LNPGLPSHLSTFYAAHNI PETWVHRINFPLEIKSLPREVLMIT  VKLFGIACATNNANLLAWTCLPLFPKEKSI LGSMLFSMTLQSE  PPVEMITPGVWDVSQPSVTLQIDFPATGWEYMKPDSEENRSN  LEEPLKECIKHIALRSQKQTPLLLSEEKKRYLWFYRFYCNNEN  CSLPLVLGSAPGWDERTVSEMHTILRRWTFQPLEALGLLTSS  FPDQEI R K VAVQQLDNLNDELLEYLPQLVQAVKFEWNLESPL  VQLLLHRSLSIQVAHRLYWLKNAENEAYFKSWYQKLLAALQ  FCAGKALNDEFSEKEQKLIKILGDIGERVKSASDHQRQEVLRKE  IGRLEEFFQDVNTCHLPLNPAICIKGIDHDACSFTSNALPLK  ITFINANLMGKNISII FKAGDDL R QDMLVLQLIQVMDNIWLQE  GLDMQMI IYRCLSTGKDQRLVQMVPDAVTLAKIHRHSGLIGPL  KENTIKKWF SQHNHLKADYEKALRNFFYSCAGWCVVTFILGVC  DRHNDNIMLT KSGHMFHIDFGKFLGHAQTFGGIKRDRAFFIFT  SEM\ EYFITEGG\KNPQHFDQFV\ELCCRAYNIIRKHSQLLL\  NLL\EMMLYAG\LPELSGI\QDLKYVYNNLRPQDTDLEATSHF  TKKIKESLECFPVKLNLIHTLAQMSAISPAKSTSQTFFQESC  LLSTTRSIERATILGFSKKSSNLYLIQVTHSNNETSLTEKSFE  QFSKLHSQLOKQFASLTLPFPFWHLPFTNSDHRFRDLNHY  MEQILNVSHVETNSDCVLSFFLSEAGQQTVEESSPVYLGEKFP  DKKPKVQLVISYEDVKLTILVKHMKNIHLPDGSAPSAHVEFYLL  LPYPSEVRRRKTKSVPKCTDPTYNEIVVYDEVTELGHVLMILI  VKSKTVFVGAINIRLCSVPLDKEKWYPLGNSII*PLLLFYTSN  FMQSVLH</p>
359	1098	679	346	<p>FFLRWSLDSVTQAGVQSHDLSSSQPPPPGFKQSSSLFGLPSSWE  *RWVPPCPANFFVFLVETGFRHVGQAGLELLTSNDLPVSACQS  AGITGVTTVPQRKSMILYEVTICYP</p>

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
360	1099	2	1601	<p>FVREIRGPAVPRLTSAEDRHRHGPHAHSPELQRTGRDYSLDYL</p> <p>PFRLWVGIIWVATFCLVLVATEASVLVRYFTRFTEEGFCALISL</p> <p>IFIYDAVGKMLNLTHTYPIQKPGSSAYGCLCQYPGPGGNESQW</p> <p>IRTRPKDRDDIVSMDLGLINASLLPPPECTRQGGHPRGPGCHT</p> <p>VPDIAFFSLLLFLTSFFFAMALKCVKTSRFFPSVVRKGLSDFS</p> <p>SVLAILLGCGLDAFLGLATPKLMVPREFKPTLPGRGWLVSFPF</p> <p>ANPWWWSVAAALPALLLSILIFMDQQITAVILNRMEYRLQKGA</p> <p>GFHLDLFWVAVLMLLTSALGLPWVVSATVISLAHMDSLRRESR</p> <p>ACAPGERPNFLGIREQRLTGLVVFILT GASIFLAPVLKFIPMP</p> <p>VLYGIFLYMGVAALSSIQFTNRVKLLL\MPAKHQPDLLLRLHV</p> <p>PLTRVHLFTAISFA\CLGLLW\IIKSTPAAIIFPLMLLGLVGV</p> <p>RKALERVFS PQELLWLDELMP EERSIPEKGLEPEHSFSGSDS</p> <p>EDSELMYQPKAPEINISVN*LE*EFVREIRGPAVPRLTSAEDR</p> <p>HRHGPHAHSPELQRTGRDYSLDYLPFRLWVGIIWVATFCLVLVA</p> <p>TEASVLVRYFTRFTEEGFCALISLIFIYDAVGKMLNLTHTYPI</p> <p>QKPGSSAYGCLCQYPGPGGNESQWIRTRPKDRDDIVSMDLGLI</p> <p>NASLLPPPECTRQGGHPRGPGCHTVPDIAFFSLLLFLTSFFFA</p> <p>MALKCVKTSRFFPSVVRKGLSDFS SVLAILLGCGLDAFLGLAT</p> <p>PKLMVPREFKPTLPGRGWLVSFPFANPWWWSVAAALPALLLSI</p> <p>LIFMDQQITAVILNRMEYRLQKAGGFHLDLFCVAVLMLLTSAL</p> <p>GLPWVVSATVISLAHMDSLRRESRACAPGERPNFLGIREQRLT</p> <p>GLVVFILT GASIFLAPVLKFIPMPVLYGIFLYMGVAALSSIQF</p> <p>TNRVKLLLDASKTPARPATLAACASDQGPPLHSHQLCPVWGCF</p> <p>GI IKSTPAAIIFPLMLLGLVGV RKALERVFS PQELLWLDELMP</p> <p>EERSIPEKGLEPEHSFSGSDSEDS ELMYQPKAPEINISVN</p>

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
361	1100	1	2636	MGLKARRAAGAAGGGGDDGGGGGGGAANPAGGDAAAAGDEERKV GLAPGDVEQVTALGAGADKDGTLLEGGGRDEGQRRTPOGIG LLAKTPLSRPVKRNNAKYRRIQTLYDALERPRGWALLYH\AL VFLIVLG\CLILAVL\TTFKEYETVSGDWLLETFATFIFGA EFALRIWAAGCCCRYKGWRGRLLKFARKPLCMLDIFVLIASVPV VAVGNQGNVLATSLRSLRFLQILRMLRDGPGEGETWKLGL\SA ICAH\$KELITAWYIGFLTLILSSFLVYLVEKDVPEVDAQGEEM KEEFETYADALWWGLITLATIGYGDKTPKTWEGRLIAATFSLI GV\$FFALPAGILG\$GLALKVQEQHRQKHFEKRRKPAELIQAA WRYATNPNRIDL\$VATWRFY\$V\$V\$F\$F\$F\$RKEQLEAASSQKLG LLDRVRLSNPRGSNTKGKLF\$T\$PLNVD\$IE\$S\$PSKEPKPVGLNN KERFRTAFRMKAYAFWQ\$SEDAGTGDPM\$EDRGYGNDFPIEDM IPTLKAAIRAVRILQFRLYKKKFKETLRPYDVKD\$VIEQYSAGH LDMLSRIKYLQTRIDMIFT\$GPP\$TPKHKSQKGS\$FTF\$SQ SPRNEPYV\ARPST\SEI\EDQRH*WGKFV\$KSLKGQV\QGLGR KLD\$FLVDMHMQHMERLQVQVTEYYPTKGTSSPAEAEKKEDNRY SDLKTIICNYSETGPPPEPPYSFHQVTIDKVSPY\$FFAHDPVNL PRGGPSSGKVQATPPSSATTYVERPTVLPILTL\$DSRV\$CH\$SQ ADLQGPYSDRISPRQRRSITRDS\$T\$PL\$MSVNHEELERS\$PSG FSISQDRDDYVFGPNGGSSW\$REKRYLAEGETD\$TD\$T\$D\$P\$T\$PSG SMP\LSSTGDG\$IS\$V\$W\$T\$P\$SNKPI

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
363	1102	2	2855	AAGATMERDGCAGGSGRGEGGRAPREGPAGNGRDRGRSHAAE APGDPQAAASLLAPMDVGEEPLEKAAARATAKDPNTYKVL LSVCVLTTILGCI FGLKPSCAKEVKSCKGRCFERTFG\NCRCD AACVELG\NCCGLPGGTCTI\EP\EHIW\TCNKFRCG\EKRLT RSLCACSDCKD\RGDCLPSNLQFLCVQGE\KSWGRKNPCESH LMEP\QCP\AGFETPSLPLLIIF/SLDGFRAEYLHTWGLLPVI SKLKKCGTYTKNMRPVYPTKTFPNHYSIVTGLYPESHGIINN MYDPKMNASFSLKSKEKFNPEWYKGEPIWVTAKYQGLKSGTFF WPGSDVEINGIFPDYKMYNGSVPFEEIRILAVLQWLQLPKDER PHFYTTYLEEDSSGHSYGPVSSEVIKALQVRDGMVGMMDGL KELNLHRCNLNLISDHGMEQGSCKKIYLNKYLGDVKNIKVI YGPAAARLRPSDVPDKYYSFNYEGIANRLSCREPNQHFYPYLKH FLPKRLHFAKSDRIEPLTFYLDPPQWLALNPSEKCYCGSGFHG SDNVFSNMQALFVGYPGPFKHGIEADTFENIEVYNLMCDLNL TPAPNNGTHGSLNHLNPNVYTPKHPKEVHPLVQCPFTRNPRD NLGCSCNPSILPIEDFQTFQNLTVAAEKIKHETLPYGRPRVL QKENTICLLSQHFMSGYSQDILMPLWTSYTVDRNDSFSTEDF SNCLYQDFRIPLSPVHKCSFYKNNTKVSYGFLSPPQLNKNSSG IYSEALLTTNIVPMYQSFQVIWRYFHDTLRLKYAEERNGVNVV SGPVDFDFDYDGRCDL\ENLRQKRRVHPVTQENFWIPNSTF Y/VVLTSCKDTSQTPHLC\ENL\DTLGFPPCLHRDWINSETC \VHG\KHDSSW\VEEFVKCLHRA\RITGC*GTSGLGSFYQQRK EPVSDILKLKTHLPTFSQED
364	1103	657	1	TVPPPPGGPSPAPLHPKRSPTSTGEAELKEERLPGRKASCSTA GSGSRGLPPL\SPMVSSAHNPNAEIPERRKDSTSTPNNLPPS MMTRRNTYVCTERPGAERPSLLPNGKENSSTGTPRVPPASPSH SLAPPSGERSRLARGSTIRSTFHGGQVRDRAGGWGFFNKHA LQRAPRNAGAPSLMPGHRTVLINYGQDLKNWETCLAAPPNK HRR
365	1104	1	1313	HTLHHSSPTSEAEFVSRLSTQNYFRSLPRGTSNMTYGTFNFL GGRLMIPNTGISLLIPDAIPRGKIYEIYTLHKPEDVRLPLA GCQTLSPIVSCGPPG\VLLTRPVILG\MDHCG\EPSPDWS\S LRLKKQSCGWSWEDVLHLGEEAPSHLYCQLEASACYVFTEQL SRYALVGEALSVAALKRLKLLFAPVACTSLEYNILVYCLHDT HDALNVVVQLEKQLQGQLIQEPLVLHFKDSYHNLRLSIHDVPS SLWKSLLVSYQEIPFYHIWNGTQRYLHCTFLERVSPSTSDL ACKLWVWQVEGDGQSFSINFNITKDTFAELLALAESEAGVPAL VGPSAFKIPFLIRQKIISLDPPCRRGADWRTLAQKLHLDLHSL SFFASKPSPTAMILNLWEARHFPNGNLSQLAAAVAGTGAPAGRW LLSQCSAEAC
366	1105	1	343	GSAAGVQQQQQRRHQQGVTVKYDRKELRKRLVLEEWIVEQL GQLYGCEEEMPEVEIDIDDLFDAYSDEQRASKLQALVDCYK PTEEFIKELLSRIRGMRLSP\POKKS

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
367	1106	2	1398	IMLDGRVRLTPVISALWEAEMEDVIARMQDEKNGIPIRTVKS FLSKIPSVFSGSDIVQWLIKNLTIEDPVEALHLGLTMAAHGYF FPISDHVLTLDKDDGTFFRFQTPYFWPSNCWEPENTDYAVYLCK RTMQNKARLELADYEAESEARLQRAFARKWEFIFMQAEQAQKV DKKRDKIERKILDSQERAFWDVHRPVPVCVNTTEVDIKKSSRM RNPHKTRKSVYGLQNDIRSHSPHTPTPETKPPTDELQQQIK YWQIQDLDRHLKMSKVADSLSYTEQYLEYDPFLPPDPSPNPW LSDDTTFWLEASKEPSQQRVKRWGFGMDKDPVGREQFLK FLESEFSSSENLRFWLAVEDLKKRPIKEVPSRVQEIWQEFAPG APSAINLDSKSYDKTTQNVKEPGRVTFEDAQEHYKLMKSDSY PRFIRSSAYQELLQAKK\KGKSLTSKRLTSLAQSY
368	1107	1	461	GTRDYPRIVNHLDHTYVTAPQAFMMFQYFVKVVPVYMKVDGE VLTTNQIYVTRHEKAAYVLMGDQGLPGVFILYELSPMMVNLT IHTFFSLFLTIVGA\TIGGMFFEHFVINYLTHKWGLGFYFKNE NSLQGGHRTLYGVNFFMYWSLRGGS
369	1108	2	1522	SVWVNSQRQFVVRWAGCAGPCGRAVFLAFGLGLGLIEEKQAES RRAVSACQEIQAIFQKSKPGPDPLDTRRLQGFRLLEYLIGQS IGKGCSAAVYEATMPTLPQNLEVTKSTGLLPGRGPGTSAPGEG QERAPGAPAFPLAIKMMWNISAGSSSEATLNTMSQELVPASRV ALAGEYGAVTYRKS KRGPQLAPHNIIIRVLRAFTSSVPLLP ALVDYDPDVLPSRLHPEGLGHGRTLFLVMKNYPCTLRQYLCVNT PSPRLAAMMLLQLEGGVDHLVQQGIAHRDLKSDNILVELDPDG CPWLVIADFGCLADESIGLQLPFSSWYVDRGGNGCLMAPEVS TARPGPRAVIDYSKADAWAVGAIAYEIFGLVNPFGQGAHLE SRSYQEAQLPALPESVPPDVRQLVRALLQREASKRPSARVAAN VLHLSLWGEHILALKNLKLDKMGVWLLQQAATLLANRLTEKC CVETKMMLFLANLECETLCQAALLCSWRAAL
370	1109	105	1252	RPLLRRLAELPDHCYRMNSSPAGTPSPQPSRANGNINLGPSANP NAQPTDFDFLKVIGKGYGKVLAKRKSDGAFYAVKVLQKKS LKKKEQSHIMAERSVLLKNVRHPFLVGLRYSFQTPEKLYFVLD YVNGGELFFHLQRERRFLEPRARFYAAEVASAIGYLHSLNIY RDLKPENILLDCQGHVLTDFGLCKEGVEPEDTTSTFCGTPEY LAPEVL\RKEPYDRAVDWWCLGAVLYEMLHGLPPFYSQDVSQM YENILHQLQIPGGRTVAACDLLQSLHDKDQRRLGSKADFLE IKNHVFFSPINWDDLYHKRLTPPFNPNVTGPADLKHDFDPEFTQ EAVSKSIGCTPDTVASSSGASSAFLGFSYAPEDDDILD



SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
371	1110	3	1608	RPQTLKGHQEKIRQRQSI LPPQGPAP IFFQHRGGDSPEAKNR VGPQVPLSEPGFRRRESQEEPRAVLAQKIEKETQILNCALDDI EWFVARLQKAAEAFKQLNQRKKGKKKKKAPAEGVLT LRARPP \SEGEFIDCFQKIKLAINLLAKLQKHIONPSAAELVHFLFGPL DLIVNTCSGPD IARSVSCPLLSRDAVD FLRGHLVPKEMSLWES LGESWMRPRSEWPREPQVPLYVPKFHSGWEPPVDVLQEAPEV EGLASAPIEEVSPVSRQSI RNSQKHSPTSEPTPPGDALPPVSS PHTHRGYQPTPAMAKYVKILYDFTARNANELSVLKDEVLEVLE DGRQWWKLRSRSGQAGYVPCN ILGEAR PEDAGAPFEQAGQKYW GPASPTHKLPPSPGKNDELMOHMDDEVNDELIRKISNIRAQPO RHFRVERS QPVSQPLTYESGPDEVRAWLEAKAFSPRIVENLGI LTGPQLFSLNKEELKKVCGE EGV RVYSQ LTMQAFLEKQQSGS ELEELMNKFHSMNQRRGDS
372	1111	3	1046	AWHEGLVSSPAIGAYLSASYGDSLVLVATVVALLDICFILVA VPESLPEKMRPVSWGAQISWKQADPFASLKKVGKDSTVLL\IC ITVCLSYLPEAG\QYSSFF\LYLR\QVIGFG\SVKIAAFIAMV GILSIVAQTAFLSILMRSLGNKNTVLLGLGFQMLQLAWYFGS QAWMMWAAGTVAAMSSITFPAISALVSRNAESDQQGVAQGIIT GIRGLCNGLPALYGFIFYMFHVELTELGPKLNSNNVPLQGAV IPGPPFLFGACIVLMSFLAALFIPYSKASGVQKHSNSSSGSL TNTPERGSEDEDIEPLLQDSSIWELSSFEPPGNQCTEL*TRQKV GFCIRHL
373	1112	1	1950	MAAGLATWLPFARAAAVGWLPLAQQLPPAPGVKASRGDEVLV VNVSGRRFETWKNTLD RYPTLLGSSEKEFFYDADS GEYFFDR DEDMFRHVLNFYRTGR LHCPRQECIQAFDEELAFYGLVPELVG DCCLEEYRDRKKENAEERLADEEAEQAGDGPALPAGSSLRQRL WRAFENPHTSTAALVFYYVTGFFIAVSVIANVVETIPCRGSAR RSSREQPCGERFPQAFECMDTACVLIFTGEYLLRLFAAPSRCR FLRSVMSLIDVVAILPYYIGLLVPKNDDVSGAFVTLRVFRVFR IFKFSRHSQGLRILGYTLKSCASELGFLFLSLTMAIIIFATVM FYAEKGTNKTNFTSIPAAFWYTIIVTMTLGYGDMVPSTIAGKI FGSICSLSGVLVIALPVPVIVSNFSRIYHQNRADKRRRAQKV RLARIRLAKSGTTNAFLQYKQNGGLED SGSGEEQAVCVNRSA FEQQHHLLHCLEKTTCHFTDELTFSEALGAVSPGGRTSRST SVSSQPVGPGSLLSSCCPRRAKRRAIRLANSTASVSRG\SMQE LDMLAGL\RRSHAP\QSRSSL\NAKPHDSL DLNCD SG\DFVAA IISIPTPPANTPDESQPSPPGGGRAGSTLRNSSLGTPCLFPE TVKISSL
374	1113	4	664	GWGKPFKDWTGGQDTGGEPALLVGAGEGRAPRLNCPSGQIRS PGPGDLSIYDNWIRYFNRSSPVYGLVP/RSKTSARIYPTYHTA FDTFDYVDKFLDPGEEGDKGHPETRTGEAED*ALALSPCRR\F SSHQAVARTAGSVILRLSDSFFLPLKVS DYSETLRSFLQAAQ DLGALLEQHSISLGPLVTAVEKFEEAALGQRISTLQKGS PD PLQVRML

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
375	1114	1	1147	GIRGGGSLASGGPGPGHASLSQRLRLYLADSWNQCDLVALTCF LLGVGCRLTPGLYHLGRTVLCIDFMVFTVRLLIHIFTVNKQLGP KIVIVSKMMKDVFFFLFGLGVWLVAYGVALEGLLRPRSDFPS ILRRVFYRPLYQIFGQIPQEDMDVALMEHSNCSSEPGFWAHP GAQAGTCVSQYANWLVLVLLVIFLLVANILLVNLIIAMFSYTF GKVQGNSDLYWKAQRYRLIREFHSPALAPPFIVISHLRLLLR QLCRPRSPQPSSPALEHFRVYLSKEAERKLLTWESVHKENFL LARARDKRESDSERLKRTSQKVDLALKQLGHIREYEQRLKVL REVQQCSRVLGWVAEALSRALLPPGGPPPPDLPGSKD
376	1115	3	329	LIKLKSKAKSCENDLEMGMLNSKFKKTRYQAGMRNSENLTAN NTLSKPTRY/QGELKEIKQDISSLRYELLEKSQATGELADLI QQLSEKFGKNLNKDHLRVNKGKDI
377	1116	1	2043	LPLLHAGFNRRFMENSSIIACYNELIQIEHGEVRSQFKLRACN SVFTALDHCHEAIEITSDDHVIQYVNPFAFERMMGYHKGELLGK ELADLPKSDKNRADLLDTINTCIKKGKEWQGVYARRKSGDSI QQHVKITPVIGQGGKIRHFVSLKKLCCTTDNNKQIHKIHRDSG DNSQTEPHSFRYKNRRKESIDVKSISSRGSDAPSLQNRYPSPM ARIHSMTIEAPITKVINIINAAQENSPVTVAEALDRVLEILRT TELYSPQLGTDKEDPHTSDLVGGLMTDGLRRLSGNEYVFTKNV HQSHSHLAMPITINDVPPCISQLLDNEESWDFNI FELEAITHK RPLVYLGLKVFSRFGVCEFLNCSETTLRAWFQVIEANYHSSNA YHNSTHAADV LHATAFFLGKERVKGSLDQLDEVAALIAATVHD VDHPGR TNSFL/CNAGSELAVLYNDT\AV\LESHHTALAFQ\L TVKDTK\CNIFKNID/RGNHYRTL RQAIIDMV LATEMTKHF VKNFVNSINKPMAAEIEGSDCECNPAKNFPENQILIKRMMIK CADVANPCRPLDLCIEWAGRIS EEFYFAQTDEEKROGLPVVMPV FDRNTCSIPKSQISFIDYFITDMFDAWDAFAHLPALMQHLADN YKHWKTLDDLKCKSLRLPSDRLKPSHRGGLLTDKGHCESQ

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
378	1117	1	3585	<p>AFLSKVEEDDYPSEELLEDEDENAINAKRSKEKNPGNQGRQFDVN</p> <p>LQVPDRAVLGTIHPDPEIEESKQETSMILDSEKTSETAAKGVN</p> <p>TGGREPNTMVEKERPLADKKAQRPFERSDFSDSIKIQTPELGE</p> <p>VFQNKDSYDLKNDNPEEHLKTSGLAGEPEGELSKEDHENTEKY</p> <p>MGTESQGSAAAEPPEDDSFHWTPHTSVEPGHSDKREDLLIISSF</p> <p>FKEQQSLQRFQKYFNVHELEALLQEMSSKLKSAQQESLPYNME</p> <p>KVLDDKVFRASESQILSIAEKMLDTRVAENRDLGMNENNI FEEA</p> <p>AVLDDIQDLIYFVRYKHSTAEEATLVMAPPLEEGLGGAMEEM</p> <p>QPLHEDNFSREKTAELNVQVPEEPHTLDQRVIGDTHASEVSQK</p> <p>PNTEKDLDPGPVTTEDTPMDAIDANKQPETAAEPPASVTPLEN</p> <p>AILLIYSFMFYLTKSLVATLPDDVQPGPDFYGLPWKPVFITAF</p> <p>LGIASFALFLWRTVLVVKDRVYQVTEQQISEKLKTKIMKENTEL</p> <p>VQKLSNYEQKIKESKKHVQETRKQNMILSDEAIKYKDKIKTLE</p> <p>KNQEILDDTAKNLRVMLESEREQNVKNQDLISENKKSEKLDK</p> <p>VISMNASEFSEVQIALNEAKLSEKVKSECHRVQEEENARLKKK</p> <p>KEQLQQEIEDWSKLHAELSEQIKSFEKSQKDLEVALTHKDDNI</p> <p>NALTNCITQLNLLECESESEGQNKGGNDSDELANGEVGGDRNE</p> <p>KMKNQIKQMDVSRQTATISVVEEDLKLQLKL\RASVSTKC\</p> <p>NLEDQVKKLEDDRNSLQAAKAGLEDECKTLRQKVEILNELYQQ</p> <p>KEMALQKKLSQEEYERQEREHRLSAADEKAVSAAEEVKTYKRR</p> <p>IEEMEDELQKTERSFKNQIATHEKKAHENWLKARAAERAIAEE</p> <p>KREANLRHKLLDLTQKMAMLQEEPVIKPMMPGKPNTPNPPRR</p> <p>GPLSQNGSFGSPVSGGECSPPLTVEPPVRPLSATLNRRDMPR</p> <p>SEFGSLDGPLPHPRWSAEASGKPSPSDPGSGTATMMNSSSRGS</p> <p>SPTRVLDEGKVNMAKPGPPFPFPGVPLMSTPMGGPVPPPITYGP</p> <p>PPQLCGPFGPRPLPPFPGPMRPPLGLREFAPGVPPGRRDLPL</p> <p>HPRGFLPGHAPFRPLGSLGPREYFIPGTRLPPPTHGPPQYEYPPP</p> <p>PAVRDLLPSGSRDEPPPASQSTSQDCSQALKQSP</p>

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
379	1118	3	2946	MAADSEPESEVFEITDFTTASEWERFISKVEEVLNDWKLIGNS LGKPLEKGIFTSGTWEEKSDEISFADFKFSVTHHYLVQESTDK EGKDELLEDVVPQSMQDLLGMNNDFPRAHCLVRWYGLREFVV IAPAAHSDAVLSESKCNLLSSVSIALGNTGCQVPLFVQIIHK WRRMYVGECQGPVTRDFEMVHLRKVPNQYTHLSGLLDIFKSK IGCPLTPLPPVSIARFTYVLQDWQQYFWPQQPPDIDALVGGE VGGLEFGKLPFGACEDPISELHLATTW\PHLTEGIIVDNDVYS DLDPIQAPHWSVRVRKAENPQCLLGDFVTEFFKICRRKESTDE ILGRSAFEEEGKETADITHALSKLTEPASVPIHKLSVSNMVHT AKKKIRKHRGVEESPLNNDVLNTILLFLFPDAVSEKPLDGTTT TDNNNPPSESEDYLNLYNQFKSAPSDSLTYKLALCLCMINFYHG GLKGV AHLWQEFVLEMRFRWENNFLIPGLASGPPDLRCCLLHQ KLQMLNCCIERKKARDEGKKTASDVNTNIYPGDAGKAGDQLVP DNLKETDKEKGEVGKSWDSWSDSEEEFFEC LSDTEELKNGNQE SGKKGGPKEMANLRPEGRLYQH GKLTLLHNGEPLYIPVTQEP A PMTEDLLEEQSEVLAKLGTSAEGAHLRARMQSACLLSDMESFK AANPGCSLEDVVRWYSPRDYIEEEVIDEKG NVVLKGELSARMK IPSNMWVEAWETAKPIPARRQRRLFDDTREAEKVLHYLAIQKP ADLARHLLPCVIHAAVLKVKEESLENISSVKKI IKQII SHSS KVLHFPNPEDKLEEIIHQITNVEAL IARARSLKAKFGTEKCE QEEEEKEDLERFVSC LLEQPEVLVTGAGRGHAGRI IHKLFVNAQ RAAAMTPPEEELKRMGSP EERRQNSVSDFP PPAGREFILRTTV PRPAPYSKALPQRMYSVLTKEDFRLAGAFSSDTSFF
380	1119	2333	670	SPTRTGDRSVSLIVFLTEGKPTVGETHTLKI LNNTREAAARGQV CIFTIGIGNDVDFRLLLEKLSLENCGLTRRVHEEEDAGSQLIGF YDEIRTPLLSDIRIDYPPSSVVQATKTLFPNYFNGSEII IAGK LVDRKLDHLHVEVTASNSKKFII LKTDVVPVRPQKAGKDVGTSP RPGGDGE GDTNHIERLWSYLTTKELLSSWLQSDDEPEKERLRQ RAQALAVSYRFLTPFTSMKLRGPVPRMDGLEEAHGMSAAMGPE PVVQSVRGAGTQPGPLLKPYQPRIKISKTSVDGDPHFVVDFF LSRLTVCFNIDGQPGDILRLVSDHRDSGVTVNGELIGAPAPPN GHKKQRTYLRITITILINKPERSYLEITPSRVILDGGDRLLVPC NQSVVVGSGWGLEVSANANVTVTIQGSIAFVILIHLYKKPAP FORHHLGFIYIANSEGLSSNCHGLLGQFLNQDARLTEDPAGPSQ NLTHPLLLQVGE GPEAVLTVKGHQVPVWVKQRKIYNGEEQIDC WFA RNNAAKLIDGEYKDY LASHPFDTGMTLGQGM SREL
381	1120	102	426	VPLESLS CSHADNWKQELTKFISPDQLPVEFGGTMTDPDGNPK CLTKINYGGEVPKSYLCKQVRLQYEHTRSVGRSSSLQVENEI LFPGCVLRCPEVLQHLQPGSF

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corre- sponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corre- sponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
382	1121	3	3726	<p>PAAPEHTDPSEPRGSVSCCSLLRGLSSGWSSPLLPAVPCNPKNK AIFTVDAKTTEILVANDKACGLLGYSSQDLIGQKLTQFFLRSD SDVVEALSEEHMEADGHAADVFGTVVDIISRSGEKIPVSVMK RMRQERRLCVVVLEPVERVSTWVAFQSDGTVTSCDSLFAHLH GYVSGEDVAGQHTDLPISVQLPPSGQHIPKNLKIQRSVGRAR DGTTFFPLSLKLKSPSSEATTGEAAPVSGYRASVWVFCTISG LITLLPDGTIHINGINHSFALTTFGYGKTELLGKNITFLIPGFYS YMDLAYNSSLQLPDLASCLDVGNESGCGERTLDPWQGQDPAEG GQDPRINVVLAGGHVVRDEIRKLMEQDIFTGTQTELIAGGQ LLSCLSPQPAPGVDNVPEGSLPVHGEQALPKDQQTALGREEP VAIESPGQDLLGESRSEPVVDVKPFASCEDSEAPVPAEDGGSDA GMCGLCQKAQLERMVSGPSGSDLWAGAAVAKPQAKGQLAGGS LLMHCPCYGSEWGLWWRSDQLAPSPSGMAGLSFGTPTLDEPWL GVENDREELQTCLIKEQLSLSLAGALDVPHAELVPTCQAVT APVSSCDLGGRDLCGGCTGSSSACYALATDLPGGLEAVEAQEV DVNSFSWNLKELFFSDQTDQTSSNCSCATSELRETPSSSLAVGS DPDVGSLQEQGSCVLDRELLLLTGTCVDLQGRRFRESVCVGH DPTEPLEVCLVSSEHYAASDRESPGHVPSTLDAGPEDTCSAE EPRLNVQVTSTPVIVMRGAAGLQREIQEGAYSGSCYHRDGLRL SIQFEVRRVELQGPTPLFCCWLVKDLLHSQRDSAARTRFLAS LPGSTHSTAALTEGSLVEVLRRPWFEEPPKAVELEGLACE GEYSQKYSTMSPLGSGAFGFVWTAVDKEKNKEVVVKFIKKEKV LEDWCIEDPKLGKVTLEIAILSRVEHANI KVLDFENQGGFFQ LVMEKHGSGLDLFAFIDRHPRLDEPLASYIFRQVRAG\QSRLV SAVGYLRLKDI IHRDIKDENVIAEDFTIKLIDFGSAAYLERG KLFYTFCGTIEYCAPEVLMGNPYRGPELEMWSLGVTLTYTLVFE ENPFCELEETVEAAIHPPYLVSKELMSLVSGLLQVPERRTTL EKLVTDPWVTQPVNLADYTWEVFRVKNKPESGVLSSAASLEMGN RSLSDVAQAQELCGGPVPGAPNGQGCLHPGDPRLLLTS</p>
383	1122	177	1365	<p>PGTSAATCRFLSPPVISLSFTGLCISDLVAVNGVWILVETFM LKGGNFFSKHVPWSYLVFLTIYGVELFLKVAGLGPVEYLLSSGW NLFDVSVTVFAFLGLLALALNMEPFYFIVVLRPLQLLRLFKLK ERYRNVLDTMFELLPRMASLGLTLLIFYYSFAIVGMEFFCGIV FPNCCNTSTVADAYRWRNHTVGNRTVVEEGYYLNNFDNILNS FVTLFELTVNNWYIIMEGVTSQTSWSRLYFMTFYIVTMVVM TIIVAFILEAFVFRMNSRKNQDSEVDGGITLKEIKSKEELVA VLELYREARGASSDVTRLLETLSQMERYQQHSMVFLGRRSRTK SDLSLKMYQEEIQEWYEEHAREQEQQRQLSSSAAPAAQPPGS RQRSQTVT</p>

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
384	1123	1	986	LAGVGTQAPRRPFGGEMAAAGQNGHEEWVGSAYLFVSSLDKVV LSDAYAHPPQKVAVYRALQAALAESGGSPDVLQMLKIHRSDPQ LIVQLRFCCGRQPCGRFLRAYREGALRAALQRLAALAAQHSVP LQL\DLRAGAERLEALLADEERCLSCILAQQPDRLRDEELAEL EDALRNLCGSGARGGDGEVASAPLQPPVPSLSEVKPPPPPP AQTFLFQGGQPVVNRPLSLKDQQTFAFSVGLKWRKVGRSLQRC RALRDPALDSLAYEYEREGLYEQAFQLLRFFVQAEGRRTLQR LVEALEENELTSLAEDLLGLTDPNGGLA
385	1124	2409	399	SSKPKLKKRFSRLSVGRSVRGILQWRGTVDPSSAGPLE TSSGPPVLGGNSNSNSGGAGTVGRGLVSDGTSPPERWTHRFE RLRLSRGGGALKDGAGMVQRELLSFMGAEEAAPDPAGVGRGG GVAGPPSGGGGQPQWQKCRLLLRSEGGGGSRLEFFVPPKAS RPLRSIPCSSITDVRTTTALEMPDRENTFVVKVEGPSEYIMET VDAQHVKAWSVDIQECLSPGPCPATSPRPMTLPLAPGTSFLTR ENTDSLELSCLNHSESLPSQDLLLGPSESNDRLSQGAYGGLSD RPSASISPSASIAASHFDSMELLPPPELPPRIPIBEGPPAGTV HPLSAPYPPLDTPETATGSLFQG\EPEGGEQDPLSGYPWFH GMLSRKAAQLVLTGGTGSHGVFLVRQSETRRGEYVLTFFNQFQ KAKHLRLSLNEEGQCRVQHLWFQSI FDMLEHFRVHPIPLESGG SSDVVLVSYPSSQRQQGEQSR SAGEEVPVHPRSEAGSRLGAM RGCAREMDATPNASCTLMFPFGASDC\EPTTSHDPQPPEPPSW TDPPQPGEE\EASR\APGSGGQAAAAAKERQEKEKAGG\GGV PEE\LVPVV*LVPVGELGEGHRPQAQEAQGRLGPGGDAGVPP\ MVQLQQSPLGG\DGEEGGHPR\AI\NNQYSFV
386	1125	2204	1042	FRAPVGTAAARSPQVIRRLPPGLTKEQLEEQRLPLPAHDYFEF FAADLSLYPHLYSRAYINFRNPDDILLFRDRFDGYIFLDSKDP EYKKFLETYCVEEKTSANPETLLGEMEAKTRELIARRTTPLL EYIKNRKLEKQRIREEKREERRRRELEKKRLREEEKKRRREEE RCKKKETDKQKKIAEKEVRIKLLKKPEKGEEPTTEKPKERGE IDTGGGQKQESCAPGAVVKARPMEGSLEEPQETSHSGSDKEHRD VERSQQESEAQRYHVDGRRHRAHHEPERLSRRSEDEQRWGK GPGQDRGKKGSDSGAPGEAMERLGRAQRCDSPAPRKERLAN KDRPALQLYDPGARFRARECGGNRRICKAEGSGTGPEKREEAE
387	1126	176	800	GVWGVCSGLLQVGSQRAQAWRAWSPMETPLTGTFLWPHIPQG LFFDDSYGFYPGQVLIGPAKIFSSVQWLSGVKPVLSKSKFRV VVEEVQVVELKVTWITKSFCEPGGTDSVSPP/PSVITQENLGRV KRLGCFDHAQR/HAWGALSVCPLPSQGRASQDCLGMSRKKLRPG GGLYGQGEAPVEEAGCADHVMLPRHPVFPFGPFHGRPR

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
388	1127	1	2017	FRDSSPCSAFEFHCLSGECIHSSWRCDGGPDCKDKSDEENCAV ATCRPDEFQCSHGNCIHGSRQCDREYDCKDMSDEVCVNVTLCL EGPNKFKCHSGECITLDKVCNMARDCRDWSDEPIKECGTNECL DNNGGCSHVCNDLKIGYECLCPDGFQLVAQRRCEIDECQDPD TCSQLCVNLEGGYKCQCEEGFQLDPHTKACKAVGSIAYLFFTN RHEVRKMTLDRSEYTSILPNLRNVVALDTEVASNRIYWSDLSQL RMICSTQLDRAHGVSSYDTVISRDIQAPDGLAVDWIHSNIYWT DSVLGTVSVADTKGVKRTLTFRENGSKPRAIVDPVHGFMYWT DWGTPAKIKKGGNLNGVDIYSLVTENIQWPNGITDLLSGRLYW VDSKLHSISSIDVNGGNRKTILEDEKRLAHPFSLAVFEDKVFV TDIINEAIFSANRLTGSVDNLLAENLLSPEDMVLPHNLTPRG VNW CERTTSLNNGGCQYLCPLAPQINPHSPKFTCACPDGMLLAR DMRSCLEGE\EA AVATQETSTVRLKVSSTAVRTQHTTTRPVPD TSRLPGATPGLTTVEIVTMSHQALGDVAG\RGN\EKKPSSVRA LSIVLPV\LLVFLCLGVFLLWKNWRLKNINSINFDPVYQKT TEDEVHICHNQDGYSYPSRQMVSLLEDDVA
389	1128	2299	1148	RIPGLGPPGSPPPPPHVRGMPGCPGCGMAGPRLLFLTALAL ELLGRAGGSQPALRSRGATACRLDNKESWGLLSGERLDT WICSLGSLMVGSLGVFPLLVIPLEMGTMRLRSEAGAWRLKQLL SFALGGLLGNVFLHLLPEAWAYTCSASPGGEGQSLQQQQQLGL WVIAGILTFLALEKMFLDSKEEGTSQAPNKDPTAAAAALNGGH CLAQPAEPGLGAVVRSIKVSGYLNLLANTIDNFTHGLAVAAS FLVSKKIGLLTTMAILLHEIPHEVGDFAILLRAGFDRWSAAKL QLSTALGGLLGAGFAICTQSPKGVEETAAWVLPFTSGGFLYIA LVNVLPDLLLEEDPWRSLQQLLLCAGIVVMVLFSLFVD
390	1129	1	523	GKVSAGQAGADRTLRRAPRFRFSOEPTGNSAYPQLRPFLDPQG RDLKPSALVPPTRSHTGRRPWLHTQPLPGPQGRWGPCT/TPA CVDRVLESEEGRREYLAFPTSKSSGQKGRKELLKGNRRIDYM LHAEGLCPDWKAEVEEFSFTQLSGLTDHLPVAMRLMVSSGE EEA
391	1130	1459	765	PCGGIRLSASEAATLFGYLVVPAGGGGTFLGGFFVNKLRLRGS AVIKFCLFCTVVSLLGILVFSLHCPSPVMAGVTASYGGSLLPE GHLNLTAPCNAACSCQPEHYSPVCGSDGLMYFSLCHAGCPAAT ETNVDGQKVSGAAAYRPCPLDPGKGPCLPLVIGAIVGLPRC TETVAVSLRIFPLVLAM\HCREMHFNLSEKAPPSGFHRCNFL YIPQQHSCTNGNSTMCP
392	1131	1668	962	LLRKVGAPGGARGVIRLLDWFERPDGFLLVLERPEPA\QD\LF DFITERGALDEPLARRF\FAQVLA AVRCHSCGVVHRDIKDEN LLVDLRSGELKLIDFGSGALLKDTVYTFDGTTRVYSPPEWIRY HRYHGRSATVWSLGVLLYDMVCGDIPFEQDEEILRGRLFRRR VSPECQQLIRWCLSLRPSEPSLDQIAAHPWMLGADGGAPESC DLRLCTLDPPDVASTTSSESL

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
393	1132	3	817	GKNSQKASPVDDQLSVCLSGFLDEVMMKKYGSIVPLSEKEVLGRLKDVFNEDFSNRKPFINREITNYRARHQKCNFRIFYNKHMLDMDDLATLDGQNLNDQVINMYGELIMDAVPDKVHFFNSFFHRQLVTKGYNGVKRWTKKVDLFKKSLLLIPIHLEVHWSLITVTLNRIISFYDSQGIHFKEFCVENIRKYLLTEAREKNR\NLNQGWTAVTKCIPQQKNSDCGVFVLQYCKCLAL\KQPFQFSQEDMPVRVKRIYKELCECRMLD
394	1133	1252	628	PPGG*QGSAAKHR/FP/KGYRHPALEARLGRRTVQEARALLRCRRAGISAPVVFVDYASNCLYMEEIEGSVTVRDYIQSTMETEK\TPQGLSNLAKTIGQVLARMHDEDLIHGDLTTSNMLLKPPLEQLNIVLIDFGLSFISALPEDKGVLDLVLEKAFLSTHPNTETVFEAFLKSYSTSSKKARPVLKKLDEVRLRGKKRSMVG
395	1134	2	1595	RACVFRPEDMMQGEAHPASLIDRTIKMRKETEARKVVLAWGLLNVS MAGMIYTEM TGKLISYNYVWPLWYIELALASLFSNLALFDFWRYFKYTVAPTSLVVSPGQQTLLGLKTAVVQTTPPHDLAATQIPPAPPSPSIQQS SVLSYSPSRSPSTSPKFTTSCMTGYS PQLQGLSSGSGSYSPGV TYSPVSGYNKLASFSPSPSPYPTTVGPV ESSGLRSRYRSSPTVYNSPTDKEDYMTDLRTLDTFLRSEEEKQHRVKLGSPDSTSPSSSPTFWNYSRSMGDYAQTLKKFQYQLACRSQAPCANKDEADLSSKQAAEEVWARVAMNRQLLDHMDSWTAKFRNWINETILVPLVQEI ESVSTQMRMGPPELQIGEASITSLKQAA LVKAPLIPTLNTIVQYLDLTPNQEYLFERIKELSQGCMSSFRWNRRGGDFKGRKWD TDLPTDSAIIMHVFTCYLDSRLPPHPKYPDGKTFTSQHFVQTPNKP DVTNENVFCIYQSAINPPHYELIYQRHVYIPAKGQK
396	1135	16	1542	SSAVEFINRNN SVVQVLLAAGADPNLGDDFSSVYKTAKEQGIHSLEV LITREDDFNNRLN NRASF KGCTALHYAVLADDYRTVKELLDGGANPLQRNEMGHTPLDYAREGEVMKLLRTSEAKYQEKQRKREAEERRRFPLEQRLKEH IIGQESAIATVGAAIRRKENGWYDEEHPLVFLFLGSSGIGKTELAKQTAKYMHKDAKKGFI RLDMSEFQERHEVAKF IGSPPGYVGHEEGQLTKKLKQCPNAVVLDFEVDKAHPDVLTIMLQLFDEGR L TDGKGKTIDCKDAIFIMTSNVASD EIAQH ALQLRQEAL EMSRNRI AENLGDVQISDKITISKNFKENVIRPILKAHFRRDEFLGRINEIVYFLPFCHSELIQLVNKELNFWAKRAKQRHNITLLWDREVADVLVDGYNVHYGARS IKHEVERRVGNQLAAAYEQDLLP\GGCTLRITVEDSDKQLLKSPELPSPQA EKRLPKLRLEIIDKDSKTRRLDIRAPLHPEKVCNTI
397	1136	1848	1602	SSCDRERHGS LGMMSGFILCLALVTRWSPQASSVPLAVYESKTRKSYRSQRDRDGKDRSQGMGLSLLVETRKL LLSANQG



SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A = Alanine, C = Cysteine, D = Aspartic Acid, E = Glutamic Acid, F = Phenylalanine, G = Glycine, H = Histidine, I = Isoleucine, K = Lysine, L = Leucine, M = Methionine, N = Asparagine, P = Proline, Q = Glutamine, R = Arginine, S = Serine, T = Threonine, V = Valine, W = Tryptophan, Y = Tyrosine, X = Unknown, * = Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
398	1137	1497	717	HTPMA/FFL/SFLSTSET/VYTFVILPKMLINLLSVARTISFN CCALQMFFFLGFAITNCLLLGVMGYDRYAAICHPLHYPTLMSW QVCGKLAAACAIGGFLASLTVVNLVFSLPFCSTNKVNHYFCDI SAVILLACTNTDVNGFVIFICGVLVLVVPFLFICVSYFCILRT ILKIPSAEGRRKAFSTCASHLSVVIVHYGCASFIYLRPTANYV SNKDRLVTVTYTIVTPLLNPVMVYSLRNKDVQLAIRKVLGKKGS LKLYN
399	1138	2	1185	RPPAATRYPREKLKSMTSRDNYKAGSREAA\AAAAAIAAAAA AAAAAEPYPVSGAKRKYLEDSDPERSDYEEQQLQEEEEARKVK SGIRQMRLFSQDECAKIEARIDEVVSRAEKGLYNEHTVDRAPL RNKYFFGEGYTYGAQLQKRGPGQERLYPPGDVDEIPEWHQLV IQKLVEHRVIEPGFVNSAVINDYQPGGCIVSHVDPIHIFERPI VSVSFFSDSALCFGCKFQFKPIRVSEPVLSLPVRRGSVTVLSG YAADEITHCIRPQDIKERRAVIILRKTRLDAPRLETSLSSSV LPPSYASDRLSGNNRDPALKPKRSHRKADPDAAHRPRILEMDK EENRRSVLLPTHRRRGSFSSSENYWRKSYESSEDCSEAAGSPAR KVKMRRH
400	1139	60	1699	VTWHFYFCSDHKNGHYTIIPQADRSRQKCMSQSLLDLSELAKAA KKKLQALSNNRLFEELAMDVYDEVDRRENDVWLATQNHSTLVT ERSAVPFLPVNPEYSATRNQGRQKLARFNAREFATLIIDILSE AKRRQQGKSLSSPTDNLELSLRSQSDLLDQHDYDSVASDETD QEPLRSTGATRSNRARSMDSSDLSDGAVT\LQEYLELKKALAT SEAKVQQLMKVNSSLDEL\RRLQREHFAP\IHKLQAEENLQ RQPPGPVPTPPLPSERAETPMAPGGSTHRRDRQAFSMYEPGS ALKPFGGPPGDELTTTLQPFHSTELDDAIYSVHVPAAGLYRIR KGVASASAVPFTPSPLSCLSCQEGSRHTSKLSRHGSGADSDYEN TQSGDPLLGLGKRFLELGKEEDFHPELESLLDGLDPLPSTE DVILKTEQVTKNIQELLRAAQEFKHDSFVPCSEKIHAVTEMA SLFPKRPALPEPVRSSRLNNAAYRLQSECRKTVPEPGAPVD FQLLTQQVIQCAVDIAKAAKQLVTITTREKKQ

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A = Alanine, C = Cysteine, D = Aspartic Acid, E = Glutamic Acid, F = Phenylalanine, G = Glycine, H = Histidine, I = Isoleucine, K = Lysine, L = Leucine, M = Methionine, N = Asparagine, P = Proline, Q = Glutamine, R = Arginine, S = Serine, T = Threonine, V = Valine, W = Tryptophan, Y = Tyrosine, X = Unknown, * = Stop Codon, / = possible nucleotide deletion, \ = possible nucleotide insertion)
401	1140	1	1863	RYLSYGSGPKRFPLVDVLQYALEFASSKPVCTSPVDDIDASSP PSGSIPSQTLPTSTTEQQGALSSELPSTSPSSVAAISSRSVIHK PFTQSRIPDPLMHPAPRHITTEELSLESCLHRWRTEIENDT RDLQESISRHRITIELMYSKSMIQVPYRLHAVLVHEGQANAG HYWAYIFDHRESRWKYNIDIAVTKSSWEELVRDSFGGYRNASA YCLMYINDKAQFLIQEEN/K/ETGQPLVGIETLPPDLRDFVE EDNQRFEKELEEWDAQLAQKALQEKLLASQKLRESESVTTAQ AAGDPKYLEQPSRSDFSKHLKEETIQIITKASHEHEDKSPETV LQSAIKLEYARLVKLAQEDTPPETDYRLHHVVVYFIQNQAPKK IIEKTLLEQFGDRNLSFDERCHNIMKVAQAKLEMIPKEEVNLE EYEEWHQDYRKFRETMYLIIGLENFQRESYIDSLFLICAYQ NNKELLSKGLYRGHDEELISHYRRECLLKLNEQAELFESGED REVNNGLIIMNEFIVPFLPLLLVDEMEKDI LAVEDMRNRWCS YLGQEMEPHLQEKLTDFLPKLLDCSMEIKSFHEPPKLPSTH ELCERFARIMLSLSRTPADGR
402	1141	1	465	AQVYVRMDSFDEDLARPSGLLAQERKLCRDLVHSNKKEQEFRS IFQHIQSAQSQRSPSELFAQH/VPIVHVHKEHFGSSGMLTH ERFT\KYLKRG\TEQEAANKKSPEIHRRIDISPSTFRKHGLA HDEMKSREPFGYKDGHNKSKNELQRVNFY
403	1142	2	369	TYTFCFSIMI\ILLTIIQGLILEAFGELRDQLDQVKEDMETKC FICGIGNDYFDTVPFGFETHLQEHNLANYLFFIMYLINKDET EHTGQESYVWKMYQERCWEFFPAGDCFRKQYEDQLN
404	1143	3115	557	FRKGGGGPKDFGAGLKYNSRHEKVNGLGEEGVFLPVNNVKV EKHGPRWVVLAAVLIGLLLVLLGIGFLVWHLQYRDVVRQKVF NGYMRITNENFVDAYENSNSTEFVSLASKVKDALKLLYSGVFP LGPYHKESAVTAFSEGSVIAYWSEFSIPQHLVEEAERVMAEE RVVMLPPRARSLKSFVVTSVVAFPTDSKTVQRTQDNSCSFGLH ARGVELMRFTTPGFPDSPYPAHARCQWALRGDADSVLSLTFRS FDLASCDEGRHLV\TVYNT\LSPMEPHA\LVQLCGTYPSPYN LTFHS\S\QNVLLITLITNTERRHPG\FEATFFQLPRMSSCGG RLRKAQGTFSNPPYPGHYPPNIDCTWNIEVPNNQHVVRKFF YLLEPGVPAGTCKDYVEINGEKYCGERSQFVVTSSNKNITVR FHSDQSYTDTGFLAEYLSYDSSDPCPGQFTCRTCRCIRKELRC DGWADCTDHSDELNCS CDAGHQFTCKNFKCKPLFWVCDLSLND GDNSDEQGCSCP\AQTFRCNSGKCLSKSQCNKGKDDCGDGSDE ASCPKVNVTCTKHTYRCLNGLCLSKGNPECDGKEDCDGSDSDE KDCDCGLRSFTRQARVVGGTDADEGEWPQVSLHALGQGHICG ASLISPNWLVSAAHCYIDDRGFYSDPTQWTAFLGLHDQSQRS APGVQERRLKRIISHPPFNDFTFDYDIALLELEKPAEYSSMVR PICLPDASHVFPAGKAIWVTGWGHTQYGGTGALILQKGEIRVI NQTTCEENLLPQQITPRMCMCVGLSGGVDSCQGDSSGGLSSVEA DGRIFQAGVVSWDGCAQRNKPVGVTPLPLFRDWIKENTGV

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
405	1144	1	424	RHEEDLGNLWENTRFTDCSFFVRGQEFKAHKS VLAARS PVFNA MFEHEMESKKNRVEINDLDPEVFKEMMRFIYTGRAPNLDKMA DNLLAAADKYALERLKVMEKALCSNLSVENVADTLVLADLHS \AEQLKAQAIDFINRCSVLRQLGCKDGKNWNSNQATDIMETSG GKSMIQSHPHLVAAEAFRALASAQGPQFGIPRKRLKQS*NLGNL WENTRFTDCSFFVRGQEFKAHKS VLAARS PVFNAMFEHEMES KKNRVEINDLDPEVFKEMMRFIYTGRAPNLDKMA DNLLAAADK YALERLKVMEKALCSNLSVENVADTLVLADLHSGRTVESTSH RLY
406	1145	1	1021	QRGGIPGKFQEDSGSVDWALGPFWGIQADFGCMRFYLSAQTSDPVLRM*WGPSPISHPTSLCPGGGAGQTTGSLCLGQCCPLSCPNI PSRHKRWL*AALVAGSRGSCITLRS*R*RTPLPVTRNLP R/CHLHLHPTGDLRVHVHQHCLLHGHPVPGAALLQCGGCDLRG EAAGLLFLGHACLRGSVNLRRDQWLPV\PYSRLCFSGAREGHL PSLAMIHVRHCTPIPALLCV\PIKVNLLIPVAYLVFWAFLLV FFSFISEHMCVGVV I I I LTGVPIFFLGVFWRSKPKCVHRLTES MTHWQELCFVVYPQDAPEEEENGPCPPSLLPATDKPSKPQ
407	1146	2	1280	AAALVAEYLALLEDRHLPVGCVSFQNISSNVLEESAISDDIL SPDEEGFCSGKHFTLGLVGLLEQAAGYFTMGGLYEAVNEVYK NLIPILEAHRDYKLA AVHGLQEAFTKIMHQSSGWERVFGTY FRVGFYGAHFGDLDEQEFVYKEPSITKLAEISHRLEEFTYTERF GDDVVEI IKDSNPVDKSKLDSQKAYIQITYVEPYFDTYELKDR VTYFDRNYGLRTFLCTPFTPDGRAHGELEPHQKRKTLLSTDH AFPYIKTRIRVCHRETVLTP\VEVAIEDMQKKTRELAFAEQ DPPDAKMLQMV LQGSVGPTV NQGP LEVAQVF LAEIPEDPKLFR HHNKLRLCFKDF\*KKCEDALRKNKALIGPDQKEYHRELERNY CRLREALQPLLTQRLPQLMAPTPPGLRNSLNRASFRKADL
408	1147	55	651	GEGQQWQSTPLSPLOPTVADFLNLAWWTSAAAW*VLSGRWVEK VLPREGSEEK*GMASSSADHLHSAPRALQ\SLFQQLLYGLIY HSWFQAGR*GFGGASSSPGPQSELRRHLHGEQGVYD*GRPETLP GSVGGAELWALADPAEAEGLSPETRESSCVMKQTQYYFGSVNA SYNAIIDCGNCSRCWQWGGTRGQGRNL
409	1148	1855	904	VAGIPACFDN/FTEALAEACRQMGYSSKPTFRAVEIGPDQDL DVVEITENSQELMRNSSGPCLSGSLVSLHCLACGESLKTPRV VGEEASVDSWPWQVSIQYDKQHVCGGSILDPHWLTAACHFR KHTDVFNNKVRAGSDKLGSFPSLAVAKII I I IEFNPMYPKDNDI ALMKLQFPLTFSGTVRPICLPFFDEELTPATPLWIIGWFTKQ NGGKMSDILLQASVQVIDSTRCNADDAYQGEVTEKMMCAGIPE GGVDTCQDSSGGLMYQSDQWHVVGIVSWGYGCGGPSTPGVYT KVSAYLNWIYNVWKAEL

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A = Alanine, C = Cysteine, D = Aspartic Acid, E = Glutamic Acid, F = Phenylalanine, G = Glycine, H = Histidine, I = Isoleucine, K = Lysine, L = Leucine, M = Methionine, N = Asparagine, P = Proline, Q = Glutamine, R = Arginine, S = Serine, T = Threonine, V = Valine, W = Tryptophan, Y = Tyrosine, X = Unknown, * = Stop Codon, / = possible nucleotide deletion, \ = possible nucleotide insertion)
410	1149	3	964	TISTVRWNSRIGMVLGVAIQKRAV\PGLY\AFEEAYARADKEA PRPCHKGSWCSSNQLCRECQAFMAHTMPKLLKAFSMSSAYNAYR AVYAVAHGLHQLLGCASGACSRGRVYPWQLLEQIHKVHFLHKK DTVAFNDNRDPLSSSYNIIAWDWNPGPKWFTFTVLGSSSTWSPVQLN INETKIQWHGKDNQVPKSVCSDDCLEGHQVRVTFHHCCFECV PCGAGTFLNKS/SYLGKDLPENYNEAKCVTFSLLFNFVSWIAF FTTASVYDGKYLPAANMMAGLSSLSGGFGGYFLPKCYVILCRP DLNSTEHFQASIQDYTRRCGST
411	1150	2	1378	VARGAFHPKMGPSFFSPKPGSERLSFVSAKQSTGQDTEAELQD ATLALHGLTVEDEGNYTCEFATFPKGSVRGMTWLRVIAKPKNQ AEAQKVTFSDPTTVALCISKEGPPARISWLSSLDWEAKETQ VSGTLAGTVTVTSRFTLVPSGRADGVTVTCKVEHESFEPPALI PVTLSVRYPPPEVSIISGYDDNWYLGRTDNLSCDVRNPEPTGY DWSTTSQTFPTSAVAQGSQLVIIHAVDSLFTTFVCTVTNAGVM GRAEQVIFVRETPNTAGAGATGGIIGGIIAIIATADA\TGIL ICRQQRKEQTLQGAEEDEDELEGPPSYKPPTPKAKLEAQEMPSQ LFTLGASEHSPLKTPYFDAGASCTEQEMPRYHELPTLEERSGP LHPGATSLGSPIPVPPGPPAVEDVSLDLEDEEGEEEEFYLDKI NPIYDALSYSSPSDSYQKGKGFVMSRAMYV
412	1151	1	1828	GTRLREDKNHNMVYVAGCTEVEVKSTEEAFEVFWRGQKKRRIAN THLNRESSRSHSVFNIKLVQAPLDADGDNVLQEKEQITISQLS LVDLAGSERTNRTRAEGNRLREAGNINQSLMTLRTCMDVLREN QMYGTNKMVPYRDSKLTHLFKNYFDGEGKVRMIVCVNPKAEDY EENLQVMRFAEVTQEVEVARPVDKAICGLTPGRRYRNQPRGP\ IGNEPLVTDVVLQSFPPPLPSCEILDINDEQTLPRLEIALEKRH NLRQMMIDEFNKQSNAFKALLQEFDNAVLSKENHMQGKLNKE KMISGQKLEIERLEKKNKTLEYKIEILEKTTTIEEDKRNLOQ ELETQNKQLRQFSDKRRLEARLQGMVTETTMKWEKECERRVA AKQLEMQNKLWVKDEKLKQLKAIVTEPKTEKPERPSRERDREK VTQRSVSPSPVPLLFQPDQNAPPRLRHRRSRSAGDRWVDHKP ASNMQTETVMQPHVPHAITVSVANEKALAKCEKMYMLTHQELAS DGEIETKLIKGDYKTRGGGQSVQFTDIETLKQESPNGSRKRR SSTVAPAQPDGAESEWTDVETRCVAVEMRAGSQLGPGYQHHA QPKRKKP
413	1152	1	336	PFSSSSVS SKGSDPFGTLD PFGSGSFNSAEGFADFSQMS/KGK STPVSQ LGSADFP EAPDPFQPLGADSGDPFQSKKGFGDPFSGK DPFVPSA AKPSKASASGFADFTSVS

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
414	1153	1	1334	MSLMVVSMAVGLFLVQVQAGPHMGGQDKPFLSAWPSAVVPRGG HVTLRCHYRHRFNNFMYLKEDRIHIPIFHGRIFQESFNMSPVT TAHAGNYTCRGSHPHSPTGWSAPSNPVVIMVTGNHRKPSLLAH PGPLVKSGERVILQCWSDIMFEHFFLHKEGISKDPSRLVGQIH DGVSKANFSIGPMMQDLAGTYRCYGSVTHSPYQLSAPSDPLDI VITGLYEKPSLSAQPGPTVLAGEVTLSCSSRSSYDMYHLSRE GEAHERRFSAGPKVNGTFQADFPGLPATHGGTYRCFGSFRDSP YEWNSSDPLLVSVTGNPSNSWSPSTEPSETGNPRHLHLVIG TSVVIILFILLFLHHRWCN\KKNAAVMDQESAGNRTANSE DSDEQDPQEVITYTQLNHCVFTQRKITRPSQRPKTPPTDIIVYT ELPNAESRSKVVSCP
415	1154	1	1570	MSLRVHTLPTLLGAVVRPGCRELLCLLMITVTVGPGASGVCPT ACICATDIVSCTNKNLSKVPGNLFRLLIKRLDLSYNRIGLLDSE WIPVSFAKLNLTILRHNNITSISTGSFSTTPNLKCLDLSSNKL KT\VKNAVFQELKVLEVLNLYNNHISYLDPSAFGGSLQKLY LSGNFLTQFPMDLVYGRFKLAELMFLDVSYNRIPSMPMHINL VPGKQLRGIYLGHPFVCD\CSLVSLLVFYRRHFSSVMDFKN DYTCRLWSDSRHSRQVLLQDSFMNCSDSIINGSFRALGFIHE AQVGERLMVHCDSTGNANTDFIWVGPDNRLEPDKEMENFYV FHNGSLVIESPRFEDAGVYSCIAMNKQRLNETVDVTINVSF TVSRSHAHEAFNTAFTTLAACVASIVLVLLYLYLTPCPCCKCT KRQKNMLHQSNHSSILSPGPASDASADERKAGAGKRVVFLEP LKDTAAGQNGKVRLLFPSEAVIAEGILKSTRGKSDSDSVNSVFS DTPFVAST
416	1155	2	1928	ASDFIRSLDHCYLSLEGVFSHKFDFFELQDVSSVNEVDVLLTTG LLCKYTAQRFKPKYKFFHKSFOEYTAGRRLLSSLLTSHEPEEVT KNGNYLQKMSISDITSTYSSLLRYTCGSSVEATRAVMKHLAA VYQHGCLLGLSIAKRPLWRQESLQSVKNTTEQEILKAININSF VECGIHLQESTSKSALSQFEAFFQGKSLYINSNIPDYLFD FFEHLPCASALDFIKLGFYGGAMASWEKAAEDTGGIHMEEAP ETYIPSRVSLFFNWKQEFRTLEVTLRDFSCLNKQDIRYLGI FSSATSLRLQIKRCAGVAGSLSLVLSTCKNIYSLMVEASPLTI EDERHITSVTNLKTLSDHLDQNLQRLPGGLTDSLGNLKNLTCLI MDNIKMNEDAIKLAEGKLNKMKCLFHLTHLSDIGEGMDYIV KSLSSEPCDLEEIQLVSCCLSANAVKILAQNHLNLVKSILDL SENYLEKDGNEALHELIDRMNVLEQLTALMLPWGCDVQGSLS LLKHLEVPQLVKLGLKNWRLTDTEIRILGAFFGKNPLKNFQQ LNLAGNRVSSDGLAFMGVFENLQQLVFFDFSTKEFLPDPAV RKLSQVLSKLTFLQEARLVGWQFDDDDLSVITGAFKLVTA
417	1156	342	718	ASDRKVAMTCDCFWFRMTLDQHASCMEVGTERERQAG\GLVMF DPGSGFPTGEKVLQDDEFTCDLFRFLQLLCEGHNSGL*VPGTSD DTKA*IMFSSQ**QEPVSSNYASF*ROQIILEHGSALGSG

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
418	1157	1	135	EITHIVGETAAFLCPRLRLRRGGKDGSPKPGFLASVIPVDRRP GE*DITHIVGETAAFLCPRLRLRRGGKDGSPKPGFLASVIPVD RRPGE
419	1158	173	943	SKFIFYVDSQSMIFFFQTPTRHKVLIMEFCPCGSLYTVLEEPS NAYGLPESEFLIVLRDVVGGMNHLRENGIVHRDIKPGNIMRVI GEDGQSVYKLTDFGAARELEDEQFVSLYGTEEYLHPDMYERA VLRKDHQ\KKYGAT\VDLW\SIGVTFFYQGKPTGS\LAI*HPFE GASVRNKASDGIKIITGKGLLGAIIS\GVQKSKNG\PI\DWEW EDMPVSCSPSSGVLVLPNLPVLA\NILESRSRKKCWGF*PSF LQEN
420	1159	987	500	GSTISCERSLRSLWTAHWALPEMDSRIPYDDYPVVFLPAYENP PAWI PPHERVHHPDYNNELTQFLPRTITLKKPPGAQLGFNIRG GKASQLGIFISKVIPDSDAHRAGLQEGDQVLAVNDVDFQDIEH SKAVEILKTAREISMRVRFFPYNHROKERTVH
421	1160	3	890	HEQVSALHRRRIKAIVEVAAMCGVNIICFQEAWTMPFAFCTREK LPWTEFAESAEDGPTTRFCQKLAKNHDMMVVVSPILERDSEHGD VLWNTAVVISNSGAVLGKTRKNHI PRVGDFNESTYYMEGNLGH PVFQTQFGR IAVNICYGRHHPLNWL MY SINGAEIIFNPSATIG ALSES LWPIEARNAAIANHCFTCAINRVGTEHFPNEFTSGDGK KAHQDFGYFYGSSYVAAPDSSRTPGLSRSRDGLLVAKLDLNLNLC QQVNDVWNFKMTGRYEMYARELA EAVKSNYSPTIVKE

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
422	1161	5214	352	MAKSGGCGAGAGVGGGNGALTWVNNAAKKEESETANKNDSSKK LSVERVYQKKTQLEHILLRPDTYIGSVEPLTQFMWYDEDVGM NCREVTFVPGLYKIFDEILVNAADNKQRDKNMTICKVSIDPES NIISIWNNGKGI PVVEHKVEKVYPALIFGQLLTSSNYDDDEK KVTGGRNGYGAKLCNIFSTKFTVETACKKEYKHSFKQTWMNNMM KTSEAKIKHFDGEDYTCITFQPDLSKFKMEKLDKDIVALMTRR AYDLAGSCRGVKVMFNGKKLPVNGFRSYVDLYVKDKLDETGVA LKVIELANERWDVCLTLEKGFQQISFVNSIATTKGRHVDY VVDQVVGKLIEVVKKKNKAGVSVKPPQVKNHIWVFINCLINP TFDSQTKENMTLQPKSFGSKCQLSEKFFKAASNCGIVESILNW VKFKAQTQLNKKCSSVKYSKIKGIPKLDDANDAGGKHSLECTL ILTEGDSAKSLAVSGLGVIGRDYGVFPLRGKILNVREASHKQ IMENAEINNI IKIVGLQYKKS YDDAQSLKTLRYGKIMIMTDQD QDGSNIKGLLINF IHNWPSLLKHGFLEEFITPIVKASKNKQE LSFYSIPEFDEWKKHIENQKAWKIKYYKGLGTSTAKEKEYFA DMERHRLIFRYAGPEDDAAITLAFSKKKIDDRKEWLTNFMEDR RQRLHGLPEQFLYGTATKHLTYNDFINKELILFSNSDNERSI PSLVDGFKPGQKRVLFTCFKRNDKREVKVAQLAGSVAEMSAYH HGEQALMMTIVNLAQNFVGSNNINLLQPIGQFGTRLHGKDA SPRYIFTMLSTLARLLFPAVDNLLKFLYDDNQRVPEWYIPI IPMVLINGAEGIGTGWACKLPNYDAREIVNNVRRMLDGLDPHP MLPNYKNFKGTIQELGQNQYAVSGEIVVDRNTVEITELPVRT WTQVYKEQVLEPMLNGTDKTPALISDYKEYHTDITVKEVVKMT EEKLAQAEAAAGLHKVFKLQTTLTCSMVLFDHMGCLKKYETVQ DILKEFFDLRLSYGLRKEWLVGMLGAEFTKLNNQARFILEKI QGKITI*NRSKDLIQMLVQRGYESDPVKAWKEAQEKAEEDE TQNQHDDSSSDSGTPSGPDFNYILNMSLWSLTKEKVEELIKOR DAKGREVNDLKRKSPSDLWKEDLAAFVEELDKVESQEREDVLA GMSGKAIKGVGKPKVKKLQLEETMPSPYGRRIIPEITAMKAD ASKKLLKKKGDLDTA AVKVEFDEEFSGAPVEGAGEEALTPSV PINKGPKPKREKKEPGTRVRKTPTSSGKPSAKKVKKPNPWSDD ESKSESDLEETEPVVI PRDSLRRAAAERP KYTFDFSEEDDD ADDDDDDDNDLEELKVKAS PITNDGEDEFVPSDGLDKDEYTF PGKSKATPEKSLHDKKSQDFGNLFSFPSYSQKSEDDSAKFDSN EEDSASVFSFSGGLKQTDKVPSTVAACKGKPSSDTVPKPKRA PKQKKVVEAVNSDSEFGIPKKTTPKKGKRGAKKRKASGSE NEGDYNPGRKTSKTTSKPKKTSFDQSDVDIFPSDFPTEPPS LPRTGRARKEVKYFAESDEEEDVDVFAMFN
423	1162	1	219	KGCLAASFNCIFLYTGELYPTMIR*VEA*WENDSLFLGKDILL CTGQTPELNQVHPSPKAPPNTHHCKAHSSH

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
424	1163	1454	446	ENSFECKDCGKAFSRGYQLSHHQKIHTGEKPYECKECKKAFRWGNQLTQHOKIHTGEKPYECKDCGKAFRWGSSSLVIHKRIHTGEKPYECKDCGKAFRRGDELTHQHRFHTGEKDYECKDCGKTFSRVYKLIQHKRIHSGEKPYECKDCGKAFCGSSLIQHKRIHTGEKPYECQECGKAFTRVNYLTQHOKIHTGEKPHECKECKGAFRWGSSLVKHERIHTGEKPYKTECGKAFNCGYHLTQHERIHTGETPYKCKECGKAFTYIGSSSLVKHERIHTGVKPYGCTECGKSFSHGHLTQHOKTHSGAKSYECKECKGACNHLNHLREHQRINHNS
425	1164	826	407	HQYLLDDLYPLHVMITILLKSHFFTMLKRPVGGSSSFASLPFYHQSILLRKNQMKRKTQDDLTHINWTLQAVSIQTCTIWLQKKPSSYFHQLPNQVL*PENSGPESCLYDLAAVVVHHGSG
426	1165	464	29	XLDPDTLPVATLLMDVMFYNSGVKDPMATGDDCGHIRFFSFLIEGYISLVMVDVQTQRRFSPNLLFTSASGELWKMVRIGGQPLGFGPVWESGPTGPTSPLILPVTTPSSSHRQAASQVTTTKQGQWLC LKRPSARSPDHATCLG*
427	1166	649	901	EAPLTSVCFSLERRFGSSSNNTTSFGTLASQNAPTFGSLSQQTSFGFTQSSGFGSGFGSGTGGSFGSNNS*VSPFLSLTLIKSIK
428	1167	3	340	EEPQGSPIWVWLAGSLTSVSCFLPFQRMRIKPHQGQYIGEMSLQHHKGECRPQKD*ARQENPCGPCSERRKHLGQDPKTCCKSC KNTDSRCKARPLELNERTCRCDKPRR
429	1168	355	1312	TLWAGPGLCPQSHSSSSVPAPWEPHVERALRTDRNQQRPLLSASWAPAPARPLFLTSPVLLPKSRAIPAARDPS*AGIFCLLEMA GGQASVVIIGSAGVLGCRWGSSGKSHSLSPSRKGNLHLLSQEP QTTVVHNATDGIKGSTESCNNTTTEDEDLKVRKQEI IKITEQLI EAINNGDFEAYTKICDPGLTSFEPEALGNLVEGMDFHKFYFEN REWVRAADILLPAPLPLCLCLLLTFSSQLPTFPFLDLRAALLL CMLVPLCPDGCRQAPLKALLLSSKCHSFCSCFVAVPVTTIKLT YFLPGAVAYACNPNTLGG
430	1169	439	728	ERAGAGGAAACRAGTRSGATSRTPWPLHRQLSMMLLAQSNPQLFALMGTRAGIARELERVEQQSRLEQLSAAELQSRNQGHWADWLQAYRARLGQ
431	1170	3	440	NGTLFIMVMHIKDLVSDYKE*WL*RKPLPW*EALLLRDCFFF*VTENGADPNPYVKTYLLPDNHKTSKRKTKISRKTRNPTFNEMLVYSGYSKETLRQRELQLSVLSAESLRENFFLGVTPLPKDFNL SKETVKWYQLTAATYL



SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
432	1171	433	1824	LHRIMQLAVVVSQVLENGSSVLVCLLEEGWDITAQVTSVLVQLLS DPFYRTLLEGFQMLVEKEWLSFGHKFSQRSSLTLCQSGGFAPV FLQFLDCVHQVHNQYPTFEFNLYYLKFLAFHYVSNRKFTEFL DSDYERLEHGTFLFDDKGEKHAKKGVCIWECIDRMHKRSPIFFN YLYSPLEIEALKPNVNVSSLLKKWDYIIEETLSTGSPSYDWMMLT PKHFPSSESDSLAGEAGPRSQRRRTVWPCYDDVSTQPDALTSLF SEIEKLEHKLNQAPEKWQQLWERVTVDLKEEPRTRDRSQRHLRS SPGIVSTNLPSYQKRSLLHLPDSSMGEEQNSSISPSNGVERR ATLYSQYTSKNDENRSFEGTLYKRGALLKGWKPWFVLDVTKH QLRYDSDGEDTSCKGHIDLAEVEMVIPAGPSMGAPKHTSDKAF FDLKTSKRVYNFCAQDQSAQQWMDKIQSCISDA
433	1172	1714	946	EVEGPRRVSPAPETLGMEEVVRPSVFVVDGQTDIPFTRLGRS HRRQSCSVARVGLGLLLLLMGAGLAVQGWFLQLHWRLEGEMVT RLPDGPAGSWEQLIQERRSHEVNPAHLTGANSSTLTSGGGPLL WETQLGLAFLRGLSYHDGALVVTKAGYIIYSKVQLGGVGCPL GLASTITHGLYKRTPRYPELELLVSQQSPCGRATSSSRVWWD SSFLGGVHLEAGEEVVVRVLDERLRLRDLGTRSYFGAFMV
434	1173	16	367	QSAELGPRRREGSRRPSCTKASKPWRRRPGGPTSGLG*GPLSP GPYQCRPSLPAQLYPQSLMAAATLRTPTQVSAASSRPHTPSPT HVLKPSVRGACSSPRCPGSGTLRRSWVGPF
435	1174	27	1139	LWWPPLSRHAHRQWPGPTAPRGLGHKVKGRGASPAAMWSCSW FNGTGLVEELPACQDLQLGLSLLSLLGLVGVVPVGLCYNALLV LANLHASKASMTMPDVYFVNMAVAGLVLSALAPVHLLGPPSSRW ALWSVGGEVHVALQIPFNVSSLVAMYSTALLSLDHYIERALPR TYMASVYNTRHVCGFVWGGALLTSFSSLLFYICSHVSTRALEC AKMQNAEAADATLVFIGYVVPALATLYALVLLSRVRREDTPLD RDTGRLEPSAHRLLVATVCTQFGLWTPHYLILLGHTVIIISRGK PVDAYHLGLLHFVKDFSKLLAFSSSFVTPLLYRYMNQSFPSKL QRLMKKLPCGDRHCSPDHMGVQQVLA
436	1175	322	756	SESEFTLMPSLPTTNCVHSLQMIPPLSPAPNQELVLGLCYMS YLAFLYMTFDFCCLYFSTVYAPSFKYICVHTDTHICVCVCIYL SSVVSXSSAEADGVLQPRRHPASLLIVFATSISESSLLIFSFO KTEAKLIVFAVSLAAK
437	1176	2	153	FFFLRQSLTSLPRLECSGATSASPSAGITGMSHHSQPIVNFRL ACIPISK
438	1177	1	692	RQHAEERGRNPKTGLTLERVGPESSPYLLRRHQRGQGEHEHY HSCVQLAPTRGLEES/GHGPL/SLAGGPRVGV/AAAATEAPR MEWKVKVRSDGTRYVAKRPVRDRLLKARALKIREERSGMTTDD DAVSEMKGMYWSKEERKQHLIRAREQRKRREFMMQSRLECLR EQQNGDSKPELNI IALSHRKTMMKRNKKILDNWTITQEMLAHG ARSADGKRVYNPLLSVTTV

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
439	1178	2	616	SDRGCSAAAGRNM TAVGVQAQRPLGQRQPRRSFFESFIRTLII TCVALAVLSSVSI CDGHWLLAEDRLFGLWHFCTTTNQSVPI C FRDLGQAHVPLAVGMGLVRSVGALAVVAAIFGLEFLMVSQLC EDKHSQCKWVMGSILLVSVFLSSGGLLG FVILLRNQVTLIGF TLMFWCEFTASFLFLNAISGLHINSITHPWE
440	1179	2	540	QILPNLYLGSARDSANLES LAKLGIRYILNVTNLPNPF EKNG DFHYKQIPISDHSQNL SRFFPEAIEFIDEALSQNC GVLVHCL AGVSRSVTVTVAYLMQKLHLSLNDAYDLVKRKSNISPNFNM GQLLDFERSLRLEERHSQE QGSGQASASNPPSFFTPTSDG AFELAPT
441	1180	940	463	RKSLHENKLRKLEKVEVLEAKKEELETENQVLNRQNVPPEDY TRLQKRLKDIQRRHNEFRSLILVPNMPTASINPVSFQSSAMG SKHGTTISSSYAGGTT SKGTLSTSQKTRRTGNNTKKTTRGTWI FRRMMFLENRQIKRGEV GDSVKLDILT CGI
442	1181	1	986	GRPGAGASELFP SVTTDL SVSKQNA CLTCVDFVT VHVMGFWG IGPGALSTSCIPYPLSHGPGSVKA EMLHMYSQKDPLILCVRLA VLLAVTLTPVVLFP IRRALQQLLP GKAFSWPRHVAIALILL VLVNVLVICVPTIR DIFGVIGSTSAPSLIFILPSIFYLRI VPS EVEPFLSWPKIQALCF GVLGVLFMAVSLGFMFANWATGQSRMS GH*SGPAGPGPCAHAHGGVRAAP*GPSCPTCGGGWFP*TWLSE AGDSRGCR LAHFPP PQGCQAWIMALIPTPTPWE EEEEEEEEEEEARS WWSLCPAQSSLP PP G
443	1182	460	27	INELRYHLEESRDKNVLLCLEERDWD PGLAIDNLMQSI NQSK KTVFVLTKKYAKSWNFKTA FYLALQRLMDENMDVII FILLPEV LQHSQYLRLRQRICKSS ILQWPDNPKA EGLFWQTLRNVLTEN DSRYNMYVDSIKQY
444	1183	1682	230	DDPIKTSWTPPRYVLSMSEERHERVRKKYHILVEGDGIPPPIK SFKEMKFPAAILRGLKKGIHHTPIQIQGIPTILSGRDMIGI AFTGSGKTLVFTLPVIMFCLEQEKRLPFSKREGPYGLIICPSR ELARQTHGILEYYCRLLQEDSS PLLRCALCIGGMSVKEQMETI RHGVHMMVATPGRLMDLLQKKMVSLD ICRYLALDEADRMIDMG FEGDIRTIFSYFKGQRQTLLFSATMPKKIQNFAKSALVKPVTI NVGRAGAASLDV IQEVEYVKEEAKMVYLLECLQKT PPPVLIFA EKKADVDAIHEYLLKGV EAVAIHGGKDQEERTKAIEAFREGK KDVLVATDVASKGLDFPAIQHVINYDMPEE IENYVHRIGRTGR SGTGTIATTFINKACDES VLMDLKALLLEAKQKVPV LQVLHC GDESMLDIGGERGCAFCGGLGHRITDCPKLEAMQTKQVSNIGR KDYL AHSSMDF
445	1184	1	375	IETQPS EDTNANSQDNSMQPETSSQQQLLSPTLSDRGGSRQD AADAGKPQRKFGQWRLPSAPKPI SHSVSSVNLRFGGRTTMKSV VCKMNPMTDAASC GSEVKKWTRQLTVE SDES GDDL DI
446	1185	2	223	NDRFSACYFTLKLKEAAVRQREALKKLTKN IATDSYISVNL RD VYARSIMEMLRLKGRERASTRSSGGDDFWF

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
447	1186	2	1031	FTVFILGITIRPLVEFLDVKRSNKKQAVSEEIYCRLFDHVKT GIEDVCGHWGHNFWRDKFKKFDDKYLRLKLLIRENQPKSSIVSL YKKLEIKHAIEMAETGMISTVPTFASLNDCCREEKIRKVTSSSET DEIRELLSRNLYQIRQRTLSYNRHSALTADTSERQAKEILIRRR HSLRESIRKSSSLNREHRASTSTSRYSLSLPKNTKLPEKLQKRR TISIADGNSSSDADAGTTVLNLQPRARRFLPEQFSKKSPOSQY KMEWKNEVDVDSGRDMPSTPPTPHSREKGTQTSGLLQQPLLK DQSGSEREDSLTEGIIPKPPRLVWRASEPGSRKARFGSEKP
448	1187	3	444	HEEASGLSVWVGKQMEPLHAVPPAAITLILSLVAVFTECTSN VATTTLFLPIFASMSRSIGLNPLYIMLPCTLSASFAMLPVAT PPNAIVFTYGHKLKQADMVKTGVIMNIIGVFCVFLAVNTWGRAI FDLDHFPDQWANTHET
449	1188	3	125	HELENNWLQHEKAPTEEGKKELLALSANANPSLLERHCAYL
450	1189	1	188	GNIIMYMMPGARSSQDQKFLTLFYNIIVTPLLNIYTLRNR EVKGALGRLLLGKRELKKE
451	1190	10	1879	PLEQRSNCRVDPVRVTHMASDTSSSLVQSHTYKKREPADVYQ TGQLHPAIRVADLLQHITQMKCAEGYGFKEEYESFFEGQSAPW DSAKKDENRMKNRYGNI IAYDHSRVRLQTIEGDTNSDYINGNY IDGYHRPNHYIATQGPMEQTIYDFWRMVWHENTASIMVTNLV EVGRVKCKYWPDDTEIYKDIKVTLIETELLAEYVIRTFAVEK RGVHEIREIRQFHFTGWPDHGVPHYATGLLGFRVQVKSPPS AGPLVVHCSAGAGRTGCFIVIDIMLDMAEREGVVDIYNVREL RSRRVNMVQTEEQYVFIHDAILEACLCGDTSPASQVRSLYID MNKLPQTNSSQIKEEFRTLMNVTPTLRVEDCSIALLPNHEK NRCMDILPPDRCLPFLITIDGESSNYINAALMDSYKQPSAFIV TQHPLPNTVKDFWRLVLDYHCTSVVMLNDVDPALCPQYWPEN GVHRHGPIQVEFVSADLEEDIISRIYFRIYNAARPDGGRMVQ FQFLGWPMYRDTVPVSKRSFLKLIRQVDKWQEEYNGGEGRTVVH CLNGGGRSGTFCASIVCEMLRHQRTVDVFHAVKTLRNNKPNM VDLLDQYKFCYEVALEYLNSG
452	1191	603	342	PLTYNKYTPWWGDALGWLLALSSMVCIPAWSLYRLGTLKGP FRERIRQLMCPAEDLPQRNPAGPSAPATPRTSLRLTELESHC
453	1192	120	449	TLSESGALFSLGPPPLSLKSSSAPRPYSTLRDCLHFAELFDL GFPNPLAERII FETHQIHFANCSLGQPTFSDPPEDVLLAMIIA PICLIPFLITLVVWRSKDSEAQA
454	1193	1838	1066	CEEREQEKKDDVDVALLPTIVEKVILPKLTVIAENMWDPFSTTQ TSRMVGITLKLINGYPSVNAENKNTQVYLKALLRMRRTLDD DVFMPLYPKNVLENKNSGPYLFQRFQWSSVKLLGNFLQWYGI FSNKTQLSILGLLNRYILMAFQNSEYGDSDIKKAQNVINCF PKQWFNMLKGERTISQLENFCRYLVHLADTIYRNSIGCSDEK RNARENKQIVKLLASVRALDHMSVASDHNVEFKSLIEGK

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
455	1194	112	1361	TPFCFLCSLVFRSRVWAEPC LIDAAKEEYNGVIEEF L ATGEKL FGPYVWGRYDLLFMPPSF PFGGMENPCLTFVTPCLLAGDRSLA DVIIHEISHSWFGNLVTNANWGEFWLNEGFTMYAQRRISTILF GAAYTCLEAATGRALLRQHMDITGEENPLNKL RVKIEPGVDPD DTYNETPYEKGFCFVS YLAHLVGDQDQFDSFLKAYVHEFKFRS ILADDFLD FYLEYFPELKKKRVDIIPGFEFDRWLNTPGWPPYL PDLSPGDSLMPAEELAQ LWAAEELDMKAIEAVAISPWKTYQL VYFLDKILQKSPLPPGNVKKLGDTPSISNARNAELRLRWGQI VLKNDHQEDFWKVKEFLHNQ GKQKYTLPLYHAMMGSEVAQTL AKETFASTASQLHSNVVNYVQQIVAPKGS
456	1195	1	889	CASGSSGWRPVLWAGAF TMAEALDYTIEIPDQPCWSQKNSPS PGGKEAETRQPVVILLGWGGCKDKNLAKYSAIYHKRGCI VIRY TAPWHMVFFSES LGIPSLRVLAQKLELLFDYEIEKEPLL FHV FSNGGVMLYRYVLELLQTRRFCLRVVGTIFDSAPGDSNLVGA LRALAA ILERRAAMLRLLLL VAFALVVVLFHVL LAPITALFHT HFYDRLQDAGSRWPELYLYSRADEVVLARDIERMVEARLARRV LARSVDFVSSAHVSHLRDYPTYYTSLCVD FMR \NWVRC
457	1196	2	295	PRVRDRLPSTGVRDRKDKPWKESGGSV EAPRMGFTHPPGHLS GCQSSILASGETGTGSADPPGGPRPGLTRRAPVKDTPGRAPAAD AAPAGPSSCLG
458	1197	1299	682	QGR TSCIGLYTYQRRICKYRDQYNWFFLARPTTF AIENLKYF LLKKDPSQPFYLGHTIKSGDLEYVGM EGGIVLSVESMKRLNSL LNIPEKCP EQGGMIWKI SEDKQLAVCLKYAGVFAENAEDADGK DVFN TKSVGLS I KEAMTYHPNQVVEGCCSDMAVTFNGLTPNQ M HVMYGVYRLRAFG \HIFNDALVFLPPNGSDND
459	1198	779	61	HEGKPTRGRGRGGSLS TRGRGSEVPDSAHLAPTPLFSES GCCG LRSRFLTDCKMEEGGNLGLIKMVHLLVLSGAWGMQMWVTFVS GFLLFERSLPRHTFGLVQSKLPFYFHISMGC AFINLCILASQH AWAQLTFWEASQLYLLFLSLTLATVNARWLEPRTTAAMWALQT VEKERGLGGEVPGSHQGPDPYRQLREKDPKYSALRQNF FRYHG LSSLCNLGCVLSNGLCLA \ALPWK
460	1199	517	815	KQLDKQLRADPSGSLPPLPPSPPPPLEAGGRPPEVP /PRGPSA VPSFPSVSGDWGGPVEAG/EGGQQGRGRARARPCSLPPLLPPS PVCLSGSRAPLGCDG
461	1200	1	583	RNQLSSQKSVPWVPIKSLPLWAI VVAHFSYNWTFYTLTLLP TYMKEILRFNVQENGFLSSLPYLG SWLCMILSGQAADNLRAKW NFSTLCVRRIFSLIGMIGPAVFLVAAGFIGDYS LAVAFLTIS TTLGGFCSSGFSINHLDIAPSYAGILLGITNTFATIPGMVGPV IAKSLTPDMGISLHRPGWSAVA
462	1201	25	383	GPSGTT HASAHSGHPGSPRGSLSRHPSSQLAGPGVEGEGTQK PRDYIILAILSCFCPMWPVNIVAFAYAVMSRNSLQQGDVDGAQ RLGRVAKLLSIVALVGGVLI I IASCVINLGVYK
463	1202	573	372	SLFLSF PPLSFKMTLNDAMRNKARLSITGSTGENGRVMTPEFP KAVHAVPYVSPGMGMNVSVTDLS

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
464	1203	2018	491	DDVPPPAPDLYDVPPGLRRPGPGTLYDVPRERVLPPPEVADGGV VDSGVYAVPPPAEREAPAEGKRLSASSTGSTRSSQSASSLEVA GPGREPLELEVAVEALARLQQGVSAVAHLDDLGSAGATGSW RSPSEPQEPLVQDLQAQAAVAQSAVHELLEFARSAGVNAHST DRALHAKLSRQLQKMEDVHQTVAHGQALDAGRGSGSATLEDL DRLVACSRAPVEDAKQLASFLHGNASLLFRRTKATAPGPEGGG TLHPNPTDKTSSIQSRPLSPPKFTSQDSPDQYENSEGGWME DYDYVHLQKKEFEKTQKELLEKGSITRQKSQLELQQLKQFE RLEQEVSRPIDHDLANWTPAQPLAPGRTGGLGPSDRQLLLFY EQCEANLTTLTNAVDAFFTAVATNQPPKIFVAHSKFVILSAHK LVFIGDTLSRQAKAADVRSQVTHYSNLLCDLLRGIVATTKAAA LQYPSPSAAQDMVERVKELGHSTQQFRRVLGQLAAA
465	1204	299	189	EMEEPQKSYVNTMDLERDEPLKSTGPGQISVSEFSCHCCYDILV NPTTLNCGHSFCRHCLALWASSKKTECPECREKWEFGPKVSI LLRDAIEKLFDPDAIRLRFEDIQQNNDIVQSLAAFQKYGNDQIP LAPNTGRANQQMGGGFFSGVLTALTGVAVLLVYHWSRESEH DLLVHKAVAKWTAEVVLWLEQLGPWASLYRERFLSERVNGRL LLTLTEEFSTKPTPTIENSSHRRAILMELERVKALGVKPPQNL WEYKAVNPGRSLLYALKSSPRLSLLYLYFDYTDFTLFPFIH TICPLQEDSSGEDIVTKLLDLKEPTWKQWREFLVKYSFLPYQL IAEFAWDWLEVHYWTSRFLIINAMLLSVLELFSFWRIWRSSEL K*VGFRFLRLGVAALGSVEVAGLRGVVKGERPLLYGHGAGARF PHSVLLLPVAKPLPLPLPRGLC
466	1205	2	242	EKARMIYEDYISILSPKEVSLDSRVREVINRNLDPNPHMYED AQLQIYTLMRDSFPRFLNSQIYKSFVESTAGSSSES
467	1206	2	619	LYYSQDEESKIMISDFGLSKMEGKGDVMSTACGTPGYVAPEVL AQKPYSAVDCWSIGVIAYILLCGYPPFYDENDSKLFEQILKA EYEFDSPYWDIDISDAKDFIRNLMKDPNKRYTCEQAARHPWI AGDTALNKNIHESVSAQIRKNFAKSKWRQAFNATAVVRHMRKL HLGSSLDSSNASVSSSLSLASQKDCASGTFHAL
468	1207	1	352	RTRGGAVSFEDFIKGLSILLRGTQVEKLNWAFNLYDINKDGYI TKEEMLDIMKAIYDMMGKCTYPVLKEDAPRQHVETFFQKMDKN KDGVTIDEFIESCQKDENIMRSMQLFENVI
469	1208	3	1015	PRSPHEHTPAWHEGRSLGPIMASMAADRNMKLFSGRVVPAQGEE TFENWLTQVNGVLPDWNMSEEEKLRLMKTLRGPARVEMRVLQ ATNPNLVADFLRAMKLVFGESESVTAHGKFFNTLQAQGEKA SLYVIRLEVQLQNAIQAGIAEKDANRTRLQQLLGGELSRLD RLRLKDFLRMYANEQERLPNLFLELIKMVREEDWDDAFIKRRK PKRSESMVERAVSPVAFQGSPPPIVIGSADCNVIEIDDTLDDSD EDVILVESQDPPLPSWGAAPLRDRARPQDEVLVIDSPHNSRAQ FPSTSGSGSYKNNPGEMRRARKRKHTIRCSYCCEE
470	1209	1543	1351	SVACTVPLRSMSPDQDFDKEPDSSTKHSTPSNSSNPSPGPPS PNSPHRSQPLPLEGLEQPACDT

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
471	1210	3	952	YSAVEFAERGSGGSSGDELREDDEPVKKRGRKGRGRGPPSSSD SEPEAELEREAKKSAKKPQSSSTEPARKPGQKEKRVRPPEKQQ AKPVKVERTKRSEGFMDRKVEKKKEPSVEEKLQKLHSEIKF ALKVDSPDVKRCNLNALEELGTLQVTSQILQKNTDVVATLKKIR RYKANKDVMKAAEVYTRLKSRVLGPKIEAVQKVNKAGMEKEK AEEKLAGEELAGEEAPQEKAEKDPSTDLAPVNGEATSQKGES AEDKEHEEGRDSEEGPRCGSSEDLHDSVREGPDLDRPGSDRQE RERARGDSEALDEES
472	1211	5204	2901	LAELSSLSVLRSLSHNSISHIAEGAFKGLRSLRVLDLDHNEISG TIEDTSGAFSGLDLSKLTFLGNIKISVAKRAFSGLEGLEHLN LGGNAIRSVQFDFAVKMKNLKEHISSDSFLCDCQLKWLPPWL IGRMLQAFVTATCAHPESLKGQSIFSVPPESFVCDDFLKPQII TQPETTMAMVGKDIRFTCSAASSSSSPMTFAWKKDNEVLTNAD MENFVHVHAQDGEVMEYTTILHLRQVTFGHEGRYQCVI TNHFG STYSHKARLTVNVLPSTTKTPHDITIRTTTMARLECAATGHPN PQIAWQKDGDTDFPAARERRMHVMPDDVFFITDVKIDDAGVY SCTAQNSAGSISANATLTVLETPLVPLEDRVVSGETVALQ CKATGNPPPRIITWFKGDRPLSLTERHHLTDPNQLLVVQNVVAE DAGRYTCEMSNTLGTERRAHSQLSVLPAAAGCRKDGTTVGIFTIA VVSSIIVLTSLVWVCIIYQTRKKSEESVTNTDETVPVPPDVPSY LSSQGTLSDRQETVVRTEGGPQANGHIESNGVCPRDASHFPEP DTHSVACRQPKLCAGSAYHKKPWKAMEKAEGTPGPHKMEHGGGR VVCSDCNTVEVDCYSRQAFHPQPVSRDSAQPSAPNGPEPGGSD QEHSPPHQCSRTAAGSCPECQGSLYPSNHRMLTAVKKKPMAS LDGKGDSSWTLARLYHPDSTELQPASSLTSGSPERAQAQYLLV SNGHLPKACDASPESTPLTGQLPGKQRPVPLLLAPKS

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
473	1212	2	2466	AAAGAARRVSVRCGRSGPGPGRGAAGLSPADIALASEQGASCS VRAPERKLRLMKLLWQAKMSSIQDWGEEVEEGAVYHVTLLKRVQI QQAANKGARWLGVEGDQLPPGHTVSQYETCKIRTIKAGTLEKL VENLLTAFGDNDFTYISIFLSTYRGFASTKEVLELLLDYGNL TSPNCEEDGSQSSSESKMVI RNAIASILRAWLDQCAEDFREPP HFPCLOKLLDYLTRMMPGSDPERRAQNLLEQFQKQEVETDNGL PNTISFSLLEEEEEELEGGESAFTCFSEDLVAEQLTMYMDAQLFK KVVPHHCLGCIWSRRDKKENKHLAPTIRATISQFNTLTCKVVS TILGGKELKTQORAKIIEKWINIAHECRLLNKFNSSLRAIVSAL QNSIYRLKKTWAAVPRDRMLMFEELSDIFSDHNNHLTSRELL MKEGTSKFANLDSVKENQKRTQRRLLQLQKDMGVMQGTVPYLG TFLTDLTMDLTALQDYIEGGLINFEKRRREFEVIAQIKLLQSA CNSYCMTPDQKFIQWFQRQQLLTBEESYALSCEIEAADASTT SPKPWKSMVKRLNLLFLGADMITSPTPTKEQPKSTASGSSGES MDSVSVSSCESNHSEAEEGYITPMDTPDEPQKLSSESSSYCSS IHMDTNFLQGMSSLINPLSSPPSCNNNPKIHKRSVSVTSITS TVLPPVYNQONEDTCIIRISVEDNNGNMYKSIMLTSQDKTPAV IQRAMLKHNLDSDPAEEYELVQVISEDKELVIPDSANVIFYAMN SQVNFDFILRKKNMEEQVKLRSTSLTLPRATAKRGCSNRHS KITL
474	1213	1	867	AREKMDSCIEAFGTTKQKRALNTRMRNRVGNESLNRAVAKAAE TIIDTKGV TALVSDAIHNDLQDDSLYLPPCYDDAAKPEDVYKF EDLLSPA EYEALQSPSEAFRNVTSEEILKMIENSHCTFVIEA LKSLPSDVESRDRQARCIWFLDTLIK FRAHRVVKRSALGPGV PHIINTKLLKHFTCLTYNNGRLRLNISDSMKAKITAYVILAL HIHDFQIDLTVLQRDLKLSEKRMMEIAKAMRLKISKRRVSVA GSEEDHKLGTLSLPLPPAQTSDRLAKRRKIT

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corre- sponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corre- sponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
475	1214	2	2621	LSLFGSRALGRSGARAMAKAKKVGARRKASGAPAGARGGPAKA NSNPFVEVKVNRQKFQILGRKTRHDVGLPGVSRARALRKRTQTL LKEYKERDKSNVFRDKRFGEYNSNMSPEEKMMKRFALEQQRH EKKS IYNLNEDEELTHYQSLADIEKHNDIVDSDSDAEDRGTL SGELTAAHFGGGGGLLHKKTQQEGEEREKPKSRKELIEELIAK SKQEKRRERQAQREDALELTEKLDQDWKEIQTLTSHKTPKSEN DKKEKPKPDAYDMVMVRELGFEMKAQPSNRMKTEAELAKEEHE LRKLEAERLRRLMLGKDEDENVKKPKHMSADDLNDGFVLDKDDR RLLSYKDGKMNVEEDVQEEQSKEADPESNEEEGDSSGGEDTE ESDSPDShLDLESNVESEEEENEKPAKEQRQTPGKGLISGKERA GKATRDDELPHYFAAPESYEELRSLLLGRSMEEQLLVVERIQKC NHPSLAEGNKAKLEKLFGFLLEYVGDLDATDDPPDLTVIDKL VHLYHLQMFPEASDAIKFVLRDAMHEMEEIETKGRAALPGL DVLIIYLKITGLLFPTSDFWHPVTPALVCLSQLLTCKPILSLQ DVVKGLFVCCLELEYVALSQRFIPELINFLGILYIATPNKAS QGSLTVHPFRALGKNSSELLVVSAREDVATWQQSSLSLRWASRL RAPTSTEANHIRLSCLAVGLALLKRCVLMYGSLSFHAIMGPL RALLTDHLADCSHPQELQELCQSTLTEMESQKQLCRPLTCEKS KPVPLKLFTRPVKVFLEFGRKQGSSKEEQERKRLIHKHKREFK GAVREIRKDNQFLARMQLSEIMERDAERKRKVKQLFNSLATQE GEWKALKRKKFKK
476	1215	3	961	LTKQEDCCGSIGTAWGQSKCHKCPQLQYTGVCQKPGPVRGEVGA DCPQGYKRLNSTHCQDINECAMPGVCRHGDCLNPNPGSYRCVCP PGHSLGPSRTQCIADKPEEKSLCFRLVSPHQHPLTTRLTR QLCCSVGKAWGARCQRCPTDGTAAFKEICPAGKGYHILTS HQ TLTIQGSDFSFLHPDGFPKPPQLPESPSQAPPPEDETEERG VTTDSPVSEERSVQQSHPTATTTTPARPYPELISRPSPTMRWF LPDLPPSRSAVEIAPTQVTETDECRLNQNICGHGECVPGPPDY SCHCNPGYRSHPPQHRVCV



SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
477	1216	3652	1207	MAGGHCGSFPAAGSGEIVQLNVGGTRFSTSRQTLMWIPDSF FSSLLSGRISTLRDETGAIFIDRDPAAFAPILNFLRTKELDLR GVSINVLREAEFYGITPLVRRLLLCHEELRSSCGSVLFHGYL PPPGIPSRKINNTVRSADSRNGLNSTEGEARGNGTQPVLSGTG EETVRLGFPVDPKVLIVAGHHNWIVAAYAHFAVWYRIKESG WQQVFTSPYLDWTIERVALNAKVVGPGHDKDKMVAASESSI ILWSVQDGGSGSEIGVFSLGVPVDALFFIGNQLVATSHTGKVG VWNAVQTQHWQVDVVPITSYDTAGSFLLLCNNGSIYYIDMQK FPLRMKNDLLVTELYHDPNDAITALSVYLTPKTSVSGNWIE IAYGTSSGAVRVIVQHPETVGSGPQLFQFTTVHRSPVKIMLS EKHLVSVCADNNHVRTWTVTFRGMISTQPGSTPLASFKILSL EETESHGYSYSSGNDIGPFGERDDQQVFIQKVVPITNKLFRVLS STGKRICEIQAVDCTTISSFTGRECEGSSRMGSRPRRYLFTGH TNGSIQMWDLTTAMDVNKSEDKDVGGPTEEELLKLLDQCDLS TSRCATPNISPATSVVQHSHLRESNSSLQLQHDDTTHEAATYG SMRPYRESPLARARRTESFHSYRDFQITNLNRNVERAVPENG NLGPIQAEVKGATGECNISERKSPGVEIKSLRELDGSLVHKI AEGFSESKKRSSDENENKIEFRKKGFEFGGFLGRKKVPYLA SSPSTSDGGTDSPTASPSPTKTPSPRHKSDSSGQEYSL
478	1217	1	1379	RRPTRPILTDELFRKTIQLPHLKTLLNNGNKLETLSLVSCFAN NTPLEHLDSLQNLQHKNDENCSPETVVMNLSYNKLSDSVF RCLPKSIQILDNNNQIQTVPKETIHLMALRELNIAFNFLTDL PGCSHFRLSVLNIEMNFILSPSLDFVQSCQEVKTLNAGRNPF RCTCELKNFIQLETYSEVMVWGSYSYCEYPLNLRGTRLDV HLHELSCNTALLIVTIVVIMLVGLAVAFCLHFDLPWYLRML GQCTQTWHRVRKTTQEQLKRNVRFHAFISYSEHDSLWVKNELI PNLEKEDGSILICLYESYFDPGKSIENIVSFIKSYKSI FVL SPNFVQNEWCHYEFYFAHNLPHENS DHIILILLEPIPFYCIP TRYHKLKALLEKKAYLEWPKDRRKCGLFWANLRAAINVNLAT REMYELQTFTELNEESRGSTISLMRTDCL
479	1218	1	1099	PTRPPTRPPTRPLLTPSWTSTGRMWSHLNRLFWISIFSSVTCT KAVLDCEAMKTNEFPSPCLDSKTKVVMKGQNVSMFCSHKNKSL QITYSLFRRKTHLGTQDGKGPAIFNLSITEAHESGPYKCKAQ VTSCSKYSRDFSFTIVDPVTS PVLNIMVIQTETDRHITLHCLS VNGSLPINYTTFFENHVAISPAISKYDREPAEFNLTKKNPGEEE EYRCEAKNRLPNYATYSHPVTMPSTGGDSCPFCLKLLPLGLLL LLVVIILILAFWVLPKYKTRKAMRNVPDRGDTAMEVGIYAN ILEKQAKESVPEVGSRPCVSTAQDEAKHSQELQYATPVFQEV APREQEACDSYKSGYVYSELNF
480	1219	1	293	FFFFEERTGSHSVGHPMEYSGVSMHCSLNLGSSNSPSSA SQDARTTGACQHAQLIGFFFF\VETASPVQTHAG/LKHLVSRN PSAVTSQSARIKT

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
481	1220	1	727	NREGARKIQNKWLRPSPRSHRTPESVSPERYSYGTSSSSKRTE GSCRRRRQSSSSANSQQGWETGSPPTKRQRRSRGRPSGGAKR RRRGAPAAPQQQSEPARPSSEGKVTCDIRLRVRAEYCEHGPAL EQGVASRRPQALARQLDVFGQATAVLRSDLGSVVCDIKFSEL SYLDAFWGDYLSGALLQALRGVFLTEALREAVGREAVRLLVSV DEADYEAGRRRLLLMEEEGRRRPTAS
482	1221	1	1321	APNTAELRICRVNKNCGSVRGDEIFLLCDKVQKDDIEVRVFL NDWEAKGIFSQADVHRQVAIVFKTPPYCKAITEPVTVKMQLRR PSDQEVSESMDFRYPDEKDTYGNKAKKQKTLLFQKLCQDHV ETGFRHVDQDGLELLTSGDPPTLASQSAGITVNFPERPRPGLL GSIGEGRYFKKEPNLFSDAVVREMPGTGVSSQAESYYPSPGPI SSGLSHHASMAPLSSSSWSVAHPTPRSGNTNPLSSFSTRTP SNSQGIPPFLLRIPVGNLDLNASNACIYNNADDIVGMEASSMP DLYGISDPNMLSNCSVNMMTTSSDSMGETDNPRLLSMNLENPS CNSVLDPRDLRQLHQMSSSSMSAGANSNTTVFVSQSDAFEGSD FSCADNSMINESGPSNSTNPNSHGFVQDSQYSGIGSMQNEQLS DSFPYEFFQV
483	1222	1	1311	RRLSLLDLQLGLGRDPPQECSTFSPTDSGEEPGQLSPGVQFQ RRQNQRRFSMEDVSKRLSLPMDIRLPQEFQLKLQMESPDLPKP LSRMSRRASLSDIGFGKLETYVKLDKLGEGTYATVFKGRSKLT ENLVALKEIRLEHEEGAPCTAIREVSLLKNLKHANIVTLHDLI HTDRSLTLVFYLDSDLKQYLDHCGNLMSMHNVKIFMFQLLRG LAYCHHRKILHRDLKPQNLLINERGELKLADFGLARAKSVPTK TYSNEVVTLWYRPPDVLLGSTYEYSTPIDMWGVGCIHYEMATGR PLFPGSTVKEELHKINRLLGTPTEETWPGVTAFSEFRTYSFPC YLPQPLINHAPRLDTDGIHLLSSLLLYESKSRMSAEALSHSY FRSLGERVHQLEDTASIFSLKEIQLKQDPGYRGLAFQQPGRGK NRRQSIF
484	1223	807	356	CTPHGSSSSWKIPLWPRHMSPLHSCLPVGTSTSSGPLAVPRDC FHLCCWGLQLLLISCPACGQGCVRVAGGQHVPGQALGTLSP VSLLTWAGPSLDWPHPGSLVTPRCPIPAVPVLVKGLGGWPPT RPSRAAPVSGPWDQLPYFPGL
485	1224	1199	370	LISPVWGNIQRSRSVPLFPFSGLVLGGIWARGPLALLASFNII SVLNAECYLKQILHPTSHFTVSETPPLSGNDTDSLSCDSGSSA TSTPCVSRLVTGHHLWASKNGRHVLGLIEDYEALLKQISQQR LLAEMDIQTQEAPSSTSQELGTGKPHAPLSKFVSSVSTAKLT LEEAYRRLKLLWRVSLPEDGQCPLHCEQIGEMKAEVTKLHKKL FEQEKKLQNTMKLLQLSKRQEKVIFDQLVVTHKILRKARGNLE LRPGGAHPGTCSPSRPGS

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
486	1225	2469	1660	LGLFCILPIDTLCAVLERDTLSIRESRLFGAVVRWAEACQRQ QLPVTFGNKQKVLGKALSIRFPLMTIEEFAAGPAQSGILSDR EVVNLFLHFTVNPVKPRVEYIDRPRCCLRGKECCINRFQOVESR WGYSGTSDRIRFTVNRRISIVGFGLYGSIHGPTDYQVNIQIIIE YEKKQTLGQNDTGFSCDGTANTFRVMFKEPIEILENVCYTACA TLKGPDSHYGTGKLKVVHETPAASKTVFFFFSSPGNNNGTSI EDGQIPEIIFYT
487	1226	1193	372	SVWVNSEVKDWMQKKRRGLRNSRATAGDIAHYRDYVVKGLG HNFVSGAVVTAVEWGTPDPSSCGAQDSSPLFQVSGFLTRNQAQ QPFLSLWARNVVLATGTFDSPARLGIPGEALPFIHHELSALEAA TRVGAVTPASDPVLIIGAGLSAADAVLYARHYNIPVIAFRRA VDDPGLVFNQLPKMLYPEYHKVHQMREQSILSPSPYEGYRSL PRHQLLCFKEDCQAVFQDLEGVEKVFVGSVLVLVLIGSHPDLSF LPGAG\LTQWILTSR
488	1227	756	1016	KLRPFIFSNQSLWLHSYEGAELEKTFIKGSWATFWVKVASCWA CVLLYLGLLLAPLCWPPTQKPQLILRRRRHRIISPDNKYPPV
489	1228	1	747	QLIHLSHGYQIHWTDYNVGTGRPEFGTRAHKS LAGAE LKTL KDFVTVLAKLFPGRPPVKLLEMLQEWLASLPLDRIPYNAVL LVNNKMRI SGIFLTNHIKWVGCQGSSELRGYPCSLWKLFHTL TVEASTHPDALVGTGFEDDPQAVLQTMRRYVHTFFGCKECCGEH FEEMAKESMDSVKTPDQAILWLWKKHNMVNGRLAGEKPLGMGG SARAEGGPGPGTARTARLPWGLSLSFAASCHPLC
490	1229	4797	2398	HGGATFINAFVTTMCCPSRSSMLTGKYVHNHNVYTNNECSS PSWQAMHEPRTFAVYLNNTGYRTAFFGKYLNEYNGSYIPPGWR EWLGLIKNSRFYNYTVCRNGIKEKHGFDYAKDYFTDLITNESI NYFKMSKRMYPHRPVMVISHAEPHGPEDSAPQFSKLYPNASQ HITPSYNYAPNMDKHWMQYTGPMPLIHMEFTNILQRKRLQTL MSVDDSVVERLYNMLVETGELENTYIIYTADHGYHIGQFGLVKG KSMFYDFDIRVPPFFIRGPSVEPGSIVPQIVLNIDLAPTIL GLDTPPDVDGKSVLKLDPKPGNRFRNTNKKAKIWRDTFLVER GKFLRKKESSKNIQQSNHLPKYERVKELCQARVQTACEQPG QKWQCIEDTSGKLRIHKCKGPSDLLTVRQSTRNLYARGFHDKD KECSCRESGYRASRSQRKSQRQFLRNQGT PKYKPRFVHTRQTR SLSVEFEGEIYDINLEEEELQVLQPRNIAKRHDEGHKGRDL QASSGGNRGRMLADSSNAVGPPTTVRVTHKCFILPND SIH CER ELYQSARAWKDHKAYIDEEIEALQDKIKNLREVRGHLKRRKPE ECSCSKQSYNKEKGVKKQEKLSHLHPFKEAAQEVD SKLQLF KENNRRRKKEKRRQRKGECSLPGLTCFTHDNNHWQTAPF WNLGSFCACTSSNNNTYWC LRTVNE THNFLCFE FATGFLEYFD MNTDPYQLTNTVHTVERGILNQLHVQLMELRSCQGYKQCNP RP KNLDVGNKDGGSYDLHRGQLWDGWEG

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
491	1230	2480	385	HLLIAQELADRVGEGRACWSLGNAYVSMGRPAQALTFAKKHLQ ISQEIHDRHGETARMNVAQLQLVLGRLTSPAASEKPDLAGYE AQGARPKRTQRLSAETWDLRLPLEREQNGDSHHSQDWRGSPR DSLPLPVRSRKYQEGPDAERRPREGSHSPLDSADVRVHVPTTS IPRAPSSDEECFFDLLTKFQSSRMDDQRCPLDDGQAGAAEATA APTLEDRIAQPSMTASPQTEEFFDLIASQSRLDDQRAVSGS LPGLRITHSNAGHLRGHGEPQEPGDDFFNMLIKYQSSRIDQQR CPFPDVLPRGPTMPDEDDFFSLIQRVQAKRMDEQVRDLAGGPGA GGRRPARAPAAVPAWCELRPCAHRQAHPAPTGRRSRSHSHVL PRPLPRTGTGHAAPRPPRPRATGSGQAARGGRACFHPGLAPMA LSFLPSAPAAGRTGPSACRPRPGAVRLPHPLPQALPVLPCPAK CETLLSPSPSPKVSLSRLLGPPRTGPCSVPPPELVLGWPCDRHA PPLQLRPGAGLPSPSLSPHSPARGQQPQKAPQTTGHRPGCSGSP EVPPAESQGPAGASTGAGPISKAEGMAGHELHRHSKTPSQEKGQ GLVLGMLTGSKSSAQSGWEVAPGSVTLTQVGGWSVEAGEASLS STLQTPHMRTPLLPPAGGDDITALSMGRGLTGHQVRDPRTGRT CWSLRWAPGA
492	1231	3	398	NSAADLAIFALWGLKPVVYLLASSFLGLGLHPISGHFVAEHYM FLKGHETYSYYGPLNWITFNVGYHVEHDFPSIPGYNLPLVRK IAPEYYDHLPOHHSWVKVLWDFVFEDSLGPYARVKRVYRLAKD GL
493	1232	1	214	QESGFSCCKGPGQNVAVTRAHPDSQGRRRRPERGARGGQVFYNS EYGELSEPSEEDHCSPSARVTFFTDNSY
494	1233	3	443	VIVHARPIRTRASKYYIPEAVYGLPAYPAYAGGGGVLSGATL HRLAGACAQVELFPIDDVFLGMCLQRLRLTPEPHPAFRTFGIP QPSAAPHLSTFDPCFYRELVVVHGLSAADIWLMWRLLHGPHGP ACAHQPQVAAGPFQWDS
495	1234	1	897	MASAACSMIDPIDSFELLDLLFDRQDGI LRHVELGEGWGHVKDQ VLPNPDSDDFLSSILGSGDSLPSPLWSPEGSDSGISEDLPSP PQDTPPRSGPATSPAGCHPAQPGKGPCLSYHPGNSCSTTTTGP VIQQQHHLGASYLLRPGAGHCQELVLTEDEKKLLAKEGITLPT QLPLTKYEERVLKKIRRKIRNKQSAQESRKKKKEYIDGLETRS CCCPLPSSSSPPSALLAPT KPRALGTLRLYECSPCLCTTMLPP AWLLMLCQAPRPQDPDRLTQPEKSLQEAPGQTGASRTPRT

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
496	1235	4235	940	ARGRRSRPVWAASWGGRRPAARRRPRGLAATMGFELDRFDGD VDPDLKCALCHKVLEDPLTTPCGHVFCAGCVLPWVVQEGSCPA RCRGRLSAKELNHVLPKRLILKLDIKCAYATRGCGRVVKLQQ LPEHLERCDFAPARCRHAGCGQVLLRRDVEAHMRDACDARPVG RCQEGCGLPLTHGEQRAGGHCCARALRAHNGALQARLGALHKA LKKEALRAGKREKSLVAQLAAQLELQMTALRYQKKFTEYSAR LDSL SRCVAAPP GGKGEETKSLTLVLHRDSGSLGFNIIGGRPS VDNHDGSSSEGI FVSKIVDSGPAAKEGGLQIHDRIIEVNGRDL SRATHDQAVEAFKTAKEPIVVQVLRRTPRTKMFTPPSESQVLD TGTQTDITFEHIMALTKMSSPSPVLDPYLLPEEHPSAHEYD PNYIGDIHQEMDREEL EEEVDLYRMNSQDKLGLTVCYRTDD EDDIGIYI SEIDPNSIAAKDGRIREGDRI IQINGIEVQNREEA VALLTSEENKNFSLIARAELQLDEGWMDDDRNDFLDDLHMDM LEEQHHQAMQFTASVLQKKHDEGGTDTATILSNQHEKDSG VGR TDESTRNDESEQENNGDDATASNPLAGQRKLTCSQDTL GSGDL PFSNKS FISPECTGAAYLGIPVDECERFRELLEKQV KSATPYGLYPSG PLDAGKSDPESVDKELELLNEELRSIELEC LSIVRAHKMQQLKEQYRESWMLHNSGFRNYNTSIDVRRHELSD ITELPEKSKDKSSSAYNTGESCRSTPLTLEISPDNSLRRAEG ISCPSSSEGAVGTTEAYGPASKNLLSITEDPEVGTPTYSPSLKE LDPNQPLESKERRASDGSRSPTPSQKLGSAYLPSYHHSFYKHA HIPAHQHYQSYMQLIQKSAVEYAQSQMSLVSMCKDLSSPTP SEPRMEWKVKIRSDGTRYITKRPVRDRLLRERALKIREERSGM TTDDDAVSEMKGMYWSKEERKQHLVKAKEQRRRRREFMMQSRL DCLKEQQAADDRKEMNILELSHKMMKKRNKKIFDNWMTIQEL LTHGTSKSPDGTRVYNSFLSVTTV
497	1236	2	157	FFFLVEMGFCHVGQGLTLIGSSNLPASASKSAGITGVSHCAR PDFKSCVE
498	1237	1	211	LAGRKVLLFVSGYVVGWGPITWLLMSEVLPLRARGVASGLCVL ASWLTAFLVLTKSFLPGVSVQPQAPGP
499	1238	2	345	FWAPGPPGVGAAGDASTRSLRESCPSPSPGRLRRTTAPWSSQ ARAAAPAPSSSCRGPDGASSPRDLPWRPWKILRRTPLSGDVEL SQVHPDQRILRRFILSRTCGNTIPGMAE
500	1239	1	523	MRRFLSKVYSFPMRKLILFLVFPVVRQTPTQHFKNQFPALHWE HELGLAFTKNRMNYTNKFLLIPESGDYFIYSQVTFRGMTSECS EIRQAGRPNKPD SITVVITKVTD SYPEPTQLLMGTSKSVCEVGS NWFQPIYLGAMFSLQEGDKLMVNVSDISLVDTYTKEDKTFFGAF LL

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
501	1240	2	1277	FVWDEVAQRSGCEERWLVIDRKVYNISEFTRRHPPGGSRVISHY AGQDATDPFVAFHINKGLVKKYMNSLLIGELSPEQPSFEPTKN KELTDEFREL RATVERMGLMKANHVFFLLYLLHILLDGAAWL TLWVFGTSFLEPFLLCVLLSAVQAQAGWLQHDFGHL SVFSTSK WNHLHHHFVIGHLKGAPASWWNHMHFQHHAKPNCFRKDPDINM HPPFFALGKILSVELGKQKKYPYNHQQHYFFLIGPPALLPL YFQWYIFYFVIQRKKWVDLAWMITFYVRFFLTIVPLGLKAF LGLFFIVFLESNWFVWVTQMNHIPMHIDHNRNMDWVSTQLQAT CNVHKSAFNDWFSGHLNFQIEHHLFPTMPRHNHYKVA PLVQSL CAKHGIEYQSKPLLSAFADI IHSKESGQLWLDAYLHQ
502	1241	999	540	QCGGIPYNTTQFLMNDRDPEEPNLDVPHGISHPGSSGESEAGD SDGRGRAHGEFQRKDFSETYERFHTESLQGRSKQELVRDYLEL EKRLSQAEEETRLQLQACTGQQSCRQVEELAAEVQRLRTEN QRLRQENQMNREGRCDEEPT
503	1242	1448	875	SPERSLSVGREKAMEVPPAPRSFLCRALCLFPRVFAAEAVT ADSEVLEERQKRLPYVPEPYYPESGWDRLRELFQKD\VTGSLF RINVGRLGLVAGGIIGALLGTPVGGLLMAFQKYSGETVQERKQ KDRKALHELKLEEWKGRQLQVTEHLPEKIESSLOEDEPENDAKK IEALLNLPRNPSVIDKQDKD
504	1243	149	1293	RSGLAVTEMVPWVRTMGQKLKQRLRLDVGREICRQYPLFCFL LLCLSAASLLNRYIHILMIFWSFVAGVVTFCYSLGPSLLPN IFFTIKYKPKQLGLQELFPQGHSCAVCGKVCKRHRPSLLEN YQPWLDLKISSKVDASLSEVLELVLENFVYPWYRDVTDDES FV DELRITLRFASVLIRRIHKVDIPSIITKKLLKAAMKHIEVIV KARQKVKNTEFLQQAAL EYGPELHVALRSRRDELHYLRKLTE LLFPYILPPKATDCRSLTLLIREILSGSVFLPSLDFLADPDTV NHLLIIFIDSPPEKATEPASPLVPFLQKFAEPRNKKPSVLKL ELKQIREQQDLLFRFMNFKQEGAVHVLHVLFDCCGI
505	1244	2	1116	QSLAEVLQQLGASSELQAVLSYIFPTYGVTPNHSAFSMHALLV NHYMKGGFYPRGVTSEIAFHTIPVIQRAGGAVLTKATVQSVLL DSAGKACGVSVKKGHEL VNIYCPIVVSNA GLFNTYEHLLPGNA RCLPGVKQQLGTVRPGLGMTSVFICLRGTKEDLHLPSTNYVY YD TDMDQAMERYVSMFREEAAEHIPLLFFAFPSAKDPTWEDRF PGRSTMIMLIPTAYEFEEWQAE LKGK\RGSDYETFKNSFVEA SMSVVLKLF PQLEGKVESVTAGSPLTNQFY L\AAPRGACYGAD HDLGRHLPCVMASLRAQSP IPNLYLTGQDIFT CGLVGALQ GAL LCSSTILKRNLYSDLKNLDSRIRAQKKKN
506	1245	1759	873	RPQETRVLQVSCGRAHSLVLTDRGVFSMGNNSYGQCGRKVVE NEIYSESHRVHRMQDFDQGVVQVACGQDHSFLTDKGEVYSCG WGADGQTGLGHYNTSSPTKLGGDLAGVNVIQVATYGDCC LAV SADGGLFGWGNSEYLQLASVTDSTQVNVPRCLHFSVGKVRQA ACGGTGCAVLNGEGHVFWWGYGILGKGNL VESAVPEMIPPTL FGLTEFNPEIQVSRIRCGLSHFAALTNGELFVWGKNIRGCLG IGRLEDQYFPWRVTMPGEPVDVACGVDHMTLAKSFI

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
507	1246	520	2	LPPFEWLMIVVLSLAAAFAAFMAKCRMVLSRYFCSHFVMSA SRARIRSSFRTSSRRAGALYSGMLAGWFFPCFCWVLSASSSL SSQVRSLRSLCSRFSHADCSWVRACCSFSTFSTYACFSRNSSS SLMTLAWALLKAWSRISMCLRWSSSLAVRTAANSISNFSFSFKN
508	1247	1	1083	MQAVRATASQSLSCARAPREPTQHALRAHWFPAAAVQSPH GVAAAAGTWSSAFRGEHPLVSSGLLLGVREQSFRLLRSKAGTH MYLEHTSHCPHDDDTAMDTPLP RPRLLAVERTGQRLWAPS LELPKPDMPQLPAGAFLEEVAEAGTPAQTESEPKVLDPEEDLLC IAKTFSYLRESGWYGSITASEARQHLQKMPGFTFLVRDSTHP SYLFTLSVKTTTRGPTNVRIEYADSSFRLDSNCLSRPRILAFPD VVSLVQHYVASCTADTRSDSPDPAPTALPMPKEDAPSDPALP APPPATAVHLKLVQPFVRRSSARSLLQHLCLRLVINRLVADVCL PLPRRMADYLRQYPPQL
509	1248	2	841	FVDIFQRWKECRGKSPAQAEISYLNKAKWLEMYGVDMMHVVRGR DGCEYSLGLTPTGILIFEGANKIGLFFWPKITKMDFKKSKLTL VVVEDDDQGREQEHTFVFRLDSARTCKHLWKCAVEHHAFFRLR TPGNSKSNRSDFIRLGSRRFRSGRTEYQATHGSRLRRTSTFER KPSKRYPSRRHSTFKASNPVIAAQLCSKTNPVHNYQPQYHPN IHPSQPRWHPHSPNVRFSPQDDRSWKASASGDDSHFDYVHDQ NQKNLGGMQSMYRDKLMTAL
510	1249	2	763	GGIRLIQKLTWRSRQDRENCAMKGKHKDECHNFIKVFVRND EMVFCVGTNAFNPFCRYRVSIFYVICFF*STFLPSLICC*S* NLSAQ*FVLSLVQ*KNKDRILQMEF*YK*NSIAFKRAR*IDM TLAIYFSFV\LSTL*YDGEIISGLARCPFDARQTNGALFADGK LYSATVADFLASDAVIYRSMGDGSALRTIKYDSKWIKE/PHFL YAIK/Y/GNYVYFSFREIVAT**LG/KA VDS/RVARYEKQLVG PTV
511	1250	1555	629	ARALARERESESARADDVTLGVSAILAVDRGGNLGSA\DGWAY IDVEVRRPWFVGPGRSRSNGSTAYGLVGSRWLSPFHTGG AVSLPRRPRGPGPVLGVARPCRLCVRPE\HYEPGSHYSGFAG RDASRAFTVTDGCEAGLVDDVSDLSAAEMLTILHNWLSFYEKNY VCVGRVTGRFYGEDGLPTPALQVEAAITRGLEANKLQLQEKQ TFPPCNAEWSSARGSLWCSQKSGGVSRDWIGVPRKLYKPGAK EPRCVCVTRTTGPPSGQMPDNPPHRNRGDLDPNLAEYTGCPPL AITCSFPL
512	1251	1100	798	YFIICRDGVLLFCPGWSQTPGAQAILLHWATQAGMTDMHSA QPIYLFYILIRTRSHYVAQAGQLLDSNDSNPVNASQNVGITGMS HHAWLKIVLYFCII

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A = Alanine, C = Cysteine, D = Aspartic Acid, E = Glutamic Acid, F = Phenylalanine, G = Glycine, H = Histidine, I = Isoleucine, K = Lysine, L = Leucine, M = Methionine, N = Asparagine, P = Proline, Q = Glutamine, R = Arginine, S = Serine, T = Threonine, V = Valine, W = Tryptophan, Y = Tyrosine, X = Unknown, * = Stop Codon, / = possible nucleotide deletion, \ = possible nucleotide insertion)
513	1252	3	1395	PAARPPSLVRLSPSPPKPRARARAPQSVPEAAPLVARGSSPPA RPAPAMVRRAPYRSGAGGPLGGRGRPPRPLVVRVRSRSP ASPRGPQPPR\IRARSAPPMEGARVFGALGPIGPSSPGLTLGG LAVSEHRLSNKLLAWSGVLEWQEKRRPYSDSTAKLKRTLPCQA YVNQGENLETDQWPQKLIMQLIPQQLLTTLGPLFRNSQLAQFH FTNRDCDSLKGLCRIMGNGFAGCMLFPHISPCEVRVLMMLLYSS KKKIFMGLIPYDQSGFVSAIRQVITTRKQAVGPGGVNSGPVQI VNNKFLAWSGVMEWQEPPEPNSRSKRWLPSHVYVNOGEILRT EQWPRKLYMQLIPQQLLTTLVPLFRNSRLVQFHF\TKDLETLS LCRIMDNFAGCVHFSYKASCEIRVLMMLLYSSEKKIFIGLIPH DQGNFVNGIRRVIANQQQVLQRNLEQEQQQRGMGG
514	1253	320	964	GRPALGREAPPQAGLSSTPPPCSETCTMGPHSILRTVHCRPTK TPPEPSAEPHPLSLTSSNTSLAGTSLGRDLTPGGGKPPSGQT PRNPESPRHRLGSPRRRWLASPTPTGSGRSGPASRGQRRLLSC AAQDPTSEGA SVGAMEAGLGPPTAAPRGVVSEAAESLGGLTSW GAWGRPPAGPSGLAGRRSRREALRPDRKEASVMAAVSAIQP
515	1254	704	107	PGVPTHGWPRSRVLTRVGRSGSGKMAAAVLAAGLRAARRAV AATGVRGGQVRGAAGVTDGNEVAKAQQATPGGAAPTIFSRILD KSLPADILYEDQQCLVFRDVAPQAPVHFLVIPKKPIPRISQAE EEDQQ/LTYVPPLSL*LLGHLLLVAQQTAKAEGLDGGRYLVIN DGKLGAAQSVYHLHIHVLGGRQLQWPPG
516	1255	2299	924	VPNYLPSVSSAIGGEVPQRYVWRFCIGLHSAPRFLVAFAYWNH YLSCTSPCSCYRPLCRLNFGNLNVENLALLVLTYSSESDF/T WVPG*GRSGEVFPEGTLPLPHSDLPTSWCGHSLQCGSSFP PAIHENAFIVFIASSLGHMLLTICILWRLTKKHTVSQE\DGLSL AGAPRQPRRKSRTSVLRIRVMVRWELSSNGNPGRGVLGLGLGL GNKLRVVGQNLGL*HCVVWVWETGE*KRWRLQMGIE*GVASRR Q*VRNSVRGLVCHNSSAPPMYMGFFSPTVFGGVGG*LVHTFI LHPPEVEAAGIPLLLGPSLPQRQGREHIVVILAAPACAPFHDR *WEPREIRPSP*ELGLRGEPTLSYPASCRVIRQPI*DRKSYS WKQRLFIINFISFFSALAVYFRHNMYCEAGVYTIFAILEYTVV LTNMAFHMTAWWDFGNKELLITSQPEEKRF
517	1256	3	254	IDLLEIRNGPRSHESFQEMDLNDDWKLKDEVKAYLKKEFEKH GAVVNESHHDALVEDIFDKEDEDKDGFISAREFTYKHDEL
518	1257	2	611	PRVRGRVGKEGAAAKPRSLRRFQLLSWSVCGGNKDPWVQELM SCLDLKECGHAYSGIVAHQKHLPTSPPI SQASEGASSDIHTP AQMLLSTLQSTQRPTLPVGSLSDDKELTRPNETTIHTAGHSLA AGPEAGENQKQPEKNAGPTARTSATVPVLCLLAIFILTAALS YVLCRRRGQSPQSSPDLPVHYIPVAPDSNT
519	1258	1002	418	LIISNFLKAKQKPGSTPNLQKKSQARLAPDIVSASQYRKFEDE FQTGILIYELLHQPNPFEVRAQLRERDYRQEDLPPLPALSLYS PGLQQLAHLLEADPIKRIRIGEAKRVLQCLLWGPRLVQPP GTSEEALCGTLHNWIDMKRALMMKFAEKAVDRRRGVELEDWL CCQYLASAEPGALLQSLKLLQLL



SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
520	1259	2	2019	KRGLIVVMAHEMIGTQIVTERGVALLESGETEKVLLIDSRPFVE YNTSHILEAININCSKLMKRRLQQDKVLITELIQHSAKHKVDI DCSQKVVVYDQSSQDVASLSSDCFLT VLLGKLEKSFNSVHLLA GGFAEFSRCFPGLCEGKSTLVPTCISQPCLPVANIGPTRILPN LYLGCQRDVLNKELMQQNGIGYVLNASNTCPKPDFI PESHFLR VPVNDSFCEKILPWLDKSVDFIEKAKASNGCVLVHCLAGISRS ATIAIAYIMKRMDMSLDEAYRFVKEKRPTISPNNFLGQLLDY EKKIKNQTGASGPKSKLKLHLEKPNFPVPAVSEGGQKSETPL SPPCADSATSEAAQORPVHPASVPSVPSVQPSLLEDSPLVQAL SGLHLSADRLEDSENKLRFSFLDIKSVSYSASMAASLHGFSS EDALEYYKPSSTTLDGTNKLQFSPVQEL/CGADSRNQSS**GGS Q/PSPRSCRPPGLQTARASDCIRSEPAAVAPPRGPFYLHCIEV GAWRTITTPASFSAFPP\PAAPHEVCWPGP*GLA\PDILAPQT STPSLTSSWYFATESHFSYASAIYGGSSAYSAYSCSQLPTCG DQVYSVRRRQKPSDRADSRRSWHEESPFEKQFKRRSCQMEFGE SIMSENRSREELGKVGSGSSFSGSMELIEVS
521	1260	20	803	ASSSKRVSRQKMLQLWKLVLGCGVLTGTSESLLDNLGNLNSV VDKLEPVLHEGLETVDNTLKGILEKLKVDLGLVQKSSAWQLAK QKAQEAELLNNVISKLLPTNTDIFGLKISNSLILDVKAEPID DGKGLNLSFPVTANVTEAGPIIDQIIN\LRASLDLLTAVTET DPQTHHPVAGLGECDPDSISLCLLDKHSQIINKFVNSVINT LKSTVSSLLQKEICPLIRIFIHSLDVNVIQQVVDNPQHKTLQ TLI
522	1261	1246	411	CSLRRPRSAEPDADHVPLGLLRLQLRAARQPGAMRPGGPAA SPQRLRGLLLLLLLQLPAPSSASEIPKGKQKAQLRQREVVDLY NGMCLQGPAGVPGRDGSPGANGIPGTPGIPGRDGFKGEKGECL RESFEESWTPNYKQCSWSSLYGIDLGKIAECTFTKMRSNSAL RVLFSGSLRLKCRNACCQRWYFTFNGAECSGPLPIEAIYLDQ GSPENSTINIHRTSSVEGLCEGIGAGLVDVAIWVGTCSDYPK GDASTGWNSVSRIIEELPK
523	1262	2009	921	MHSAMLGTRVNLVSDFWRVMMRVCWLVRQDSRHQRIRLPHLE AVVIGRGPETKITDKKCSRQVQLKAECNKGYVKVQVGVNPT SIDSVVIGKDQEVKLQPGQVLHMVNELYPYIVEFEEAKNPGL ETHRKRRSGNSDSIERDAAQAEAGTGLEPGSNSGQCSVPLK KGKDAPIKKESLGHSQGLKISMQDPKMVQVYKDEQVVVIKDKY PKARYHWLVLPWTSISSLKAVAR\EHLELLKHMHTVGEKVIVD FAGSSKLRFRGLGYHAIPSMHSHVHLHVISQDFDSPCLKNKKHWN SFNTEYFLESQAVIEMVQEAGRVTVRDGMPELLKLPLRCHECQ QLLPSIPQLKEHLRKHTQ

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
524	1263	2067	198	DMSDTSESGAGLTRFQAEASEKDSSSMQTLTTLTVTQNVVEPET PKASKALEVSEDEVKVSASGVSKATEVSKTPEAREAPATQASS TTQLTDTQVLAAENKSLAADTKQNADPQAVTMPATETKKVSH VADTKVNTKAQETEAAPSQAPADEPEPEPESAAAQSQENQDTRPK VKAKKARKVKHLDGEEDGSSDQSQASGTTGGRRVSKALMASMA RRASRGPIAFWARRASRTRLACFGPGEPLLSPPWRSP\KARRQR GFAVRVAKFQ\SSQEPPEAPPW\DVALLQGRAN\DLVKYLLAK DQTKIPIKRS\DKLKDIIKEYTDVYPEII\ERAGYSLE\KVFG IQLKEIDKNDHLYILLSTLEPTDAGILGTTKDSPLGLLMVLL SIIIF\MNGNRS\SEAVIWEVLR\RSLGLRLGIHHS\LLGDVK\ KLITDEV\VKQKYL\DYARVPHSNRP\EYEFFWG\LRSYYEDQ QR*KSFKFACK\VQK\KDPK\EWAAQSPPGKAR/ERMEAD\LK AAS*GSPWKPRLRAEIKARMGIGLSENAAGPCNWDEADIGPW AKARIQAGAEAKAKAQESGASTGASTSTNNSASASASTSGGF SAGASLTATLTFLFAGLGGAGASTSGSSGACGFSYK
525	1264	1	1397	ARPPVCTGSTMSLTVVSMACVGFFLLQGAWPLMGGQDKPFLSA RPSTVVPRGGHVALQCHYRRGFNNFMPLYKEDRSHVPIFHGRIF QESFIMGPVTPAHAGTYRCRGSRPHSLTGWSAPSNPLVIMVTG NHRKPSLLAHPGPLLKSGETVILQCWSDIMFEHFFLHKEGISK DPSRLVGQIHDGVSKANFSIGPMLALAGTYRCYGSVTHTPYQ LSAPSDPLDIVVTGPYEKPSLSAQPGPKVQAGESVTLSCSSRS SYDMYHLSREGGAHERRLPAVRKVNRTFQADFLGPATHGTTY RCFGSFRHSPYEWSDPDPLLSVTGNPSSSWPSPTPESSKSG NLRHLHILIGTSVVKIPFTILLFLLHRWCSNKK\NAAVMDQE PAGNR\VNSEDSDQDHQEVSY*LEHCVFTQRKITRPSQRPK TPPTDTSMYIELPNAEPRSKVVFCEPRAPQSGLEGIF

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
526	1265	6657	988	<p>LHNLRLRYFSGLIYTYSGLFCVVVNPYKHLPIYSEKIVDMYKG  KKRHEMPPHIYAIADTAYRSMQLDREDQSILCTGESGAGKTEN  TKKVIQYLAVVASSHGKKDTSITGELEKQLLQANPILEAFGN  AKTVKNDNSSRFGKFIRINFVDVTGYIVGANIETYLLEKSRAIR  QARDERTFHIFFYMIAGAKEKMRSDLLLEGFNNTFLSNGFVP  IPAAQDDEMFGQETVEAMAIMGFSEEEQLSILKVVSSVLQGN  VFKKRNTOQASMPDNTAAQKVCHLMGINVTDFTSRILTPRIK  VGRDVVQKAQTKEQADFAVEALAKATYERLFRWILTRVNKALD  KTHRQASFLGILDIAAGFEIFEVNSFEQLCINYTNEKQLQLFN  HTMFIL\EQEEYQREGIEWNFIDFGLDLQPCIELIERPNPPG  VLALLDEECWFPKATDKSFVEKLCTEQGSHPKFKPKQLKDKT  EFSIIHYAGKVDYNASAWLTKNMDPLNDNVTSLNASSDKFVA  DLWKDVDRIVGLDQMAKMTESLPSASKTKKGMFRTVGQLYKE  QLGKLMTTLRNTTPNFVRCIIPNHEKRSGKLDLDAFLVLEQLRCN  GVLEGIRICRQGFPNRIVFQEFRQRYEILAAANAIPKGFMDGKQ  ACILMIKALELDPNLYRIGQSKIFFRTGVLAHLEERDLKITD  VIMAFQAMCRGYLARKAFARQQQLTAMKVIQRNCAAYIKLRN  WQWCRLFTKV*PLLQVTRQE*EMQAKEDELQKTKERQKKAENE  LKELEQKHSQLTEEKNLLQEQLQAETELYAEAEEMRVRLAACK  QELEEILHEMEARLEEEEDRGQQLQAERKKMAQOMLDLEEQL  EEEEARQKLQLEKVTAEAKIKKLEDEILVMDQNNKLSKERKL  LEERISDLTTNLAEKEEKAKNLTCLKNKHESMISELEVRLLKE  EKSRQELEKLKRKLEGDASDFHEQIADLQAQIAELKMQLAKKE  EELQAALARLDDEIAQKNNALKKIRELEGHISDLQEDLDSERA  ARNKAQKQKRDLEGELEALKTELEDTLDSSTATQQLRAKREQE  VTVLKR\ALNEETRSHEAQVQEMRQKHAQAVQSLTEQLEQ*  K RAKANLDKNKQTLKENTD\LAGELRVLGQA\KQVEHRMCKL  QAQVQELQSKCSDGERARAEELNDKVHK\QNEVESVTG\MLNE  AEGKAIKLAKDVASLSSQL\QDTQELLQEESRQKLNVT\SLR  \QLEEEERNLQDQLEDEMEAKQNLERHISTLNIQLSDSKKKLQ  DFASTVEALEEGKKRFQKEIENLTQQYEEKAAAYDKLEKTKNR  LQQELDDLVVDLDNQRQLVSNLEKKQRKFDQLLAEKNISSKY  ADERDRVEAEAREKETKALS\ARALEEALAKEELERTNKM  KA\EMGRPGSASKD\DVQELSHDL\EKSK\RALGDPRLLEMK  T\QLEELGRTELASPRRDA\KLRLVNMQAPSASFER\DLQA  RTEQNE\ESRR\HLQRQLHEYETELEDERKQRALAAAKIKLG  WDPVRTLDL*ADSAIKGRGGKAIKQLRKLQAQMKDFORELEDA  \RASRDEIF\ATA\KENEKKAKSLEA\DLMLQLE\DLAAAE  EG RKQ\ADLE\KEELAEEL\ASSLSGRNALQDEKRRLEARIAQLE  EELEEEQGNMEAMSDRVKATQQAQELSNELATERSTAQKNES  ARQQLEQRQNKELRSKLHEMEGAVKSKFKSTIAALEAKIAQLEE  QVEQEAREKQAATKSLKQKDKKLKEILLQVEDERKMAEQYKEQ  AEKGNARVKQLKRQLEEAEEESQRINANRRKLQRELDEATESN  EAMGREVNALSKLRRGNETSFVPSRRSGRRVIENADGSEEE  TDTRDADFNGTKASE</p>

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
527	1266	1	775	KLHFAKSLNSELSCSTREAMQDEDEGYITLNIKTRKPALVSVGP ASSSWVRVMAIILLILCVGMVVLVALGIWSVMQRNYLQDENE NRTGTLQQLAKRFCQYVVKQSELKGTFGHKCSPCDTNWRYYG DSCYGFRRHNLWEESKQYCTDMNATLLKIDNRNIVEYIKAR\ THLIRWVGLSRQKSNEVWKWEDGSVISENMFEFLEDGKGNMNC AYFHNGKMHPTFCENKHYL\MCE\RKAGHDPRTWQLPLMPKRW TG
528	1267	1053	424	NQGLRDVGLCRTCLVNKIFASSILGKSHHSLVSINQGHNA KAAGS\LPLKAAYC\QGFSPCDCLKYG\SWDEKDLMPQPDTH KGSVLRWISKRGKPLAVEMEEGHCL\CLPLGTECLGVKP\IVH LENSEMGEK\RPVAG\ARHVGSSAALLFFTPRLCLGGEKHKSG LRARPGIVPSLELNYDIDSFAHMF/SVDLLLIITLLSYIIPF C
529	1268	1435	1560	MWWRLAPTQAIWRAAGCCMRFSRRRSTCCCLASCIFLLYKIVR GDQPAAKRRRQRRRAAPSAPPQAARLHPPPKLRRFDGVQDPAP YSWAINGKVFDVTQRPANFLRGPRGPETLSDWESQFTFKYHHV GKLLKEGEEPTVYSDEEPPKDESARKND*
530	1269	705	166	GPRMAKFLSQDQINEYKECFSLYDKQQRGKIKATDLMVAMRCL GASPTPGEVQRHLQTHGIDNGELDFSTFLTIMHMQIKQEDPK KEILLAMLMDVDEKKGYVMASDLRSKLTSLGEKLTTHKEV\DDL FRE\ADIEPNGKVKYDEFIHKI/TLLPGRDLLKEENGRA SGP ENLEQLIFL
531	1270	25	1396	ADPHTTVIRFFPAASATKRVLPVLRVSSPRTWNPVNPESPRI PAPRLPKRMSGAPTAGAALMLCAATAVLLSAQGGPVQSKSPRF ASWDEMNVLAHGLLQGLQGLREHAERTRSQLSALERRLSACGS ACQGTEGSTDLPLAPESRVDPEVLHSLQTLKAQNSRIQQLFH KVAQQQRHLEKQHLRIQHLQSQFGLLDHKLHDEHAKPARRKR LPEMAQPVDPAHNVSRHLRLPRDCQELFQVGERQSGLFQIQPQ GSPPLVNCMTSDGGWTVIQRRHDGSVDFNRPWEAYKAGFGD PHGEFWLGLKLVHSITGDRNSRLAVQLRDWDGNAELLQFSVHL GGEDTAYSLLQLTAPVAGQLGATTVPSPGLSVFPSTWDQDHLR RDKNCAKSLSGGWFGTCSHNSNLNGQYFRSIPQQRQKLKKGIF WKTWRGRYYPLQATTMLIQPMAAEAAAS
532	1271	1276	90	ALDFGDSQCWPRPQDTMKQLPVLEPGDKPRKATWYTLTVPGDS PCARVGHSCSYLPPVGNARKGVFIVGGANPNRSFSDVHTMDL GKHQWDLDTCKGLLPRIEYHAFIPSCPTDRIWVFGGANQSGNR NCLQVLNPETRTWTTPVETSPPPSPRTFHTSSAIGNQLYVFG GGERGAQPVQDTKLHVFDANTLTWSQPETLGNPPSPRHGVMV AAGTKLFIHGGLAGDRFYDDLHCIDISDMKWQKLNPTGAA\PA GCAS/HTPAVAMGK\HVYI\FGGMTAGAPGTQCTQYHTEEQH WDPCLKF\DTPSYPPGTIGTHSHVVSFPW\PVTCASEKEDS\N SLTLNHEAEKEDSADKVMSSHSGDSHEESQTATLLCLVFGGMNT EGEIYDDCIVTVVD

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
533	1272	1169	639	GFSIGKATDRMDAFRKAKNRAVHHLHYIERVEDHTIFHDISLR FKRTHIKMKKQPKGYGLRCHRAIITICRLIGIKDMYAKVSGSI NMLSLTQGLFRGLSRQETHQQADKKGLHVVEIREECGPLPIV VASPRGPLRKDPEPEDEVPDVKLDWEDVKTQAQMKRSVWSNLK RAAT
534	1273	25	1396	ADPHTTVIRFFPAASATKRVLPVLRVSSPRTWNPVNPESPRI PAPRLPKRMMSGAPTAGAALMLCAATAVLLSAQGGPVQSKSPRF ASWDEMNVLAHGLLQLGQGLREHAERTRSQSLALERRLSACGS ACQGTGSTDLPLAPESRVDPEVLHSLQTQLKAQNSRIQQLFH KVAQQQRHLEKQHLRIQHLQSQFGLLDHKHLDHEVAKPARRKR LPEMAQPVDPAHNVSRHLRLPRDCQELFQVGERQSGLFQIQQ GSPFFLVNCKMTSDGGWTVIQRRHDSVDVFNRPWEAYKAGFGD PHGEFWLGLEKVHSITGDRNSRLAVQLRDWDGNAELLQFSVHL GGEDTAYSLQLTAPVAGQLGATTVPVPSGLSVPFSTWDQDHLR RDKNCAKSLSGGWVFGTCSHSNLNGQYFRSIPQQRQKLKKGIF WKTWRGRYPLQATTMLIQPMAAEAAS
535	1274	23	1102	TLRSRPAGEAGYLGWDPEQAGEGSALSRPGAMAALMTPGTGAP PAPGDFSGEGSQGLPDPSPEPKQLPELIRMKRDGGRLSEADIR GFVAAVVGNSAQGAQIGAWGGLGVPDPDWEVSPRDFGSLGVR CPTTSTGPRVPHRCGLPPSRVPPHTRG\MLMAIRLRGMDLEET SVLTQALAQSGQQLLEWPEAWRQQLVDKHSTGGVGDVSLVLAP ALAACGCKVINHLLSRREPIPHMQQPVHPQAAPNLKPGPKPPR PYQGFSPPCSPAQFSPPRSQAQRLGPLWLQTRPLGAGKRSTDG IQTPFPLGPQTAPPREELRTSLPLQALFPQGVPTSSPTDTS QPRKLPFHSLTSWAPL
536	1275	3	439	RALRELREVRVTHGLAEAGRDREDVSTELYRALEAVRLQNSEGS CEPCPTSWLPPFGGSCYYFSVPKTTWAEAQGHCADASAHLA/IV GGLGEQDFLSRDTSLEYWIGRRRAVQHLRKVQGYSWVDGVPLS FR*/WEG/HPGETWGPQVRL
537	1276	1	564	RWPRSWPPRAGAARGAAEAAMVGALCGCWFRLLGGARPLIPLGP TVVQTSMSRSQVALLGLSLLMLLLLVGLPGPPEQTSCLWGDP NVTVLAGLTPGNSPIFYREVLPNQAHARVEV\CCFMERPLTLT RGSSWAHCSYCHRGATGPWPLTFQVLGTRHLQRRQAQRQGGQR CWSGRCGTWRYRMPCW

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A = Alanine, C = Cysteine, D = Aspartic Acid, E = Glutamic Acid, F = Phenylalanine, G = Glycine, H = Histidine, I = Isoleucine, K = Lysine, L = Leucine, M = Methionine, N = Asparagine, P = Proline, Q = Glutamine, R = Arginine, S = Serine, T = Threonine, V = Valine, W = Tryptophan, Y = Tyrosine, X = Unknown, * = Stop Codon, / = possible nucleotide deletion, \ = possible nucleotide insertion)
538	1277	102	1549	QENQLEKKMKFLIFAFFGGVHLLSLCSGKAICKNGISKRTFEE IKEETIASCGDVAKAIINLAVYGKAQNRSYERLALLVDTVGPRL SGSKNLEKAIQIMYQNLQDGLKXVHLEPVRIHPWERGEESAV MLEPRIHKIAILGLGSSIGTPPEGITAEVLVVTSTFDELQRRAS EARGKIVVYNQPYINYSRTVQYRTQGAVEAAKVGALASLIRSV ASFISIYSPHTGIQEQYQDGVPKIPTACITVEDAEMMSRMASHGI KIVIQLKMGAKTYPDTDSFNTVAEITGSKYPEQVVLVSGHLDSD WDVGQGAMDDGGGAFISWEALSLIKDLGLRPKRTLRLVLWTAE EQGGVGAFQYYQLHKVNISNYSLVMSDAGTFLPTGLQFTGSE KARAIMEEVMSLLQPLNITQVLSHGEGTDINFWIQAGVPGASL LDDLYKYFFFHSHSGDTMTVHGIQTQMNVA\AAV\WAVVSYV\ VADMEEMPLRS
539	1278	2438	1148	TKPRKRRHQPASQRQRPWSSDSTGDLRLARGKGRKEENKGS DRV SLAPPSLRRPMMQSEARQGPRLRAAKWLHFPQLALRRRLGQL SCMSRPALKLRSWPLTVLYLLPFGALRPLSRVGRVPVSRVAL YKSVPTRLLSRAWGRLNQVELPHWLRPVSLSYIWTFGVMNKE AAVEDLHHYRNLSSEFFRRKLKQARPVCGLHVSISPDSGRILN FGQVKNCVEVQVKGVTYSLESFLGPRMCTEDLPFPPAASCDSF KNQLVTREGNELYHCVIYLAPGDYHCFHSPDTWTVSHRRHFP SLMSVNPFGMARWIKELFCHNERVVLTDGDKHGFSLTAGVAT\ NWGSIRIYFDRDLHTNSPRHSGSYNDFSFTHTNREGVPMRK GEHLGEFNLGSTIVLIFEAPKDFNFQLKTGQKI\RFGEALGSL
540	1279	3	1911	LPERAFGPRTTPAPRRRRRRLLSPPPRPPPLDREPRAPGPW LCPSRAGTAQDPARIRERRGRVAGGAAGPAMELRARGWLLCA AAALVACARGDPASKSRSCGEVRQIYGAKGFSSSDVPQAEIS GEHLRICPQGYTCCTSEMEENLANRSHAELETALRDSSRVLQA MLATQLRSFDDHFQHLNDSERTLQATFPAGFELYTQNAF RDLYSELRLYYRGANLHLEETLAEFWARLLERLQKQHPQLLL PDDYLDCLGKQAEALRPF\GEAP\RELRLRAT\RA\FVAAR\ FVQGLGVA\DVVRKVAQVPLG\PEC\SRVIEAGSYC\ALHC VGVPGARPCPDYCRNVKGLANQADLDAEWRNLLDSMVLITD KFWGTSGVESVIGSVHTWLAEAINALQDNRDTLTAKVIQCGCN PKVNPQGPPEEKRRRGLAPRERPPSGTLEKLVSEAKAQLRD VQDFWISLPGTLCSEKMASTASDDRCWNGMARGRYLPEVMGD GLANQINNPEVEVDITKPDMTIRQQIMQLKIMTNRLRSAYNGN DVDFQDASDDGSGSGSGDGCLDDLCGRKVSRSKSSSRTPLTHA LPGLSEQEQKTSAASCPQPPTFLPLLLFLALTVARPRWR
541	1280	590	189	ATELTRAGMEASALTKSA\VTSAKVVR\VASGSVVLPILARI ATSCD*RVGGP/VQAVPMVL\SAMGLQLRAGIASSSIAAKMMS AAAIA\NGGGVSPGQPLWLLQLSLGATGL\SLGTLKFIKSGS AIA\AVIARFY

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
542	1281	41	1415	TNGRNLLHHWILGVCGMHPHHQETLKKNRVVLAQQLLSLELLE HLEKDIITLEMRELIAKVGFSFSQNVELLNLLPKRGPQAFDA FCEALRETKQGHLEDMLLTTLSGLQHVLPPLSCDYDLSLPFPV CESCPYKLLRLSTDTVEHSLDNKDGVPCLQVKPCTPEFYQTH FQLAYRLQSRPRGLALVLSNVHFTGEKELEFRSGGDVDHSTLV TLFKLLGYDVHVLCDQTAQEMQEKLQNFAQLPAHRVTDSCIVA LLSHGVGEGAIYGVGKLLQLQEVFQLFDNANCPSLQNKPKMFF IQACRGGGAIGSLGHLLLFTAATASLAL\ETDRGVDQQDGKNHA GSPGCEESDAGKEKLPKMRLPTRSDMICGYACLKGTAAMRNTK RGSWYIEALAQVFSEACDMHVADMLVKVNALIKDREGYAPGT EFHRCKEMSEYCSLTCRHLYLFPGHPPT
543	1282	862	275	VRGKEVMAALCRTRAVAAESHFLRVFLFRPFRGVGTESGSES GSSNAKEPKTRAGGFASALERHSELLQKVEPLQKGSPPKNVESF ASMLRHSPLTQMGPADKLVIGRIFHIVENDL\YIDFGGKFHC VCRREVDGEKY\QKGTVRVRLRLDLELTSRFLGATTD\TTV LEANAVLLGIQESKDSRSKEEHLEKYI

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
544	1283	2	4503	<p>IPGASAPAPRRAPLRLGLRLASGWARAPGGVSPVPFGPMGGDA  PTMARAAQALVLELTFQLCAPETETPEVGCTFEEGSDPAVPCEY  SQAQYDDFQWEQVRIHPGTRAPADLPHGSYLMVNTSQHAPGQR  AHVIFQSLSENDTHCVQFSYFLYSRDGHSPTGLGVYVRVNGGP  LGSVWVNMGTGSHGRQWHQAEALAVSTFWPNEYQVLFREALISPD  RGYMGLDDILLLSYPCAKAPHFSRLGDVEVNAGQNASFQCMVA  GRAAEAERFLLQRQSGALVPAAGVRHISHRRFLATFPLAAVSR  AEQDLRYCVSQAPRGRGTSINFAEFMV/KEPPTPIAPPQLLRA  GPTYLI IQLNTNSIIGDGP IVRKEIEYRMARGPWA EVHAVSLQ  TYKLWHLDPDTEYEISVLLTRPGDGGTGRPGPPLISRTKCAEP  MRAPKGLAF AEI QARQLTLQWEPLGYNVTRCHTYTVSLCYHYT  LGSSHNQTI\RECVKTEQGVSRYTMKNLLPYRNVHVRVLVTNP  EGRKEGKEVTFQTDDEVP SGIAAESLTFTPLEDMIFLKWEEPQ  EPNGLITQYEISYQSI ESSDPAVNVPGPRRTISKLRNETYHVF  SNLHPGTTYLFSVRARTGKGFGQAALTEITTNISAPSFYADM  PSPLGESENTITVLLRPAQGRGAPISVYQVIVVEEQGSRRLLR  EPGGQDCFPVPLTFEALARGLVDFGAELAASSLPEAMPFTV  GDNKTYRGFWNPPEPRKAYLIYFQAASHLKGETRLNCIRIAR  KAACKESKRPLEVSRSEEMGLILGICAGGLAVLILLGAIIV  IIRKGRDHYAYSYPKPVNMTKATVNYRQEKTHMMSAVDRSFT  DQSTLQEDERLGLSFMDTHGYSTRGDQRSGGVTEASSLLGGSP  RRPCGRKGS PYHTGQLHPAVRVADLLQHINQMKTAEYGFKQE  YESFFEGWDATKKKDKVKGSRQEPMPAYDRHRVKLHPMLGDPN  ADYINANYIDIRINREGYHRSNHFIATQGPKPEMVYDFWRMW  QEHCSIVMITKLVEVGRVKCSRYWPEDSDTYGDIKIMLVKTE  TLAEYVVRTFALERRGYSARHEVRQFHFTAWPEHGVPHYATGL  LAFIRRVKASTPPDAGPIVIHCSAGTGRGTGCYIVLDMVMDMAE  CEGVVDIYNCKVTLCSRRVNMIQTEEQYIFIHDAILEACLCE  TTIPVSEFKATYKEMIRIDPQSNSSQLREEFQTLNSVTPPLDV  EECSIALLPNRNDRSMDVLPDRCLPFLISTDGSNNYINA  ALTDSYTRSAAFIVTLHPLQSTTPDFWGLVYDYGCTSI VMLNQ  LNQNSAWPCLQYWPEPGRQQYGLMEVEFMSGTADEDLVARVF  RVQNISRLQEGHLLVRHFQFLRWSAYRDT PDSKKAFLHLLAEG  DKWQAESGDGRTIVHCLNGGGRSGTFCA\CATVLEMIRCHNLV  DVFFAAKTLRNYKPNMVMETMDQYHFCYDVALEYLEGLESR</p>



SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
545	1284	2443	1152	TKPRKRRHQPASQRQRPWSSDSTGDLARGKGRKEENKGS DRV SLAPPSLRPPMMCQSEARQGPPELRAAKWLHFPQLALRRRLGQL SCMSRPALKLRSWPLTVLYLLPFGALRPLSRVGWRPVSRVAL YKSVPTRLLSRAWGRNLNQVELPHWLRPVSPLYIWTFGVNMKE AAVEDLHHYRNLSEFFRRKLKPQARPVCGLHSPVSPSDGRILN FGQVKNCVEQVKGVTYSLESFLGPRMCTEDLPFPPAASCD SF KNQLVTREGNELYHCVIYLAPGDYHCFHSPDWTVSHRRHFP G SLMSVNPGMARWIKELFCHNERVVLTGDWKHGFFSLTAVGAT\ NWGSIRIYFDRDLHTNSPRHSGSYNDFS FVTHTNREGVPMAL RGEHLG/QSFNLGSTIVLIFEAPKDFNFQLKTGQKIRFGEALG SL
546	1285	185	3057	AELGLFGSLRFSSLLHFPFRPRSPASACGPGEGRMERGLPLLC AVLALVLPAGAFRNDKCGDTIKIESPGYLTSPGYPHSYHPSE KCEWLIQAPDPYQIRIMINFNPFDLED RDCKYDYVEVDFGENE NGHFRGKFCGKIAPPPVSSGPFLFIKFVSDYETHGAGFSIRY EIFKRGPECSQNYTTPSGVIKSPGFPEKYPNSLECTYI\FAP KMSEIIL\DFESFDLEPD SNPPGGMFCRYDRLEIWDGFPDVG P HIGRYCGQKTPGRIRSSSGILSMVFYTD SAIKEGFSANYSVL QSSVSEDFKMEALGMESGEIHS DQITASSQYSTNWSAERSRL NYPENGWTPGEDSYREWIQVDLGLLR FVTAVGTQGAKEPKK KYYVKTYKIDVSSNGEDWITIKEGNKPVLFQGNNTNPTDVVAV FPKPLITRFVRIKPATWETGISMRF EYVGCKITDYPCSGMLGM VSGLISDSQITSSNQGDRNWMPENIRLVT SRGWALPPAPHSY INEWLQIDLGEKIVRGII IQGGKHRENKVFMRFKIGYSNNG SDWKIMDDSKRKAKSFEGNNNYDTPELRTFPALSTRFIRIYP ERATHGGLGLRMELLGCEVEAPTAGPTTPNGNLVDECD DDQAN CHSGTGDDFQLTGGTTVLATEKPTVIDSTIQSEFPTYGFNCEF GWGSHKTFCHWEHDNHVQLKWSVLTSKTGP IQDHTGDGNFIYS QADENQKGKVARLVSPVVYSQNSAHCMTFWYHMSGSHVGT LRV KLRYQKPEEYDQLVWMAIGHQGDHWKEGRVLLHKS LKLYQVIF EGEIGKGNLGGIAVDDISINN HISQEDCAKPADLDKKNPEIKI DETGSTPGYEGEGEGDKNISRKPGNVLKTLEPILITIIAMSAL GVLLGAVCGVVLYCACWHNGMSERNLSALENYNFELVDGVK LK KDKLNTQSTYSEA
547	1286	3	521	HEGSALTWASHYQERLNSEQSCLNEW TAMADLES LRPPSAEPG GSVCGGEGLGGEGRIMQWGA WWRGERAP*LRGSAPRSSEQEQ MEQAIRAELWKVLDVSDLESVTSKEIRQALELRLGLPLQ/PVP *LHRQPDAAAGGTAGPSLPHLPPLPGLRVERSKPGAAEEQV GL
548	1287	1742	1200	MAALDLRAELDSLVLQLLGDLEEGKRTVLNARVEEGWLSLA KARYAMGAKSVGPLYASHMEPQVCLHASEAQEGLQKFVVR A GVHAPEEVGPREAGLRRRKGPTKTPEPESSEAPQDPLNWF GIL VPHSLRQAQASFRDGLQLAADIASLQNRIDWGRS QLRLGLEKL KQLEPGAA*

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
549	1288	1	649	HSDVGAATAVLPLLTAVLGVTVVTRRDTEGPGRAALVHLTGPS RQKVGTSGREGLPGLGASCAESELERETQEPRSRGRCIFGAAR WRQVPLASPQRPFLLSPGPRLHRMGLPVSWAPPALWVLGCCAL LLSLWALCTACRRPEDAVAPRKRARRQARLQGSATAAEAVSA KLSRGPWGPGQTDQPSSPPVPTADPPLLQQVGHQTARAAP G
550	1289	433	632	LTGPGQRLAGTTEGPRRCRGSSQAPTPTWKLVDTRLCAAAPWL ASRAPGHYSQMLLVN*PCRKDWLVSKWMRTPVCGQSPAMTDRP RSEAGRDRHRAKALPGLIPGSNPNLEACGHQALCSSSVASVQG PWPLLPNASSPPTPGQPQP
551	1290	102	612	KHRLCSLEQLMTLISAAREYEIEFTIYAISPGLDITFSNPKEVS TLKRKLDQVSQFGCRSFALLFDDIDHNMCAADKEVFSSFAHAQ VSITNEIYQYLGEPEPTFLFCPT/EYCI*WLYI*LVFLEYITYK GPWAPFSLHFPPPLVCKSRNLFLEDIFQDPKLEKF*ELINDN
552	1291	269	565	TSALTQGLERIIPDQLGYLVLSEGAVLASSGDLENDEQAASATS ELVSTACGFRLHRGMNVFVKRLSVVFGEHTLLVTVSGQRVFVV KRQNRGREPIDV
553	1292	660	233	AKRAERTSRLQGLQHPSPYPPTATLGVTGQDRTLQQLQHCPA GRKSRRKKSKATQLSPEDRVEDALPPSKAPSTRRAKRDLPKR TATQRPEGTSLQQDPEAPTVPKKGRRKGRQAASGHCRPRKVKA DIPSLEPEGTSAS
554	1293	590	323	RKSSWLGAVAHACNPSSLGGPGRQITRSGVRDQPGQYGETPSL LKIQTLAGRGGACL*SHILRRLRQKNRLNLGGRGCSELRSRHC APA
555	1294	1	242	AWNSARGAVSPLWVPGCFLTSLVTWIGAAPLILSRIVGGWECE KHSQPWQVLVASRGRAVCGGVLVHPQWVLTAAHCIRK
556	1295	1074	230	AEMADDLGDEWWENQPTGAGSSPEASDGEGEDTEVMQOETVP VPVPSEKTKQPKCEFLIQPKERKENTTKTRKRKKKITDVLAK SEPKPGLPEDLQKLMKDYSSRRLVIELEELNLPDSCFLKAND LTHSLSSYLKEICPKWVKLRKNHSEKKSVMMLICSSAVRALE LIRSMTAFRGDGKVIKLFAXHIKVQAQVKLLEKRVVHLGVGTP GRIKELVKQGGNLNLSPLKFLVFDWNWRDQKLRRMDIPEIRKE VFELLEMGVLSLCKSESCLKGLF
557	1296	929	289	RPGTAIWVVECEHGRPIAESEGEGRGHSPPGPCSVAGFLRGR LGRNLEIMGSTWGS PGWVRLALCLTGLVLSLYALHVKAARARD RDYRALCDVGTATISCSRVFSSRWGRGFLVEHVLGQDSILNQS NSIFGCIFYTLQLLGCLRTRWASVLMLLSSLVSLAGSVYLAW ILFFVLYDFCIVCITTYAINVSLMWLSFRKVQEPQGAKARH

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
558	1297	2	1063	ESPAPPAFRPAMAAVALMPPPLLLLLLLASPPAASAPSARDPF APQLGDTQNCQLRCRDRDLGPQPSQAGLEGASESPYDRAVLIS ACERGCRLFSICRFVARSSKPNATQTECEAACVEAYVKEAEQQ ACSHGCWSQPAEPEPEQKRKVLEAPSGALSLLDLFSTLCNDLV NSAQGFVSSSTWYYLQTDNGKVVFQTPQIVESLGFQGGRLQR VEVTWRGSHPEALEVHVDVPGPLDKVRKAKIRVKTSSKAKVES EEPQDNDFLSCMSRRSGLPRWILACCLFSLVLMWLWSCSTLV TAPGQHLKFQPLTLEQHKGFMMEPDWPLYPPPSHACEDSLPPY KLKLDLTKL
559	1298	2	485	FPELGTSLSAMRFLAATFLLLALSTAAQAEVPQFKDCGSVDGV IKEVNVSPCPTQPCQLSKGQSYSVNVTFTSNIQSKSSKAVVHG ILMGVPVFPPIPEPDGCKSGINCPIQKDKTYSYLNKLPVKSEY PSIKLVVEWQLQDDKNQSLFCWEIPVQIVSHL
560	1299	1304	919	APETFRVCVWRLQGLTFIAFTELQAKVIDTQQVKLADIQIEQL NRTKKHAHLTDTEIMTLVDETMYEGVGRMFILQSKEAHSQ LEKQKIAEEKIKELEQKKSYLERSVKEAEDNIREMLMARRAQ
561	1300	3	799	HSLLLGTRVRDASSKIQGEYTLTLRKGGNNKLSRVFHRDGHY FSEPLTFCVVDLINHYRHESLAQYNAKLDTRLLYPVSKYQQV RAGLGAREGSTWLAPGLSFLGRPDQAMHLPSFRHVSP\DQIVK EDSVEAVGAQLKVYHQVQDKSREYDQLYEYTRTSQELQMKR TAIEAFNETIKIFEEQGGTQEKCSKEYLERFRREGN/QTKEMQ RILLNSERLKSRIA\EIHESPHRSWEQQLLVPRASDNKRD/ID KPH*TSCLKPDL
562	1301	1772	301	AAAAAGRGRRSSGRRRRRRPGALFASLGVLGPRPPPGIPRTRA CSMGGVGEPGPREGPAQPGAPLPTFCWEQIRAHQDQPGDKWLVI ERRVYDISRWAQRHPGGSRLIGHGAEDATDAFRAFHQDLNFV RKFLQPLLIIGELAPEEPSQDGPLNAQLVEDFRALHQAEDMKL FDASPTFFAFLLGHILAMEVLAWLLIYLLGPGWVPSALAAFIL AISQAQSWCLQHDLGHASIFKKSWWNHVAQKFVMQKLGKFSAH WWNFRHFQHHAKPNIFHKDPDVTVPVFLGESSVEYGGKKRR YLPYNQQHLYFFLIGPPLTLVNFEVENLAYMLVCMQWADLLW AASFYARFFLSYLPFYGVPGVLLFFVAVRVLESHWFVWITQMN HIPKEIGHEKHRDWSSQLAATCNVEPSLFTNWFSGHLNFQIE HHLFPRMPRHNYSRVAPLVKSLCAKHGLSYEVKPFALTALVDIV RSLKKSGLDIWLDAYLHQ
563	1302	424	93	KSRATRLRESAEMTGFLPPASRGTRRSCSRSRKRQTRRRRN SSFVASCPTLLPFACVPGASPTTLAFPPVLTGPSTDGIPFAL SLQRVPFVLPSPQVASLPLGHSRG
564	1303	1	414	IQYRSDLELHSITMKSGLVFLGIIILLVLIGVQGTTPVVRKGR CSCISTNQGTIHLQSLKDLKQFAPSPSCEKIEI IATLKNVQT CLNPDSADVKELIKKEQVQSQKKKQKNGKKHQKKVLKVRKS QRSRQKKT

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
565	1304	7	3007	IPGSTISCRGCCGKWPVQEADPPRAALRGRFPALLTRHCPSPR AEKEKRSRLRRCGCRPLLVELAGPAGQAVEVLPHFESLGKQEKI PNKMSAFRNHCPHLDVGEITKEDLIQKSLGTCQDCKVQGPNL WACLENRCSYVGCESQVDHSTIHSQETKHYLTVNLTTLRVWC YACSKVEFLDRKLGTPSLPHVRQPHQIQENSVDQFKIPSNTT LKTPLVAVFDDLDIEADEEDELRLRGLTGLKNIGNTCYMNAA QALSNCPLTQFFLDGGLARTDKKPAICKSYLKLMTLWYKS RPGSVVPTTLFQGIKTVPNPTFRGYSQQDAQEFLRCLMDLLHEE LKEQVMEVEEDPQTITTEETMEEDKSSQSDVDFQSCSCSNDR AENENGSRCSFSEDNNETTMLIQDDENNSEMSKDWQKEKMCNKI NKVNSEGEFDDKDRDSISETVDLNNQETVKVQIHSRASEYITDV HSNDLSTPQILPSNEGVPRLSASPCKSGNLWPLAPPKKAQ SASPKRKKQHKKYRSVISDIFDGTIISVQCLTCDRVSVTLET FQDLSLPIPGKEDLAKLHSSSHPTSIVKAGSCGEAYAPQGWIA FFMEYVKRFVSVSCVPSWFWGPVVTLDCLAAFFARDELKGDNM YSCEKCKLRNGVKFCKVQNFPEILCIHLKRFRLHMFSTKIS THVSFPLEGLDLQPLAKDSPAQIVTYDLLSVICHGHTASSGH YIAYCRNNLNNLWYEFDDQSVTEVSESTVQNAEAYVLFYRKSS EEAQKERRRISNLLNIMEPSLLQFYISRQWLNFKFTFAEPGPI SNNDFLCIHGGVPPRKAGYIEDLVLMPLQNIWNLYSRYGGGP AVNHLIYICHTCQIEAEKIEKRKTELEIFIRLNRAFOKEDSPA TFYCISMQWFREWESFVKGDGPPGPIDNTKIAVTKCGNVML RQGADSGQISEETWNFLQSIYGGGPEVILRPPVHVDPDILQA EEKIEVETRSL
566	1305	28	450	SPSAAGGLAWVSLALGSGSRGRDHSGSGVGTAMAGALVRKAAD YVRSKDFRDYLMSTHFWGPVANWGLPIAAINDMKKSPEIISGR MTFALCCYSLSLTFMRFAVKVQPRNWLLFACHATNEVAQLIQGGR LIKHEMTKTASA
567	1306	133	1292	LGSRQAAGTMRGQRSLLLGPRLCLRLLLLLGYRRRCPPLLRG LVQRWRVYGVKCLRSLLYNSFGSDTAVDAAFEVPVWLVDNVIR WFGVVVVLVIVLTGSIVAIAYLCVLPILRTYSVPRLCWHFF YSHWNLILIVFHYQAITTPPGYPPQGRNDIATVSICKKCIYP KPARTHCSICNRCVLKMDHHCPLNNCVGHYNHRYFFSFCFF MTLGCVCYSYGSWDLFREAYAAIEKMKQLDKNKLQAVANQTYH QTPPPTFSFRERMTHKSLVYLWFLCSSVALALGALTVWHAVLI SRGETSIERHINKKERRRLQAKGRVFRNPYNYGCLDNWVFLG VDTGRHWLTVLLPSSHLPHGNGMSWEPPPWVTAHSASVMVAV
568	1307	66	962	ATRRRAAEAGMAAVLQORVERLSNRVVRVLGCNPGPMTLQGTNT YLVGTGPRRILIDTGEPAIPEYISCLKQALTEFNATAIQEIIVT HWRDHSGGIGDICKSINNDTTYCIKKLPRNPQREEIIGNGEQ QYVYLKGDVVIKTEGATLRVLVTPGHTDDHMLLLEENAIIFS GDCILGEGTTFVFDLYDMNSLKELLKIKADIIPGHGPVIHN AEAKIQQYISHRNIREQQILTFLFRENFEKSFTVMELVKI IYKN TPENLHEMAKHNNLLHLKKLEKEGKIFSNTPDKKWK AHL

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
569	1308	96	1017	ELHRAGQVAGGARSRRESMELERIVSAALLAFVQTHLPEADL SGLDEVIFSYVLGVLEDLGPSGPSEENFDM EAFTEMMEAYVPG FAHIPRGTIGDMMQKLSGQLSDARNKENLQPSGGVQGVPI S PEPLQRPEMLKEETRSSAAAAADTQDEATGAEEELLPGVDVLL EVFPTCSVEQAQWVLAKARGDLEEAVQMLVEGKEEGPAAWEGP NQDLPRRLRGPQKDELKSFILQKYMVDSAEDQKIHRPMAPE APKKLIRYIDNQVSTKGERFKDVRNPEAEEMKATYINLKPAR KYRFH
570	1309	3	526	FITGKGIVAILRCLQFNETLTELRFHNQRHMLGHHAEMEIARL LKANNTLLKMGYHFELPGPRMVVTNLLTRNQDKQRQKRQEEQK QQQLKEQKKLIAMLENGLGLPPGMWELLGGPKPDSRMQEFFQP PPPRPPNPQNVFQSQRSEMMKKPSQAPKYRTDPDSFRVVKLKR IQ
571	1310	3	1858	GGRAGTQCCWRAGARLRGISPSPALPEAPGLCRVRAGLGGAL GRSPAGRRRRGPRVSSSPAPHPRRVLCRCLLFFFSCHDRRGD SQPYQALKYSSKSHPSGDRHEKMRDAGDPSPPNKMLRRSDS PENKYSdstghSKAKNVHTRVRERDGGTSYSPQENSHNHSAL HSSNFTFFLI PSN*PQKTFRIAPYDS\ADDW/SLEHISSSGE KYYYNCRTEVSQWGKTPKSGLERGQRQKEANKMAVNSFPKDRD YRREVMQATATSGFASGKSTSGDKPVSHSCTTPSTSSASGLNP TSAPPTSASA\VPVSP\VPQ\SPIPPLLQDPNLLRQLL\PALE ATLQLNNSNVDI\SIINEVLTGDVTQASLQTIHKCLTAGPSV FKITSLISQAQLSTQAQASNQSPMSLTSDASSPR\SYVSPRN KAHLKLNTVPIQTFGFSTPPVSSQPKVSTPVVKQGPVQSATQ QPVTADKQQGHEPVSPRSLQRSSSQSPSPGNHTSNSSNASN ATVVPQNSSARSTCSLTPALAAHFSENLIKHVQGW PADHA EKQ ASRLREEAHNMGTIHMSEICTELKNLRS LVRVCEIQATLREQR ILFLRQQIKELEKLNQNSFMV
572	1311	2	1165	VAPECRGAYPFRAMMPGTALKAVLLAVLLVGLQTATGRLLSGQ PVCRRGGTQRPCYKVIYFHDTSRRLNFEEAKEACRRDGGQLVSI ESEDEQKLI EKFIENLLPSDGD F WIGLRRREEKQSNSTACQDL YAWTDGSI SQFRNWYVDEPSCGSEVCVMYHQPSAPAGIGGPY MFQWND DRCNMKNFICKYSDEKPAVPSREAEGETELTTPVL PEETQEE DAKKTFKESREAA NLAYILIPSIPLLLLLLVVTTVV CWVWICRKRKREQDPSTKKQHTIWPSPHQGNSPDLEVYNVIR KQSEADLAETRPDLKNISFRVCSGEATPDDMSCDYDNMAVNPS ESGFVTLVSVESGFVTNDIYEFSPDQMGRSKESGWVENEIYGY

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
573	1312	3	1416	TEWGLSGSCPGCSPLEPGSRGRGAAAWRIILRCRLPEPSPFLT QPNLAQSQPPAPVPVTDPSVTMHPAVFLSLPDLRCSLLLLVTW VFTPVTTTEITSLDENIDEILNNADVALVNFYADWCRFSQMLH PIFEEASDVIKEEFPNENQVVFARVDCDQHSIDIAQRYRISKYP TLKLFNRNGMMMKREYRGQRSVKALADYIRQQKSDPIQEIIRDLA EITTLDRSKRNIIGYFEQKSDSNYRVFERVANILHDDCAFLSA FGDVSKPERYSGDNIYKPPGHSAPDMVYLGAMTNFDVTYNWI QDKCVPLVREITFENGEEELTEEGLPFLILFHMKEDTESLEIFQ NEVARQLISEKGTINFLHADCDKFRHPLLHIQKTPADCPVIAI DSFRHMYVFGDFKDVLPGLKQFVFDLHSGKLHREFHGGPDP TDTAPGEQAQDVASSPPESSFQKLAPSEYRYTLLRDRDEL
574	1313	928	142	LTPSVGPVFPGRPTRPLASFPFVPLHRCAGSQQPPGPVPEGLI RIYSMRFCPYSHRTRLVLKAKDIRHEVVNINLRNKPWYYTKH PFGHIPVLETSQCQLIYESVIACEYLDDAYPGRKLFYDPYER ARQKMLLELFCKVPHLTKECLVALRCGRECTNLKAALRQEFNS LEEILEYQNTTFFGGTCISMIDYLLWPWFERLDVYGILDCVSH TPALRLWISAMKWDPTVCALLMDKSI FQGFNLNLYFQNNPNAFD FGLC
575	1314	884	363	NTATNMTQPNAGTRKYSVPAISVHTSSSSFAYDREFLRTLPGF LIVAEIVLGLLVWTLIAGTEYFRVPAFGWVMFVAVFYWVLTVF FLIIYITMTYTRIPQVPWTTVGLCFNGSAFVLYLSAAVVDASS VSPERDSHNFNSWAASSFFAFLVTICYAGNTYFSAIWRSTI Q
576	1315	165	944	GLRDPFRRKRRLKPQVKMSNYVNDMWPGSPQEKDSPSTSRSGG SSRLSSRSRSRSFSRSSRSHSRVSSRFSSRSRSRSRSRRR HQRKYRRYSRSYSRSRSRSRRYRERRYGFTRYYRSPSYR SRSRSRSRSGRSYCGRAYAIARGQRYYGFRTVYPEHSRWR DRSRTSRSRTPFRLSEKDRMELLEIAKTNAAKALGTTNIDL ASLRTVPSAKETSRGIGVSSNGAKPEVSILGLSEQNFQKANCQ I

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
577	1316	265	2300	AEGSTMDLTKMGMIQLQNPNHPTGLLCKANQMRLAGTLCDDVI MVDSQEFHAHRTVLACTSKMFEILFHRNSQHYTLDFLSPKTFQ QILEYAYTATLQAKAEDLDDLLYAAEILEIEYLEEQCLKMLET IQASDDNDTEATMADGGAEKKDRKARYLKNIFISKHSSEESG YASVAGQSLPGPMVDQSPSVSTSFGLSAMSPTKAAVDSLMTIG QSLQGTLPAGPEEPTLAGGGRHPGVAEVKTEMMQVDEVP QDSPGAAESSISGGMGDKVEERGKEGPGTPTRSSVITSARELH YGREESAEQVPPPAEAGQAPTGRPEHPAPPPEKHLGIYSVLPN HKADAVLSMPSSVTSGLHVQPALAVSMDFTYGGLLPQGFQIR ELFSKLGELAVGMKSESRTIGEQCSCVGVLPDNEAVEQHRKL HSGMPTYGCELCGKRFLDSLRLRMHLLAHSAGAKAFVCDQCGA QFSKEDALETHRQTHGTDMAVFCLLCGKRFGAQSALQQHMEV HAGVRSYICSECNRTFPSHTALKRHLRSHTGDHPYECFCGSC FRDESTLKSHKRIHTGEKPYECNGCGKKFSLKHOLETHYRVHT GEKPFCKLCHQRSRDYSAMIKHLRTHNGASPVQCTICTEYCP SLSSMQKHMKGHKPEEIPPDWRIEKTLYLYLCYV
578	1317	686	908	IWEAPTLIFTLAGGRALGHPPMQKGSQGCALPHPLPGASLPAQ PGPADHRGWECRIGGEASVFTHLFCLPHSPT
579	1318	150	1204	ASGSPAPSSSSAMAAACGPGAAGYCLLLGLHLFLLTAGPALGW NDPDRMLLRDVKALTLHYDRYTTSRRLDPIQQLKCVGGTAGCD SYTPKVIQCQNGWDGYDVQWECKTDLDAIYKFGKTVVSCGY ESSEDQYVLRGSCGLEYNLDYTELGLOKLKESGKQHGFAFSD YYIKWSSADSCNMSGLITIVVLLGIAFVVYKFLSDGQYSPPP YSEYPPFSHRYQRFTNSAGPPPPGFKSEFTGPQNTGHGATSGF GSAFTGQQGYENSGPGFWTGLGTGGILGYLFGSNRAATPFSDS WYYPSPPPSYPGTWNRAYSPLHGGSGSYSVCSNSDTKTRTASG YGGTRRR
580	1319	1208	276	GRCGAMAAGLARLLLLLGLSAGGPAPAGAAKMKVVEEPNAGV NNPFLPQASRLQAKRDPSPVSGPVHLFRLSGKCFSLVESTYKY EFCPFHNVTQHEQTFRWNAYSIGILGIWHEWEIANNTFTGMWMR DGDACRSRQRQSKVELACGKSNRLAHVSEPSTCVYALTFETPL VCHPHALLVYPTLPEALQRQWDQVEQDLADELITPQGHEKLLR TLFEDAGYLKTPREENEPTQLEGGPDSLGFETLENCRAHKELS KEIKRLKGLLTQHGIPTTRPTETSNLEHLGHETPRAKSPEQLR GDPGLRGSL
581	1320	1074	132	NSFWSVLFLVQEETEVARCNAQHRLRQSRDSKPDPSFRSQPID SSISFAGSDIQPLFSFASVDGTQVGEAEWAGPWAEATLLPGP GNRWPPRAGLSGNWLEEDGDWPSLPEVVGFSERELFRDALGA GCRILLICEMQLTHQLDLFPECRVTLTLFVKDVKNAGDLRRKAM EGTIDGSLINPTVIVDPFQILVAANKAVHLYKLGKMKTRTLST EIIIFNLSPNNNISEALKKFGISANDTSLIVYIEEGEKQINQE YLISQVEGHQVSLKNLPEIMNITEVKKIYKLSSQEESIGTLLD AIIICRMSTKDV

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
582	1321	5021	7694	<p>QRSWAGPGAGPEAGTRPPARGRRRQPGNVDPRRRAPQLRSQM  VAMARATTATGNRLWPGLLIMLGS LCHRGS PCGLSTHIEIGH  ALEFLQLHNGRVNYRELLLEHQDAYQAGIVFPDCFYPSICKGG  KFHDVSESTHWTFFLNASVHYIRENYPLPEWEDTEKLVAFLEG  ITSHMAADVSWHSLGLEQGFRLTMGAIDFHGSYSEAHSAAGDFG  GDVLSQFEFNFNYLARRWYVPVKDLLGIYEKLYGRKVITENVI  VDCSHIQFLEMYGEMLA VSKLYPTYSTKSPFLVEQKQFVFLGG  LDDMAFWSTNIYHLTIFMLENGTSDCNLPENPLFIACGGQQNH  TQGSKMQKNDFHRNLTSLTESVDRNIN YTERGVFFSVNSWTP  DSMSFIYKALERNIRTMFIGGSQLSQKHVSPLASYFLSFPYA  RLGWAMTSADLNQDGHGDLVVGAPGYSRPGHIHIGRVYLIYGN  DLGLPPVDLDDKEAHRILEGFQPSGRFGSALAVLDFNVDPV  DLAVGAPSVGSEQLTYKGAVYVYFGSKQGGMSSSPNITISCQD  IYCNLGTWLLAADVNGDSEPD LVIGSPFAPGGGKQKQIVAAFY  SGPSLSDKEKLNVEAANWTVRGEEDFSWFGYSLHGVTVDNRTL  LLVGSPTWKNASRLGHLLHIRDEKKS LGRVYGYFPPNGQSWFT  ISGDKAMGKLGTSLS SGHVMNGTLKQVLLVGAPTYDDVSKVA  FLTVTLHQGGATRM YALTSDAQPLLLSTFSGDRRFRSFGGV LH  LSDLDLDDGLDEI IMAAPLRIADVTSG LIGGEDGRVYVYNGKET  TLGDMTGKCKSWITPCPEEKAQYVLISPEASSRFGSSSLITVRS  KAKNQVVIAAGRSSLGARLSGALHVYSLGSD</p>
583	1322	1	357	<p>SLRNSARGLKMAASAARGAAALRRSINQPVAFVRRIPWTAASS  QLKEHFAQFGHVRRCILPFDKETGFHRGLGWVQFSSEGLRNA  LQQENHIIDGVKVQVHTRRPKLPQTS DDEKKDF</p>
584	1323	1205	433	<p>GSSNIHSASTHGFWFSSPSTLKRQKQAIRFQKIRRQMEAPG  APPRTLWEAMEQIRYLHEEFPESSVPRLAEGFDVSTDVIRR  VLKSKFLPTLEQKLKQDQKVLKKAGLAHSLQHLRGSGNTSKLL  PAGHSVSGSLLMPGHEASSKDPNHSTALKVIESDTHRTNTPRR  RKGRNKEIQDLEESFVPVAAPLGHPRELQKYSSDSESPRGTS  GALPSGQKLEELKAEEDNFSSKVVQRGREFDSNGNFLYRI</p>
585	1324	134	954	<p>ETRVKTSLELLRTQLEPTGTVGNTIMTSQVPVNETIIVLPSNV  INFSQAEKPEPTNQGD SLKKHLHAEIKVIGTIQILCGMMVLS  LGIILASASFSPNFTQVTSTLLNSAYPFIGPFFFIISGSLSIA  TEKRLTKLLVHSSLVGSILSALSALVGFIILSVKQATLNPASL  QCELDKNNIPTRSYVSFYHDSLYTTDCYTAKASLAGTSLML  ICTLLEFCLAVLTAVLRWKQAYSDFPGSVLFLPHSYIGNSGMS  SKMTHDCGYEELLTS</p>



SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
586	1325	106	1537	EMVGAMWKVIVSLVLLMPGPCDGLFRSLYRSVSMPPKGD SGQP LFLTPYIEAGKIQKGRELSLVGPFPGGLNMKSYAGFLT VNKTYN SNLFFWFFPAQIQPEDAPVVLWLQGGPGGS SMFGLFVEHGPYV VTSNMTLDRDRFPWTTL SMLYIDNPVGTGFSTDDTHGYAVN EDDVARDLYSALIQQFFQIFPEYKNNDFYVTGESYAGKYVPAIA HLIHSLNPVREVKINLNGIAIGDGYSDPES IIGGYAEFLYQIG LLDKQKQKYFQKQCHECIEHIRKQNWFEAFELDKLLDGLDTS DPSYFQNVGTGCSNYYNFLRCTEPEDQLYYVKFLSLPEVRQAIH VGNQTFNDGTIVEKYLR EDTVQSVKPWLTEIMNNYKVL IYNGQ LDIIVAAALTE RSLMGMDWKGSQ EYKKA EKKVWKIFKSDSEVA GYIRQAGDFHQVIIRGGGHILPYDQPLRAFDMINRFIYKGWD PYVG
587	1326	883	541	RDERAKVPFRSTEG\GRRRRRRMEAVVFVFSLLDCCALIFLSV YFIITLSDLECDYINARSCCSKLNKWWIPELIGHTIVTVLLLM SLHWFIFLLNLPVATWNIYRYIMVPSGNMGVFDPT EIHNRGQL KSHMKEAMIKLGFHLLCFMYLYSMILALIND
588	1327	1126	732	QSPGHGAPCQLSSSSHRSNRLLSPMARATLSAAPS NPRLLRVA LLLLLLVAASRRAGAPLATELRQCCLQTLQGIHLKNIQSVKV KSPGPHCAQTEVIATLKNQKQACLNPA SPMVKKIIEKMLKNGK SN
589	1328	197	330	HPLSLVFLALNTGKEKSHPGGGGERPGLAGQGE PDHPAGARDG R
590	1329	1	1575	CTPVARS MATTATCTRF TDDYQLFEELGKGAFSVVRR CVK KTS TQEYA AKIINTKKLSARDHQKLEREARICRL LKHPNIVRLHDS ISEEGFHYLVFDLVTGGELFEDIVAREYYSEADASHCIHQILE SVNHIHQHDIVHRDLKPENLL LASKCKGA AVKLADFG LAIEVQ GEQQAWFGFAGTPGYLSPEVLRKDPY GKPVDI WACGVILYILL VGYPFPWDEDQHKLYQQIKAGAYDFPSPEWDTVTPEAKNLINQ MLTINPAKRITADQALKHPWCQRSTVASM MHRQETVECLRKFNARRKLKGAILTTMLVSRNFSAAKSLLNKSDGGV KPSNNKN SLVSPAQEPAPLQTAMEPQT TVVHNATDG IKGSTESCTTTED EDLKVRKQEI I KITEQLIEAINNGDFEAYTKICDPGLTSFEPE ALGNLVEGMDFHKFYFENLLSKNSKPIHTTILNPHVHVIGEDA ACIAYIRLTQYIDGQGRPTSQSEETRVVHRRDGKWLNVHYHC SGAPAAPLQ
591	1330	17	636	NRRTVKMLLELSEEHKEHLAFLPQVDSAVVAEFGR IAVEFLRR GANPKIYEGAARKLNVSSDTVQH GVEGLTYLLTESSKLMISEL DFQDSVFVLGFSEELNKLLQLYLDNRKEIR TILSEL\APSLP SYHNLEWRLDVQLASRSLRQQIKPAVTIKLHLNQNGDHNTKVL QTD PATLLHLVQQLEQALEEMKTNHCRRVVRNIK
592	1331	1	237	GTSTYL AHRVA\RAWELAQFIHHTSKKADVV LACGDSIVHPED LICCP LTGRSCLCDVHLLSSLLARLGRGYAVSLTNL

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
593	1332	2506	1684	RGCGSCGYKPSAGPAWRPRPPPAVSPLRHPEPAKVLFSFSSCPL PALGRTGPSRAARAQSLTMASLFKKKTVDVKEQNRELRGTO RAIIRDRAALEKQEKQLELEIKMAKIGNKEACKVLAKQLVHL RKQKTRTFVSSKVTSMSTQTKVMNSQMKMAGAMSTTAKTMQA VNKKMDPQKTLQTMQNFQKENMKMEMTEEMINDTLDDIFDGSD DEESQDIVNQVLDEIGIEISGKMAKAPSAARSPLSASTSKAT ISDEEIERQLKALGVD
594	1333	905	432	STDGNGAERLFAELRKMNARGLGSELKDSIPVTELSASGPFES HDLLRKGFSVCVKNELLPSHPLELSEKNFQLNQDKMNFSTLRNI QGLFAPLKLQMEFKAVQQVQRLPFLSSSNLSLDVLRGNDETIG FEDILNDPSQSEVMGEPHLMVEYKGLL
595	1334	111	117	RNMKLHYVAVLTLAILMFLTWLPESLSCNKALCASDVSKCLIQ ELCQCRPGEAGNCSCCKECLCLGALWDECCDCVGMCPNPNYS TPTTSKSTVEELHEPIPSLFRALTEGDTQLNWNIVSFPVABEL SHHENLVSFLETVNQPHQNVSVPSNNVHAPYSSDK/E*LPTV DFFHSAPSCGLSM*SIIFFEET
596	1335	817	278	VGGVPTWLECGSGNPSRSGGGPGARLTLPALQMTVHNLYLF DRNGVCLHYSEWHRKKQAGIPKEEYKLMYGMLFSIRSFVSKM SPLDMKDGFLAFQTSRYKLHYETPTGIKVMNTDLGVGPIRD VLHHIYSALYVELVVKNPCLPLGQTVQSELFRSLDSYVRSLP FFSARAG
597	1336	171	881	PGLSQEPGSGMETVVIVAIGVLATIFLASFAALVLVCRQRYCR PRDLLQRYDSKPIVDLIGAMETQSEPSELELDDVVITNPHIEA ILENEDWIEDASGLMSHCIAILKICHTLTEKLVAMTMGSGAKM KTSASVSDIIVAKRISPRVDDVVKSMYPPLDPKLLDARTTAL LLSVSHLVLTRNACHLTGGLDWIDQSLSAEEHLEVLREAAAL ASEPDKGLPGEGLQEQSAI
598	1337	1078	594	VGMELPAVNLKVILLGHWLLTTWGCIVFSGSYAWANFTILALG VWAVAQRDSIDAISMFLGGLLATIFLDIVHISIFYPRVSLTDT GRFGVGMAILSLLLKPLSCCFVYHMYRERGELLVHTGFLGSS QDRSAYQTIDSAEAPADPFVAVPEGRSQDARGY
599	1338	717	116	PASRPLGPDGTGSVANIFKGLVILPEMSLVIRNLQRVIPIRRA PLRSKIEIVRRILGVQKFDLGIICVDNKNIQHINRIYDRNVP TDVLSFPFHEHLKAGEFPQPDFDDYNLGDIFLGVEYIFHQCK ENEDYNDVLTVTATHGLCHLLGFTHTGTEAEWQQMFQKEKAVLD ELGRRGTGRLQPLTPGPLPEGAEGRVPF
600	1339	1	804	LRNALDVLHREVPRVLVNLVDFLNPTIMRQVFLGNPDKCPVQQ A/MLEPLGSKTETDLRAEMPITCPTQNEFFLRTPRNSNYTYP IKPAIENWGSDFLCTEWKASNSVPTSVHQLRPADIKVVAALGD SLTTAVGARPNNSDLPTSWRGLSWSIGGDGNLETHHTLPNIL KKFNPYLLGFSTSTWEGTAGLNVAEGARARDMPAQAWDLVER MKNSPDINLEKDWKLVTLFIGGNDLCHYCENPEAHLATEYVQH IQQALDILSE

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
601	1340	1	860	VVEFLWSRRPSGSSDPRPRRPASKCQMMEERANLMHMMKLSIK VLLQSALSLSGRSLDADHAPLQQFFVVMHCHLKHGLKVKKSFIG QNKSFPGPLELVEKLCPEASDIATSVRNLPKLTAVGRGRAWL YLALMQKKLADYLKVLIDNKHLLSEFYEPALMMEEEGMVIVG LLVGLNVLDANL\CLKGEDLDSQVGVIDFSLYLKDVQDLGGK EHERITDVLQKNYVEELNRHLSCTVGDQLQTKIDGLEKTN SKL QERVSAATDRICSLQEEQQQLREQNELIR
602	1341	60	762	KPEGARRVQFVMGLFGKTQEKPPKELVNEWSLKIRKEMRVVDR QIRDIQREEEKVKRSVKDAKKGQKDVCIVLAKEMIRSRKAVS KLYASKAHMNSVLMGMKNQLAVLRVAGSLQKSTVMKAMQSLV KIPEIQATMRELSKEMMKAGIIEEMLEDTFESMDDQEEMEEEA EMEIDRILFEITAGALGKAPSKVTDALPEPEPPGAMAASEDEE EEEEALEAMQSRLATLRS
603	1342	3	456	RWNSIMELALLCGLVVMAGVPIPIQGGILNLNKMVKQVTGKMPI LSYWPYGCHCGLGGRGQPKDATDWCCQTHDCCYDHLKTQCGCI YKDYYRYNFSQGNIHCSDKGSWCEQQLCACDKVAFCLKRNLD TYQKRLRFYWRPHCRGQTPGC
604	1343	249	632	KTVAEEASVGNPEGAFMKMLQARKQHMSTELTIESEAPSDSSG INLSGFGSEQLDTNDESDVSSALSYILPYLSLRNLGAESILLP FTEQLFSNVQDGRLLSILKNNRKSPPSQSSLLGNKFKNKIF
605	1344	2	382	LPLTLLLAAPFAHLLLP PGHDQSPCWHPGPALSPGTLGPLSWA MANSGQLQLGYFLALGGWVGIIASTALPQWKQSSYAGDASIQL RSKVFVLESEWGGDSLGLPRDCGWSCLLHSAVRSEKGFWS
606	1345	2	987	DPRVRPPLLQPPPPPLLPRVLILKMAPLDLDKYVEIARLCKYLP ENDLKRLCDYVCDLLEESNVQPVSTPVTVCVDIHHQFYDLCE LFRTGGQVPDNTNYIFMGDFVDRGYYSLETFTYLLALKAKWPDR ITLLRGNHESRQITQVYGFYDECQTKYGNANAWRYCTKVFDM TVAALIDEQILCVHGGLSPDIKTLQDQIRTIERNQEI PHKGAF DLVWSDPEDVDTWAI SPRGAGWLFGAKVTNEFVHINNKLICR AHQLVHEGYKFMFDEKLVTVWSAPNYCYRCGNIASIMVFKDVN TREPKLFRVDPDSERVI PPRTTTPYFL
607	1346	10	768	SFAGAAARPSTPPASGRGAAPGRPGSPMDLRAGDSWGM LACL CTVLWHLPAVPALNRTGDPGPGPSIQKTYDLTRYLEHQLRSLA GTYLNYLGPPFNEPFDNPPRLGAETLPRATVDLEVWRSLNDKL RLTQNYEAYSHLLCYLRGLNRQAATAELRRSLAHFCTSLQGLL GSIAGVMAALGYPLPQPLPGTEPTWTPGPAHSDFLQKMDDFWL LKEQLTWLWRSKDFNRLKKKMQPPAAAVTLHLGAHGF
608	1347	114	700	IKISLKKRSMGSGICPFFLWGLLALLGLALVISLIFNISHYV EKQRQDKMYSYSSDHTRVDEYIETPIYGNLDDMISEPMDEN CYEQMKARPEKSVNKMQEATPSAQATNETQMCYASLDHSVKGK RRKPRKQNTHTFSKDKGDEQLHAIDASVSKTTLVDSFSPESQAV EENIHDDPIRLFGLIRAKREPIN

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
609	1348	2	807	VEFHPQARAGARAPSMGVLLTQRTLLSLVLALLFPMSMAA IGSCSKEYRVLLGQLQKQTDLMQDTSRLDPYIRIQGLDVPKL REHCRERPGAFPSEETLRGLGRRCFQLTLNATLGCVLHRLADL EQRLPKAQDLERSGLNIEDLEKLQMARPNILGLRNNIYCMAQL LDNSDTAEPTKAGRGASQPPTPTPASDAFQRKLEGCRFLHGYH RFMHSVGRVFSKWGESPNRSRRHSPHQALRKGVRRTRPSRKGK RLMTRGQLPR
610	1349	2	418	DFPGRFRRLVWLLVLRLPWRVPGQLDPTTGRRFSEHKLCADDE CSMLMYRGEALEDFTGPDRCFVNFKKGDVYVYKLGWPEV WAGSVGRFTGYFPKDLIQVHEYTKHEELQVPTNETDFVCFDGG RDDFHNYNV
611	1350	823	115	SPLKGEGQEEVRVKIKDLNEHIVCCLCAGYFVDATTITECLHT FCKSCIVKYLQTSKYCPMCNIKHETQPLLNLKLDVRVMDIVY KLVPGLQDSEKRIREFYQSRGLDRVTQPTGEEPALSNLGLPF SSFHDSKAHYRYRYDEQLNLCLERLSSGKDKNKSVLQNKYVRCS VRAEVRHLRRVLCHRLMLNPQHVLQDLFDNEVLPDHTMKQIWL SRWFGKPSPLLLQYSVKEKRR
612	1351	9	545	LWWYSAHAAMDVFGVGFPSKVPWKMSAEELNQYCPSPR WVVRLEAEALRTYSQIGIEATTRARATRKSLHVPYGDGE KVDIYFPDESSEATTRARATRKSLHVPYGDGEKVDIYFPD ESSEALPFFLFFHGGYWQSGRHPGPHGRPGDPQRCVCPEAVSK QQAFSW
613	1352	49	902	GVRMASRGRRPEHGGPPELFYDETEARKYVRNSRMIDIQTRMA GRALELLYLLENKPCYLLDIGCGTGLSGSYLSDEGHYWGDI SPAMLDEAVDREIEGDLGLGDMQGIFPKPGTFDGCISISAVQ WLCNANKKSENPAKRLYCFASLFSVLVRGSRAVLQLYPENSE QLELITQTAKAGFSGGMVVDYPNSAKAKFYLCFSGPSTFI PEGLSENQDEVEPRESVFTNERFPLRMSRRGMVRKSRAWVLEK KERHRRQGREVRPDTQYTGRKRKPRF
614	1353	1960	871	TLICRMAGCGEIDHSINMLPTNRKANESCSNTAPSLTVPECAI CLQTCVHPVSLPCKHVFCYLCVKGASWLGKRCALCRQEIPEDF LDKPTLLSPEELKAASRGNGEYAWYIEGRNGWQYDERTSREL EDAFSGKKNTTEMLIAGFLYVADLENMVQYRRNEHGRRRKIKR DIIDIPKKGVAGLRRLDCDANTVNLARESSADGADSVSAQSGAS VQPLVSSVRPLTSVDGQLTSPATPSPDASTSLEDSFAHLQLSG DNTAERSHRGEEDHESPSSGRVPAPDTSIEETESDASSDSE DVSAVVAQHSLTQQRLLVSNANQTVPDRSDRSRGTDRSVAGGCT VSVSVRSRRPDGQCTVTEV

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
615	1354	5653	4549	GATPLGSGVGGRTGKMDAATLTyDTTLRFAEFEDFPETSEPvWILGRKYSIFTEKDEILSDVASRLWFTYRKNFPAIGGTGPTSDTGWGCMLRCGQMIFAQALVCRHLGRDWRWTQRKRQPDsyFSVLNAFIDRKDSYYSIHQIAQMVGEGKSIGQWYGpNTVAQVLKKLAVFDTWSSLAVHIAMDNTVVMEEIRRLCRTSVPCAGATAFPADSDRHCNGFPAGAEVTNRPSpWRPLVLLIPLRLGLTDINEAYVETLKHCFMMPQSLGVIGGKPNsAHYFIGYVGEELIYLDpHTTQPAVEPTDGCfIPDESfHCQHPPCRMSIAELDPSIAVVRGGHLSTQAFGAECCLGMTRKTfGFLRFFFSMLG
616	1355	416	65	PTTSNRaitLTAWPKIPFLGICEAKNPRSENmRLATILEVACHHLGSGPPPSWELWEQGPpGNSSRYIEFLNKHTYIKGTLRVYTKKFCMLVIKSFESKScVCVYDFDSKSSVNVTV
617	1356	2	382	PRVRFRLLHVTsIRSAWILCGIiWILIMASSIMLLDSGSEQNGSVTSCLELNLYKIAKLQTVNYIALVVGCLLPFFTLsICYLLIIRVLLKVEVPESGLRVSHRKALTTIIITLIIFFLCFLPYHT
618	1357	3	672	GRHWLGSaQLTDGGSARKPKMAVPAALILRESpSMKKAVSLINAITDGRFPRLLTRILQKLHLKAESSFSEEEEEKLQAaFSLEKQDLHLVLETISfILEQAVYHNVPAAALQQQLENIHLRQDKAEAFVNTWSSMGQETVEKfRQRILAPCKLETVGWQLNLQMAHSAQAKLKSPQAVLQLGVNNEDSKSLEKVLVEFfSHKELDFDYNKLETIQAQLDsLT
619	1358	557	208	EASSAKTKRKEEKGPkAKMKLMVLVFTIGLTLLLGvQAMPANRLSCYRKILKDHNCHNLPEGVADLTQIDVNVQDHfWDGKGCEMICYCNfSELLCCPKDVFFGPKISfVIPCNNQ
620	1359	335	1735	KMAEAVFHAPKRKRrvYETyESPLPIpFGQDHGfLKEFKIFRAEMINNNVIVRNAEDIEQLYKGyFGKGILSRsRPSFTISDPKLVAkWDMKTMPIITSKRYQHSVEWAaELMRQGGQDESTVRRILKDYTKPLEHPPVKRNEEAQVHDKLNSGMVSNMEGTAGGERPSVVNGDSGKSGGVGDpPREPLGCLQEGSGCHPTTESfEKSvREDASPLPHVCCCKQDALILQRLHHDGSQHIGLLHPGDGRPDHEYVLVEEAECAMsEREAPNEELVQRNRLICRRNPYRIfEYLQLSLEEAFfLVYALGCLSIYYEKEPLTIVKLWKAFTVvQPTFRTTYMAYHYFRSKGWVPKVGLKYGTDLLLYRKGPpPYHASYSVIIELVDDHFEGSLRRPLSWKSLAALSrvSVNVSKELMLCYLIKpSTMtdKEMESpECMKRIKVQEVILSRWVSSRERSDQDDL

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
621	1360	5693	4435	RDIWTMNLQRYWGEIPISSSQTNRSSFDLLPREFRLVEVHDP LHQPSANKPKPPTMLDIPSEPCSLTIHTIQLIQHNRRRLNLIA TAQAQNNQQQTEGVKTEESEPLPSCPGSPPLPDDLPLDCKNPN APFQIRHSDPESDFYRGKGEPVTELSWHSCRQLLYQAVATILA HAGFDCANESVLETLTDVAHEYCLKFTKLLRFAVDREARLGQT PFPDVMQVVFHEVGIGSVLSLQKFWQHRIKDYHSYMLQISKQL SEEYERIVNPEKATEDAKPVKIKEEPVSDITFPVSELEADLA SGDQSLPMGVLAGAQSERFPSNLEVEASPQASSAEVNASPLWNL AHVKMEPQSEEGNVSGHVLGSDVFEPMSEGMSEAGIPQSPD DSDSSYGSHSTDSLMGSSPVFNQRCCKRMRKI
622	1361	15	678	REQILFIEIRD TAKGGETE QPPSL SPLHGGRMP EMGEGIQSLA RETQSHRGRRGWDATWVTRCRESLNRGGAGAGKRALAHHV FLALIEPNLAEREASEEEVKACSD ETVVADLLVKVVYVLGAIL KIFLREGNVNLNQHSGMDIEKYSEHYQHDHSPGAEDDAAGQLR PTAQERRHKEGSRGSPRCKRARKAVGESPGCPRPRVRPRVRPR VRPRV
623	1362	1080	835	GTRGCCREGTAYAKAYQFMASHLSLGKPVSTGSI PRFNKALFN KQAKCKPNHYSFIGLSMLSPENFSIGCKYSVWFSETKGF
624	1363	872	441	GAQGVVRVIGEVGRVQAPRVSLHLSQGVPRGGTGEAVKBEGRG SSLHPPPLPPQGLGEYAAACQSHAFMKGVFTFVTGTGMAFGLQMF IQRKFPYPLQWSLLVAVVAGSVVSYGVTRVESEKCNLWLFLE TGQLPKDRSTDQRS
625	1364	1	585	GTSELLCIQRWNWGPAPPPRPLALAPTLQLLVEMGSAKSVPV TPARPPPHNKHARVADPRSPSAGILRTPIQVESSPQPLPAG EQLEGLKHAQSDPRSPLGKN*GHGWQVGQSDLGSPQPLPPS ASHL/YSSRASRCSQPCLSLPWFVGRSSPANTYHVPVTSLCP SPALHYTALQAGIISTSQARAPR
626	1365	36	381	PLLLPFRFIDIPCLLCYLTQVTPDDMYAKAFLIKPNTAITGTDR RKL\RADETTDFP\TLGTDQIYELLPGKDELNIVKSNNAKRDA *TAYVSGENHILSEP*KNLYPAVNTLSSYP
627	1366	763	1003	SRQPPPLLTVMVFLLEFLFLVFFPGCVNQLLSYPWQGGTSLW SSLSFHWLLPQEDSSRLSIFPLRAGSPPPQPAQAPQRI
628	1367	296	1199	KSREQSSLFAADAERSWGGKSCCLLRWRVFGKASHFPRLLPLP GEERPETKERAWKMEQTWTRDYFAEDDGEMVPRTSHTA/ASVS LTAFLSDTKDRGPPVQSQIWRSGEKVPFVQTYSLRAFEKPPQV QTQALRDFEKHLNDLKKENFSLKLLIYFLEERMQQKYEASRED IYKRNTTELKVEVESLKRELQDKKQHLDKTWADVENLNSQNEAE LRRQFEERQQEMEHHVYELLENKMQLLQEESRLAKNEAARMAAL VEAKEECNLELSEKLKGVTKNWEDVPGDQVKPDQYTEALAQRD K

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
629	1368	191	1116	TRRRGTTWRSRPRRASTSRPSTRPRGVASWPWETAGTATTGPGPSARTRRRAARRRRSRPRRAHGGLSQPAGWQSLLSFTILFLAWLAGFSSRLFAVIRFESI IHEFDPWFNRYRSTHHLASHGFYEF LNWFDERAWYPLGRIVGGTVYPGLMITAGLIHWILNTLNTIVH IRDVCVFLAPTFSGLTSSISTFLLTRELWNQAGLLAACFIAIV PGYISRSVAGSFDNEGIAIFALQFTYYLWVKSVKTGSVFWTMC CCLSYFYMVSAWGGYVFIINLIPLHAFVLVLM/Q/RYSKRVIYI *YSTFYIVG
630	1369	852	214	RRLIVVLSDAFLSRAWCSHSF/RVGPARGWVGPSVAPTPLTVP PRREGLCRLLELTRRP I F I T F E G Q R R D P A H P A L R L L R Q H R H L V T L L L W R P G S V T P S S D F W K E V Q L A L P R K V R Y R P V E G D P Q T Q L Q D D K D P M L I L R G R V P E G R A L D S E V D P D P E G D L G V R G P V F G E P S A P P H T S G V S L G E S R S S E V D V S D L G S R N Y S A R T D F Y C L V S K D D M
631	1370	246	1091	LSHEGWRRGREGERINSSVASLAPLCILPDLPSNMHLARLVGS CSLLLLLGALSGWAASDDPIEKVIEGINRGLSNAEREVGKALD GINSGITHAGREVEKVFNGLSNMGSHGTGKELDKGVQGLNHGMD KVAHEINHIGIQAGKEAEKLGHGVMNAAGQAGKEADKAVQGFFH TGVHQAGKEAEKLGQGVNHAADQAGKEVEKLGQGAHHAAGQAG KELQNAHNGVNQASKEANQLLNGNHQSGSSSHQGGATTTPLAS GASVNTPFINLPALWRSVANIMP
632	1371	3150	2792	SASGGLGMTVEGPEGSEHRRPPEKPPRPPRPLHLSDRSFRRK KDSVESHTWVDDTRIDADAIVEKIVQSQDFTDGSNTEDSNLR LFVSRDGSATLSGIQLATRVSSGVYEPVVIESH
633	1372	667	993	ERSGWPQPEGTVTAQGPLFWERLSGAVTVSSGYKADMWPSFPQ \VRVGSFLFGILFFSFGSSSLPGLPPPASLLCCAVQWGARAL FLPCLKERALGMEMRNNTLSFRQ
634	1373	636	2	SSSNRLSFLINENILGKCFRSGPSCAGPRISPLAAQYECPRP SLLIMASVPKTNKIEPRSYSIIPSCGI\RRLGPALNTLIF\QS KRFGPRG\HSAKSIEGAPRGKGRGRAVARLAADRPPAPKIQLR AF*LQQL*YTLLELELPRLAPDLPSNGSSSLKDLKWTHSNYRA SKESCIVIF\VTTPGREWVICALAAFLGCGS\LSQAPSPES
635	1374	61	519	LRIINTYFCFKFLIVNYIHGTTKARKPHVLGESLISAMSRQEP KMFVLLYVTSFAICASGQPRGNQLKGENYSPRYICSIPGLPGP PGPPGANGSPGPHGRIGLPGRDGRDGRKGEKGEKGTAGLRGKT GPLGLAGEKGDQGETGKKGPIGPE
636	1375	129	579	FASAMLGSRVDRPKLSVAPSVVLEEDQVLVSPAVDLEAGCRLR DFTEKIMNVKGKVLISMLVSTVIIVFWEFINSTECSFLWIYH SKNPEVDDSSAQKGWFLSWFNNGIHNYQQGEEDIDKEKGREE TKGRKMTQQSFYGTGLIQT

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
637	1376	127	1376	GSHRFSLASPLDPEVGPYCDTPTMRTLFLNLLWLALACSPVHTT LSKSDAKKAASKTLEKSQFSDKPVQDRGLVVTDLKAESVVLE HRSYCSAKARDRHFAAGDVLGYVTPWNSHGYDVTKVFGSKFTQI SPVWLQLKRRGREMFVETGLHDVDQGWMAVRKHKAGLHIVPR LLFEDWTYDDFRNVLDSEDEIEELSKTVVQVAKNQHFDFGVVE VWNQLLSQKRVGLIHMLTHLAEALHQAALLLVIPPAITPGT DQLGMFTHKEFEQLAPVLDGFSMTYDYSTAHPGPNAPLSWV RACVQVLDPKSKWRSKILLGLNFYGM DYATSKDAREPVVGARY IQTLKDHPRPMVWDSQVSEHFFYKKSRSGRHVVFYPTLKS LQ VRLELARELGVGVS IWELGQGLDYFYDLL
638	1377	998	48	GREGTGWGPAMSEVTRSLQLRWGASFRGADFD SWGQLVEAID EYQILARHLQKEAQAQHNNSEFTTEEQKKTIGKIATCLELSAA LQSTQSQEEFKLEDLKKLEPILKNILTYNKEFPFDVQVPPLRR ILAPGEEENLEFEDEEEGGAGAGSPDSFPARVPGTLLPRLPS EPGMTLLTIRIEKIGLKDAGQCINPYITVSVKDLNGIDLTPVQ DTPVASRKEDTYVHFNVDIELQKHVEKLTGAAIFFEFKHYP KKRFTSTKCFAFMEMDEIKLGPIVIELYKKPTDFKRKQLQLLT KKPLYLHLHQLHKE
639	1378	1298	1569	GSITSEPSLDSLQPLPPGFKRFSCLSLPSSWDYRRPPPGLAYF CIFSRDEVSPCWPGCSPSPDLMIRLPRPPSVGITGVSHRAWPT IDNF
640	1379	196	1197	KMPVVPWFLLSLALGRSPVVL SLERLVGPQDATHCSPGLSCRLW DSDILCLPGDIVPAPGPVLAPTHLQTELVLRCQKETDCDLC LR VAVHLAVHGHWEPEDEEKFGGAADSGVEEPRNASLQAQVVL S FQAYPTARCVLLEVQVPAALVQFGQSVGSVVYDCFEAALGSEV RIWSYTQPRYEKELNHTQQLPDCRGLEVWNSIPSCWALPWLNV SADGDNVHLVLNVSEEQHFGLSLYWNQVQGP KPRWHKNLVRP PPSQVHSHCRP\CLCK\DAVPYQRGSLKRTHPKQKGKIGGTSA FLVSLTLASSSSSLSSPTSFLYLFHRLDRSLP
641	1380	756	1110	LRLWNRNQMMHNIIVKELIVTFFLGITVQMLISVTGLKGVEA QNGSESEVFVGKYETLVFYWPSLLCLAFLLGRFLHMFVKALRV HLGWELQVEEKSVLEVHQGEHV KQLLRIPRP
642	1381	631	1278	KVNRKLKKGKISHDKRKKSRKAIGSDTSDIVHIWCPEGMKT SDIKELNIVLPEFEKTHLEHQRIESKVCKAAIATFYVNVKEQ FIKMLKESQMLTNLKRKNAMISDIEKKRQRMIEVQDELLRLE PQLKQLQTKYDELKERKSSLRNAAAYFLSNLKQLYQDYSDVQAQ EPNVKETYDSSSLPALLFKARTLLGAESHLRNINHQLKLLDQ G
643	1382	1167	755	VWVAMEEPPVREEE*EEGEDEERDEVGPEGALGKSPFQLTAE DVYDISYLLGRELMALGSDPRVTQLQFKVVRVLEMLEALVNEG SLALEELKMERDHLRKEVEGLRRQSPPASGEWPDSTKRPRRK KRKRCCGY



SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
644	1383	1	271	PRNDHRLTQSRDSSSKTRAFVPRFLPAHAGVTSEERTAMKR EGGAHLCSDSLPEQQQDGNHAPNFSSHGSCRRRQRRRHDKA LHAR
645	1384	1	499	THASEKSRATMSSWSRQRPKSPGGIQPHVSRITFLLLLLAASA WGVTLSPKDCQVFRSDHGSSISCQPPAEIPGYLPADTVHLAVE FFNLTHLPANLLQGASKLQELHLSSNGLESLSPEFLRPVPQLR VLDLTRNALTGLPPGLFQASATLDTLVLENQLEVE
646	1385	178	675	ERPRIMDLAGLLKSQFLCHLVFCYVFASGLIINTIQLFTLLL WPINKQLFRKINCRLSYCISSQLVLMLEWWSGTECTIFTDPRA YLKYGKENAIVVLNKKF\EI\DFLCGWSLSERFGLLGVSQKCI PPCLTHFFGSAPPLVFLLLVIQNLQKNQSFYLMKWS
647	1386	630	1499	MIVFGWAVFLASRSLGQGLLLTLEHIAHFLGTGGAATMGNS CICRDDSGTDDSVDTQQQQAENSAVPTADTRSQRDPVRPPRR GRGPHEPRRKQNVLDGLVLDTLAVIRTLVDNDQEPYSMITLH EMAETDEGWLDVVQSLIRVIPLEDPLGPAVITLLLDECPLPTK DALQKLTEILNLNGEVACQDSSHAPKHNRTSAVLGCIAEKLAG PASIGLLSPGILEYLLQCLLQSHPTVMLFALIALEKFAQTSEN KLTISSISSDRL\VTLESW\ANDPDYLRQVG
648	1387	1	962	RFGTRGLAKSGVVMALCALTRALRSINLAPPTVAAPAPSLF PAAQMNNGLLQQPSALMLLPCRPLVTSVALNANFVSWKSRTK YTITPVKMRKSGGRDHTGRIRVHGIGGGHKQRYRMIDFLFRP EETKSGPFEEKVIQVRYDPCRSADIALVAGGSRRKRWIATENM QAGDTILNSNHIGRMAVAAREGDAHPLGALPVGTLINNVESEP GRGAQYIRAAGTCGVLLRKVNGTAIIQLPSKRQMQVLETCVAT VGRVSNVDHNKRVIKAGRNRWLKRPNSGRWHRKGGWAGRKI RPLPPMKSYVKLPSASAQS
649	1388	291	714	PVQGARCWLDARRNVRVFSGVCCGCIHGYYAEPCGGCGAMEG LRSSVELDPELTPGKLDEEMVGLPPHDASPQVTFHSLDGKTVV CPHFMLGLLLGLLLTLVSRNQLCVRGERQLAETLHSQVKEKS QLIGKKTDCRD
650	1389	874	2220	GARGRPLAETWPFLLTAPVLPGLQITEPTMAEKGDCIASVYGY DLGGRFVDFQPLGFGVNLVLSAVDSRACRKVAVKKIALSDAR SMKHALREIKIIRRLDHDNIVKVYEVLPKGTDLQGELEFKFSV AYIVQEYMETDLARLLEQGTAEHAKLFMYQLLRGLKYIHS NVLHRDLKPANIFISTEDLVKIGDFGLARIVDQHYSHKGYL SEGLVTWKYRSPRLLSPNNYTKAIDMWAAGCILAEMLTGRML FAGAHELEQMQLILETIPVIREEDKDELLRVMPFSVSTWEVK RPLRKLPEVNSEIDFLEKILTFNPMDRLEAEMGLQHPYMS YSCPEDEPTSQHPFRIEDEIDIVLMAANQSQLSNWDTCSRY PVSLSSDLEWRPDRCDASEVQRDPAGSAPLAENVQVDPKRD SHSSSASCQAGRNGVSRYQ

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
651	1390	1	2451	MRTLGTCLATLAGLLLTAAGETFSGGCLFDEPYSTCGYSQSEG DDFNWEQVNTLT KPTSDPWPMPSGS FMLVNASGRPEGQRAHLLL PQLKENDTHCIDFHYFVSSKSNSPGLLN VVKVNNNGPLGNPI WNISGDPTRTWNRAELAISTFWPNFYQVIFEVITSGHQGYLAI DEVKVLGHPCPTRPHFLRIQNVEVNAGQFATFQCSAIGRTVAG DRLWLGIDVRDAPLKEIKVTSSRRFIASFNVNTTKRDAGKY RCM1\RTEGGVGISNYAEL\VVKEPPVPIAPPQLASVGATYLW IQLNANSINGDGPVAREVEYCTASGSWNRQPV DSTSYKIGH LDPDTEYEISVLLTRPGEGGTGSPGPALRTRTKCADPMRGPRK LEVVEVKSRQITIRWEPFGYNVTRCHSYNLT VHYCYQVGGQEQ VREEVSWDTENSHPOHTITNLSPTYTNVS VKLILMNPEGRKESQ ELIVQTDDEDLPGAVPTESI QGSTFEKIFLQWREPTQTYGVIT LYEITYKAVSSFDPEIDLSNQSGRVSKLGNETHFLFFGLYPGT TYSFTIRASTAKGFGPPATNQFTTKISAP SMPAYLETPLNQ T DNTVTVM LKPAHSRGAPVS VYQIVVEEERPRRTKKTTEILKCY PVP1HFQNASLLNSQYYFAAEFPADSLQAAQPF TIGDNKTYNG YWNTPLL PYKSYRIYQAASRANGETKIDCVQVATKGAATPKP VPEPEKQTDHTVKIAGV1AGILLFVI1FLGVVLVMKKRLYKHG ASICSASGEASGSFQSWRKAKHKQACPMARAGARERAGGCLKL
652	1391	30	459	GIRQLQLSLRASMARSWTALRLCATVVVLD MVVCKGFVQDL DESFKENRNDDIWL VHFYAPWCGHCKKLEPIWNEAGLEMKSIG SPVKAGKMDATSYSS1ASEFGVRGYPTIKLALIRPLPSQQMFE HMKRHRVFFVYV
653	1392	168	1016	GLVIVISHFSPSPGLLPATQSPAMSDPITLNVGGKLYTTSLAT LTSFPDSMLGAMFSGKMPTKRDSQGNCFIDRDGKVFRYILNFL RTSHLDLPEDFQEMGLLRREADFYQVQPLIEALQEKEVELSKA EKNAMLNITLNQRVQTVHFTVREAPQIYSLSSSSMEVFNANIF STSCLFLKLLGSKLFYCSNGNLSSITSHLQDPNHLTLDWVANV EGLPEEEYTKQNLKRLWVVPANKQINSFQVFVEEVLKIALSDG FCI DSSHPHALDFMNNKIIRLIRY
654	1393	3	927	SCADNLVAASGGCWFLGERRAGSLLSASYGTFAMPGMVLFGR RWA1ASDDLVPFGFFELVVRVLWWIGILTLYLMHRGKLD CAGG ALLSSYLIVLMILLAVVICTVSAIMCVSMRG TICNPGRKSMS KLLYIRLALFFPEMVWASLGAAWVADGVQCDRTV VNGIIATTV VSWIIIAATVVSIIIVFDPLGGKMAPYSSAGPSHLDSDHSSQL LNGLKTAATSVWETRIKLLCCIGKDDHTRVAFSS1AELFSTY FSDTDLVPSDIAAGLALLHQQQDNIRNNQ\DLPRWSAMPQ GAP RKLIWMQN
655	1394	1	716	FRAATAAAKNGGGGGGRAGAGDASGTRKKKGPGPLATAYLVII NVVMTAGWLVIAGLVRAYLAKGSYHSLYSIEKPLKFFQTGA LLEILHCAIGIVPSSVVLTSFQVMSRVFLIWA VTHSVKEVQSE DSVL\FVIAWTITEIIRYSFYTFSLNHLPYLIK RARYTLFIV LYPMGVSGELLTIYAALPFVRQAGLYSISLPNSTKKIFLISQV WWHMLAVSADAKAAEMPAVLKPGP

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
656	1395	72	766	MLTGVGCLVSSSELSCVQCNSWEKSCVNSIASECPSHANTSCI SSSASSSSLETVPVRLYQNMFCSAENCSEETHITAFTVHVSAAEH FHFVSQCCEGKECSNTSDALDPPLKNVSSNAECPACYESNGTS CRGKPKWKCYEEECVFLVAELKNDIESKSLVLKGCNSVSNATC QFLSGENKTLGGVIFRKFEKANVNSLTPTSAPTSSHNVGSKAS LYLLALASLLLRGLLP
657	1396	97	746	VPARRRAMEIGTEISRKIRSAIKGLQELGAYVDEELPDYIMV MVANKKSQDQMTEDLSLFLGNNTIRFTVWLHGVLDKLRVTE PSSLKSSDTNIFDSNVPSNKS NF SRGDERRHEAAVPL\AIPS ARPEKRDSRVSTSSQESKTTNVRQTYDDGAATRLMSTV/KPLR EPAPSEDVIDIKPEPDDLIDEDLNFVQEKPLSQKKPTVTLTYG SSR
658	1397	155	560	ASRVLAAVMGLPWGQPHLGLQMLLLALNWLRLPSLSLELVPYTF QITAWDLEGKVTATTFSLQPRCVFDGLASASDTVWLVAFSN ASRGFQNPETLADIPASPQLLTDGHYMTLPLSPDQLPCGDMA GSGSAP
659	1398	416	539	NSLNFFFETESCCVAQAGVQWRDLGSLQAPPPGFKRFSC
660	1399	281	736	KSLPLQKHPKPCQEDQGLGRGSLSGHSP L TLLTFTLSCALGD QQLLPRTSGSLCQESMSEQSCQMSELRLLLLGKCRSGKSATG NAILGKHVFKSKFSDQTVIKMCQRESWVLRRKVVVIDTPDLF SSIACAEDKQRNIQHLELSAP
661	1400	2	974	FVETTVSVQSAESSDALSWRLPRALASVGPEEARSGAPVGGG RWQLSDRVEGGSP TLG LLGGSPSAQPGTGNVEAGIPSGRMLEP LPCWDAADLKEPQCPPGDRVGVQPGNSRVWQGTMEKAGLAWT RGTGVQSEGTWESQRQSDALPSPELLPQDQDKPFLRKACSPS NIPAVIITDMGTQEDGALEETQGS PRGNLPLRKLSSSSASSTG FSSSYEDSEEDISSDPERTLDPNSAFLHTLDQQKPRVVESRSV TQAGVQWHDIGSLQPLPP/WIQAIL/HASAFRIAGTTGACHHA RIIFGLVERGFHHVGDGLYLLIL
662	1401	232	3	KICSSYFLRIICILQKEAQEASNLTYTSCDFFSPAFYFVIYRLY NFKIHWPGAVAHTYSPSTLGGRGRWVT*GREFM
663	1402	250	556	LILSLPLLYGHLKSYTFPSEHYLHLLQT F ATFNKYLNVCVLIF IHHKPVVPAIQGTNVGGSLEPRRLRLQQAMIVPLHFGLGNRVR PCLKKQQQQQQQQKK
664	1403	1	373	RMETKPVITCLKTLIIYSFVFWITGVILLAAAGVWGKLTLSY ISLIAENSTYAPYVLIVTGTTIVAYPLV*FFSYSSGFSYILA VRLIAGIALVYNYIPRSSSRALVRLVLLRFLSRHPS
665	1404	3	413	NAEHPGMDRHDLCQKAKLAHAERDDDMAACMKTVTDQGAELS NEERNLLSDAHTNAV*ARRSSWMGA*RIEQKTEGADTQQQMAP DCREIFATELRDICDDVLSLLEKLLIPNASHA*SLVYYLHMIG DYRYWL
666	1405	2	334	GGGPLGKMPRAQLADPWQMMAVESPSDCADNGQQIMDEPMGED EISPQTE*VSIKEVAVTHCVKEGHDKADPSQIELLRVLRQGS L GKVYLGKKVSGSDAKQLYAMKVL

- (a) a polypeptide encoded by any one of the polynucleotides of claim 1; and
  - (b) a polypeptide encoded by a polynucleotide hybridizing under stringent conditions with any one of SEQ ID NO:1-739.
11. A composition comprising the polypeptide of claim 10 and a carrier.
12. An antibody directed against the polypeptide of claim 10.
13. A method for detecting the polynucleotide of claim 1 in a sample, comprising:
- a) contacting the sample with a compound that binds to and forms a complex with the polynucleotide of claim 1 for a period sufficient to form the complex; and
  - b) detecting the complex, so that if a complex is detected, the polynucleotide of claim 1 is detected.
14. A method for detecting the polynucleotide of claim 1 in a sample, comprising:
- a) contacting the sample under stringent hybridization conditions with nucleic acid primers that anneal to the polynucleotide of claim 1 under such conditions;
  - b) amplifying a product comprising at least a portion of the polynucleotide of claim 1; and
  - c) detecting said product and thereby the polynucleotide of claim 1 in the sample.
15. The method of claim 14, wherein the polynucleotide is an RNA molecule and the method further comprises reverse transcribing an annealed RNA molecule into a cDNA polynucleotide.
16. A method for detecting the polypeptide of claim 10 in a sample, comprising:

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
667	1406	2	332	DAAGIRHEAHFGKLECLVQLVRAGA\SLFVSTTRYAQTTPA\HIAAFGGHPQCLVWLIQAGANINKPDCEGETPIHKAARSGSLECI SALVANGAHVDNPKKGIRVLEWLFE
668	1407	242	1157	LLKLMFIAELGDYDLAEHSPELVSEFRFVPIQTEEMELAI FEK WKEYRGQTPAQAE TNYLNKAKWLEMYGVD MHVVKARDGNDYSL GLTPTGVLFEGDTKIGLFFWPKITRLDFKKNKLT LVVVEDDD QGKEQEHTFVFRLDHPKACKHLWKCAVEHHAFFRLRGFPVKSS HRSGFIRLGSRFRYSGKTEYQT TKTNKARRSTS FERRPSK RYS RRTLQMKACATKPEELSVHNNVSTQSNQSQQAWGMRSALPVSP SISSAPVPEIENLPQSPGTDQHDRKWL SAASDCCQRGGNQWN TRAL
669	1408	278	1	ATAPGLFNFF*FLFQCREEHKKKNPEVPVNFAEFSKKCSGRWK TMSSKEKFKFGEMAKADEVCYDREMKDYGPAKGGKKKDPNAPK RPPSGF
670	1409	139	646	AEGLGSWAVWAGLGWAGRMEAGGATGALGVGSKLP SAFPFG SSVAMDMFQKVEKIGEGTYGVVYKAKNRETGQLVALKKIRLDL *VLGRPLSYPPWAITTWALPD PFLSWS PRLTPLGAAQQPLPV LSPVHCLLTSLCRGPDCGVWMT CQGAQVS IAGALVILWG
671	1410	3	442	LCVSVLCFSFYLQNGWTASDPVHGYWFR\AGDHVSRNIPVATN NPVRAVQEETRDRFHL LGDPQNKDCTLSIRD TRES DAGTYVFC VERGNMKWNYKYDQLSVNVTASQDLLSRYRLEVPE SVTVQEGL CVSVP/WQCPLPPLQLDCL
672	1411	84	836	QLQLCQNCTKRGECHCVPFD TYIKTKKEKKRLSVLPPTRLMEA RFSPINQILPWCRODLAISISK AINTQEAPVKEKHARRI ILGT HHEKGAFTFWSYAIGLPLPSSSILSWKFCHVLHKVLRDGHPNV LHDCQRYRSNIREIGDLWGHLH DRYGQLVNVTYTKLLLT KISFH LKHPQFPAGLEV TDEVLEKAAGTDVNNM*VTLHGYMASSPRLP HSFLPRLTPRRPHGAVGLNESVALLVDAHAPDRG
673	1412	307	664	AAPHRMPRAPHFMP LLLLLLLSLPHTQA AFPQDPLPLISDL QGTSPLSWLP SLEDDAVAA*LGLDFQRFLT LNRTLLVAARDHV FSFDLQAE EGEGLVPNKYLTWRSQDV ENCAVR*KLTLNRTLL VAARDHVFSFDLQAE EGEGLVPNKYLTWRSQDV ENCAVR
674	1413	24	420	HLVPKTRGRGTPSGDQSPVLT LTP*GDPPTILGPQTNQPK EHL TNFKSGKRSFHSLLQPL LLLLHPSISPFLNFGSFPFLVETEET CFIHKLKT PALVTPDSLPLVFNHCGDACLI IHPHFRDVEFHHT GN

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
675	1414	1	1101	CCSTKNISGDKACNLMI F DTRKTARQPN CYLFFCPNEEACPLK PAKGLMSYRIITDFPSLTRNLPSQELPQEDSLLHGQFSQAVTP LAHHHTDYSKPTDISWRDTLSQKFGSSDHLEKLFKMDEASAQL LAYKEKGHSQSSQFSSDQEIAHLLPENVSALPATVAVASPHHT SATPKPATLL\PTNASVTPSGTSQPQLA\TTAPPVTTVTSQPP TTLISTVFTRAAATLQAMATTAVLTTFQAPTDSKGSLETIPF TEISNLTLTNTGNVYNPTALSMSNVESSTMNKTASWEGREASPG SSSQGSVPENQYGLPFEKWL LIGSLLFGVLFLVIGLVLLGRIL SESLRRKRYSRLDYLINGIYVDI
676	1415	178	621	IFAGSGVMRLKISLLKEPKHQELVSCVGT TAEELYSCSDDHH IVKWNLLTSETTQIVKLPDDIYPIDFWF PKSLGVKKQTHAES FVLTSDDGKFHLISLKLGRVEKSVEAHCGAVLAGRWNYEGTALV TVGEDGQI* IWSKTGMLIS
677	1416	1258	944	ARATTKRHFILLFLFLRRC\LFLSPRMECNGAILAHCNLHLP GSSSSSASAS*VAGITDVRHHAQLILFVFLVETGFHRVGQAGL KLLTSGDLLTSASQSAGIIMGISHCAQPKKAF*TKTF
678	1417	876	1291	EAGSNDLAT*KTCGRARPSSRSRQFGSRVWNHRQGVRRSSPGE GAGSRSPCRRRHRRKHRRNVQSP*RRRSRSCSRSSGRCSVALL GACPVAGHSRGKVVCRAHAITQRRRC CGFDPMVHPKEHRG*R ERSRKWSRS
679	1418	262	539	ATAPGLFNFF*FLFQCREEHKKKNPEVPVNFAEFSKKCSGRWK TMSSEKFKFGEMAKADEVCYDREMKDYGPAKGKKKDPNAPK RPPSGF
680	1419	104	236	LTVNYVLVFSRDSGLRAIENLMQKKGKFDYILLET TGLADPGK K
681	1420	3	277	HEAALCRTRAVAAERHFLRVFLFFRPF RGVGTESGSESGSSKA KEPRT PSSSYGTAQYRRWPIAQEYKHCTAHNDTGTL CSELREP WRRPQ
682	1421	3	576	EGSSQANTLSRKENRNNLLACLESHVLR*QFTESHLCSLMGD NPFQPKSNSKMAELFMECEEELEPWQKKVKEVEDDDDEPIF VGEISSSKPAISNILNRVNPSSYSRGLKNGALSRGITA AFKPT SQHYTNPTSNPVPASPINFHPESRSSDSSVIGQPF SKPVS VK TIRPAQGSIGCCLSISTV
683	1422	6	627	CFSLEDILNFFLQGFSA GLFAFYHDKDGNPLTSRFADGLPPFN YSLGLYQWSDKVVRKVERLWDVRDNKIVRHTVYLLVTPRVVEE ARKHFD C PVLEGMELNQGGVGTELNHWKRLLENEAMTGSHT QNRVLSRITLALMEDTGRQMLS PYCDTLRSNPLQLTCRQDQRA VAV\CNLQKFKPLPQEYQYFDELSGI PAEDLPYYG

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
684	1423	1	1272	AARRRRQLVSRRTAE\YPRRRRSSPSARPPDVPQQPKAAKS PSPVQGGKSPRLLCIEKVTTDKDPKEEKEEEDDSALPQEVSI ASRPSRGWRSSRTSVSRHRDTENTRSSRSKTSGLQLICKSEPN TDQLDYDVGEHQSPPGGISSEEEEEEEEEMLISEEIPFKDDP RDETYKPHLERETPKPRRSGKVKEEKEKEIKVEVEVEVKEE ENEIREDEEPPRKRGRRRKDDKSPRLPKRRKKPPIQVRCME GCGTVLAHPRYLQHHIKYQHLLKKKYVCPHPSCGRFLRQKQL LRHAKHHTDQRDYICEYCARAFKSSHNLAVHRMIHTGEKPLQC EICGFTCRQASLNWHMCKHDADSFYQFSCNICGKKFEKKDSV VAHKAKSHPEVLIAEALAANAGALITSTDILGTPES
685	1424	56	526	MTANRLAESLLALSQQEELADLPKDYLLSESEDEGDNDGERKH QKLLAEISSLDGKNRRKLAERSEASLVSEFNVSSSEGSGEKLV LADLLEPVKTSSSLATVKKQLSRVSKKTVLPLNKEIERIH REVAFNKTAQVLSKWDPVVLKNRQAEQL*
686	1425	132	344	RIDFMFHSSAMVNSHRKPMFNIHRGFYCLTAILPQICICSQFS VPSSYHFTEDPGAFPVATNGERFPWQELRLPSVVIPLHYDLFV HPNLTSLDFVASEKIEVLVSNTQLIILHSDLEITNATLQSE EDSRYMKPGKELKVLSPAEQIALLVPEKLTPLHLYVAMDF QAKLGDGFEGFYKSTYRTLGGETRILAVTDFEPTQARMAFP DEPLFKANFSIKIRRESRHIALSNMPKVKTIELEGGLEDHFE TTVKMSTYLVAYI/DL*FPLMGNDLGRS
687	1426	3	678	RSKIPRSDPRVRTPAPAEAEQGKSQCPSGSTAQSWSAMDI LLQLLVLLLTPLPLHMLLGCWQPLCKSYFPYLMVLT PKSNR KMESKKRELFSQIKGLTGASGKVALLELGGTGANFQFYPPGC RVTCLDPNPHFEKFLTKSMAENRHLQYERFVVAPGEDMRQLAD GSMDVVVCTLVLCVQSPRKVLQEVRRVLRPGGVLFWEHVAE PYGSWAFMW
688	1427	240	641	RLQNSSLMDPKLGMAASLLAVLLLLLLERGMFSSPSPPFALL EKVFQYIDLHDEQVTLKEWVAIESDSVQPVPRFRQELFRMM AVAADTLQRLGARVASVDMGPQQLPDGQSLPIPPVILAE LGS PTKG
689	1428	1	116	FFFFEMESCSVTQAGVPWHDLSLQPPPPRFKRFSCLS
690	1429	75	511	DPKAQLPEPLRVLTWTAHLVAMAPGSRSTSLLA FALLCPLWQE AGAVQTVPLSRLFDHAMLQAHRAHQLAIDTYQEFEE TYIPKDQ KYSFLHDSQTSFCFSDSIPTPSNMEETQQKSNLE LLRISLLLI ESWLEPVRI LMSIVPN

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
691	1430	2	1364	FVKLIKHHQAAMEKEAKVMSNEEKKFQOHIQAQQKELNSFLE SQQREYKLRKEQLKEELNENQSTPKKEKQEWLSKQKENIQHFQ AEEEEANLLRRQRYLELECRFRKRRMLLGRHNLEQDLVREELN KRQTKDLEHAMLLRQHESMQELEFRHLNTIQKMRCELIRLQH QTELTNQLEYNKRRELERRRKHVMEVRQOPKSLKSKELQIKKQ FQDTCIKIQTRYKALRNHLLLETPKSEHKAVLKRKKEEQTRKL AILAEQYDHSINEMLSAQALRLDEAEAEQVLKMQQLQEELEL LNAYQSKIKMQAEAQHDRELRELEQVRSLRRALLEQKIEEML ALQNERTERIRSLERQAREIEAFDESMSRLGFSNMVLSNLS EAFSHSYPGASGWSHNPTGGPGPHWGHMGGPPQAWGHMPPGG PQPWGHPS\GPMQ\GVPR/GSSMGVR
692	1431	50	504	LAHGSFGVSDFPAPAAAPAHTLTSFSGSLSPQFRKPLGRAPAM PLVRYRKVVILGYRCVGKTS LAHQFVEGEFSEGYDPTVENTYS KIVTLGKDEFHLHLVDTAGQDEYSILPYSFIIGVHGYVLVYSV TSLHSFQVIESLYQKLHEGHGK
693	1432	130	1671	SSPSRELCFYGFWIASWWSRWVGSGLGPGILPSPPARGRTFAS VSRLPPPWSAGITLTPFLICQSGSVCPGLGAGFGVRSFHHFVA RSAVLLLPLAPAAQDSTQASTPGSPLSPTEYERFFALLTPTW KAETTCRLRATHGCRNPTLVQLDQYENHGLVPDGAVCNSLPYA SWFESFCQFTHYRCSNHVYAKRVLCSQPVSLSPNTLKEIEA SAEVSPTTMTSPISPHTVTTERQTFQWPRLSNNEELLQSS LSLGGQEQAPEHKQEQGVHRQEPQEHKQEEGQKQEEQEEQ EEEGKQEEGQGTKEGREAVSQLOTDSEPKFHSESLSSNPSSFA PRVREVESTPMIMENIQELIRSAQEIEMNEIYDENSYWRNQ PGSLLQLPHTALLVLCYSIVENTCIITPTAKAWKYMEEELG FGKSVCDLSLGRHMTSCALCDFCSLKLEQCHSEASLQRQCDT SHKTPFVSPLLASQSLSIGNQVGSPEGRFYGLDLYGGLHM
694	1433	517	578	VSWVPSKDG DVEGARRPFTRLNTSLGPGLEGRRTWLVPIPG AVLPGRTEQEPRASPLY*PGAPPCQPQGLVAGPWAQ*AGLRSD GFGPWPW\RLVGTAGPREKKVQKSKCWHFRCGRHPARRSGWAG RHASLLATGRPCSSAPSQQPLGTAGDSRQELLRPPLV*VNGAQ SSAAGDWGSSPRTAQALARPHRLGHHPAAVAPAAARLRTQSGHS PRGPLCRSPGSPRRMGTRGWPAGHSHD
695	1434	249	632	KTVAEEASVGNPEGAFMKMLQARKQHMSTELTIESEAPSDSSG INLSGFGSEQLDNDSDVSSALSILPYLSLRNLGAESILLP FTEQLFSNVQDGRLLSILKNRKSQSSLLGNKFKNKIF
696	1435	333	881	GECFMAAVVQNDLVFEFASNMEDERQLGDPALFPAVIVEH VPGADIILNSYAGLACVEEPNDMITESSLDVAEEIIDDIDDDDI TLTVEASCHDGETIETIEAAEALLNMDSPGPMLDEKRINNNI FSSPEDDMVVPVTHVSVTLTDGIPEVMETQQVQEKYADSPGAS SPEQPKRKKK



SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
697	1436	3	466	HEASGVSRALLQSAPGTPATVGISVGELWPFARCCSHSYVRSL RGLSVSTHLLCFTIYIMNPSMKQKQEEIKENIKTSSVPRRTLK MIQPSASGSLVGRENELSAGLSKRKRHRNDHLTSTTSSPGVIVP ESSENKNLGGVTQESFDLMIKGMKK
698	1437	50	241	PLPARGKSTLPATFCSPSAPELASMSVVPNRSQTGWPRGVTQ FGNKYIQQTKPLTLERTINL
699	1438	1	422	AEGEDVPLPTSSGDGWEKDLEEALAGGCDLETLRNIIQGRP LPADLRKAVWKIALNVAGKGDLSWDGILDPEQNTIHKDCL QFIDQLSVPEEKAAELLLDIESVITFYCKSRNIKYSTSLSWIH LLKPLVHLQLP
700	1439	161	413	ALPKFLTHGVKSNERVVWLFPPSFRAATMVHMNVLPDALKSI NNAERRGKQPVLIRLCSKIIWFLTMVKYGYIGKFEPTRP
701	1440	211	977	AMAQYGHPSPLGMAAREELYSKVTPRRNRQQRPGTIKHGSALD VLLSMGFPRARAQKALASTGGRSVQAACDWLFVSHVGDPLDDP LPREYVLYLRPTGPLAQKLSDFWQQSKQICGKNKAHNIFPHIT LCQFFMCEDSKVDALGEALQTTVSRWKCKFSAPLPLELYTSSN FIGLFVKEDSAEVLKKFAADFAAEAASKTEVHVEPHKKQLHVT LAYHFQASHLPTLEKLAQNIDVKLGCDWVATIFSRDIRFA
702	1441	3	408	QTRPASPRTARESVLGVSNMFSNLQSSKKLFI FLGKSLFSL EAMIFALLPKPRKNVAGEIVLITGAGSGLGRLLALQFARLGSV LVLDWINKEGNEETCKMAREAGATRVHAYTCDCSQKEGVYRVA DQVKK
703	1442	708	244	MVARKGQKSPRFRVTCFLRLGRSTLLEPAGRPCSGRTRHR ALHRRLVACVTVSSRRHRKEAGRGAESFIAVGMAAPSMKERQ VCWGARDEYWKCLDENLEDASQCKKLRSSFESSCPQQWIKYFD KRRDYLFKFEKFEAGQFEPSETTAKS
704	1443	3	475	PAPAARSRELLKELRNGQMDTVVFEDVVVDFTLEEWALLNPA QRKLYRDVMLETFKHLASVDNEAQLKASGISQQDTSGEKLSL KQKIEKPTRKNIWASLLGKNWEEHSVKDKHNTKERHLSRNPRV ERPCKSSKGNKRGRTFRKTRNCNRHLRR
705	1444	276	437	CVCGFFVCFETKSCFVAQAGVQWHNLSLQALPPGFKQFSCLS LLSSWHYRRV
706	1445	2	322	GTRLRRRRREAVWFEVVMDFSRRLHMYSPPCVPENTGYTYALS SSYSSDALDFETEHKLDPVFDSRMSRRSLRLATTACTLGDE AVGADSGTSSAVSLKNRAAR
707	1446	123	410	DTMQAVVPLNKMTAISPEPQTLASTEQNEVPRVVTSGEQEAIL RGNAADAESFRQRFRWFCYSEVAGPRKALSQWLCLNQWLRPD IHTKE\QILE
708	1447	2	384	PICLFSRPTLRPSRSKVSLEGRGANMAARWRFVCSVTMVVA LLIVCDVPSASAQRKKEMVLSEKVSQLEWNTKRPVIRMNGDK FRRLVKAPPRNYSVIVMFTALQLHRQCVVCKYELQLRFKIK

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A = Alanine, C = Cysteine, D = Aspartic Acid, E = Glutamic Acid, F = Phenylalanine, G = Glycine, H = Histidine, I = Isoleucine, K = Lysine, L = Leucine, M = Methionine, N = Asparagine, P = Proline, Q = Glutamine, R = Arginine, S = Serine, T = Threonine, V = Valine, W = Tryptophan, Y = Tyrosine, X = Unknown, * = Stop Codon, / = possible nucleotide deletion, \ = possible nucleotide insertion)
709	1448	104	535	QMRVKDPTKALPEKAKRSKRPTVPHDEDSSDDIAVGLTCQHVS HAISVNHVKRAIAENLWSVCSECLKERRFYDQQLVLTSDIWL LKCGFPQCGCKNSEQHSCLKHKFSRTEPHCIIINLSTWIIWY EWDEKIFTPLNKKG
710	1449	116	479	AKERGEERQEGGGWLSGSRWPLVRSFAFVPAPSSILSMCLSP GIPEAAPDSPLTASATP*VMLLGDTGVGKTCFLIQFKDGAFL SGTFIATVGDIFRVRWLQALASSREPGLWLRHGGV
711	1450	2	232	FYPRSSADLPFQTTTCEFTQTSVMELAHSLLLNEEALAQITEAK RPVFI FEWLRFLDKVLVAANKVWYCSFFPVALT
712	1451	105	393	MNMKQKSVYQQTKALLCKNFLKKWRMKRESLLEWGLSILLGLC IALFSSSMRNVQFPGMAPQNLGRVDKFNSSSLMVVYTPISNLT QQIMNKTAL
713	1452	2	525	SPQNGNCPDVTGDSVIRVPLTLLVHNLAGLTGLLHHCLSGPLP APSPPPAMSSSRKDHLGASSSEPLPVIIVGNPGSGICLSYLLS GYTPYTKPDIAIHPHPLLQRKLTEAPGVSI LDQDL DY LSEGLEG RSQSPVALLFDALLRPD TDFGGNMKSVLTWKHRKEHAIPHVVL GR
714	1453	2	1557	NRRTAQRQRCGRSCGAREEEVEPGTARPPPAASAMDASLEKI ADPTLAEMGKNLKEAVKMLED SQRRTEENGKKLISGDIPGPL QGSGQDMVSI LQLVQNL MHGDEDEEPQSPRIQNI GEQGHMALL GHSLGAYISTLDKEKLRKLTRILSDTTLWLCRIFRYENG CAY FHEEREGLAKICRLAIHSRYEDFVVDGFNVLYNKKPVIYLSA AARPGLGQYLCNQLGLPFPCLCRVPCNTVFGSQHQMDVAFLEK LIKDDIERGRPLLLL VANAGTAAVGHTDKIGRLKELCEQYGIW LHVEGVNLATLALGYVSSSVLAAKCD SMTMTPGPWLGLPAVP AVTLYKHDDPALTLVAGLTSNKPTDKLRALPLWLSLQYLGLDG FVERIKHACQLSQRQLQESLKKVNYIKILVEDELSSPVVFRFF QELPGSDPVFKAVPPVNMTPSGVGRERHSCDALNRWLGEQLKQ LVPASGLTVMDLEAEGTCLRFSP LMTAAGKPGLV DIPCFCSGA AG
715	1454	319	873	LCIMDTKEEKKERKQSYFARLKKKKQAKQNAETASAVATRTH GKEDNNTVVLEPDKCNIAVEEYMTDEKKRKS NQLKEIRRT LKRYYSIDNQNKTHDKKEKKMVVQKPHGTMEYTAGNQDTLNS IALKFNITPNKLVELNKLFTHTIVPGQVLFVPDANS PSSTLRL SSSSPGATVSPSS
716	1455	60	681	SAGGDS CRAVPMLRFPTCFPSFRVVGEKQLPQEII FLVWSPKR DLIALANTAGEVLLHRLASFHRVWSFPNENTGKEVTC LAWRP DGKLLAFALADTKKIVLCDVEKPESLHSFSVEAPVSCMHWMEV TVSSVLT SFYNAEDES NLLLPKLPTLPKNYSNTSKIFSEENS DEI IKLLGDVRLN I LVLGSSGFI ELYAYGMFKI
717	1456	357	658	PRDPVTDRARAMPRRLVAGPDLEYFQRHYFTPAEVAQHNRPE DLWVSYLGRVYDLTSLAQEYKGNLLLP IVEVAGQDISHWFD KTRDVS YAGTWD CG

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
718	1457	2	481	RIPGRRFRAAFVLGSANVASSVRLRCSFPLSLGGPSGPAAASV ALGPAGPGRSLGRTPD TDGDEMDSVSFEDVAVAFQTQEEWALLD PSQKNLYRDVMQEI FRNLASVGNKSEDNQNTQDDFKNPGRNLS HVVERLFEIKEGSQYGETFSQDSNLNLNKI
719	1458	6	469	SLSLSVSPFLRLSLGRVGGMAEEMESSLEASFSSSGAVSGASG FLPPARSRIFKI IVIGDSNVGKTCLTYRFCAGRFDPDRTEATIG VDFRERAVEIDGERIKIQLWDTAGQERFRKSMVQHYRNVHAV VFVYDMTNMASFHSLSPSWIEECKQH
720	1459	82	490	RRSPGSIIVIMAAESDVLHFQFEQQGDVVLQKMNLLRQONLFC DVSIIYINDTEFQGHKVILAACSTFMRDQFLLTQSKHVRITILQ SAEVGRKLLLSCTYGALEVKRKELLKYLTAA SYLQMVHIAEKR TEAFVKF
721	1460	48	708	AEGLQSAAGIRIDTKAGPPEMLKPLWKA AVAPTWPSCMPRRP WDRQAGTLQVLGALAVLWLGSAVALICLLWQVPRPPTWGQVQPK DVPRSEWHGSSPAWEPLAEAEARQORDSCQLVLVESIPQDLPSA AGSPSAQPLGQAWLQLLDTAQESVHVASYWSLTGPDIGVND SSQLGEALLQKLQQLGRNISLAVATSSPTLARTSTD LQVLAA RGAH
722	1461	436	677	RKKKMLPFPGLKLRTRYTVSSKSLVARIQLLNNEFVEFTL SVESTGQESLEAVAQRLELREVTYFSLWYYNKQNR
723	1462	45	569	LQPLSSWESASEVTRSPVSPEDVKQATSNFENLQQLARKMKL PIFIADAFARAFRGNPAAVCLLENELDEDMHQKIAREMNLSE TAFIRKLHPTDNFAQSSCFGLRWFTPASEVPLCGHATLASAAV LFHKIKNMNSTLTFTVTLSGELRARRAEDGIVLDLPLYPAPHD FHE*
724	1463	79	530	AADTMQSDDIVDITLGNKQFC SFKIRTKTQSF CRNEYSLTGLC NRSSCPLANSQYATIKEEKGCYLYMKVIERAAPRRLWERVR LSKNYEKALEQIDENLIYWPRFIRHKCKQRFTKITQYLIRIK LTLKRQRKLVP LSKKVERREK
725	1464	2	261	FVERGLGDPALPTLMFEEPEWAEAAPVAAGLGPVISRPPPAAS SQNKVSDSREQWELFQAAKRTLVDPSAVCIAGRDTCTGTVKGES
726	1465	1	860	VVEFLWSRRPSGSSDPRPRRPASKCQMMEERANLMHMMKLSIK VLLQSALSLSGRSLDADHAPLQQFFVVMHCLKHGLKVKKSF IG QNKSFPGPLELVEKLCPEASDIATSVRNLP ELKTAVGRGRAWL YLALMQKKLADYLKVLIDNKHLLSEFYEPEALMEEEGMVIVG LLVGLNVLDANL\ CLKGEDLDSQGVVIDFSLYLKDVQDL DGGK EHERITDVL DQKNYVEELNRHLSCTVGD LQTKIDGLEKTNSKL QERVS AATDRICSLQEEQQQLREQNELIR
727	1466	69	452	GCYAPSPHLGGS LTPRFFPNGVFHRRLPRPRPPQPPSVSSAPT LRPLCAHFS LGLRLRLVRKSAEVAPPRTEKGWGS AEPRHSRAP LGLQGLRMAASAQVSVTFEDVA VFTTQEEWGQLDAAQRTLY

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corresponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corresponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A=Alanine, C=Cysteine, D=Aspartic Acid, E= Glutamic Acid, F=Phenylalanine, G=Glycine, H=Histidine, I=Isoleucine, K=Lysine, L=Leucine, M=Methionine, N=Asparagine, P=Proline, Q=Glutamine, R=Arginine, S=Serine, T=Threonine, V=Valine, W=Tryptophan, Y=Tyrosine, X=Unknown, *=Stop Codon, /=possible nucleotide deletion, \=possible nucleotide insertion)
728	1467	1	439	FRGSLSSPSSLRGRRLVTGQTSRGTWCLYPGFCRSVACAMPC CSHRSCREDPGTSESREMDPVVFEDVAVNFTQEEWTLDDISQK NLFREVMLETFRNLTSIGKKWSDQNIYEYQNPRRSFRSLIEE KVNEIKEDSHCGETFTQ
729	1468	103	236	LNFAASAFAVTMPQNEYIELHRKRYGFRLDYHEKKRKKQSRE A
730	1469	213	809	SGDLSPAELMMLTIGDVIKQLIEAEHQGKDIDLNVKTKTAAK YGLSAQPRRLVDIIAAVPPQYRKVLMPPKLLKAKPIRTASGIAVVA VMCKPHRCPHISFTGNICVYCPGGPDSDFEYSTQSYTGYEPTS MRAIRARYDPFLQTRHRIEQLKQLGHSVDKVEFIEMGGTFMAL PEEYRDYFIRNLHDALSGHTSNNIYE
731	1470	264	799	WESDVGEGLRPPPPPPPPGRRRTQEPARDAATVIFACPAALL ETLIAYGSSSSPSFCKHRAARPLIFLLHRLTAEATARCPICAL ARNPGRWGICASWPGMKTTPFGKAAAGQSRRTGAGHGSVSVTMI KRKAAHKHRSRPTSQPRGNIVGCI IQHGWKDGDEPLTQWKGT VLDQLL
732	1471	2	763	RDLGVALEAFQWARAGDCSGAGRAGGEGVDAGRRVPERQHRG RGGGGEPGRRQRGRRQ\RSSSRSGDGGDEVEGSGVGAGEG ETVQHFPRLARPKSLMQKLQCSFQTSWLKDFPWLRYSKDTGLMS CGWCQKTPADGGSVDLPPVGHDELSRGTRNYKKTLLLRHHVST EHLKHEANAQSEIIPSEEGYCDFNSRPNENSICYQLLRQLNEQ RKKGILCDVSIIVVSGKIFKAHKNILVAGSRFFKTLICYFS
733	1472	82	523	SLRAAAMADVNTARSLOVEYKANSNLVLQADRSLIDRTRRDEP TGEVLSLVGKLEGTRMGDKAQRTPQMQUEERRAKRRKRDEDRH DINKMKGTYLLSEGIDEMVGIIYKPKTKETRETYEVLLSFIQA ALGDQPRDILCGAADEVL
734	1473	536	110	CNSAESRMDVLFVAIFAVPLILGQEYEDERLGEDEYVQVYY YTVTPSYDDFSADFTIDYSIFESEDRNLRLDKDITEAIEETIS LETARADHPKPVTVKPVTTPEQSP\DL\NDAVSS\LRSPIPL\ LLS\CAFVQVGMYFM
735	1474	2	557	FVRGPGEEQAPAFRKPAPGAMGAQVRLPPGEPCREGYVLSLVC PNSSQAWCEITNVSQLLASPVLYTDLNYSINNLSISANVENKY SLYVGLVLAVSSSIFIGSSFILKKKGLLQLASKGFTRAGQGGH SYLKEWLWWVGLLSILSWNAREKVDL*NITF*PQTSCIFFTIT IEKSTFLSYFPTS
736	1475	127	401	ARGSCPTRPRPANGRMAETKDAAQMLVTFKDVAVTFTRREWRO LDLAQRTLYREVMLETCGLLVSLGHRVPKPELVHLLKHGQELW IVKRG
737	1476	311	790	YTMLRGTMATAWRMRPEVTLACLLLATAGCFADLNEVPQVTVQ PASTVQKPGGTIVILGCVVEPPRMNVTVRLNGKELNGSDDALGV LITHGTLVITALLNNHTVGRYQCVARMPAGAVASVPATVTLASE SAPLPPCHGAVPPHLSHPEAPTIHAASCYS

SEQ ID NO: of Nucleic Acids	SEQ ID NO: of Amino Acids	Predicted beginning nucleotide location corre- sponding to first amino acid residue of amino acid sequence	Predicted end nucleotide location corre- sponding to first amino acid residue of amino acid sequence	Amino acid segment containing signal peptide (A = Alanine, C = Cysteine, D = Aspartic Acid, E = Glutamic Acid, F = Phenylalanine, G = Glycine, H = Histidine, I = Isoleucine, K = Lysine, L = Leucine, M = Methionine, N = Asparagine, P = Proline, Q = Glutamine, R = Arginine, S = Serine, T = Threonine, V = Valine, W = Tryptophan, Y = Tyrosine, X = Unknown, * = Stop Codon, / = possible nucleotide deletion, \ = possible nucleotide insertion)
738	1477	2	421	WGRRRQLVSEAAARAQGDVPCSTMSEEEAAQIPRSSVWEQDQON VVQRVVALPLVRATCTAVCDVYSAAKDRHPLLGSACRLAENCV CGLTTRALDHAQPLLEHLQPQLATMNSLACRGLDKLEEKLPFL QQPSETVTVTS
739	1478	256	1250	AKAFTMAESPGCCSVWARCLHCLYSCHWRKCPRRERMQTSKDC IWFGLLFLTFLLSLSWLYIGLVLLNDLHNFNEFLFRRWGHWMD WSLAFLLVISLLGTYSLLLVALLLRLCRQPLHLHSLHKVLL LLIMLLVAAGLVGLDIQWQQRHSLRVSL/QDCR*L*TPAVRP *EESGEGHWRRRAHLTSSCPQATAPFLHIGAAAGIALLAWPVAD TFYRIHRREPKILLLLFFGVVLVIYLAPLCISSPCIMEPRDL PPKPGLVGHRGAPMLAPENTLMSLRKTAECGATVFETDVMVSS DGVPFLLMHDEHLSRTTNVASVFPTTRITAHSS

## WHAT IS CLAIMED IS:

1. An isolated polynucleotide comprising a nucleotide sequence selected from the group consisting of SEQ ID NO: 1-739, a mature protein coding portion of SEQ ID NO:1-739, an active domain of SEQ ID NO: 1-739, and complementary sequences thereof.
2. An isolated polynucleotide encoding a polypeptide with biological activity, wherein said polynucleotide hybridizes to the polynucleotide of claim 1 under stringent hybridization conditions.
3. An isolated polynucleotide encoding a polypeptide with biological activity, wherein said polynucleotide has greater than about 90% sequence identity with the polynucleotide of claim 1.
4. The polynucleotide of claim 1 wherein said polynucleotide is DNA.
5. An isolated polynucleotide of claim 1 wherein said polynucleotide comprises the complementary sequences.
6. A vector comprising the polynucleotide of claim 1.
7. An expression vector comprising the polynucleotide of claim 1.
8. A host cell genetically engineered to comprise the polynucleotide of claim 1.
9. A host cell genetically engineered to comprise the polynucleotide of claim 1 operatively associated with a regulatory sequence that modulates expression of the polynucleotide in the host cell.
10. An isolated polypeptide, wherein the polypeptide is selected from the group consisting of:

- a) contacting the sample with a compound that binds to and forms a complex with the polypeptide under conditions and for a period sufficient to form the complex; and
- b) detecting formation of the complex, so that if a complex formation is detected, the polypeptide of claim 10 is detected.

17. A method for identifying a compound that binds to the polypeptide of claim 10, comprising:

- a) contacting the compound with the polypeptide of claim 10 under conditions sufficient to form a polypeptide/compound complex; and
- b) detecting the complex, so that if the polypeptide/compound complex is detected, a compound that binds to the polypeptide of claim 10 is identified.

18. A method for identifying a compound that binds to the polypeptide of claim 10, comprising:

- a) contacting the compound with the polypeptide of claim 10, in a cell, under conditions sufficient to form a polypeptide/compound complex, wherein the complex drives expression of a reporter gene sequence in the cell; and
- b) detecting the complex by detecting reporter gene sequence expression, so that if the polypeptide/compound complex is detected, a compound that binds to the polypeptide of claim 10 is identified.

19. A method of producing the polypeptide of claim 10, comprising,

- a) culturing a host cell comprising a polynucleotide sequence selected from the group consisting of a polynucleotide sequence of SEQ ID NO: 1-739, a mature protein coding portion of SEQ ID NO: 1-739, an active domain of SEQ ID NO: 1-739, complementary sequences thereof and a polynucleotide sequence hybridizing under stringent conditions to SEQ ID NO: 1-739, under conditions sufficient to express the polypeptide in said cell; and
- b) isolating the polypeptide from the cell culture or cells of step (a).

20. An isolated polypeptide comprising an amino acid sequence selected from the group consisting of SEQ ID NO: 740-1478, the mature protein portion thereof, or the active domain thereof.
21. The polypeptide of claim 20 wherein the polypeptide is provided on a polypeptide array.
22. A collection of polynucleotides, wherein the collection comprises the sequence information of at least one of SEQ ID NO: 1-739.
23. The collection of claim 22, wherein the collection is provided on a nucleic acid array.
24. The collection of claim 23, wherein the array detects full-matches to any one of the polynucleotides in the collection.
25. The collection of claim 23, wherein the array detects mismatches to any one of the polynucleotides in the collection.
26. The collection of claim 22, wherein the collection is provided in a computer-readable format.
27. A method of treatment comprising administering to a mammalian subject in need thereof a therapeutic amount of a composition comprising a polypeptide of claim 10 or 20 and a pharmaceutically acceptable carrier.
28. A method of treatment comprising administering to a mammalian subject in need thereof a therapeutic amount of a composition comprising an antibody that specifically binds to a polypeptide of claim 10 or 20 and a pharmaceutically acceptable carrier.



## SEQUENCE LISTING

<110> Hyseq Inc  
 <120> Novel Nucleic Acids and Polypeptides  
 <130> 784PCT  
 <140> To be assigned  
 <150> US09/488,725  
 <151> 2000-01-21  
 <150> US09/552,317  
 <151> 2000-04-25  
 <160> 739  
 <170> Pt\_CT\_1  
 <210> 1  
 <211> 556  
 <212> DNA  
 <213> Homo sapiens

<400> 1  
 ttctcgtgggc cgggttgctaa gacttggcga agcgtctgoc ttgcgcccg atccctcagg 60  
 cggctgcagg cttcagcctg cgctgggttg tgaaacagag atgtcagaaa aggagaacaa 120  
 cttcccgcca ctgcccaggt tcatccctgt gaagccctgc ttctaccaga acttctccga 180  
 cgagatccca gtggagcacc aggtcctggt gaagaggatc taccggctgt ggatgtttta 240  
 ctgcgccacc ctgcgcgtca acctcattgc ctgcctggcc tggtaggatc gcggaggctc 300  
 ggggaccaac ttgcgcctgg ccttcgtgtg gctgctcctg ttcacgcctt gcggctacgt 360  
 gtgctggttc cggcctgtct acaaggcctt ccgagccgac agctccttta atttcatggc 420  
 gtttttcttc atctttcgga gccagtttg tcctgaccgt catccaggcg attggcttct 480  
 ccggctgggg cgcgtgcggc tggctgtcgg caattggatt cttccagtac agcccgggocg 540  
 ctgcctgtgt catgct 556

<210> 2  
 <211> 837  
 <212> DNA  
 <213> Homo sapiens

<400> 2  
 gagatgagtc ccaggagagta cggagtcagc tctgagccga ggtcaccgca gaaggagct 60  
 cggctcttcgg ccaggaccgg agcagttgga acaaaggga tgtggaatg aaagagagag 120  
 ggagagagag gctggcagat gtaatgagac gcggtgaagg tgtacgcaga ctggcactcc 180  
 cactcctccc ttctgctctc actgcagccc tgggtaactc gcaggctaac acaaacagct 240  
 tttctcccgc agcctgcctt ctgtcactgt cactttcatg aattcaaagg caatttacca 300  
 gtgatttctg ggtgctgggg ctgatatttt ttgtgcata ttaagaatgt cttccaagca 360  
 agccacctct ccatttgcct gtgcagctga tggagaggat gcaatgaccc aggatttaac 420  
 ctcaaggga aaggaagagg gcagtgatca acatgtggcc tcccatctgc ctctgcaccc 480  
 cataatgcac acaaacctc actctgagga gctaccaaca cttgtcagta ccattcaaca 540

agatgctgac	tgggacagcg	ttctgtcatc	tcagcaaaga	atggaatcag	agaataataa	600
gttatgttcc	ctatatccct	tccgaaatac	ctctacctca	ccacataagc	ctgacgaagg	660
gagtcgggac	cgtgagataa	tgaccagtgt	tacttttggg	accccagagc	gccgcaaagg	720
gagtccttgc	gatgtggtgg	acacactgaa	acagaagaag	cttgaggaaa	tgactcggac	780
tgaacaagag	gattcctcct	gcatggaaaa	actactttca	aaagattgga	aggaaac	837

<210> 3  
 <211> 1562  
 <212> DNA  
 <213> Homo sapiens

<400> 3

cggaaccgta	ggaggggtac	ttaaccggac	ggcctaccag	gcctgtggcc	gtgcgcggga	60
agagcactgc	agatctcagg	atgatggggc	gcagccctgg	gtttgccatg	cagcacatcg	120
tgggtgtgcc	ccacgtactg	gttcggaggg	gcctccttgg	aaggacctc	ttcatgacca	180
ggactctctg	cagcccaggc	ccaagccagc	ccggagagaa	aagacctgag	gaggtggccc	240
tggggctgca	ccaccgcctc	ccagcactgg	gaagagccct	ggggcacagc	attcagcaac	300
gagcgacctc	cacagccaag	acttgggtgg	acagatatga	agagtgtgtt	ggactcaacg	360
aggttcgaga	ggcccaggga	aaggtgacag	aggctgagaa	agtgttcattg	gtggctcgag	420
ggcttgtccg	agaggctcgg	gaggacttgg	aagttcacca	ggccaagctg	aaggaggtag	480
gggaccgctt	ggaccgtgtc	tccagggagg	acagtcagta	cttggaactg	gctactctcg	540
agcacaggat	gctgcaggag	gagaagaggc	ttcgcacagc	ctatctgcgt	gcagaagact	600
ctgagcgaga	gaagttctcc	ctcttctctg	cagctgtgcg	ggaaaagcat	gagaaggagc	660
gcacaagggc	tgagaggacc	aagaactggg	ccctcattgg	ctcagtcctg	ggggccctga	720
ttgggtgtgg	tggctccacc	tatgtgaacc	gtgtgcgact	acaggagctg	aaggctttac	780
tccgtgaggc	gcagaagggg	cctgtgagtc	tccaagaggc	cattcgagaa	caggcgctca	840
gctactcccg	ccagcagagg	gacctccaca	atctcatggg	ggacttgagg	ggcctggtac	900
atgctgctgg	gccagggcag	gactctgggt	cacaggcagg	tagtcccccg	accagagaca	960
gagatgtaga	tgtcccttca	gctgccttga	aagagcagct	tagtcattcc	aggcaagtcc	1020
attcatgtct	agaaggctta	cgagagcagc	ttgatggcct	agaaaagact	tgtagccaaa	1080
tggctggggg	ggttcagctt	gtaaagtctg	cagcacaccc	aggcctgggtg	gaaccagcag	1140
acggggctat	gcccagcttc	ttgctggagc	aggggagcat	gatcttggca	ctgtcagaca	1200
cggagcagag	actagaagcc	caagtcaaca	ggaacacccat	ctatagcacc	ctggtcacct	1260
gtgtgacatt	tgtggccaca	ctgcctgtgc	tctacatgct	attcaaagcc	agctaaccoc	1320
tggccctcc	tccagagggg	ctgaggcaat	agctgtgaat	gtggatttaa	gtagagaatc	1380
gtagcaatga	agcgagcctt	tgggggcatg	tacaacctca	atctgaagga	gcagtatctg	1440
tgtggtcac	cagcaggcat	gcttcgcttt	gtagacaagg	ttcatttaca	ttaattatca	1500
aaactttgtg	ctaattgtcca	attaaaaatat	cctgagtttt	attattttaa	acaaaaaaa	1560
aa						1562

<210> 4  
 <211> 745  
 <212> DNA  
 <213> Homo sapiens

<400> 4

agggcttggg	gctgggtctc	cgtgacagag	gcctggcttt	tctgtcaggg	cagggcctag	60
cccctgcccc	cataaaagag	gagacatagg	gggcttgggtg	agataccctg	aaacctcccc	120

cctctgaccc	cgcagccagg	ccccaggctg	gccgggagtg	gccccctaca	ctggttctcc	180
ccactttctc	tgcctgtggc	atcgaaaggcc	ccgggcacca	tggcccaggc	cctgggggag	240
gacctggtgc	agcctcccga	gctgcaggat	gactccagct	ccttggggtc	cgactcagag	300
ctcagcgggc	ctggcccata	tcgccaggcc	gaccgctatg	gattcattgg	gggcagctca	360
gcagagccag	ggccgggcca	cccacctgca	gacctcatcc	gccaacggga	gatgaagtgg	420
gtggagatga	cctcgcaactg	ggagaaaacc	atgtcccggc	ggtacaagaa	ggtaaagatg	480
cagtgccgga	aaggcatccc	gtctgccctg	cgcgcccgat	gctggcccct	gttgtgtggg	540
gcccattgtg	gccagaagaa	cagccctggc	acctatcagg	agctggcaga	ggcccctgga	600
gaccacagtg	ggatggagac	cattggcagg	gacctgcacc	gtcaattccc	tctgcacgag	660
atgtttgtgt	cgcctcaagg	ccacgggcag	caggggctcc	tgcaggtgct	caaggcctac	720
accctgtatc	gaccggagca	aggct				745

<210> 5  
 <211> 536  
 <212> DNA  
 <213> Homo sapiens

<400> 5						
acggaagctc	ggttgatggt	tctgcagaag	ttttccccc	tggtcggtgg	cggagctgct	60
gagcgcgata	gtacagctc	cggcggcagc	aacattgact	acgaggaatg	gcggcggctg	120
ccgcaggacc	tgcagcatcc	cagaggtttt	tccagagctt	ctcagatgct	ctaatecgacc	180
aggaccccc	ggcggcggtta	gaggtgggag	agccttttct	gcttcctcca	ctcccggctg	240
accgcctcc	ttccagcacc	gcctgattag	gactcaggct	ctagtgatgc	tgcgtctcag	300
ccccagtatt	gagattctcg	gtctcctttc	tctctctcac	ggtagccgcg	ttacctcaga	360
tctctgtctt	gccctttcca	cttccagact	cttgcatctc	tgaagcttct	gagaaaaact	420
tctctatttt	attgggagca	tggttggcat	ctgcagttgg	gctgaaaagg	tttttttttt	480
ttaatgacta	aaaaagaaaa	ggggactctg	ggctcgatga	aaattaattt	tttctt	536

<210> 6  
 <211> 780  
 <212> DNA  
 <213> Homo sapiens

<400> 6						
attttatcga	ctattccgct	agacgccttc	ttgcctttag	tgaactgcgg	ggacctggcc	60
tttgccggta	ggggccagcg	cagaaaagcc	tgggagatgc	gcgtccagg	ccgcgagtg	120
ggggaagctg	cgggaccgca	gagtcgcgtc	ggcagccggt	agtcaggcg	ccggggcggt	180
aggcttcaga	tttacttcaa	tgttccta	gggcttgctt	cagaagtgt	cactgttctc	240
gccacctgag	gaaccgcatt	ttcatgtatt	tgtattggga	caagacgcgg	agtccggtgt	300
gtaaaaggcc	tgcctttgag	gaagaaaggc	cgcagcccag	gctcaaactg	gaggattata	360
aggatcgct	gaaaagtgg	gagcatctta	atccagacca	gttgggaagt	gtagagaaat	420
atgaagaagt	gctacataat	ttggaatttg	ccaaggagct	tcaaaaaacc	ttttctgggt	480
tgagcctaga	tctactaaaa	gcgcaaaaga	aggcccagag	aagggagcac	atgctaaaac	540
ttgaggctga	gaagaaaaag	cttcgaacta	tacttcaagt	tcagtatgta	ttgcagaact	600
tgacacagga	gcacgtacaa	aaagacttca	aaggggggtt	gaatgggtgca	gtgtatttgc	660
cttcaaaaaga	acttgactac	ctcattaagt	tttcaaaaact	gacctgccct	gaaagaaatg	720
aaagtctgag	acaaacactt	gaaggatcta	ctgtctaaat	tgctgaactc	aggctatttt	780

<210> 7  
 <211> 654  
 <212> DNA  
 <213> Homo sapiens  
  
 <220>  
 <221> misc\_feature  
 <222> (1)...(654)  
 <223> n = a,t,c or g

<400> 7  
 ctccccgtct cttccctggc cttgccctct ctctttctgc cctgtagccg cgggcgtcca 60  
 aatgaagctg gaattcctcc agcgcaaatt ctgggcggca acgcggcagt gcagcactgt 120  
 ggatgggccc tgcacacaga gctgcgagga cagtgatctg gactgcttcg tcatcgacaa 180  
 caacgggttc attctgatct ccaagaggtc ccgagagacg ggaagatttc tgggggaggt 240  
 ggatggtgct gtccctgaccc agctgctcag catgggggtg ttcagccaag tgactatgta 300  
 tgactatcag gccatgtgca aaccctcgag tcaccaccac agtgcagccc agcccctggt 360  
 cagcccaatt tctgccttct tgacggcgac caggtggctg ctgcaggagc tgggtgctgtt 420  
 cctgctggag tggagtgtct ggggctcctg gtacgacaga ggggcccagg ccaaaagtgt 480  
 tcttccatca ctcccacaaa cacaagaagc aggaccgct gcagccctgc gacacggagt 540  
 acccctgtgt cgtgtaccag ccggtccatc cgggaggcca acggggattc gtggagtgcg 600  
 ggcccttncg agaaagggtg tttgttggtg cangcagatt ccnaacatta aact 654

<210> 8  
 <211> 469  
 <212> DNA  
 <213> Homo sapiens

<400> 8  
 tgccgtgggc ggctggccca gctggaggaa gcggcggtgg cggccacgat gagtgcgggc 60  
 gacgcagtgt gcaccggctg gctcgttaag tcgccccccg agaggaaagt acagcgctac 120  
 gcctggcgca agcgttggtt tgcctccgg cgaggccgca tgagcggcaa ccccgatgtc 180  
 ttggagtact acagggaaca gcactccagc aagcccatcc gggatgata cctcagcgag 240  
 tgtgcagtgt ggaagcatgt gggccccagc tttgttcgga aggaatttca gaataatttc 300  
 gtgttcattg tcaagactac ttcccgata ttctacctgg tggccaaaac tgagcaagaa 360  
 atgcaggtgt ggggtgcacag catcagtcag gtctgcaacc ttggccacct ggaggatggt 420  
 gcagcagatt ccatggagag cctctcttac acgcgtcctt acctgcagc 469

<210> 9  
 <211> 409  
 <212> DNA  
 <213> Homo sapiens  
  
 <220>

<221> misc\_feature  
 <222> (1) ... (409)  
 <223> n = a,t,c or g

<400> 9  
 agaaaccnaa cagatctgtg gggcaggaaa atgtttcttt tccagctttc acagctctct 60  
 gagaaggggc atggtgggaa ttttagccga ttttaataaaa gctgcagcat gagacctgtg 120  
 aatcccaccc tgctgtcttc tggatcctgc cacaccccat ccagcagcaa ccaagccagt 180  
 ctgccccctg actgggacag agtggctgag aggggctctg gagccagctg cctggatttg 240  
 aatcccagct gtgccactta ccagctgtgt gactgttaga agctactctt tgtccgtgcg 300  
 agactacgac cctcggcagg gagataccgt gaaacattac aagatccgga cccttgaaca 360  
 aacgggggctt ctacatatcc cccccgaagc accttcagca ctctgcagg 409

<210> 10  
 <211> 1145  
 <212> DNA  
 <213> Homo sapiens

<400> 10  
 aaagattctg ttttgaatat agccagagga aaaaagtatg gagaaaaaac taagagagtg 60  
 tcttctcgga aaaaaccagc cttgaagtgt cttctcagaa acaaccagca ttgaaggcta 120  
 tctgtgacaa ggaagattct gttccgaata cggccacgga aaaaaaggat gaacaaatat 180  
 ctgggacagt gtcttctcag aaacaaccag ccttgaaggc tacaagtgc aagaaaagatt 240  
 ctgtttcgaa tatacccaca gaaataaagg atggacaaca atctggaaca gtgtcttctc 300  
 agaaacaacc ggcctggaag gctacaagtg tcaagaaaga ttctgtttcg aatatagcca 360  
 cagaaataaa ggatggacaa ataccgtggg acagtgtctt ctacagagaca accagccttg 420  
 aaggcttaca ggtgatgaga aagattctgt ttcgaatata gccagagaaa taaaggatgg 480  
 agaaaaatct gggacagtgt ctctcagaa acaatcggcc cagaaggtta tatttaaaaa 540  
 gaaagtctct cttttgaata ttgccacaag aataacgggc ggttggaat ctggaacaga 600  
 gtatcctgag aatctgcccc ctttgaaggc tacaattgaa aataaaaaatt ctgttctgaa 660  
 tacagccacc aaaatgaaag atgtacaaac atccacacca gaacaagact tagaaatggc 720  
 atcagagggg gagcaaaaga ggcttgaaga atatgaaaat aaccagccac aggtgaaaaa 780  
 ccaatacat tctagggatg accttgatga cataattcag tcatctcaaa cagtctcaga 840  
 ggacgggtgac tcgctttgct gtaattgtaa gaatgtcata ttactcattg atcaacatga 900  
 aatgaagtgt aaagattgtg ttcacctatt gaaaattaaa aagacatttt gtttatgtaa 960  
 aagattaaca gaacttaaag ataactctg tgagcaactt agagtaaaaa ttcgaaaact 1020  
 gaaaaataag gctagtgtac tacaaaagag actatctgaa aaagaagaaa taaaatcgca 1080  
 gttaaagcat gaaacacttg aattggaaaa agaactctgt agtttgagat ttgccatata 1140  
 gcaag 1145

<210> 11  
 <211> 890  
 <212> DNA  
 <213> Homo sapiens

&lt;400&gt; 11

gtagtccgct	gcggtaccgg	gccggacaat	ctgggtcgac	gatttcgagc	tcgtcatgcg	60
caatgtggcg	ctgcggcggg	cggcagggcc	tgtgtgtgct	gaggcggctg	agcggcggac	120
atgcacacca	cagagcgtgg	cgatggaaca	gtaaccgggc	ttgtgagagg	gctctgcagt	180
ataaactagg	agacaagatc	catggattca	ccgtaaacca	ggtgacatct	gttcccagagc	240
tgttcctgac	tgcagtgaag	ctcaccatg	atgacacagg	agccagggtat	ttacacctgg	300
ccagagaaga	cacgaataat	ctgttcagcg	tgcagttccg	taccactccc	atggacagta	360
ctgggtgttc	tcacattctt	gagcataccg	tcctttgtgg	gtctcagaaa	tatccgtgca	420
gagacccttt	cttcaaaatg	ttgaaccggg	ccctctccac	gttcatgaac	gccttcacag	480
ctagtatta	tactctgtat	ccattttcca	cacaaaatcc	caaggacttt	cagaatctcc	540
tctcgtgtga	tttggatgcc	acctttttcc	catgtttacg	cgagctggat	ttctggcagg	600
aaggatggcg	gctggaacat	gagaatccga	gcgaccccca	gacgcccttg	gtctttaaag	660
gagtcgtctt	taatgagatg	aagggagcgt	ttacagacaa	tgagaggata	ttctcccagc	720
accttcagaa	cagacttctt	cctgaccaca	cgtactcagt	ggtctccggg	ggtgaccac	780
tgtgcatccc	ggagcttaca	tgggagcagc	ttaagcagtt	tcatgccact	cactatcacc	840
caagcaatgc	taggttcttc	acgtacggta	attttccctt	agaccagcat		890

&lt;210&gt; 12

&lt;211&gt; 982

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(982)

&lt;223&gt; n = a,t,c or g

&lt;400&gt; 12

tttcgtcaca	cacgcacacg	caccctgcc	ctgcagccgc	catggatata	agctaacaac	60
acacacccag	gcgcgcgcgc	gcgttccac	tcgcaccacg	caggagtggc	ccccggcatc	120
cctaccctcc	ttcccaccc	ccaccacacc	cgctcaccag	ctcggctact	gctcgctccg	180
gctgcgcgcg	ccgcgcgcgc	cgacgccacc	accactgctt	cctctgctgc	ggggccacag	240
ccttgagtgt	cattcaaggg	acagcacaac	ctcatccaag	ctctcctacc	tctgcccagc	300
cgtgcctctc	atcctcccca	ttcctcgtcc	acactccatc	caaagaagag	ggaaagcacc	360
gaatagaggg	gggcgaaggc	aaagtctgct	gttcttcccc	ctgggcccc	ttgctcctcc	420
atcctcatte	tctcaccacc	agcccccta	accccaagga	gccaggaac	tgaggcgact	480
cgccccactg	ccatgtccaa	aagcttgaaa	aagaaaagcc	actggactag	caaagtccat	540
gagagtgtca	ttggcaggaa	cccggagggc	cagctgggct	ttgaactgaa	ggggggcgc	600
gagaatggac	agttccccta	cctgggggag	gtgaagcccg	gcaaggtggc	ctatgagagc	660
ggcagcaaat	tgggtgcgga	ggagctgctg	ctggaggtga	acgagacccc	cgtggcgggg	720
ctcaccatca	gggacgtgct	ggccgtgatc	aaacactgca	aggacccct	ccggctcaag	780
tgtgtcaagc	aaggtgagag	cagcggcttg	ctcagtgttt	tgccgggcgg	tgggaccgct	840
cggggcgcag	ggcaatgaaa	gggtggccgc	gcatgttgaa	gggggtgtgt	tgcgcgatga	900
tgggggtggg	gccagagagc	acccgcagtg	caagtgagtt	tgcggggga	ttcgacgaaa	960
tcgtnncccc	ggaattccgg	ac				982

&lt;210&gt; 13

&lt;211&gt; 440

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 13

ccgtgccgga	attcccgcg	cgacgatttc	gtggctaagg	cgccaggcac	gggcaccacc	60
agggcgccca	ggagccgccc	gccgcggcca	tgaccagct	gtactgcca	ccgagcgcg	120
gccagtcttt	tggtagaac	tagtcacaca	gacctcaacc	tgatgcgtgg	agacaaggaa	180
atgcttttca	gtgtgtccag	aaagagaaaa	tcaggtgtc	ttctgcggag	gtgcgcatcg	240
ggcccatgag	actgacgcag	gacctattc	aggttttgt	gatctttgca	aaggaagata	300
gtcagagcga	tggtttctgg	tgggcctgcg	acagagctgg	ttatagatgc	aatattgctc	360
ggactccaga	gtcagccctt	gaatgctttc	ttgataagca	tcataaaatt	attgtaattg	420
atcatagaca	aactcagaac					440

&lt;210&gt; 14

&lt;211&gt; 581

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 14

tttcgttttg	ccggtgcgg	gcacctctg	gtctcgtgc	tggggctgct	gctgctgctg	60
gcgcgctccg	gcacccgggc	gctgggtctg	ctgccctgtg	acgagtcca	gtgcgaggag	120
cccaggaact	gcccggggag	catcggtcag	ggcgtctgcg	gctgctgcta	cacgtgcgcc	180
agccagagga	acgagagctg	cgccggcacc	ttcgggattt	acggaacctg	cgaccggggg	240
ctgcgtttgt	tcacccgccc	cccgtcfaat	ggcgactccc	tcaccgagta	cgaagcgggc	300
gtttgcgaag	atgagaactg	gactgatgac	caactgcttg	gttttaaaacc	atgcaatgaa	360
aaccttattg	ctgggtgcaa	tataatcaat	gggaaatgtg	aatgtaaac	cattcgaacc	420
tgcagcaatc	cctttgagtt	tccaagtcag	gatattgtgc	tttcagcttt	aaagagaatt	480
gaagaagaga	agccagattg	ctccaaggcc	cgctgtgaag	tccagttctc	tccacgttgt	540
cctgaagatt	ctgtttctgat	cgaggggttat	gctcctcctg	g		581

&lt;210&gt; 15

&lt;211&gt; 693

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 15

tttcgtatgg	cgcccaatgt	gggatcgatg	tttcaatatt	ggaagcgctt	tgattttacag	60
cagctgcaga	gagaactcga	tgccaccgca	acggtatttg	cgaaccggca	ggatgaaagt	120
gagcagtcca	gaaagcggct	tatcgaacag	agccgggagt	tcaagaagaa	cactccagag	180
gtgaggcgcg	tgaccatcgt	gttcgctttg	aagggatctt	agaatgctgg	tgcatgttca	240
ggcgacgctc	cgtgagcgtt	tcattttcat	cagatgaacg	cacggccggc	aaacaacccg	300
tttctttccc	cagatgtctt	cagccccatt	tccagcagaa	cgcattgccat	cctgcaggct	360
gtggggatgt	ggaaattgat	aggttgtctg	gaaatatgaa	agtcagagcc	aattccagggt	420
gcagatactg	gacaagcttg	gtctgttaaga	acacgtgggc	agggtgtgtg	gtgtctcaaa	480
ccctcgagct	catcccagac	cctgtcccat	gtcagtttagc	aagccaccaa	agtcataaag	540
ggatcctgtg	gggtggaagg	tccgcggggc	ctgcttccct	gttgctgggtg	caggcggagt	600
gtctgaaggc	tgcaacgcatc	tgggcataagc	agtgcgccta	acgcttcttg	taaaacagac	660

atttcgcctg ctaagccttt taaatgcctc tct

693

<210> 16  
 <211> 562  
 <212> DNA  
 <213> Homo sapiens

<400> 16  
 tttcgtggaa agagagaaac caccgctgcg ggtgggtaga gaagcacttg gcgcctcggg 60  
 gaggggaccg cgcccgcctc atttcgcctc tgcagcactg ctggaccagg ttacaagatg 120  
 ttcacctaag attgagacct agtgactaca tttcctacgg gaacaaataa atgggttttctc 180  
 atctcccga gatacattac aaacaaatat ggtgctaaaa gaactcctta cctttctctg 240  
 actacaattt atttggacat acttttgtat tgaagagagg tatacatact gaagctactt 300  
 gctgtactat aggagactct gtccctgtagg atcatggacc atcctagtag ggaaaaggat 360  
 gaaagacaac ggacaactaa acccatggca caaaggagtg cacactgctc tgcaccatct 420  
 ggctcctcat cgctcctctgg ggttcttatg gtgggaccca acttcagggt tggcaagaag 480  
 ataggatgtg ggaacttcgg agagctcaga ttaggtgaag gtctcccaca ggtgtattac 540  
 tttggaccat gtgggaaata ta 562

<210> 17  
 <211> 899  
 <212> DNA  
 <213> Homo sapiens

<400> 17  
 tttcgtgcgt ccccggccca accatggcgt cctccgcggc cggctgcgtg gtgatcgttg 60  
 gcaggaagtc tgaacagca gttggagtgt agtggttaag aggaaggact caggagtccag 120  
 attgcttggc ttcattctcat agatccataa cttatcacc cttgtggactt aattcctcca 180  
 tgcctcagtt tatcacttat gtaggcttaa ttctccatg cctcagtttc cctacatata 240  
 aaatggaaat actaataaca cttatcttgt agggttgttg taaagattaa catagtggag 300  
 tcattgggcg aagctgggcc atgctgtttg ccagtggagg cttccagggtg aaactctatg 360  
 acattgagca acagcagata aggaatgcc tggaaaacat cagggtgggcc agccggcgct 420  
 ctccagaagg aatggaagtg ggtctgtttc tctcagttgg tcttggttgt catatcctca 480  
 aggctatgag gatctgtgat gtcacatttt cgtctgatgg ctactgcagt gcctctgagt 540  
 tggtaaaggc caggcctaca gtggctggaa tgtgaattca cactggggaa gggctcccat 600  
 gggggaggaa acgacccttc ttgctaagag gatctgcac aagcgtgagt gactttgcag 660  
 gcttctccag ctgtttgcc cggggctgga gggctgggt ttcttgcttc catctaggca 720  
 ggaggaactc gcttccagca tgtgacagcc atagctgcag gggcattaca gtttaagaac 780  
 agaggtcctg cagcttggtt tgacctgttg atctagtaat ggtaggaccc aaatgaaaac 840  
 atcttgaatt ttagttagag gtttagcact catgtgagag gacagaactg gagctgttt 899

<210> 18  
 <211> 519  
 <212> DNA



&lt;213&gt; Homo sapiens

&lt;400&gt; 18

ggaattcccg	ggtcgcagat	tctgtctccg	cccgcgccgaa	gccgcgccc	ctgcccagag	60
ccagagggat	ggtggtagtc	acggggcggg	agccagacag	ccgtcgtcag	gacgggtgcca	120
tgtccagctc	tgacgccgaa	gacgactttc	tggagccggc	cacgccgacg	gccacgcagg	180
cggggcacgc	gctgcccctg	ctgccacagg	agtttcctga	ggttggtccc	cttaacatcg	240
gaggggctca	cttcaactaca	cgctgtcca	cactgcggtg	ctacgaagac	accatggttg	300
cagccatggt	cagtgggcgg	cactacatcc	ccacggactc	cgagggccgg	tacttcacg	360
accgagatgg	cacacacttt	ggagatgtgc	tgaatttcct	gcgctcaggg	gacctccac	420
ccagggagcg	tggttcgagct	gtgtacaaag	aggcccagta	ctatgccatc	gggcccctcc	480
tggagcagct	ggagaacatg	ccgccactga	aaggcgaga			519

&lt;210&gt; 19

&lt;211&gt; 460

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 19

tttcgtgcag	gggccaggcc	tctctagget	ctccggctga	gccgggttgg	ggccccgggtt	60
gggcccggccg	gggactctgg	agcattggga	tttgtagcgc	gccctctggg	taggcggctg	120
tagcggagag	gcgtgcggga	tcgggatgtc	ggggctgctc	acggacccgg	agcagagagc	180
gcaggagccg	cggtaccccg	gcttcgtgct	ggggctggat	gtgggcagtt	ctgtgatccg	240
ctgccacgtc	tatgaccggg	cggcgcggtt	ctgcggctcc	agcgtgcaga	aggtagaaaa	300
tctttatcct	caaattggct	gggtagaaat	tgatcctgat	gttcctttgga	ttcaatttgt	360
tgccgtaata	aaagaagcag	tcaaagctgc	aggaatacac	atgaatcaaa	ttgttggtct	420
tggcatttca	acacagagag	caacttttat	tacgtggaac			460

&lt;210&gt; 20

&lt;211&gt; 731

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 20

gagatcaagg	agggtcaga	agaggcgatg	tctgatctgt	cctccaggca	gcaaaggaaa	60
gggagggtgtg	ttcctggcag	aaggcacagc	ttgtactgag	gcctggcagc	agaacagagt	120
atgcaatttg	tgaagctgtg	gtgtggctgc	agtggagagt	tccaacaag	gctacgcaga	180
agaacccccct	tgactgaagc	aatggagggg	ggtccagctg	tctgctgcca	ggatcctcgg	240
gcagagctgg	tagaacgggt	ggcagccatc	gatgtgactc	acttgaggga	ggcagatggt	300
ggcccagagc	ctactagaaa	cggtgtggac	ccccaccac	gggccagagc	tgctctgtg	360
atccctggca	gtacttcaag	actgctccca	gcccggccta	gcctctcagc	caggaagctt	420
tccctacagg	agcggccagc	aggaagctat	ctggaggcgc	aggctgggcc	ttatgccacg	480
gggcctgcca	gccacatctc	ccccggggcc	tggcggaggc	ccaccatcga	gtcccaccac	540
gtggccatct	cagatgcaga	ggactgcgtg	cagctgaacc	agtacaagct	gcagagttag	600

attggcaagg	gtgcctacgg	tgtggtgagg	ctggcctaca	acgaaagtga	agacagacac	660
tatgcaatga	aagtcctttc	caaaaagaag	ttactgaagc	agtatggctt	tccacgtcgc	720
cctccccga	a					731

<210> 21  
 <211> 519  
 <212> DNA  
 <213> Homo sapiens

<400> 21						
tttcgtttat	gggaagccag	taacactgtg	gcctactatc	tcttcctggg	tgccatctac	60
atTTTTggga	ctcggaatt	atgaggtaga	ggtggaggcg	gagccggatg	tcagagggcc	120
tgaaatagtc	accatggggg	aaaatgatcc	gcctgctgtt	gaagccccct	tctcattccg	180
atcgcttttt	ggccttgatg	atTTgaaaat	aagtcctgtt	gcaccagatg	cagatgctgt	240
tgctgcacag	atcctgtcac	tgctgccatt	gaagtttttt	ccaatcatcg	tcattgggat	300
cattgcattg	atattagcac	tgGCCattgg	tctgggcata	cacttcgact	gctcagggaa	360
gtacagatgt	cgctcatcct	ttaagtgtat	cgagctgata	gctcgatgtg	acggagtctc	420
ggattgcaaa	gacggggagg	acgagtaccg	ctgtgtccgg	gtgggtgggc	agaatgccgc	480
gctccagggtg	ttcacagctg	cttcgcggaa	gacctgtg			519

<210> 22  
 <211> 544  
 <212> DNA  
 <213> Homo sapiens

<400> 22						
tttcgtgctg	gaggttcgct	agccgaagcg	gctgcatctg	gcgccgcgtc	tgccccgcgt	60
gctcggagcg	gattctgccc	gccgtccccg	gagccctcgg	cgccccgctg	agcccccgat	120
cacttcctcc	ctgtgaccaa	ccggcgctgc	agggttagagc	ctggcaatgc	cgtttggtg	180
tgtgactctg	ggcgacaaga	agaactataa	ccagccatcg	gaggtgactg	acagatatga	240
tttgggacag	gtcatcaaga	ctgaggagtt	ttgtgaaatc	ttccggggcca	aggacaagac	300
gacaggcaag	ctgcacacct	gcaagaagtt	ccagaagcgg	gacggccgca	aggtgcggaa	360
agctgccaa	aacgagatag	gcatacctcaa	gatggtgaag	catcccaaca	tcctacagct	420
ggtggatgtg	tttgtgaccc	gcaaggagta	ctttatcttc	ctggagctgt	gagtgtgggt	480
ctggggaccc	aaaattcccc	agcggcccagg	gctttcacct	gtcccacct	ctgcagctaa	540
ggag						544

<210> 23  
 <211> 749  
 <212> DNA  
 <213> Homo sapiens

```

<400> 23
caacgtcgac gatttcgtgc ggggctgtgg ggagggcacg gactgacaga cggactccgg 60
cggaatgggg ggtgtggctg ctccgccagg gtccccaggg tgggagagcg gctccgcggc 120
caccgatgcc cggacccccct ctgtcttctg ctagacatgc tcttcctctc gtttcatgca 180
ggctcttggg aaagctgggtg ctgctgctgc ctgattcccc cgcacagacc ttgggaccgg 240
ggccaacact ggagctgga gatggcggac acgagatccg tgcacgagac taggtttgag 300
gcggccgtga aggtgatcca gagtttgccg aagaatggtt cattccagcc aacaaatgaa 360
atgatgctta aattttatag cttctataag caggcaactg aaggacctg taaactttca 420
aggcctggat tttgggatcc tattggaaga tataaatggg atgcttggag ttcactgggt 480
gatatgacca aagaggaagc catgattgca tatgttgaag aaatgaaaaa gattattgaa 540
actatgcaa tgactgagaa agttgaagaa ttgctgctg tcataggtcc attttatgaa 600
attgtcgagg acaaaaagag tggcaggagt tctgatataa cctcagatct tggtaatgtt 660
ctcacttcta ctccaaacgc caaaaccgtt aatggtaaag ctgaaagcag tgacagtgga 720
gccgagtctg aggaagaaga ggcgtgtgt 749

```

```

<210> 24
<211> 556
<212> DNA
<213> Homo sapiens

```

```

<400> 24
tttcgtgctt taagggggcgg acgggcggga ggtcggggtc ctccggggat tgcagccgg 60
gggctcggtt tgggcgccat ttctcgcggt ctaccgagga gccgcccctt tctcagcctt 120
gctcggtctt tccccgtctt ggtcgccggg gctcgccgt cccagctca gtgacaaaaa 180
tgctgagttt cttccgtaga aactagggc gtcggtctat gcgtaaacat gcagagaagg 240
aacgactccg agaagcacia cgcgcggcca cacatatcc tgcagctgga gattctaagt 300
ccatcatcac gtgtcggtt tcccttctgg atggtactga tgttagtgtg gacttgccaa 360
aaaaagccaa aggacaagag ttgtttgatc agattatgta ccacctggac ctgattgaaa 420
gcgactatth tgggtctgaga tttatggatt cagcacaagt agcacattgg ttggatggta 480
caaaaagcat caaaaagcaa gtaaaaattg gttcacccta ttgtctgcat cttcgagtta 540
agttttattc ctcaga 556

```

```

<210> 25
<211> 422
<212> DNA
<213> Homo sapiens

```

```

<400> 25
gtcggtgaga atccaggag aggagcggaa acagaagagg ggcagaagac cggggcactt 60
gtgggttgca gagcccctca gccatgttgg gagccaagcc aactgggcta ccaggtcccc 120
tacacagtcc cgggtgccc ttggttctgg tgcttctggc cctgggggccc ggggtggccc 180
aggaggggtc agagcccgtc ctgctggagg gggagtgcct ggtggtctgt gagcctggcc 240
gagctgctgc agggggggccc gggggagcag ccctgggaga ggcacccccct gggcgagtgg 300
catttgctgc ggtccgaagc caccaccatg agccagcagg ggaaccggc aatggcacca 360
gtggggccat ctacttcgac caggctctgg tgaacgaggg cgggtggcttt gaccgggcct 420
ct 422

```

<210> 26  
 <211> 506  
 <212> DNA  
 <213> Homo sapiens

<400> 26  
 agaagatgtg aagtcgtatt atacagtaca tctaccacaa ttagaaaata tcaatagtgg 60  
 tgaaaccaga acaatatctc actttcatta tactacttgg ccagattttg gagtccctca 120  
 atcaccagct tcattttctca atttcttggt taaagtgaga gaatctggct ccttgaacct 180  
 tgaccatgga cctgtggtga tccaccgtag tgcaggcact ggacgctcca gcaccttctc 240  
 tgtggtacac acttgtcttg ttttgatgga aaaaggagat gatattaaca ttaaacaagt 300  
 gttactgaac ataagaaaat tccaaatggg tcttatctca gacccagat caactgagat 360  
 tctcatacat ggctataaca gaaggagcaa aatgtgtaaa gggagattct agtatacaga 420  
 aacgatggaa agaactttct aaggaagact ccctcctgct tttgatcatt caccaaacaa 480  
 aataatgact gaaaaatata atagga 506

<210> 27  
 <211> 850  
 <212> DNA  
 <213> Homo sapiens

<400> 27  
 caggcctttg tgtaaggcca gaggaggatc acgggtgcca taaaccttca cggggccaag 60  
 ggctggtgtc ccggggctgg tgacttaaca ggcagagatg tggagaccag gtgcttgtgc 120  
 ccgggacggg cctggctgcc atcctgagga cactgcccac gttccatgac gaggagcacg 180  
 cccgagcccg cggcctctct gaggacaccc tgggtctacc cccggccagc cgcaaccaga 240  
 ggattctcta caccgtgctg gagtgccagc ccctcttcga ctccagtac atgaccatcg 300  
 ctgagtgggt ttgcttgcc cagaccatca agaggcacta cgagcagtac cacggctttg 360  
 tggtcattca cggcaccgac accatggcct ttgctgctc gatgctgtcc ttcattgtgg 420  
 agaacctgca gaagactgtc atcctcactg gggcccagggt gcccatccat gccctgtgga 480  
 gcgacggccg tgagaacctg ctgggggcac tgctcatggc tggccagtat gtgatcccag 540  
 aggtctgcct tttcttcag aatcagctgt ttcggggcaa ccgggcaacc aaggtagacg 600  
 ctcgagggtt cgcagcttct tgctccccga acctgctgcc tctggccaca gtgggtgctg 660  
 acatcacaat caacagggag ctggtgcgga aggtggacgg gaaggctggg ctggtggtgc 720  
 acagcagcat ggagcaggac gtgggcctgc tgcgcctcta ccctgggatc cctgcogccc 780  
 tggttcgggc cttcttgag cctcccctga agggcgtggt catggagacc ttcggttcag 840  
 ggaacggacc 850

<210> 28  
 <211> 990  
 <212> DNA  
 <213> Homo sapiens

```

<400> 28
tttttttttt ttacttgtaa tacgtathtt aatttttggt tcatatgagt ttaagtgttg      60
tctaggtgac atcaaaatct aaggcaaaca gacttgacca tcttcagacc cactgcattc      120
tcaagctgaa gtggtctgct catagtttgt gtgccagggt gctcatcagt attgatactg      180
tcccagaaca ggttgtaggt ataattcaga gactgtcctt tgcaaaggaa atgaccagca      240
tttcaactgt atgtcttctt ggaagggtag attctgctat atcttctttg tctgcatcaa      300
aagactcaag aggaatgtgg acacatttca tatcccattt gtagagtaaa gcttcaagtg      360
accagtcagc actcctaact tgataagtag accacaattg gaccttgga ttcttgtgca      420
tcaaaaaata tattgtagcc aaaatgtctt caaaatcttc tggttcaaag aacacatcag      480
atgcaaggat aatatcttgt ggtggtagag ccagaagatc ccaagatata tgaccccatg      540
ttagtcctac cacctgcaga tgtggcagggt tattcatttg gcagctttgc cgacagactt      600
ccagacagtg aggcagttct gagctgtctg acagtattac ttctgcacca catttggcag      660
ccaaaattcc tggaaaggctc actccagctc caatctgcgg gacgtggacc tccaggacag      720
ccccgtcggc ccccggaacc ggctcctccg agaatcgaaa gcgctggggc cggacccccct      780
gtcctcggaa atcgtgctcg ccagtagggg cgtcgttggg ccccgggcgg gcgggggacc      840
gcggaaggct ccgggctgcc agactgcggc gcggggaagc cgcgggccac gtggccgtag      900
cacctgacgg caagaagggg aaagcccaga tctggtgata accctgccgc gctagcgagc      960
gaagaaagcc cggagcaagg cgaaagagac

```

```

<210> 29
<211> 622
<212> DNA
<213> Homo sapiens

```

```

<400> 29
tttttttttt ttgtgttgat aaagctttat ttataaacac actcacaggg ccagatttgg      60
gccacggggc atagttgcca gcccggtttt aactgctggg cctcacgtta gtctcactgc      120
ctcctgcagg gtgggcatgt ggtgtcgtg ttccaccagc cccttcctcc accccacaaa      180
caccctgggt gctgtcctgg agcgcgacac actgggcatc cgtgaggtgc ggctgttcaa      240
tgccgttgtc cgtgggtccg aggcgagtg tcagcggcag cagctgcagg tgacgcgaga      300
gaacaggcgg aaggttctgg gcaaggccct gggcctcatt cgcttcccgc tcatgaccat      360
cgaggagtgc gctgcaggta acagagctcg ggctcagggg ctggtttggg aggggagtgg      420
cacacagggt ggcactctgg taccgaggat agtgcctccg agttcactgc ggaaagcctg      480
gcagatgcct ggcataatac gataggaaga aacctggctt gtgaggacgc gtccacaggg      540
ccatctgtta gccccggccc ggctctgtcc ccaccgtgca cactgccaga ccccgctctc      600
cgtgtctgtc cagctgtttt gg

```

```

<210> 30
<211> 181
<212> DNA
<213> Homo sapiens

```

```

<220>
<221> misc_feature
<222> (1)...(181)
<223> n = a,t,c or g

```

<400> 30  
 tttttttttt ttgagacgga gntgngctct gtnaccaggt ntagagtgca atggcacgnt 60  
 ctccggtcac tgcaagctct gcgtcctggg ttgacgccat tctcctgect cagcctcccg 120  
 agtagctggg actacaggag ctctgccacc aattccagcc tggggtggac agagtgataa 180  
 g 181

<210> 31  
 <211> 1956  
 <212> DNA  
 <213> Homo sapiens

<400> 31  
 aaactccgaa cacatccaaa catcagaagg aacaaactcc agacacaccg cctttaagaa 60  
 ctgttacgct caccgcgagg gtccacggct tcattctcca agtcagacca agaaccacc 120  
 aattccggac acaaaaggcg tagcgtgcct cctgtgattg ttgaagagct gtggtgtgct 180  
 gctgagtggc gtgtgtattc catgtgaggg gaagggtcca acagtcctgg tcattcagac 240  
 tgcagttccc caggacagac ccacgaagtc aagcatgcgg agtgcagcca agccctggaa 300  
 cccagccatc agagcagggg gccacggccc agaccgggtg cggcctctgc ctgcagcctc 360  
 ttccggcatg aagagttcta agtcttcaac ttcttgggt tttgagtcct gactcagcag 420  
 gctcaagagg gccagcagtg aggacacgct caacaagcca ggaagtaccg ctgcatcggg 480  
 ggtggttcgc ctgaagaaga ccgccactgc cggagccatc tcggagctca cggagagccg 540  
 cctgaggagc ggcacagggg cctttacaac aactaaacgg acaggcattc cagccccacg 600  
 ggaattttca gtaactgtct caagagagag gtctgtgcca cgtggtccct ccaaccccag 660  
 gaaatcagtg cagctocaa ctctctccaa cactccact cctacgaaac acctgaggac 720  
 cccttccaca aagcccaagc aagagaatga aggtggagaa aaggctgcgc ttgagtccta 780  
 agttcgggaa cttttggcag aagccaaagc aaaagatagt gaaattaaca ggcttcgaag 840  
 tgaactaaag aaatacaaa agaaaaggac tctgaacgct gaggggactg atgctttggg 900  
 cccaaatgtc gatggaacat cagtctcccc aggtgacacg gaacctatga taagagctct 960  
 tgaggagaag aacaagaact ttcagaaaga gctttccgat ctgagggaag aaaaccgggt 1020  
 cctgaaggag aaactgatct atcttgagca ctcccaaat tcagaagggg cagcaagtca 1080  
 cactggcgac agcagctgcc caacatccat aactcaagag tcaagcttcg gaagcccaac 1140  
 tggaaatcag ttgtccagtg acattgatga gtataaaaaa aacatacatg gaaatgcatt 1200  
 acggacatca ggctcctcaa gtagcgatgt taccaaagct tctttgtcgc cagatgcttc 1260  
 cgacttttag cacattacag cagagacacc ctcaaggccc ctgtcctcca ccagtaacct 1320  
 ctttaagagt tcaaatgtgt ctactgctgg gagttcccca aacagcgtaa gtgaattgtc 1380  
 cctggccttc ctacacagaga agatacaaaa gatggaagaa aaccaccata gcactgcaga 1440  
 agaactacag gctactctac aagaattatc agaccagcaa caaatggtac aggaattgac 1500  
 agctgaaaat gagaagctgg tggatgaaaa gacgatttta gagacatcct ttcacagca 1560  
 tcgagagagg gcagagcagc taagtcaaga aaatgagaag ctgatgaatc ttttacaaga 1620  
 gcgagtaaag aatgaagagc ccaccactca ggaaggaaaa attattgaac tggagcagaa 1680  
 gtgcacaggt attcttgaac agggccgctt tgaaagagag aagctactca acattcagca 1740  
 gcagttgacc tgtagcttgc ggaaggttga ggaagaaaac caaggagctt tagaaatgat 1800  
 taaacgtctg aaggaagaaa atgaaaaaact gaatgagttt ctagaactgg aacggcataa 1860  
 taataacatg atggccaaaa ctttgggaaga gtgtagagtt accttgggaag ggctaaaaat 1920  
 ggagaatgga tctttgaagt ctcatcttga ggtgta 1956

<210> 32  
 <211> 513  
 <212> DNA

&lt;213&gt; Homo sapiens

<400> 32  
 ctcagcacca caaggaagtg cgggaccac acgcgctcgg aaagttcagc atgcatgaag 60  
 tttggggaga gctcggcgat taacacagcg acccgggcca gcgcagggcg agcgcaggcg 120  
 gcgagagcgc agggcgggcg ggcgtcggtc ccgggagcag aaccgggtt tttcttggag 180  
 cgacgctgtc tctagtcgct gatcccaaat gcaccggctc atctttgtct acactctaata 240  
 ctgcgcaaac ttttgcagct gtcgggacac ttctgcaacc ccgcagagcg catccatcaa 300  
 agctttgctc aacgccaacc tcaggcgaga tgagagcaat cacctcacag acttgtagcg 360  
 aagagatgag accatccagg tgaaaggaaa cggctacgtg cagagtccta gattcccgaa 420  
 cagctacccc aggaacctgc tctgacatg gcggcttcac tctcaggaga atacagggat 480  
 acagctagtg tttgacaatc agtttggatt aac 513

<210> 33  
 <211> 712  
 <212> DNA  
 <213> Homo sapiens

<400> 33  
 acagacatgg ttccagctct gtagaactga gagaaagaat aaacaagtca cacattagcc 60  
 cttcaaaaag atgaccgacc tcttgagaag tggtgtcacc gtaattgatg ttttctacaa 120  
 atacaccaag caagatgggg agtgtggcac actgagcaag ggtgaactaa aggaacttct 180  
 ggagaaaagag cttcatccag ttctgaagaa ccagatgat ccagacacag tggatgtcat 240  
 catgcatatg ctggatcgag atcatgacag aagattggac tttactgagt ttcttttgat 300  
 gatattcaag ctgactatgg cctgcaacaa ggtcctcagc aaagaatact gcaaagcttc 360  
 aggggtcaaag aagcataggc gtggtcaccg acaccaagaa gaagaaagtg aaacagaaga 420  
 ggatgaagag gatacaccag gacataaatc aggttacaga cattcaagtt ggagtggagg 480  
 agaggagcat ggatatagtt ctgggcactc aaggggaaact gtgaaatgta gacatgggtc 540  
 caactccagg aggttaggaa gacaaggtaa tttatccagc tctgggaacc aagagggatc 600  
 tcagaaaaga taccacaggt ccagctgtgg tcattcatgg agtggtggca aagacagaca 660  
 tggttccagc tctgtagaac tgagagaaag aataaacaag tcacacatta aa 712

<210> 34  
 <211> 600  
 <212> DNA  
 <213> Homo sapiens

<400> 34  
 cagattttctc aggtgagctc agatagcaat ccactgtgtt cctttatctc cagcagatat 60  
 atatcaatat cttgaagcag ttttctactc aatttagaag aacttctggt taaatttaca 120  
 attctttttt ctctcccatg cttgttgttt ctcattcaaa caagactggc atagctactt 180  
 tatgagggta ggtctccctg aattttaagt tccaaagatc tctggacctg atcatattga 240  
 ctttattccg tgggatcaac tcttcatggc cagttcttcc tctgtcactg agttcttagt 300  
 gctgggcttc tctagccttg gggaattgca gcttgcctc tttgcagtct ttctctgcct 360

ctatttgatt	atcttgagtg	gaaacatcat	catcatctca	gtcattcatt	tggatcacag	420
cctccacaca	cccatgtact	tctttctagg	tattctttct	atctctgaaa	tcttctacac	480
aactgttatt	ctgcccaaga	tgcttatcaa	cttattctct	gtattcagga	cactctcctt	540
tgtgagttgt	gccacccaaa	tgttctacga	aatcgtcggc	ccgggaactc	aggaacggtc	600

<210> 35  
 <211> 985  
 <212> DNA  
 <213> Homo sapiens

<400> 35

tttcgtccta	ctgtccctgt	cctgcccttg	cagacatgtg	tcctgccctt	gcagacagcc	60
gcaggcaggc	agggaccacc	atgagcaacc	ccgtctctcc	tcctgagggg	cagcacagag	120
cctggaggag	gcctgagtg	ggttgaggcc	tggggcgagc	tggggtgagg	gggcactggc	180
tgccgggctc	cagggatctt	ctccccttcc	tgcccgggag	gggtgctggc	caggggtggg	240
gtcactccc	actccgtaga	cacaatgatc	agaggtcctg	gggtgctggg	gaagctgggc	300
tgtgctgta	tgcgtctacc	atgtgggggt	gcctgtgagt	gtgctggggc	gtctgcagtg	360
aaggcctcct	gagaccactc	cacggaaaca	ccgggaatcc	ctgcagctga	gcctgtctct	420
cacgggaccg	ggaagctgga	gagagcccca	accctgcccg	ctggggccga	gctccctgct	480
cctgcagcag	tcccgtgccc	cacactctga	gtctgcccta	tccacagctg	ctgggcctct	540
ctgtggccac	catggtgact	cttacctact	tcggggccca	ctttgctgtc	atccgccgag	600
cgctccctgga	gaagaacccg	taccaggctg	tgcaccaatg	ggggactcag	cagcgactta	660
tccaacatcc	agagagcggg	agcgagggcc	agagcctgct	ggggccactc	agggccttct	720
ctgcgggggt	gagcctgggt	ggcctcctga	ctctggggagc	cgtgctgagc	gctgcagcca	780
ccgtgaggga	ggcccagggc	ctcatggcag	ggggcttctc	gtgcttctcc	ctggcgcttct	840
gcgcacagg	gcagggtggt	ttctggagac	tccacagccc	caccaggtg	gaggacgcca	900
tgtctggacac	ctacgacctg	gtatatgagc	aggcgatgaa	aggtacgtcc	cacgtccggc	960
ggcaggagct	ggcggccatc	cagga				985

<210> 36  
 <211> 464  
 <212> DNA  
 <213> Homo sapiens

<400> 36

ccgtatcggc	gtttatatac	tgaagataag	cctgatgagt	aacaggcttg	ctcgtcatac	60
tttcgtgagt	attggcgttg	tacaggcaag	tcgtaaaata	acagcctggc	tattcagagt	120
atgataaaaa	caggggggcaa	gggatgttgc	ttaatatgat	gtgtggctgt	cagctgtcgg	180
caatcagttt	gtgcctggcc	gtaacattcg	ctccactggt	caatgcgcag	gccgatgagc	240
ctgaagtaat	ccctggcgac	agcccgggtg	ctgtcagtga	acagggcgag	gcactgccgc	300
agggcgcaagc	cacgggaata	atggcgggga	tccagccatt	gcctgaaggt	gcggcgaaaa	360
aagcccgcac	gcaaatcgaa	tctcaattac	ccgcaggtta	caagccgggt	tatcttaacc	420
agcttcaact	gttgtatgcc	gcacgcggta	tttctgcag	cgtg		464



<210> 37  
 <211> 429  
 <212> DNA  
 <213> Homo sapiens

<400> 37  
 tcgcacaaga gctgctgatg tctatgtctt ttcgctcacg ggaaaatctc gaaacgtgag 60  
 ttcctcaacc gtgcggcgaa gtgcggtagg cgggatgtcg gcattagcgt tgtttgattt 120  
 gctcaagcca aattatgcgc tggcgactca ggtagagttt accgaccggg aaattgttgc 180  
 tgagtaacac acgtatcctt cgccaaatgg tcacggcgag gtgcgggggtt atctggtgaa 240  
 gcccgcaaag atgagcggca aaacgccagc cgtagtgggtg gtgcatgaga atcgtggact 300  
 gaatccgtat atcgaagatg tggcacggcg agtggcgaag gcgggggtata tcgccctggc 360  
 acctgacggc ttaagttccg ttggagggtta tccgggaaat gatataaagg tggatatccg 420  
 agcggcccc 429

<210> 38  
 <211> 556  
 <212> DNA  
 <213> Homo sapiens

<400> 38  
 gagaataacc tagacgttat tgacttgatg ccccgcgctc gtaaggcgct ggataccacg 60  
 cagcgcgcgcg tgctgtttta tgcagtaacc cgatggggca attaatgaa acagagacat 120  
 ggcaattcct tgctgacaac agaaacgaaa tgtatatcat gccgcttagg tgtgccgttg 180  
 tcacctcaac ggcgattcca ggctataagg atagaagaag tgaaattgag atggtttgcc 240  
 tttttgattg tgttattagc gggttgttca tcaaagcatg actatacgaa cccgccgtgg 300  
 aacgcgaaag ttccgggtgca acgtgcgatg cagtggatgc caataagcca gaaagccggg 360  
 gcagcctggg gcgtcgatcc acaattgatc acggcgatta tcgctatcga atcgggtggg 420  
 aatccgaacg cggtagtaaa atcgaatgcc attggtttga tgcagttaaa agcttcaacc 480  
 tccggacgtg atgtttatcg ccgtatgggc tggagtgggt agccgacgac cagcagactg 540  
 aagaattcct caagac 556

<210> 39  
 <211> 890  
 <212> DNA  
 <213> Homo sapiens

<400> 39  
 accacgctgc aggaattcgg cagcaggcca aaccaaagag aagtttttat gctgccaggg 60  
 atttgtacaa gtaccgacac cagtacccaa acttcaaaga tatccgatat caaatgact 120  
 tgagcaatct tcgtttttat aagaataaaa ttccattcaa gccagatggg gtttacattg 180  
 aagaagttct aagtaaattg aaaggagatt atgaaaaact ggagcacaac cacacttaca 240  
 ttcaatggct tttcccctg agagaacaag gcttgaactt ctatgccaaa gaactaacta 300  
 catatgaaat tgaggaattc aaaaaaaca aagaagcaat tagaagattc ctctctggct 360

ataaaatgat	gctagaattt	tttggataa	aactgactga	taaaactgga	aatgttgctc	420
gggctgttaa	ctggcaggaa	agatttcagc	atctgaatga	gtcccagcac	aactatttaa	480
gaatcactcg	tattctttaa	agccttggtg	agcttgata	tgaaagtttt	aatctcctc	540
ttgtaaaatt	tattcttcac	gaagctcttg	tggaataac	tattcccaat	attaagcaga	600
gtgctctaga	gtattttgtt	tatacaatta	gagacagaag	agaaaggaga	aagctcctgc	660
ggttcgccca	gaaacactac	acgccttcag	agaactttat	ctggggaccg	cctcgaaaag	720
aacagtcgga	gggaagcaaa	gcccagaaaa	tgtcttcccc	tctcgctcc	agtcataaca	780
gtcaaaacttc	tatgcacaaa	aaagccaagg	actccaaaaa	ttcctcctca	gctgttcatt	840
taaatagcaa	aacagctgaa	gacaaaaaag	tggcaccaaa	agagcctgtg		890

<210> 40  
 <211> 393  
 <212> DNA  
 <213> Homo sapiens

<400> 40	
accggtgcc	atcttagtct agggactgag gagtcgccgc cgccccgagt cccggtacca 60
tgcatctcac	ggtggccttg tggagacaac gccttaacct aaggaagtga ctcaaactgt 120
gagaacttca	ggttttccaa cctattggtg gtatgtctga cagtggatca caacttggtt 180
caatgggtag	cctcaccatg aaatcacagc ttcagatcac tgtcatctca gcaaaactta 240
aggaaaataa	gaagaattgg tttggacca gtccttacgt agaggtcaca gtagatggac 300
agtcaaagaa	gacagaaaaa tgcaacaaca caaacagtcc caagtggaag caaccctta 360
cagttatcgt	taccctctgt agtaaattac att 393

<210> 41  
 <211> 437  
 <212> DNA  
 <213> Homo sapiens

<400> 41	
gcattccttg	aaagaaatgt tacagccaga tcacagcgca gaacgataaa atggcacaat 60
ccaacaacaa	ttttacattt tcgcgaccgc tttggctgct ttcaggtccg tttcaatgat 120
atactgccag	tcgttaattc aaaaatagtt gataattaca acaatctatt gaattgaaac 180
gctttccttc	gtaattcgca actggaacac gcacgctatg agtaaaccce ttgtgatgga 240
acgcgggtgt	aaataccgcg atgccgataa gatggccctt atcccgggta aaaacgtggc 300
aacagagcgc	gaagccctgc tgcgcaagcc ggaatggatg aaaatcaagc ttccagcggg 360
ctctacacgt	atccagggga tcaaagccgc aatgcgcaaa aatggcctgc attctgtctg 420
cgaggaagcc	tcctgcc 437

<210> 42  
 <211> 392  
 <212> DNA  
 <213> Homo sapiens

<400> 42  
 tccccctgcgt caattttccct gacagagtac gcgtaataac caaatcgcg c aacggaaggc 60  
 gacctgggtc atgctgaagc gagccaccag gagacacaaa gcgaaagcta tgctaaaaca 120  
 gtcaggatgc tacagtaata cattgatgta ctgcatgtat gcaaaggacg tcacattacc 180  
 gtgcagtaca gttgatagcc ccttcccagg tagcgggaag catatttcgg caatccagag 240  
 acagcggcgt tatctggctc tggagaaagc ttataacaga ggataaccgc gcatggtgct 300  
 tggcaaaccg caaacagacc cgactctcga atggttcttg tctcattgcc acattcataa 360  
 gtacccatcc aagagcacgc ttattcccca gg 392

<210> 43  
 <211> 555  
 <212> DNA  
 <213> Homo sapiens

<400> 43  
 tggctcgcgc gtcataatgg gagttttgat actgtggatt gccggttcga tgtggtagcc 60  
 ttcaccggga atgaggttga gtggattaag gatgccttta atggccactc ataattaagg 120  
 tttaaggatt agcgtgcaag aaagaattaa agcttgcttc actgaaagca ttcaaaactca 180  
 aattgcggcg gcagaggcgc ttccggatgc catctcccgt gcagccatga cgctggttca 240  
 gtctctgctc aatggcaaca aaatcctctg ttgtggtaat ggaacttccg ctgccaatgc 300  
 acagcatttt gctgccagca tgatcaaccg ttctgaaacg gagcggccca gcttacctgc 360  
 cattgcacta aatactgata atgttgtctt aacggcgatt gccaacgacg gcttacatga 420  
 tgaagtgtat gcaaacacag tgcgggcgct aatgatgaaa aaatatctcg cgctggcttt 480  
 ttccaccctg ggcaacagcc gcgatattgt taaagcagtt gaagccgccc ttacgcgtga 540  
 tacgaccatt gtggc 555

<210> 44  
 <211> 553  
 <212> DNA  
 <213> Homo sapiens

<400> 44  
 ctatgacctg attacaattc aggtccgacc cgagatctcc aaaatgccag gacgctgtgg 60  
 ctacacaagc taaccatgct gattaatgaa aagaaactca acatgatgaa tgccgagcac 120  
 cgcaagctgc ttgagcagga gatggtcaac ttctgttctg agggtaaaga ggtgcatatc 180  
 gagggtata cgccggaaga taaaaaataa aaacagtgcc ggagcacgcc tccggcaact 240  
 tgcataaaaa caaacacaac acgcacccgg aatgatgaaa aaatatctcg cgctggcttt 300  
 gattgcgcgc ttgctcatct cctgttcgac gaccaaaaaa ggcgatacct ataacgaagc 360  
 ctgggtcaaa gataccaacg gttttgatat tctgatgggg caatttgccc acaatattga 420  
 gaacatctgg ggcttcaaag aggtggtgat cgctggctct aaggactacg tgaaatacac 480  
 cgatcaatat cagaccgcga gccacatcaa cttcgatgac ggtacgatta ctatcgaacc 540  
 catccccggg aca 553

<210> 45  
 <211> 310  
 <212> DNA  
 <213> Homo sapiens

<400> 45  
 tctcgttacg acttcgagcg ttggaccggt ggatctctct actatcgctg caagcgagcc 60  
 agaaaaaact ggatgaactg atcgaacagc actaaaccca ggacaggaat ccgcaatgaa 120  
 caggcttttt tcaggtcgtt ccgatatgcc ctttgcgctg ctgcttctcg cggccagctt 180  
 attactgctg ggcggtcttg tggcggtggc gatggtgtcg aatatcgaaa tcagtttttt 240  
 acgtctgccg ctcaatccca acatcgagtc aacgtttgtt ggggtgagca actatgtgcg 300  
 taccctctcc 310

<210> 46  
 <211> 627  
 <212> DNA  
 <213> Homo sapiens

<400> 46  
 ctgctgact cgcttcgctt ccccgacggt ctgggttccc ggagcgcaga gccagcggtt 60  
 agcggttggg ctccccgagg cccctgccc tcgcccgggt gctccagggt gtcgctcctc 120  
 tggctgctcc cgaaggggtt tctggccctg aggacggttg tgccaagcga acttcatttt 180  
 taaaaagaac tgggtggatga gaagagcgag cgagggcgag ctatggaccc tgtgagtcag 240  
 ctggcctctg cgggcacctt ccgggtgctg aaggagcccc ttgccttctt gcgagccctg 300  
 gaattgcttt ttgcaatctt tgcatttgca acatgcggtg gctattcttg aggcctgcgg 360  
 ctgagtgtgg actgctcaa caagacagaa agtaacctca gcatcgacat agcgtttgcc 420  
 taccattca ggttgacca ggtgacgttt gaggtgcccc cctgcgaggg aaaggaacgg 480  
 cagaagctgg cattgattgg tgaactctcg tcttcagcag agttcttcgt cactgttgcg 540  
 gtcttcgctt tctctactc tttggctgcc actggtcgtt acattttctt tcacaacaaa 600  
 aaccgggaaa acaaccgggg ccactg 627

<210> 47  
 <211> 998  
 <212> DNA  
 <213> Homo sapiens

<400> 47  
 acctgggcac cgtgtcctat ggcgccgaca cgatggatga gatccagagc catgtcaggg 60  
 actcctactc acagatgcag tctcaagctg gtggaaacaa tactggttca actccactaa 120  
 gaaaagccca atcttcagct cccaaagtta ggaaaagtgt cagtagtcga atccatgaag 180  
 ccgtgaaagc catcgtgctg tgtcacaacg tgaccccggt gtatgagtct cgggcccggc 240

```

ttactgagga gactgagttc gcagaggctg accaagactt cagtgatgag aatcgcacct 300
accaggcttc cagcccggat gaggtcgctc tgggtgcagt gacagagagt gtgggcctca 360
cgctgggtcag cagggacctc acctccatgc agctgaagac cccagtggc caggtcctca 420
gcttctgcat tctgcagctg tttcccttca cctccgagag caagcggatg ggcgtcatcg 480
tcagggatga atccacggca gaaatcacat tctacatgaa gggcgctgac gtggccatgt 540
ctcctatcgt gcagtataat gactggctgg aagaggagtg cggaaacatg gctcggaag 600
gactgcggac cctcgtggtt gcaaagaagg cgttgacaga ggagcagtac caggactttg 660
aggtgagccg actcccaggc atcccatcct cctacgacgg tgccttcctt acgctgaaat 720
tagttcttcc tgtctttgta tgaaattaga gctgggatcg ctatagtcta ggagtgaagg 780
cagcttcgct cagcaggagc atggggggat cctgtctgca tttctgtttc caccatttct 840
ccagcttgct ggggaaggag gggttacagaa gcaaagaagt gccagtttcc ttagaattgt 900
gcttgataac tcctcaatga tcacacgcca gccgagctga gtacacataa gagtatgtgc 960
acataggcgc ctccccctct gtccccagag cccatgcy 998

```

```

<210> 48
<211> 864
<212> DNA
<213> Homo sapiens

```

```

<220>
<221> misc_feature
<222> (1)...(864)
<223> n = a,t,c or g

```

```

<400> 48
tttttttttt ttgagacaca gtctggctat gtcacccagg ctgagtacag tagcatgac 60
ctggttcgtc gcaacctcca cctcccaggc tcaagtgate ctcccacctc agcctcctga 120
gtagctagga ctacaggtag gtgccacaac acctggctaa tttttttatt tttttagtag 180
acaagggtct ccctacgttg tccaggctgg acttgaactc ctgggttcaa gcgatcctac 240
caccttgccc tcccacagca ctgggggttac aggcaggagc cactgcacct ggccctgtct 300
ttactgatgg tccctgcccc tgccctccac acctaaacct gggcacccac tcccgaagct 360
ctcctactgg ctgcagggtc tgccctctgt aggacagtga agccgatgac acgggaggtg 420
aagtcgaagg ccgtctgctg gccatcgtgg atcactgaga tgcagtggcg gtccccgtag 480
ctggcccgtg gcatgccacc ctggaagatg gtgaagggca acccctgcct agtggtcagc 540
cagaggattc tggtaatcgc tttgcaagga aagggaacct aaggcacgag gctgcggagg 600
ggctctggtt gctgggcttc gctggacacg ggcccactgg cagttagctgc cgtcagagtg 660
acagctgacg agcaggcgcc cgtcccgtcg ccaccagatg ttctccagtt gctggctgct 720
gaggaagtgg tagagcacgc ggctgccctg taggtcccag atgacaacga ggcctcggct 780
gtagccgatc aggatctggt tggggctctc aggtgcttcc tgcattgttt caccatttng 840
aacaacagc cggtgggggc cctc 864

```

```

<210> 49
<211> 1327
<212> DNA
<213> Homo sapiens

```

```

<400> 49
tttcgtgagc atttgagggc tgtttatgat ctatggggta aaactctctg actgactgga 60

```

tgaggaaaat	gaaatgcgag	aggggtgagc	ccaaggttca	ttcatctgct	caatcgaggc	120
cactcattct	ggccactgtg	tgccagatgc	tggggattct	gtcctcttgg	gagctgacgt	180
agcccagggtg	gtggctgtgg	gctgctggag	gtggggatcc	aggtggagga	gcaagtctag	240
ggaagtgtgc	tggggaggcc	ctctctgagg	aggtgacatg	ccagctgaga	tctgaatggc	300
aggaaggagt	ggccatgagg	acatgggtga	tgacagtctg	ggtagaaaga	tgaaggaggg	360
gaagcaggta	aggagtgtg	atctaattct	gggagccact	ggagggtgaa	agcagggtatt	420
agaagtcagg	gatttacatt	ttaaagagat	cacctctggc	agggctttgt	taagagtggc	480
ctgcaagagg	ccaagcatgg	ttccaggggg	ccagttgcag	agggctgggt	caggagccca	540
ggcaaggatt	acggggctca	gtcctgccct	gtggggagca	agagtacacg	gctggattcc	600
agagctgcc	gcaggcctac	cccctggggc	ctgcctgtgg	cctctcatcc	ctgcctgtcc	660
cagtagacac	tgggggtggg	taagtgtctc	cgtgaagggg	gggcccaggc	gattctgggt	720
ctggccctgt	gtctacaggg	gagcaccgtg	gcctgggcgc	tggcgtctcc	aagggtcgga	780
gcctgaagat	ggacaggaag	gtgtggacag	aaacacttat	cgagggtggg	atgcccctgc	840
ttgccaccga	tacttgggg	ctgccccatt	caacagctgt	ctgggtctcc	cagccccctc	900
cctatctcag	tgaccacagc	accttggagc	tggaaagaga	ccctttgtga	taatatagtg	960
ggtggggatt	tcgaaaaagc	aatttttggc	aaagtacagca	aactggccag	tgagctaaga	1020
atgtttttat	agttgtaaag	tgttattttt	ttttaaaaga	aaaaaaagga	agaaaatgca	1080
gcagagactg	tatgtgttct	gtaaaagcga	aaataattac	tatttcgccc	tttagagaaa	1140
gaatttgcta	acttctgate	taatttcact	gtcatccatt	gaatagatgt	gtaaactgag	1200
gtcctgggca	gggctgtaat	ctgcctgaga	ttaccctgta	aatgcatatt	gaccaccatc	1260
cctgcctctt	tctgtccac	ttctgaatga	cccagggcct	tctcccctac	cttgacacag	1320
ctgtatt						1327

<210> 50  
 <211> 436  
 <212> DNA  
 <213> Homo sapiens.

<400> 50						
ctgtcgtgca	attccgagca	ggcactgctc	agtctgggtg	ctgtgcagag	ggagctactt	60
cgaaggcgt	atcagtcag	ccctgccaa	ccagactcca	gcttctacaa	gggcctaggt	120
acctgccctt	cccagctgag	gctttctgag	ccccaccga	ccccagaca	cctcagcgta	180
gcctctgtct	cccatcacat	gttccctct	catcgctccc	tttgcccaca	tcttcagac	240
ttcttcgccc	ccccattccc	atcagacaat	ctcccctaca	ccctccagtc	ccctttcccc	300
tcacctctc	cagctactcc	ctctgaccat	gctcttatcc	tccaccacag	acttaaatgg	360
gggcccagat	gacctctgc	agcagacagg	ccagctcttc	gggggcctgg	tgcgtgatat	420
ccggcgccgc	tacccc					436

<210> 51  
 <211> 481  
 <212> DNA  
 <213> Homo sapiens

<400> 51						
tcgcctagca	gtaagttggt	tggcatgtgg	tgggcaggca	gggctggcag	tagtcggacc	60
acttcagtct	ccctgctctg	ccttccccag	caccattcgg	tgctcgaac	ctcctggtga	120
acccccctgga	gccccaaaat	gcagataaga	tcaagatcaa	gatcgagac	ctgggcaacg	180
cctgctgggt	ggtatgagca	agtgtgggag	agcagagtgg	ggggccctgc	tccaagggtg	240

gaggcacagg	gccgctcttg	gggagcccta	ccccagtctg	cagtgcacgt	gaaccgtcgg	300
ctgggtgggc	actggtcctg	cccagtcaac	agcactgggg	ccatggccaa	gggcaggggc	360
cactaggaag	ggatcagcct	cagcctcaga	tcactgggcc	tgtccctctt	ggaggacctg	420
gggaccccg	ggctcacagc	aaaccccaact	gagcttctcg	ggtaggcgga	tgggggtggg	480
g						481

<210> 52  
 <211> 435  
 <212> DNA  
 <213> Homo sapiens

<400> 52						
cccgggtcga	cccacgcgtc	cgagctcctc	gttgtggaga	caagatcaaa	aatcatatgt	60
atagaatgtg	actgtggctc	ccttaaagat	tgtgccagtg	atagatgttg	tgagacctct	120
tgtacccttt	ctcttgccag	tgtttgcaat	acaggacttt	gctgccataa	gtgtaaataat	180
gctgcccctg	gagtgggttg	cagagacttg	ggtggtatat	gtgatctacc	ggaataactgt	240
gatgggaaaa	aggaagagtg	tccaaatgac	atctacatcc	aggatggaac	cccatgttca	300
gcagtatctg	tttgtataag	aggaaactgc	agtgaccgtg	atatgcagtg	tcaagccctt	360
tttggtacc	aagtgaaga	cggttcccca	gcgtgctatc	gaaaattgaa	taggattggt	420
aaccgatttg	gaacg					435

<210> 53  
 <211> 728  
 <212> DNA  
 <213> Homo sapiens

<400> 53						
ccgggtcgac	ccacgcgtcc	ggacgccagt	ttagcccagg	tccacggact	acaatgtttc	60
gtattcctga	gtttaaatgg	tctccaatgc	accagcggct	tctcactgat	ttactatttg	120
cattagaaac	tgatgtacat	gtttggagga	gccatttcta	caaagtctgt	aatggatttt	180
gtcaatagca	atgaaaatat	tatttttgta	cataacacaa	ttcacctcat	ttcccaaatg	240
gtagacaaca	tcattcattgc	ttgtggagga	attttacott	tgctctctgc	tgctacatca	300
ccaactgggt	ctaagacgga	attggaaaat	attgaagtga	cacaaggcat	gtcagctgag	360
acagcagtaa	ctttcctcag	ccggctgatg	gctatgggtg	atgtacttgt	gtttgcaagc	420
tctctaaatt	ttagttagat	tgaagctgag	aaaaacatgt	cttctggagg	tttaatgcga	480
cagtgcctaa	aattagtttg	ttgtgttgct	gtgagaaact	gtttagaatg	tcggcaaaga	540
cagagagaca	ggggaaataa	atcttcccat	ggaagcagta	aacctcagga	agttcctcaa	600
agtgtgactg	ctacagcagc	ttcgaagact	ccattggaaa	atgttccagg	taacctttct	660
cctattaagg	atccggatag	acttcttcag	gatgttgata	tcaatcgctc	tcgtgctggt	720
gtctttcg						728

<210> 54  
 <211> 2228  
 <212> DNA

&lt;213&gt; Homo sapiens

<400> 54

tttttttttt	ttcctgaaat	gtaaattggt	tttaatatat	ttaagagcac	acagaagtct	60
tgattttata	aaaaataaat	atataacatg	acaaattttac	tgatgaccc	ggagctctga	120
gggtcaaac	tttaaatgat	cagtgaatac	ataaaacac	catgatctgt	taacacacac	180
aggagcatat	tccagttgta	aaaaacaaat	tccttgaagg	ctcagaacga	acaaaaatca	240
gtctttatgg	cagaaagcac	atccaaagct	aggcaatgaa	gttcagcctg	ggccacgtga	300
acctttcacc	agccagccta	taacctatgg	agccaggaca	ggaaagcatg	atccttcagc	360
tcatgacgcc	accagggctt	ccagacaact	gcagaatgaa	agagtccctc	agaggctccc	420
cagccctgc	tgccatcata	aagcacggga	gggattgttt	tgtccttagc	ggctctgtcc	480
taaatttgag	agcaggagac	tgagaagggt	atgctcatta	aatattgtca	ttgtaacacg	540
gaatggaaat	catgatccct	gcccattggc	actgagctga	aagaaagagg	aacctcacat	600
gaggctttcc	tagagaccag	gatgttgggt	gagtgggcgt	gcacttctca	agtgggcaag	660
gaagaactgc	ttttctccag	ctgacatgct	ctcaggggtg	aagaagttaa	gcttaaaata	720
cctgatggcg	ctgcataaac	tggggatttg	ggaactgagt	ttttagctct	gtgacacaca	780
acataaaaaa	caaaaatcca	gtctcattag	ctaaattcgg	attaaaatct	gaaatgtttt	840
tatggagttg	ccaacaggct	ggaatgtacc	tgatacaatt	taatctgctt	ttatttcttt	900
ggctgtcttc	caaaccactt	tcttctgtga	attcttaagt	tggctagtct	tccttctctca	960
gaaaaattac	ccctaagaat	cttcttaata	gtgagggtgt	acttccgaat	agaagagtcc	1020
ttcggctgaa	atggcatctc	caaggcctac	agttcgaatg	gggtctttac	acaccaatac	1080
tgggtgtgaag	tgggaaggata	ttccctctct	gtgccattct	actactggct	tgtttgggtt	1140
taatacaatc	ctggagcctg	cctccgaatg	ggaagtcatg	aactcttggg	gtgccctcag	1200
agacactcgg	ctgggtgtct	tggtttctgt	ggcgcaggcc	tgtgtcccag	ccacacgagc	1260
tccctgcagcc	acggctgcca	gctggttgcc	ccagtgtcca	tccacagttg	ccaggatgtg	1320
gtagaccagc	gtgtggaaat	ggatcctggt	gagatccgag	gctctgcttt	tactcctccc	1380
atgttctttc	aagatccaga	agaggatgtc	actgaccatg	cccacatcag	gaacaccgtt	1440
ccaggaagag	agagaagagt	gaggtccaga	ggctgactgg	gtgagaaata	acagtccttg	1500
ttcattcagc	ccaaggggaag	tcaccgcggg	aaagaccctg	tgaaggaaac	atgctgtctca	1560
tgagctccct	gttagtcata	ctggcccagc	tctaggtgaa	actggaatac	cagtggggat	1620
gtcagaaatg	gaggttataa	cctccaagag	tctcttctct	tggagctcct	tgctttgtcc	1680
ctccatcatg	tgcaatccag	agaggccccc	caggtctggc	tgaactcctc	ccaggctaga	1740
cacaaacacc	tccagcatat	tcatggcccc	gttgagagag	tctgtagaga	agatgaatcg	1800
gttggcatgg	ggagctttta	actggcccca	ctcctccctc	gcttgatact	ctaaaatgag	1860
gtggaactca	tccacttctc	gcaatgactc	tggtggaaca	aagacattgt	catcaagaag	1920
ctcatgtagc	tttggaccaa	ctggaccgca	aagaagaacc	tttaaatctg	agttggctgc	1980
aaatttctgt	ccaattaaag	ctgcatttcc	tcctacatag	tgtctgggctc	ctgggaaactc	2040
tgacgcaacc	tgggcaatgt	cgtgaaaagt	ttccttatca	ctgaagaagc	gctcagcagc	2100
tgtcccttcc	cccattgaagt	gaatgaaggc	ttcttccaga	tcattccttg	aatgcagaat	2160
gctgtgatct	ttcccatctc	caggactaag	gccaaagtgc	tgcaagagct	tcacccttga	2220
ggaattca						2228

&lt;210&gt; 55

&lt;211&gt; 405

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

<400> 55

gcaggagttc	aagaccaacg	tggccaacat	ggggaaagcc	catcactact	aaaaatacaa	60
aaactagcca	ggcgtgggtga	cacacatctg	taatcccagc	tactcgaggc	gctgaggcag	120
gagaatcact	tgaaccagga	ggcagaggtt	gcagtgaacc	gagatcatgc	cactgcactc	180
cagcctgggc	cacagagcaa	gactccatct	gacaactagc	tgttccagcc	cccagccact	240



tgagtcacatct	cagctgagggc	cccacacacc	aagaagcaga	ggtgagtccta	atccacagag	300
ccctgggtcag	acatgatgac	ggtgggttca	cccgggggtc	tccgcacagc	agcgggctcg	360
ggtaagcaga	acctcgctcc	ggggtttaca	aatccttctc	cgtgc		405

<210> 56  
 <211> 1652  
 <212> DNA  
 <213> Homo sapiens

<400> 56

actaggggag	gtgctcaagt	gccagcaggg	cgtatccagt	ctggcctttg	ccctggcctt	60
cttgacagcg	atggacatga	agccgctggg	ggtcctgggg	ctgccggccc	ctacggctcc	120
ctcgggctgt	ctttccttct	gggaggccaa	ggcgcagctg	gccaagagct	gcaaggtgct	180
ggtagacgcg	cttcgacaca	acgccgcgcg	tgctgtgcca	ttttttggcg	gcggggtctgt	240
gctacgcgct	gccgagccgg	ctccccatgc	cagctacggc	ggcatcgtct	cgggtggagac	300
agacctgctg	cagtgggtgcc	tggagtccgg	cagcatcccc	atcctgtgcc	ccatcgggga	360
gacggccgcg	cgccgctccg	tgcttctcga	ctccctggag	gtgaccgcgt	cgctggccaa	420
ggcgctgcgg	cccacccaaa	tcattcttct	caataacaca	ggcggcctgc	gcgacagcag	480
tcataagggtc	ctgagtaacg	tgaacctgcc	cgccgacctg	gacctggtgt	gcaacgccga	540
gtgggtgagc	acaaaagaac	ggcagcagat	gcggctcatc	gtggacgtgc	tcagccgcct	600
gccccaccac	tcctcggccg	tcataccgcg	cgctagcacg	ctgctcactg	agctctttag	660
caacaagggg	tcggggaccc	tggtcaagaa	cgccgagcga	atgctacggg	tgcgagacct	720
ggacaagctg	gaccagggcc	gtctagtggg	cctggtcaac	gccagcttcg	gcaagaagct	780
cagggacgac	tacctggcct	cgctgcgccc	gcggctgcac	tccatctacg	tctccgaggg	840
gtacaacgcc	gcgcgcatte	tgacctgga	gccgtcctg	gggggcaccc	cgtacctgga	900
caaattttgtg	gtgagctcca	gccgccaggg	ccaaggctcc	ggccagatgc	tgtgggagtg	960
cctgcggcgg	gaccttcaga	cacttttctg	gcgctcccgg	gtcaccaacc	ccatcaatcc	1020
ctgggtacttc	aaacacagtg	atggcagctt	ctccaacaag	cagtggatct	tcttctgggt	1080
tggcctggct	gatatccggg	actcctatga	gttgggtcaac	cacgcccaag	gactgccaga	1140
ctcctttcac	aagccagctt	ctgacccagg	cagctgaccc	tcacctgga	cactacaggc	1200
cctggaatgg	ccaggggtgga	ccaaaagcca	tgcccagctg	ggcatgaccc	caggcagcca	1260
gccacaggct	gaagggggct	tggtggctga	gtgatctgca	gaggagaaag	cagccccag	1320
ctctgcccc	gaggaggcgc	tgaagtggga	caagcacagg	aaagaagggg	accagtctag	1380
gaccccaact	tgactcactc	taaagctaca	accaaattgg	cttcgatttt	caacctgggg	1440
attaggggag	gggagggtgc	cttccagggc	tcttactcag	gacttaaccc	ttaagggtga	1500
gcttagtttc	tgctcctctg	tgcttatgtt	ttgaggctcc	cttaccctaa	ataatacccc	1560
tgcttgcgtg	atattctacc	attcatttta	attccttttg	gtcttgcagt	ttttcaggag	1620
gccttgatta	aaatgcaaat	acttgtctga	ga			1652

<210> 57  
 <211> 1129  
 <212> DNA  
 <213> Homo sapiens

<400> 57

tttttttttt	ttgagacgga	gtctcgtctc	gtggcccagg	ctggagtgca	gtggcgcgat	60
ctcggctcac	tgcaagctcc	gcctcccggg	ttcacgccat	tctcctgcct	cagcctcccg	120
agtagctggg	actacaggcg	cccgtacca	cgcccgcta	atTTTTTgta	TTTTtagtag	180

agacgggggt	tcaccgtgtt	agccaggatg	gtctcgatct	cctgacctcg	tgatccgccc	240
gcctcggcct	cccaaagtgc	tgggattaca	ggcgtgagcc	accgcgcccg	gcccatttac	300
taaatgttaa	gttccttata	attccatctc	tttcagcacc	caatacaggg	gtttacatag	360
aggaagtact	caatatttcc	tttctttttt	tctttttttt	ctggagatag	tctcgctctg	420
tcaccaggct	ggagtgcagt	ggcgtaatct	cggtcactg	caacctccac	ctcctgggtt	480
cacgccattc	tcctgcctca	gcctcccag	tagctgggac	tacaggcgcc	caccatcacg	540
cccggcta	tttttttgta	tttttagtag	agatgggggt	tcaccgtgtt	agccaggatg	600
gtctcgatct	cctgaccttg	tgatccgccc	gcctcggcct	cccaaagtgc	tgggattaca	660
ggtgtgagcc	accgcgcccg	gcctaaaaaa	atTTTTTTTT	tcttgagaca	aagtcttgct	720
ctgttgccca	ggctgaagtg	caggggcatg	atatcagctc	attgcaacct	ccacctcccg	780
ggttcaagcg	attctcctgc	ctcagcctcc	cgagttagctg	ggattacagg	tgcctcccgc	840
cacgtccagc	taattttctg	tttttagta	gagacgggg	ttcaccgtgt	tagccaggat	900
ggtctcgatc	tcctgacctc	gtgatccacc	tgcctcagcc	tcccaaagtg	ctgggattac	960
aggcgtgagc	cactgagccc	agccccattt	tatttcattt	ctctaacagc	aatgatatat	1020
atcatcccca	tagtatatcc	tactgatata	atagcccctt	tccccattca	acacctgtgt	1080
aatcagggaa	taaaaccctc	gtgcagcatt	ggcgtctgga	tagtcctcg		1129

<210> 58  
 <211> 475  
 <212> DNA  
 <213> Homo sapiens

<400> 58	
gttccgcccc	attggcataa
gataccttact	ctgcgcctgg
cttccgagtg	ggcttcgtgg
cggagcctgc	gcaaacacac
ctactcagca	agatgctgag
agggcggtt	ttcagaggcg
catcggcaga	aacctggctg
agctgtaagc	ttaaatccca
tcagccaagc	cctgtgctct
gattgctcgt	tatcccgttt
tcccagcgt	gggggtgctg
cgagaaaaag	aagctcatcg
agctcatcg	ctgccgtggt
aggctgagat	gcgcggtgcg
gtgtgtctgt	gtgtcccctc
ccaaacgggc	gcatcagat
gaattccggc	cttgc
accagagaag	60
gtaacctgtt	120
tttttgatt	180
gttggaatc	240
tggcggagcg	300
ttcgctgcaa	360
accaccggga	420
cttgc	475

<210> 59  
 <211> 711  
 <212> DNA  
 <213> Homo sapiens

<400> 59	
ggaaaatagc	agattttggg
ggtgtggcag	ccctccctat
ccaaagtgga	catctggagc
catttgatgg	aagcacactg
tccatttttt	tatgtccaca
ccaataagcg	cctctccatg
ccgatcccaa	ctttgacagg
tggaccccct	gaatgaggat
agacactgca	gtcatttaaga
tgtgtgatcg	acataagaga
ttcagtaacc	tcttcactcc
aactccttga	aggaaaagaa
tcctctacgt	gcttggtgtg
gggcccgcgt	gctgagtggg
ccatattgtt	gtgttagatc
gagcagatct	gcaagcacaa
aatgccaaca	actaaaggaa
catggaggga	catgggactg
atgatcacta	tagtgcaatc
tgcgtctcgg	agcacttcct
ctgaagacct	60
tatgatgggc	120
ggtgccctgc	180
aagttccgca	240
gtgttagatc	300
ctaggggacg	360
gaaagacagg	420
gacaaagaac	480
tacagcctgc	540
agcatgcccc	600

gagccctggg cctttcaagc accagtcaat atccaggcgg agcaggcagg tactgctatg 660  
 aacatcagcg ttccccaggt gcagctgac aaccagaga accaaattgt g 711

<210> 60  
 <211> 344  
 <212> DNA  
 <213> Homo sapiens

<400> 60  
 ggcacgagaa tttttaggcc accgagcttc tataacatgg tcatgagctc ggggtgcacca 60  
 tagatttccc aaagctgagg ttgcataacc cctctgctga ggacagatct taccgaagat 120  
 cgcacgaagt gctgccatgg agatctgctt gaatgcgctg atgacagggc agacctgtc 180  
 gaggatatct gggaaaatca agattcaatc tccactatac tgattgaatg ctgtgaaaaa 240  
 cctctgttgg aaaaatccca ctgcattgcc gaagtggaaa atgatgagat gcctgctgac 300  
 ttgccttcat tagctgctga ttttgttgaa agtaaggatg tttg 344

<210> 61  
 <211> 594  
 <212> DNA  
 <213> Homo sapiens

<400> 61  
 gcttgagctc gagcgacggc gctggcggag acgccggctg ctccctccct ccccgccgct 60  
 tttcctaaaa ggattgtaca ccttagaagt gcttaaggaa gagtgatgaa gctctgaatc 120  
 gtgtctgca gcagattctg agtgccaccc aagatgaaga gagggacaag cttgcatagt 180  
 aggcggggca agccagaggc cccaaaggga agtcccaaa tcaacaggaa gtctggtcag 240  
 gagatgacag ctgttatgca gtcaggccga cccaggctct catccacaac tgatgcacct 300  
 accggctctg ctatgatgga aatagcttgt gctgctgctg ctgctgctgc tgcattgtcta 360  
 ccaggagagg agggaaactgc ggagcggatc gaacggttgg aagtaagcag ccttgcccaa 420  
 acatccagt cagtggcctc cagtaccgat ggcagcatcc acacagactc tgtggatgga 480  
 acaccagacc ctacagcgac aaaggctgcc attgctcacc tgcagcagaa gatcctgaag 540  
 ctcacagaac aaatcaagat tgcacaaaca gcccgacgaa atcgtcgacc cggg 594

<210> 62  
 <211> 1609  
 <212> DNA  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <222> (1) ... (1609)  
 <223> n = a,t,c or g

<400> 62  
 cgaagttatg gccttcctta taaggaaaag ggggtgattg gaggaatcgc caattgaagt 60  
 ttcgaaggat cgcttttagct gaatatcaga gaaccttggtg aagatcttaa agagcaacta 120  
 aagcataaag aatcttcttct ggctgctaata acttgtaacc gtgttggtgg tctttgtttg 180  
 aaatgtgctc agcatgaagc tgttctttcc caaacccata ctaatgttca tatgcagacc 240  
 atcgaaagac tgggttaaaga aagagatgac ttgatgtctg cactagtctc cgtaaggagc 300  
 agcttggcag atacgcagca aagagaagca agtgcttatg aacaggtgaa acaagttttg 360  
 caaatatctg aggaagccaa ttttgaaaaa accaaggcct taatccagtg tgaccagtgt 420  
 aggaaggagc tggagaggca ggcggagcga cttgaaaaag aacttgcac tcagcaagag 480  
 aaaagggcca ttgagaaaga catgatgaaa aaggaaataa cgaaagaaag ggagtacatg 540  
 ggatcaaaga tgttgatctt gtctcagaat attgcccaac tggaggccca ggtggaaaag 600  
 gttacaaagg aaaagatttc agctattaat caactggagg aaattcagag ccagctggct 660  
 tctcgggaaa tggatgtcac aaaggtgtgt ggagaaatgc gctatcagct gaataaaacc 720  
 aacatggaga aggatgaggc agaaaaggag cacagagagt tcagagcaaa aactaacagg 780  
 gatcttgaaa ttaaatgata ggaaatagag aaattgagaa tagaactgga tgaaagcaaa 840  
 caacacttgg aacaggagca gcagaaggca gccctggcca gagaggagt cctgagacta 900  
 acagaactgc tgggcgaatc tgagcaccaa ctgcacctca ccagacagga aaaagatagc 960  
 attcagcaga gctttagcaa ggaagcaaa gcccagccc ttcaggccca gcaaagagag 1020  
 caggagctga cacagaagat acagcaaatg gaggccagc atgacaaaac tgaaaatgaa 1080  
 cagtatttgt tgcctgacct ccagaataca tttttgacaa agttaaaggga agaattgctgt 1140  
 acattagcca agaaactgga acaaatctct caaaaaacca gatctgaaat agctcaactc 1200  
 agtcaagaaa aaaggtatac atatgataaa ttgggaaagt tacagagaag aaatgaagaa 1260  
 ttggaggaac agtgtgtcca gcatgggagg agtacatgag acgatgaagc aaaggctaag 1320  
 gcagggtgat aagcacaggc aggcacagc ccaggaggtg gtgcaggtcc ccagaagcag 1380  
 gaccngcttc ttcnnggaga gggagggnct gtcggaagag gtgggnccgn cttgggggncc 1440  
 nngttaccca gnatncncaa tcttttttgg ttgaccgggt tggacagggt ggacttnant 1500  
 gtttttcaaa gngntttttt cattccanct tgttttngct taatttngcn caacgnacc 1560  
 acggcctncc cggnttgaaa cccccnccc tgaggggggg ttntcccc 1609

<210> 63  
 <211> 615  
 <212> DNA  
 <213> Homo sapiens

<400> 63  
 catcctatcc cgtgtggtgg aattgcgcgc tgactgctga ggtgccacc gagctgctgg 60  
 ctgctgccgg ctctctccac acaggccatc aggacaagg gaggtgcttc ttctgctatg 120  
 ggggcctgca gagctggaag cgcggggacg acccctggac ggagcatgcc aagtggttcc 180  
 ccagctgtca gttcctgtct cgggtcaaaag gaagagactt tgtccacagt gtgcaggaga 240  
 ctactccca gctgctgggc tcttgggacc cgtgggaaga accggaagac gcagccctg 300  
 tggccccctc cgtccctgcc tctgggtacc ctgagctgcc cacaccagg agagaggtcc 360  
 agtctgaaag tgcccaggag ccaggagggg tcagtccagc cgaggccag agggcgtggg 420  
 gggttcttga gccccagga gccagggatg tggaggcgca gctgcggcgg ctgcaggagg 480  
 agagacgtg caaggtgtgc ctggaccgcg ccgtgtccat cgtctttgtg ccgtgcggcc 540  
 acctggtctg tggctgagtg tgccccggc ctgcagctgt gccccatctg gcagaagccc 600  
 ccgtcccga gccgg 615

<210> 64  
 <211> 839

<212> DNA  
 <213> Homo sapiens  
 <220>  
 <221> misc\_feature  
 <222> (1)...(839)  
 <223> n = a,t,c or g

<400> 64  
 aagaatgtct ggaagagatg gaagaaaagg ttttttgtat tgggtgcaggt cattcagtac 60  
 acgtttgcc a tgtgcagtta tcgggagaag aaagcggagc ctcaggaact tctacaattg 120  
 gatggctaca ctgtggatta caccgacccc cagccagggt tggaggggtgg ccgagccttc 180  
 ttcaatgctg tcaaggaggg agacaccgtg atatttgcca gtgacgatga acaagaccgc 240  
 atcctgtggg tcacggccat gtatcgggcc acggggcagt cacacaagcc tgtgcccccg 300  
 acccaagtcc agaaactcaa cgccaaggga ggaaatgtac ctcagctgga tgccccctatc 360  
 tctcaatttt acgcagatag agctcaaaaa catggcatgg atgaatttat ctcttccaac 420  
 ccctgtaact ttgaccacgc ttccctcttt gagatggtac aacgccttac tttggatcac 480  
 agacttaatg attcctattc ttgcctgggc tggttcagtc ctggccaggt gtttgtacta 540  
 gacgagtatt gcgcccga a tggagtccgg ggggtgtcacc gacatctctg ctacctcaga 600  
 gacttgcttg aacgggcaga aaatggcgcc atgatcgacc ccaccctnt tcaactacagc 660  
 tttgccttct gtgcatocca tgtccatggg aacaggcctg atggaattgg gaactgttga 720  
 ctgttgaaga aaaggaacgt tttttgaagg aaatcaaaag aggaggnttc cgnagtcttg 780  
 ctaagaaaaa tcaggttaca acatttttagg naattgcttt tcccatttgg gtcgaacct 839

<210> 65  
 <211> 1678  
 <212> DNA  
 <213> Homo sapiens

<400> 65  
 caagcagctg atcgtgctgg gaaacaaagt ggacctcctg ccccaggatg ctcttggtta 60  
 ccggcagagg ctgcgggagc gactgtggga ggactgtgcc cgcgcggggc tcctgctggc 120  
 ccctggccac caagggccac agcgcgccgt caaggacgag ccacaggacg gggagaatcc 180  
 gaatccgcg aactggtccc gcacagtggc cagggaacgt cggctgatca gcgccaagac 240  
 cggtatgga gtggaagagt tgatctctgc ccttcagcgc tcctggcgct accgtgggga 300  
 cgtctactta gtgggcgcca ccaacgcggg caaatccact ctctttaaca cgctcctgga 360  
 gtccgattac tgcactgcca agggctccga ggccatcgac agagccacca tctccccttg 420  
 gccaggtact acattaaacc ttctgaagtt tcctatttgc aacccaactc cttacagaat 480  
 gtttaaaagg catcaaagac ttaaaaaaga ttcaactcaa gctgaagaag atcttagtga 540  
 gcaagaacaa aatcagctta atgtcctcaa aaagcatggg tatgtcgtag gaagagttag 600  
 aaggacattc ttgtattcag aagaacagaa ggataacatt ccctttgagt ttgatgtcga 660  
 ttcacttgcc tttgacatgg aaaatgaccc ttgtatgggt acacacaaat ccaccaaaaca 720  
 agtagaattg actgcacaag atgtgaaaga tggccactgg ttttatgaca cccctggaat 780  
 taaaaaagaa aattgtatct taaatcttct aacagaaaaa gaagtaaata ttgttttgcc 840  
 aacacagtcc attgttccaa gaacttttgt gcttaaacca ggaatgggtc tgtttttggg 900  
 tgctataggg cgcataagatt tctgcaggg aaatcagtca gcttgggtta cagtcgtggc 960  
 ttccaacatc ctccctgtgc atatcacctc cttggacagg gcagacgctc tgtatcagaa 1020  
 gcatgcaggt catacgttac tccagattcc aatgggtgga aaagaacgaa tggcaggatt 1080  
 tcctcctctt gttgctgaag acattatgtt aaaagaagga ctgggggcat ctgaagcagt 1140  
 ggccgacatc aagttttcct ctgcagggtg ggtttcagta acacctaat ttaaggacag 1200  
 actgcctctc cgaggctata cacctgaagg aacagttttg accgtccggc cccctctctt 1260  
 gccatatatt gttaacatca aaggacagcg catcaagaaa agtgtggcct ataaaaacca 1320

gaagcctcct	tcccttatgt	acaacgtgag	gaagaagaaa	ggaaagataa	atgtatgaga	1380
ccgaccttgt	tcactccaga	tattaactgt	attgaacaca	acaaaataca	ttgaatttgt	1440
attaaacata	taacgcataa	ataaagctcc	cattcttacc	cttaaaaata	aaaggagaat	1500
gaaaaaaaaa	gatgccataa	ggcatatacg	tggttttggg	tattccgggg	tcttcccgtg	1560
gtctgttcac	tttgcggtgg	tggtgatata	ttaggcagtc	ggggcgctg	atgtacgcct	1620
tcttatagag	gtacatggtt	ggatgcagcg	tcttgacgtg	ggattcgctt	tattcgcc	1678

<210> 66  
 <211> 1888  
 <212> DNA  
 <213> Homo sapiens

<400> 66						
tccacggtgg	catccatgat	gcatcgtcag	gagactgtgg	agtgtttgcg	caagttcaat	60
gcccggagaa	aactgaaggg	tgccatcctc	acgaccatgc	ttgtctccag	gaacttctca	120
gctgccaaaa	gcctattgaa	caagaagtcg	gatggcggtg	tcaagccaca	gagcaacaac	180
aaaaacagtc	tcgtaagccc	agccaagag	cccgcgcct	tgacagcggc	catggagcca	240
caaaccactg	tggtacacaa	cgctacagat	gggatcaagg	gctccacaga	gagctgcaac	300
accaccacag	aagatgagga	cctcaaagct	gccccgctcc	gcactgggaa	tggcagctcg	360
gtgcctgaag	gacggagctc	ccgggacaga	acagccccct	ctgcaggcat	gcagccccag	420
ccttctctct	gctcctcagc	catgcgaaaa	caggagatca	ttaagattac	agaacagctg	480
attgaagcca	tcaacaatgg	ggactttgag	gcctacacga	agattttgta	tccaggcctc	540
acttcctttg	agcctgaggg	ccttggtaac	ctcgtggagg	ggatggattt	ccataagttt	600
tactttgaga	atctcctgtc	caagaacagc	aagcctatcc	ataccaccat	cctaaaccca	660
cacgtccacg	tgattgggga	ggacgcagcg	tgcatcgct	acatccgcct	caccgtatc	720
atcgacgggc	agggctcgcc	ttcgaaacca	gccaaagtcg	aagaagaccc	gggtctggca	780
ccgctcggga	atggcaagtg	gctcaatgtc	cactatcact	gctcaggggc	cccctgcccc	840
caccgctgca	gtgagctcag	ccacaggggc	ttttaggaga	ttccagccgg	aggtccgaac	900
cttcgcagcc	agtggctctg	gagggcctga	gtgacagcgg	ccagtccctg	ttgtttgaag	960
gtttaaaaca	attcaattac	aaaagcggca	agcagccaat	gcacgccccct	gcattgcagcc	1020
ctcccgcctg	cccttcgtgt	ctgtctctgc	tgtaccgagg	tggtttttac	atttaagaaa	1080
aaaaaaaaag	aaaaaaagat	tgtttaaaaa	aaaaaggaat	ccataccatg	atgcgtttta	1140
aaaccaccga	cagcccttgg	gttggcaaga	aggcaggagt	atgtatgagg	tccatcctgg	1200
catgagcagt	ggctcaccga	ccggccttga	agaggtgagc	ttggcctctc	tggtcccat	1260
ggacttaggg	ggaccaggca	agaactctga	cagagctttg	ggggccgtga	tgtgattgca	1320
gctcctgagg	tgccctgctt	accccaggtc	taggaatgaa	cttctttgga	acttgcatag	1380
gcgcctagaa	tggggctgat	gagaacatcg	tgaccatcag	acctacttgg	gagagaacgc	1440
agagctccca	gcctgctgtg	gaggcagctg	agaagtgggt	gcctcaggac	tgagagcccg	1500
gacgttgctg	tactgtcttg	tttagtgtag	aaggggaagag	aattgggtgct	gcagaagtgt	1560
accgcccag	aagccgatga	gaaacctcgt	gttagtctga	catgcactca	ctcatccatt	1620
tctataggat	gcacaatgca	tgtgggccct	aatattgagg	ccttatccct	gcagctagga	1680
gggggagggg	ttgttgctgc	tttgcttcgt	gttttcttct	aacctgggca	aggagagagc	1740
caggccctgg	gcaaggctcc	cgtgcgcct	ttgggttccct	tgttttcttg	ttgcttgatc	1800
tggaccatct	ttgtctttgc	cttttcacgg	taggggtcccc	atgctgaccc	tcactctggg	1860
cctgggcctc	ttgccaaagt	tgccccctg				1888

<210> 67  
 <211> 1712  
 <212> DNA  
 <213> Homo sapiens

&lt;400&gt; 67

ctttacc	aa	gaatgtg	gtta	ttcgtg	ccttg	acagc	agtgc	ttctat	gggtg	ggaac	caaac	60
tccggc	agac	caagga	tgcc	ctcttc	cacaa	ttctcc	atga	cctcc	gaccc	caggac	cggt	120
tcagt	atcat	tggatt	ttcc	aaccg	gatca	aagtat	ggaa	ggacc	acttg	atatc	agtc	180
ctccag	acag	catcag	ggat	gggaa	agtgt	acattc	acca	tatgt	caccc	actgg	aggga	240
cagaca	tcaa	cggggc	cctg	cagag	ggcca	tcagg	ctcct	caaca	agtac	gtggc	ccaca	300
gtggc	attgg	agacc	ggaga	gtgtc	cctca	tcgtct	tcct	gacgg	atggg	aagcc	cacgg	360
tcggg	gagac	gcacac	cctc	aagat	cctca	acaac	acccg	agagg	ccgcc	cgagg	ccaag	420
tctgc	atcct	caccatt	ggc	atcgg	caacg	acgtg	gactt	caggc	tgtg	gagaa	actgt	480
cgctg	gagaa	ctgtg	gcctc	acacg	gcgcg	tgcac	gagga	ggagg	acgca	ggctc	gcagc	540
tcatc	gggtt	ctacg	atgaa	atcag	gaccc	cgctc	ctctc	tgaca	tccgc	atcga	tattc	600
cccc	agctc	agtgt	gcag	gccac	caaga	ccctg	ttccc	caact	acttc	aacgg	ctcgg	660
agatc	atcat	tgcgg	ggaag	ctggt	ggaca	ggaag	ctgga	tcac	cctgc	ac	gtgg	720
cgc	ccagcaa	cagta	aagaaa	ttcat	catcc	tgaag	acaga	tgtg	cctgtg	cggc	ctcaga	780
aggc	agggaa	agatg	tcaca	ggaag	cccca	ggcct	ggagg	cgat	ggagag	gggga	cacca	840
accac	atcga	gcgtc	ctctg	agct	acctca	ccaca	aagga	gctg	ctgagc	tcctg	gctgc	900
aaagt	gcag	tgaac	ccggag	aagg	agcggc	tgcgg	cagcg	ggccc	aggcc	ctggc	tgtga	960
gctac	cgctt	cctac	ctccc	ttcac	ctcca	tgaag	ctgag	ggggc	ccggtc	ccacg	catgg	1020
atggc	cctgga	ggagg	ccccc	ggcat	gtcgg	ctgcc	atggg	acccg	gaaccg	gtggt	gcaga	1080
gcgtg	cgagg	agctg	ggcacg	cagcc	aggac	ctttg	ctcaa	gaagc	catac	cagcc	aagaa	1140
ttaaa	atctc	taaa	acatca	gtgg	atgggtg	atcccc	actt	tgtt	gtggat	ttcccc	ctgta	1200
gcag	actcac	cgtgt	gcttc	aacatt	gatg	ggcag	cccg	ggaca	tctc	aggct	ggtct	1260
ctgat	cacag	ggact	ctgggt	gtcac	agtga	acgg	agagtt	aattg	gggca	cccgc	ccctc	1320
caa	atggcca	caaga	aacag	cgcac	ttact	tgcg	actat	cacc	atcctc	atca	aacagc	1380
cag	agagatc	ttat	ctcgag	atcac	accga	gcag	agtcat	ctt	ggatgg	gggg	acagac	1440
tgg	tgtccc	ctgca	accag	agtgt	gggtg	tggg	gagctg	gggg	ctggag	gtgt	ccgtgt	1500
ctg	ccaacgc	caat	gtcacc	gtc	accatcc	agg	gtccat	agc	ctttgtc	atc	ctcatcc	1560
ac	ctctacaa	aaag	ccggcg	ccctt	ccagc	gac	accac	ct	gggttt	ctac	attg	1620
gcg	agggcct	ttcc	agcaac	tgc	aggggtc	tctgt	gagtc	tgg	catcctg	attc	aggaac	1680
tg	accagca	gtcc	gtggca	gtt	gctggtc	ga						1712

&lt;210&gt; 68

&lt;211&gt; 839

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 68

gttttt	ctc	gagc	aggtta	gcc	aatatac	ctttg	ctatg	tgc	agttata	gagaa	agaa	60
gtctg	aacca	caaga	attaa	tgc	agcttga	aggt	tatact	gtgg	attata	ccg	atcccc	120
cccag	gcctt	cagg	gtggt	gtat	gttctt	taat	gctgtt	aa	gaaggag	ata	ctgta	180
ctttg	ccagt	gat	gatga	agg	acaga	att	atgggtt	ca	agccatgt	atag	ggccac	240
aggt	caatca	tata	aaccag	ttc	ctgca	t	caa	acccag	aa	actga	atc	300
aact	ctccat	gcag	atgctc	ag	ctttatgc	agat	cgtttt	caga	aa	catg	gtat	360
gttt	attttct	gcaa	aaccct	gca	agcttga	tc	atgccttc	cttt	ttagaa	tact	ccagag	420
gcag	actttg	gat	cacagac	tga	atgatc	ct	attctctgc	ttgg	gatgg	ttag	ccctgg	480
cca	agtcttt	gtg	ttagatg	agt	actgtgc	ccg	ttatgg	gtg	agagg	gtc	acagaca	540
tct	ctgtac	ctt	gcagaac	tga	tgaaca	ttc	agaaa	at	ggtg	ctgtca	ttg	600
cct	gtccat	tac	agctttg	catt	ctgtgc	ct	ctcgatgt	gc	acgg	caac	agg	660
ga	attggg	ac	tggttc	ag	gttg	aa	agatttga	gg	agata	aaa	gag	720
ctt	ccctttt	ag	aaaatcag	ata	agccatt	tc	agatactg	tttt	cccttt	gg	acgac	780
aag	gtgctct	aaa	agctaca	cttt	cattac	ttg	aaagggt	ttta	atgaaa	gat	attg	839

<210> 69  
 <211> 801  
 <212> DNA  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <222> (1)...(801)  
 <223> n = a,t,c or g

<400> 69  
 agacgggctg ctccatgagg tgctgaacgg gctcctagat cgccctgact gggaggaagc 60  
 tgtgaagatg cctgtgggca tcctcccctg cggctcgggc aacgcgctgg ccggagcagt 120  
 gaaccagcac gggggatttg agccagccct gggcctcgac ctgttgctca actgctcact 180  
 gttgctgtgc cgggggtggtg gccacccact ggacctgctc tccgtgacgc tggcctcggg 240  
 ctcccgtgtg ttctccttcc tgtctgtggc ctggggcttc gtgtcagatg tggatatcca 300  
 gagcgagcgc ttcagggcct tgggcagtgc ccgcttcaca ctgggcacgg tgctgggcct 360  
 cgccacactg cacacctacc gcggacgcct ctccctacctc cccgccactg tggaacctgc 420  
 ctgcccacc cctgcccata gcctgectcg tgccaagtcg gagctgacct taaccccaga 480  
 cccagcccg cccatggccc actcaccct gcctcgttct gtgtctgacc tgctcttcc 540  
 cctgccccag cctgccttg cctctcctgg ctccgcagaa cccctgccc tctgtccct 600  
 caacggtggg ggcccagagc tggctgggga ctgggggtgg gctggggatg ctccactgtc 660  
 cccggaccca cagctgtctt cactcctgg ctctcccaag gcagctctac actcaccctg 720  
 ctaaaaaaag gccccgtaa ttccccccga catgnnnccc cgctctagag gatcaagcaa 780  
 ctacgcggcg gctcacgacg c 801

<210> 70  
 <211> 531  
 <212> DNA  
 <213> Homo sapiens

<400> 70  
 agaaggggtg cccaaccttg ctcatggcag ctggcagctt ctatgacatt ctggccatca 60  
 ctggcttcaa cacatgcttg ggcatagcct ttccacagg ctctactgtc tttaatgtcc 120  
 tcagaggagt tttggagggt gtaattggtg tggcaactgg atctgttctt ggatttttca 180  
 ttcagtactt tccaagccgt gaccaggaca aacttggtgt taagagaaca ttccctgtgt 240  
 tggggttgtc tgtgctagct gtgttcagca gtgtgcattt tggtttccct ggatcaggag 300  
 gactgtgcac gttggtcatg gctttccttg caggcatggg atggaccagc gaaaaggcag 360  
 aggttgaaaa gataattgca gttgcctggg acatttttca gcccttctt tttggactaa 420  
 ttgggagcag aggtatctat ttgcattctc cagaccagaa actgtaggcc tttgtgttgc 480  
 caccgtaggc atttgcagta ttgatacgaa tttttgacta cattttctga a 531

<210> 71  
 <211> 540  
 <212> DNA



&lt;213&gt; Homo sapiens

&lt;400&gt; 71

tgtgcgagga	attcgaatca	ggtaatggag	aggactggca	tgaagggggc	acaggactgt	60
gaaaacctga	gtgattctgt	ccttccctca	tcctctatcc	ctgaaccagg	gcagacatag	120
atggaatcag	agcaggagtt	ggtgttgatg	tggtttcagg	tcacacctatc	agagtttgag	180
agatttaggc	catgaaccat	tatgaatata	gatgagaacc	tttgtaattg	ctgaaggagg	240
tagtagtgca	ggcaagtcc	gtgtgcaaga	cctgctgctc	ccagttagta	cggacccctg	300
tgacattcac	agaagttcag	aatgtctgag	atgctctgca	ggctacctta	tctccgtctg	360
cagctacacc	tccagtgatc	acaatcagtg	ctacgctggc	acagccagcc	tggccctgct	420
ctggattgga	ggcatcctca	agggctgctt	gctgtggaag	cagtttcgct	ggaccgagag	480
gagccactgg	aattttgggt	actgggcctt	atggtcacc	gggaatggga	atggctgctg	540

&lt;210&gt; 72

&lt;211&gt; 428

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 72

cggacgcgtc	cgccccacgcg	tccgccccacg	cgtccgctag	aaatttctgt	ggaactccat	60
ttgactttct	atctgtgaaa	tccaaactgt	ctctgaagaa	ataagaaaaa	tagtgttttg	120
acttttagga	gacaactatg	tttattat	tgccttgcaa	attaatgtct	aaatttgtac	180
aagcacctat	ctacagattt	ttccaggtaa	accatcatgt	tttatgtgta	aaggtagatt	240
gatgtgcatt	tactttatac	tttggtaact	aggccattac	acatctttgc	actggaattg	300
gtgcagatat	ataagtgatc	ctaattgttg	tgctgcccag	acccagga	tgagaggtg	360
agcatgacac	acacagtccc	tgccctgatg	gagctcatag	actagtgaag	gaatagggct	420
ctatgacc						428

&lt;210&gt; 73

&lt;211&gt; 584

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 73

gctggagtca	ttgcctgggt	tcaaagagat	tgtgagcagg	ggagtataag	tggattactt	60
gactccagac	ttccctagtc	tctcgatatc	caattattat	accctaata	ctggccgcca	120
ttgtgaagtc	catcagatga	tccggaacta	catgtgggac	cccaccacca	acaagtcctt	180
tgacattggc	gtcaacaaag	acagccta	gcctctctgg	tggaatggat	cagaacctct	240
gtgggtcact	ctgaccaagg	ccaaaaggaa	ggtctacatg	tactactggc	caggctgtga	300
ggttgagatt	ctgggtgtca	gacccacct	ctgcctagaa	tataaaaatg	tcccaacgga	360
tatcaatttt	gccaatgcag	tcagcgatgc	tcttgactcc	ttcaagagt	gccgggcccga	420
cctggcagcc	atataccatg	agcgatttga	cgtggaaggc	caccactacg	ggcctgcatc	480
tccgcagagg	aaagatgccc	tcaaggctgg	tagacactgt	cctgaagtac	atgaccaagt	540
ggatccagga	gcggggcctg	caggaccgcc	tgaacgtcat	tatt		584

<210> 74  
 <211> 348  
 <212> DNA  
 <213> Homo sapiens

<400> 74  
 ggacagagat tttcatccaa aacaaacact ggacttcctg cggagtgaca tggctaattc 60  
 gaaaatcaca gaagagggtga aaaggagtat agcacaacag tatctagatt tgacagtagc 120  
 ccggaacaag tggaccctga tgccgaagtc gatgcagccc catctaccac atcttcatgt 180  
 ggacattgag attcacacgc tggctcctga agggtgctca gtctccttgg tgattaaggt 240  
 cctgcttgaa ctgggtgcaa ctccatggca ggggaagttgc ttttggttgc ctggctgggt 300  
 ttcccagatc ccttctgggg caaggagcta tcagaccctg ctttcaag 348

<210> 75  
 <211> 365  
 <212> DNA  
 <213> Homo sapiens

<400> 75  
 caagcaaagt ggggatgtca cctgcaactg cactgatggg cgcttgggcc ccagctgcct 60  
 gacctgcgtc ggccactgca tttttggcgg ctactgtacc atgaacagca aaatgatgcc 120  
 tgaatgccag agcccacccc acatgacagg gcccgggtgt gaggagcacg tcttcagcca 180  
 gcacagcca ggacatataa cctccatcct aatccctatg ctgtagctgc tgctgctggt 240  
 tctggtggcc ggagtgatat tctgccataa acggcgagtc caaggggcta agggcttcca 300  
 gcaccaacgg atgaccaacg gggccatgaa cgcgcagatt gcaaacccca cctacaagat 360  
 gtacc 365

<210> 76  
 <211> 700  
 <212> DNA  
 <213> Homo sapiens

<400> 76  
 caagaaccat cagcaccaac acaaatgtat ctttgcagac cgaaggaatc agctaaacaa 60  
 ttacagtca tctcaatctc tactaaaaca aaaatcacat ccaacatgcc acctgacacc 120  
 atttctttct ctctctctct tttgctcctt gcgatgaggc attcatctct ccttgagcct 180  
 ccgttctgaa gagataacag tatagcaaca actctgccac tgaaatcctg ttctctgacc 240  
 gatattggca cctgcaaaga gaaacaacca gtaacaggca gcagcagcat cagtattaa 300  
 cttccatgat gaaatcttta cagggtcaaga acaagtacac agctcttttc tcaactcctc 360

acagtggacc	atgcaactag	ttgaggtgga	agacaatgga	ttgtctacaa	gccttttgaa	420
cagtggagaa	tgcagggcgt	tggctttagg	aagaggcaga	aatccaggca	gaacttgaac	480
gtttggaaaag	agtcagaaaat	cttcacatac	gtgagctgaa	aagaataaac	aatgaagata	540
attcacagtt	caaagatcac	ccaacattaa	atgaaagata	tttattactt	catctgcttg	600
gtagaggtgg	cttttagtgaa	gtgtataagg	taatgtatgg	tttattctgg	tttttttaca	660
ctaattgtagc	aaggatatag	gagtatgtgg	ttaagaagtg			700

<210> 77  
 <211> 426  
 <212> DNA  
 <213> Homo sapiens

<400> 77						
ttgcctagca	catggcaggg	tgcagcgcct	gtctgaatgt	gtgaagagtt	cttagtgatg	60
ggtaaagggt	gttcctgtgt	gttttagatt	ctgctcagca	atcctcagat	gtggtggtta	120
aatgattcca	atcctgaaac	cgacaaccgt	caagaaagtc	cttcccagga	aaacattgac	180
cgagtgagt	acaggccttt	gtgccctcag	cttggacagc	ctcgggtggg	gttgcttggg	240
gtaacctggg	tgaatcaggg	agcaggactg	ggggagtccg	tgctgaaacc	ttggctcca	300
ggctccaggt	gtaacctgcc	cacctcagag	gccaccacg	cagtaacaga	gggcagggga	360
ggcctccttg	gaaagcagga	aaactgggga	agtgtcagga	agttctcttt	aggtttgctg	420
cctttg						426

<210> 78  
 <211> 358  
 <212> DNA  
 <213> Homo sapiens

<400> 78						
tttcgtgcta	tgttcttggc	tgttcaacac	gactgcagac	ccatggacaa	gagcgcaggc	60
agtggccaca	agagcgagga	gaagcgagaa	aagatgaaac	ggaccctttt	aaaagattgg	120
aagaccogtt	tgagctactt	cttacaaaat	tcctctactc	ctgggaagcc	caaaaccggc	180
aaaaaaaagca	aacagcaagc	tttcatcaag	taagttgaga	atcctgagct	tgcaaatatc	240
aatagtttagc	tgctgaactg	aaaaggggaa	ctctgatgag	cgtaagctaa	catacagaac	300
ctctcttgca	ggccttctcc	tgaggaagca	cagctgtggt	cagaagcatt	tgacgagg	358

<210> 79  
 <211> 322  
 <212> DNA  
 <213> Homo sapiens

<400> 79  
 gggtttttca atttttccag cccaaagtta aaaggttga aaatcaattc ctctttggtc 60  
 ctatgagataa ggaagaacat acttcgtttc ttagatgcag aacgagatgt gtcagtggtc 120  
 aagagcagtt ttccaagcaa agacgccaga cactccagtg tgcaccggtg gttcaccctaa 180  
 ctgcattggg gaccgccctc tcatactcca gccaggccgt gacgtgaccg acctccgact 240  
 tctgcgcaaa ggcagcgcaa gccgttggga tcccctgctc cccctcgctc aacagtcggg 300  
 ccattacacc tttcactactg cg 322

<210> 80  
 <211> 310  
 <212> DNA  
 <213> Homo sapiens

<400> 80  
 cgaaagcacg ccagaaaaca aaataaaagc aatacataac cacaaaaata atagcgtata 60  
 gatgatcaac aagaattaaa acgcgtaaca tagtatagtc aaaaagaata cgcgaaaaag 120  
 aaactccata aaaaatgcaa taticatacag gcagatatca agccagacaa tatcctggat 180  
 aatgaatcca taactattct aaagcttagc gattttgggt cggcttcaca tggtgcggat 240  
 aatgacataa caccttcctc ttctcagacc acatccgctg catcatcgcc cccgcggacg 300  
 ctacgccgcg 310

<210> 81  
 <211> 134  
 <212> DNA  
 <213> Homo sapiens

<400> 81  
 tcgagtaaac catgggacta aagcttggct ccaaagcatt caggctgaac gaaaaacatg 60  
 gactgctatt gcataatacc aacgtgcatt ggacgagaac gatgctatgg aacctgcata 120  
 ggcgacacgg tcgg 134

<210> 82  
 <211> 358  
 <212> DNA  
 <213> Homo sapiens

<400> 82  
 ctctgggaga gaaagactaa tgggcaggat cccattactt cattggtaaa gatagtcgga 60  
 tactctcacc acttttaata ccttttagtat tacagttgat cagattacct ttacttgata 120  
 tgaattatct ctaagttcat tcccctgtgt tgtagcttat ttcaacaatt ccaactagcc 180

gtttaaaatt	cctcaaagaa	actggtcattg	gaacaccaat	ggaagaaata	cctgaggagg	240
aattatcaga	ggatgttgaa	cagattgatc	acgctgatag	ggagttgcgg	cgtggccaaa	300
acttgagggtg	caaaggaatt	catagattgc	ctactcata	acaagtaggg	caaaatcg	358

```
<210> 83
<211> 723
<212> DNA
<213> Homo sapiens
```

<400>	83					
tacacacaca	cacacacaca	cacacacact	cactctctca	gaggagagaa	aatattaaga	60
atcgtgtatt	ttacacaggt	atccaaacat	aaaaatactt	tagaattgct	tactgtatgg	120
acaggttata	tggaatggag	tttgtagtat	ccacattaac	aaagcaagtt	tatatggact	180
ggttatgata	ttagggatat	gaattagaaa	tggatgttgt	tgcactcatt	taaaatattt	240
tgccttcac	tttatcccca	ggtatagtgt	ccttttgaat	ttttctcaca	cagtgctact	300
atatttcctg	aactgggtata	taaacaaaacc	aaaattattt	cttcaaatca	agaacttatc	360
tacgaagggc	gacgcttagt	cttagaacct	ggaaggctgg	cacaacattt	ccctaaaact	420
actgaggaaa	accctatat	tgtagtaagc	cgggaacctc	tgaataccat	aggattaata	480
tatgaaaaaa	tttccctccc	taaagtacat	ccacgttatg	atttagacgg	ggatgctagc	540
atgggctaagg	caataacagg	ggttgtgtgt	tatgcctgca	gaattgccag	taccttactg	600
ctttatcagg	aattaatgcg	aaaggggata	cgatggctga	ttgaattaat	taaagatgat	660
tacaatgaaa	ctgttcacaa	aaagacagaa	gttgtgatca	cattgggatt	tctgggtatcc	720
aga						723

```
<210> 84
<211> 407
<212> DNA
<213> Homo sapiens
```

<400>	84					
ggcagcagga	aaatgggacc	caccgtctct	cccatctgcc	taccaggcac	ctggggcgac	60
tacaacctca	tggatgggga	cctgggactg	atctcaggct	ggggccgaac	agagaagaga	120
gatcgtgctg	atcgccctca	ggcggggagg	tcacccgcag	ctgggtaaag	aaaatgggaa	180
cccgggagag	gggaccctac	gtgggaagaa	tcagaggaa	atgtacataa	gagtaagtgg	240
acaagatgtg	tggatgagaa	gggcgcgtag	tgctaaacag	acaataagag	accgctcagg	300
tctggggtga	ccctaattggg	agacgtggaa	tatgtttggt	ggcaggagg	aaagtcta	360
ggatatcgtg	tttaggagga	cgatggagtc	ttacgtgctc	gttgatg		407

```
<210> 85
<211> 342
<212> DNA
<213> Homo sapiens
```

```

<400> 85
ggcacgagct cgaaaattta atcaagagtg cgcactctta ttccctttac tgagggtaat      60
atctacacgg agcctagaca gccgaaccag aggcttcctt ttgtccaaga agaggatgga      120
atagacaagc tggagctgct ggctcccgga tgaatttcag acctgggggtt ctcagctcca      180
ggcaacttgg actcccagga cctcctgacg gtcctgacta tactgtttac taccggttcc      240
atcgacttgc catggtgact gctgcctcac gattggagcg tgaacacctt acgcatctat      300
gacactaggg atacaatgga gaggtataga gcaaccctag cg                          342

```

```

<210> 86
<211> 420
<212> DNA
<213> Homo sapiens

```

```

<400> 86
cgctccgcag gtttagcacc gactgtagct ctgatcagca ggaccgatta aacggaactg      60
cccctagcgg ttttaaccgc tcctgaccag tcccgttgcc gcaccccatc ttggaagtat      120
gccctggcca gtaggagcca caaagcgcca ttagcctcac tgcatttcag gtacaggccg      180
gcgccagccg tgccctacca ggtccaccgg ctccgagcag cagcaagccc ggtcggaaag      240
cgaaagtggc ctgcgcatgt ccagaccggc cagctccccc gcctacctga ccccgccccg      300
cagccgcacc tgggtccgag tcatcgccgc ggccgccacg gccccgcaca ggaaggcggc      360
agcaaagagc gcacgctcga cgcgctgcag ccaggacacg gccatggcgc ccctcgtgcc      420

```

```

<210> 87
<211> 392
<212> DNA
<213> Homo sapiens

```

```

<400> 87
ggcacgaggg gagaaggcgg ggctgggcct cagcttccca aagggttttg aggaactggg      60
cttttctgac accctcaaag gtcagaaggt taaaggggca gaaggcattc ggaaagctcc      120
cctcccacag tgacacctct ctgacttctg acctaggggt ccaccaccgc ttcaatccca      180
atgcctccag ctccctcaag cccagtggga ccaagtttgc cattcagtat ggaactgggc      240
gggtagatgg aatcctgagt gaggacaagc tgactgtgag tggcctttga ctccaggaag      300
cctcgagcct gggagaaccc tgttgtctaa gatcatctgg cttagggagg ggcttgaggt      360
gcaggggctt cctgagccga tggatggggc tt                          392

```

```

<210> 88
<211> 332
<212> DNA
<213> Homo sapiens

```

&lt;400&gt; 88

gggaggaata	taatgcatta	cccaaatggg	catgccatat	gtattgcaaa	tggaattgt	60
atcatcttgt	gaaatagtca	taacattaaa	gtttgggtat	agtagttagc	atattttcat	120
ggccagtatt	gatgctat	ttcccttac	ctatcagact	ctttcaaaga	gaaaagaggg	180
agcagttgga	attttatgtt	tgttggtcta	ttttgtctat	tatgaattgt	gacaaaacca	240
ttataaaaga	tgacaagtgt	gtgtgtttct	ttttttcttt	ttaaactgta	gggaacatag	300
tcattagtga	tctcaaatac	cgaaagacat	tt			332

&lt;210&gt; 89

&lt;211&gt; 535

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 89

attaacctag	gaaatacatg	ttatatgaac	agtgttattt	aagccttggt	tatggccaca	60
gatttcagga	gacaagtatt	atctttaaat	ctaaatgggt	gcaattcatt	aatgaaaaaa	120
ttacagcatc	tttttgccct	tctggcccat	acacagaggg	aagcatacgc	acctcggata	180
ttctttgagg	cttccagacc	tccatgggtt	actcccagat	cacagcaaga	ctgttctgaa	240
tacctcagat	ttctccttga	caggctccat	gaagaagaaa	agatcttgaa	agttcaggcc	300
tcacacaagc	cttctgaaat	tctggaatgc	agtgaaactt	ctttacagga	agtagctagt	360
aaagcagcag	tactaacaga	gacccctcgt	acaagtgacg	gtgagaagac	tttaatataga	420
aaaatgtttg	gaggaaaact	acgaactcac	atcgttggtt	tgaactgcac	gagtacctca	480
caaaaagtgg	aagcctttac	agatctttcg	cttgcctttt	ggccttcctc	ttctg	535

&lt;210&gt; 90

&lt;211&gt; 432

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 90

gcccgggacg	acccacgcgt	acgactcagt	ttaagtccaa	actttctaata	aatttgatgt	60
agcagcgtaa	tgggctgcat	tactagttag	ttccttatgt	gagtgtgcca	gcatatgctg	120
gatgacttat	ctagaataat	gtagaagaga	attaaacatt	gaatggggagc	ttaaatttagt	180
taattttctga	ggttcccttc	cattcttaga	attctttgat	ttttatatattg	aattgagaga	240
actagtatat	tttttatctt	agcaaattat	aacaccattg	ttctcaaggc	atggaaaatg	300
tgctttttcat	ctttaagata	ctaaaccttt	tcactctagg	caattttttt	tagctagcct	360
ctaagcttgg	aaagcagtg	accccatata	taactcctggc	caactctctt	agtggaaacta	420
atatggggaga	ag					432

&lt;210&gt; 91

<211> 780  
 <212> DNA  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <222> (1)...(780)  
 <223> n = a,t,c or g

<400> 91

ccatgcatag	gattaaactg	aatgatcgaa	tgacatttcc	cgaggaacta	gatatgagta	60
cttttattga	tggtgaagat	gagaaatctc	ctcagactga	aagttgcact	gacagtggag	120
cagaaaatga	aggtagttgt	cacagtgatc	agatgagcaa	cgatttctcc	aatgatgatg	180
gtgttgatga	aggaatctgt	cttgaaacca	atagtggaa	tgaaaagatc	tcaaatctg	240
gacttgaaaa	gaattccttg	atctatgaac	ttttctctgt	tatggttcat	tctgggagcg	300
ctgctgggtg	tcattattat	gcatgtataa	agtcattcag	tgatgagcag	tggtacagct	360
tcaatgatca	acatgtcagc	aggataacac	aagaggacat	taagaaaaca	catggtggat	420
cttcaggaag	cagaggatat	tattctagt	ctttcgcaag	ttccacaaat	gcatatatgc	480
tgatctatag	actgaaggat	ccagccagaa	atgcaaaatt	tctagaagt	gatgaatacc	540
cagaacatat	taaaaacttg	gtgcagaaag	agagagagtt	ggaagaacaa	gaaaagagac	600
aacgagaaat	tgagcgcaat	acatgcaaga	taaaattatt	ctgtttgcat	cctacaaaac	660
aagtaatgat	ggaaaantaa	attgaggttc	ataaggataa	gacattaaag	gaagcagtag	720
aaatggctta	taagatgatg	gatttagaag	aggtaatacc	cctggattgc	tgctgccttg	780

<210> 92  
 <211> 867  
 <212> DNA  
 <213> Homo sapiens

<400> 92

ctcagtcatg	ccagtgcctg	ctctgtgcct	gctctggggc	ctggcaatgg	tgacccggcc	60
tgccctcagc	gcccccatgg	gcggcccaga	actggcacag	catgaggagc	tgaccctgct	120
cttccatggg	accctgcagc	tgggccaggc	cctcaacggt	gtgtacagga	ccacggaggg	180
acggctgaca	aaggccagga	acagcctggg	tctctatggc	cgcacaatag	aactcctggg	240
gcaggaggtc	agccggggcc	gggatgcagc	ccaggaactt	cgggcaagcc	tggtggagac	300
tcagatggag	gaggatattc	tgagctgca	ggcagaggcc	acagctgagg	tgctggggga	360
ggtggccag	gcacagaagg	tgctacggga	cagcgtgcag	cggctagaag	tccagctgag	420
gagcgcctgg	ctggggccctg	cctaccgaga	atgtgaggtc	ttaaaggctc	acgctgacaa	480
gcagagccac	atcctatggg	ccctcacagg	ccacgtgcag	cggcagaggc	gggagatggg	540
ggcacagcag	catcggtgc	gacagatcca	ggagagactc	cacacagcgg	cgctcccagc	600
ctgaatctgc	ctggatggaa	ctgaggacca	atcatgctgc	aaggaaact	tccacgcccc	660
gtgaggcccc	tgctcaggga	ggagctgcct	gttcaactggg	atcagccagg	gcgcccggcc	720
ccacttttga	gcacagagca	gagacagacg	caggcgggga	caaaggcaga	ggatgtagcc	780
ccattgggga	gggggtggag	aaggacatgt	accctttcat	gcccacacac	ccctcattaa	840
agcagagtca	aggcatctca	aaaaaaaa				867

<210> 93  
 <211> 690



&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 93

tcggaaccgc	cctgaattac	ctctgtcgac	ccacgcgtcc	ggggaaacgc	ttctacagga	60
tatggaaaaa	tttggctcga	tgatgtttcc	tgtgatggag	atgagtcaga	tctctgggtca	120
tgcaggaaca	gtgggtgggg	aaataatgac	tgcagtcaca	gtgaagatgt	tggagtgatc	180
tgttctgatg	catcgatat	ggagctgagg	cttgtgggtg	gaagcagcag	gtgtgctgga	240
aaagttgagg	tgaatgtcca	gggtgccgtg	ggaattctgt	gtgctaattg	ctggggaatg	300
aacattgctg	aagttgtttg	caggcaactt	gaatgtgggt	ctgcaatcag	ggtctccaga	360
gagcctcatt	tcacagaaag	aacattacac	atcttaatgt	ccaattctgg	ctgcgctgga	420
ggggaagcct	ctctctggga	ttgtatacga	tgggagtggg	aacagactgc	gtgtcattta	480
aatatggaag	caagtttgat	ctgctcagcc	cacaggcagc	ccaggctggt	tggagtgat	540
atgccctgct	ctggacgtgt	tgaagtgaag	catgcacaca	catggcgctc	tgtctgtgat	600
tctgatttct	ctcttcatgc	tgccaatgtg	ctgtgcagag	aattaaactg	tggagatgcc	660
atatctcttt	ctgtggggaga	tcactttggg				690

&lt;210&gt; 94

&lt;211&gt; 948

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 94

cgagtggcga	ggttcatcat	ggaggcagac	ggagtctcgc	tctgttggcc	aggctggagt	60
gcaggggctg	gatctoggct	cactgcaacc	tccgtctccc	ggactaaagc	aattatcctt	120
cctcacgctt	ccgagtagct	ggaattacag	gtgtcaagct	agggatgcgg	tccattccca	180
ttgccactgc	ttgcaccatt	taccataagt	tcttttgcga	gaccaacctg	gacgcctatg	240
acccttacct	gattgccatg	tcttcaattt	acttggccgg	caaagtggaa	gagcagcacc	300
tgcggactcg	tgacatcatc	aatgtgtcca	acaggtactt	taaccaagc	ggtgagcccc	360
tggaaattgga	ctcccgcttc	tgggaactcc	gggacagcat	cgtgcagtgt	gagcttctca	420
tgtcgagagt	tctgcgcttc	caggtctcct	tccagcatcc	acacaagtac	ctgctccact	480
acctggtttc	cctccagaac	tggctgaacc	gccacagctg	gcagcggacc	cctgttgccg	540
tcaccgcctg	ggccctgctg	cgggacagct	accatggggc	gctgtgcctc	cgcttccagg	600
cccagcacat	cgccgtggcg	gtgctctacc	tggccctgca	ggtctacgga	gttgagtgct	660
ccgccgaggt	cgaggetgag	aagccgttgg	gtggcagatt	tatgccatgg	acacagagat	720
cccctaaggt	cctggcccag	gcctgcccac	agagaagcca	catctgcgtt	tgtcctttga	780
gaggactttg	actacaatac	aggcatgaca	tcaatgaaag	gaaagtcatg	aaatcgatga	840
gactgaatcc	ctacggattt	cttaaaagcc	agatttgtag	ggagaatgaa	tgtgcaacgt	900
ggctgaaatc	tattttgtgt	aataaaaggt	gatacaagtc	aaaaaaaa		948

&lt;210&gt; 95

&lt;211&gt; 541

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

<400> 95  
 ttagtttata aagaaaagac atttaattgg ctdatagttc tgcaggctgt acaggaagca 60  
 tagtagcttc tgcttctggg gaggcctcag gaaacttaca atcacagcag aagggtgaagg 120  
 ggaagcaggc acgccgtaca tggctgggct ttcggcctcc tcttcatcaa caaggagtcg 180  
 gtggatcatgg cctatctctt caccaccttc aacgccttcc aggggggtctt catcttcgtc 240  
 tttcactgcg ccttacagaa gaagggtgagg tcgaggcgagg gtcctgggtc acagcctccc 300  
 ttggagacgt ttcttgggta cccaggagaa ggcggcgagg gtggagggga ctcaggggct 360  
 cctcaagcc cccagtgagt gctgcagggc ttctgtggtc aggtctgctt ccccgaggag 420  
 gggagcacga gctcagggtt agggagggtt taaccacggg tgaagagggt tctgttgaca 480  
 gacgtgagg ccgcaaacgc tcctcctctc tcttcacact cgccaacacc gcggtggcgc 540  
 t 541

<210> 96  
 <211> 603  
 <212> DNA  
 <213> Homo sapiens

<400> 96  
 cagcccgtaa ggatgatcta cctccaaata tgagattcca tgaggagaag aggctggact 60  
 ttgaatggac actgaaggca gggtgagaaa aaggctagcc ctggaagtga aataagggct 120  
 gggagggcca agaattgatga tagacggtga gggactgagg gatcagctga tgagttaagc 180  
 ctcaacacct gtccatgggc tttgcagatg gccctcaaac gtgtttacac cctcctgagc 240  
 tcctggaact gcctagaaga ctttgatcag atcttctggg gccagaagag tgccctggct 300  
 ggtcagtggt tccccgaggt ctccataatc ccttaatggc cctctggat gactcatcac 360  
 actccacagt cccccgtaac tctttgcaag aagagacctt atcatatctg gtcaactcag 420  
 agaggccttg agaatgaaaa cgcagaagct gggttcaggg agggttatat acctgaacct 480  
 ctggggtaga ttttgagaaa gggatatgca ggctgtggta catatatcct cctttcaccg 540  
 cccaccaaag agaacgttcg ccagtgtctg caggatgatg agttgttcag cttccctcgt 600  
 gcc 603

<210> 97  
 <211> 1385  
 <212> DNA  
 <213> Homo sapiens

<400> 97  
 tctttcagca aggtgggggc aagcagaatg cctcccagga tttcacacct gagccctgcc 60  
 ccaccctgct gagaaaaacac tccgccacgt gaagagacag aggaggatgg caggagttaac 120  
 ctgggaaac aaacaggatc ttctctgccc tgctccagtc gagtggcct gaccgcttg 180  
 gatcagtgac catctgtctg cagacagggg agagcagctt ccagcctggg tcagaagggg 240  
 tgggcgagcc cctcgcccc tcaccctcca ggctgctgtg agagtgtcaa gtgtgtaagg 300  
 gcccaaacctc aggttcagtg cagaaccagg tcagcaggta tgcccgcccg tacgttaagg 360  
 gggccctcta aacccttgc ctggccctcac ctggccagct caccctttt ggggtgtaagg 420  
 gaaaagaatg cctgaccctg ggaaggctcc ctggtagaat acaccacact tttcaggttg 480  
 ttgcaacaca ggtcctgagt tgacctctgg ttcagccaag gaccaaagaa ggtgtgtaag 540  
 tgaagtgggt ctcagtcctc agacatgtgc ccctttgctg ctggctacca ctcttccca 600  
 gacgagcagg ccccgagccc cttcaggccc agcactgccc cagactcgtt ggcactcagt 660

tccctcatct	gtaaaggtga	agggtgatgc	aggatatgcc	tgacaggaac	agtctgtgga	720
tggacatgat	cagtgtctaa	gaaagcagca	gagagagacg	ctccggcgcc	ccagcccac	780
tatcagtgtc	cagcgtgctg	gttccccaga	gcacagctca	gcacacact	gacactcacc	840
ctgccctgcc	cctggccaga	gggtactgcc	gacggcactt	tgactctga	tgacctcaaa	900
gcactttcat	ggctgccctc	tggcagggca	gggcagggca	gtgacactgt	aggagcatag	960
caagccagga	gatggggtga	agggacacag	tcttgagctg	tccacatgca	tgtgactcct	1020
caaacctctt	ccagattttct	ctaagaatag	cacccccctc	cccattgccc	cagcttagcc	1080
tctttcccca	ggggagctac	tcaggactca	cgtagcatta	aatcagctgt	gaatcgtcag	1140
gggggtgtctg	ctagcctcaa	cctcctgggg	caggggacgc	cgagactccg	tgggagaagc	1200
tcattcccac	atcttgccaa	gacagccttt	gtccagctgt	ccacattgag	tcagactgct	1260
ccgggggaga	gagccccggc	ccccagcaca	taaagaactg	cagccttggg	actgcagagt	1320
ctgggttgta	gagaactctt	tgtaagcaat	aaagtttggg	gtgatgacaa	atgttaaaaa	1380
aaaaa						1385

<210> 98  
 <211> 2191  
 <212> DNA  
 <213> Homo sapiens

<400> 98	
accaccaccc	gtgcggggggg
actgggcagg	ttgttggtga
tttgtcatta	tgagatgtcg
tgcagttttt	tgaaaactgc
tatcacagga	caaggagggtg
tactcagtgt	cctcagtcac
ccaactatgg	cattgtcaca
gtaacagaag	tgaggagatg
aaggaatgca	ttattttacat
caagaaacgt	tgttatagct
ggttccataa	ccatacaaca
aagttatcca	gagtctccct
tctgggagat	gtaacaagg
ggcttgtagt	ggtaaaaaaac
ctgaactggt	acatcagtgt
tcattttcaat	cctggagttcc
tcctacacaa	caaggcggag
aactagagcg	tgatctcagc
agatgtggga	gcaaaagctg
caagaatgtc	tgaggagtct
tgtcatgtca	gatcacagca
aggccatgat	gctgatgggc
tgcattctgg	gatgcagata
agagaagggg	gaagaaagtc
gtgacgatga	tgatgatgat
gaaagcagaa	agcaaagtaa
tatctcagtc	tgtacaaaaa
aatcacattt	aatgaccgt
aacgggggga	gaattaagcc
tatagaaatt	tgtgatccta
tttcttttaa	tgaatacttt
tttaaaaact	tacatttttg
aattctgtga	catacttttt
cctgagcaac	ctagtaagac
gcacacacct	gtagtcccg
gcaatcagtc	agggtgcag
atatctgagc	catttctctg
ggctgccacg	atctcttctg
gcaaattaaa	tttgatgact
tgttttatcga	gccaaatgga
aatagagaaa	gaggcagaaa
tggagtaatt	cttgaacctc
actctatgat	tacattaaca
ctgggccact	gatgtagcca
gattcacaga	gacctcaagt
ctgtgacttt	ggtgcctctc
tttcccattg	atggctccag
atattcctat	ggtgtggttc
ggaaggatta	caagtactct
cagttgcccc	agaagttttg
acggccatca	ttcaagcaaa
tcctgacaag	tgtaactcat
aactcttgag	aggctaaaga
agaacgagaa	agacgtttta
gcttctcttg	cctcttgctg
ggagtcaaac	agtgcagaga
tggcatgaac	ccaagtctgc
gaacaaagca	ggagctgtga
ttcttccaaa	accacatcta
tgattttgac	ttgtcagaag
tgacatggat	aatagtgaat
aaacacaaaa	gtaacttggt
aagcactgca	tttttaggcc
tttatttttg	cttacagaaa
cagcaaatgt	ggtgcctgat
aagttgtgac	attctggctt
tttcttttat	tcaaatcatt
attgttcttt	gacacgtagt
gtaatatcag	aatgggttgg
aaaaactagc	tggcatggta
ggaggattgc	ttgagacct
gcactctagc	ctgggcaaga

gaacaagatc ctgtctcaaa aaacagggaa a

2191

<210> 99  
 <211> 335  
 <212> DNA  
 <213> Homo sapiens  
 <220>  
 <221> misc\_feature  
 <222> (1)...(335)  
 <223> n = a,t,c or g

<400> 99  
 ggcacgaggc tgaacttcag gtggatgatg agacaaaata gaccgatagg aatcgtctgg 60  
 ctatatactc cttgttgcca ctgctgagtg actagactgg cccagagatc cgcgggtgcac 120  
 atgctggccg ctctccctc agaaaaaggc aatggcctaa atactgttta aatgacctga 180  
 ctcgatgctg tgggaaactg gctgctctgc tgcatgccgt gtgactgtca gtccaaccgt 240  
 tacatttgcc acgttctcca cacgggggat agacgcaatg cgcccaggtc ccagttttct 300  
 ttggaggcag cagctctcgc agggctgaat gttgn 335

<210> 100  
 <211> 348  
 <212> DNA  
 <213> Homo sapiens

<400> 100  
 cctactctgg gggatcaacc agatcttcat tccataactc gtgcttctcg tcctaaatta 60  
 tgtactagaa aaaattgtaa tcctcttact ataactgtcc atgaccctaa ttcaactcag 120  
 tagtattatg gcatgtcatg ggaattaaga ttttatatcc caggatttga tgttgggact 180  
 atgttcacca tccaaaaaat cctggtctca tggagccac ccaagccaat cgggccttta 240  
 actgatctag gtgaccctat gttccagaaa cccctaaca aagttgattt aactgttcct 300  
 ccaccattct tagtcataaa agatacactc caaaagttcg agaaaatc 348

<210> 101  
 <211> 416  
 <212> DNA  
 <213> Homo sapiens

<400> 101  
 agcctcaata atgtaacact gccccaagcg aaaacagaaa aagatttcat ccaactctgc 60

accctctggg	taattaagca	agagaaactg	ggcacagttt	actgtcaggc	aagctctcct	120
ggagcaaata	tgattggtta	taaaatgtct	gccatttctg	ttcacgggtg	gagtacctct	180
ggaggacaga	tgtaccacta	tgacatgaat	acagcatccc	tttctcaaca	gtaggatcag	240
aagcctattt	ttaatgtcat	cccaccaatt	cccggtgggt	ctgaaaattg	gaatagggtg	300
caaggatctg	gagatgacaa	cttgacttcc	ttggggactc	tgaatttccc	tggtcgaacg	360
gtttcttttt	cttttgagat	ggagtctcgc	tctgtcgccc	aggctggagt	gcagtg	416

<210> 102  
 <211> 352  
 <212> DNA  
 <213> Homo sapiens

<400> 102						
acgcgtccga	caaaaacaac	aacagatggg	gaaactgaaa	gtgcatagca	caaaatgcgg	60
actaattctg	aaatcaccaa	tatgtatctg	tgcttgggaa	atagaggcat	acacaggaat	120
gcagatgccc	acacactcac	attcacactc	acactcactc	tcacactcac	tctcacactc	180
actctcactc	gcactctcac	actacaccga	gatgtcaca	cactcagcct	ccccatgcc	240
aggccctgc	tctttgttaa	tcataagaag	accgtggaca	acccacctgg	aaactatgtg	300
cccacagacc	cagactgaag	gtgataaaag	agggtggctg	gcttgggggc	tg	352

<210> 103  
 <211> 702  
 <212> DNA  
 <213> Homo sapiens

<400> 103						
aaagcagggtg	cctggaaaag	cctgctgagg	gtgaagggga	accatccagt	gtcctggggt	60
ggggaagcat	tttctctttt	atgagtctgt	ctctgggtct	catggaacaa	aagtgggcag	120
tggtggatag	agaagcagag	gctaattgtc	tacccctgc	ctccaagtag	aattactcct	180
tgtctgtgta	cctgggtgagg	cagttgactg	caggaaacct	tctacaaaaa	ctcagagcaa	240
agggtatccg	gaacccagac	cactcgcggg	cactgagtga	gtaacatctt	tcctctcttc	300
cccacctgat	ctggattcaa	gtcttctctg	ccctccagcc	ttcataatta	aaccataacc	360
tcttttttga	caacttactc	cccttctcac	atgaacccca	accctcccc	tctaccctg	420
accagtcttc	cagtctttat	agttgaagtt	ggaccactcc	caggcaccct	tgaatttcca	480
atcatgtatc	tgctttgcac	ctcacagtcc	ctaactccag	ccctgctaga	atatgggctc	540
tccggactgg	aaagaatctt	aggggtcctc	taatetaacc	ctcacatgat	gcttcaactc	600
ctccagatca	tctctaacat	agccagagtg	tcacgctatg	tttaagcatc	ttcagggatg	660
ggaaaatccc	ccacacccat	gtattgcggc	cgctctagag	ga		702

<210> 104  
 <211> 689  
 <212> DNA  
 <213> Homo sapiens

<400> 104  
 ggcaacatac attgtggact ttggcttcag tacaacattc agagaggggc agatgetgac 60  
 agctttttgt ggcattgtacc cctacgtggc cccagaacgc tccctggggc aggcattgcca 120  
 gtgaccgcgc agggacatac aaagcctcag tgtcatactg tatttcagga atacagtagg 180  
 tagaaggggc agggactttgc ccttttactc aggggaagcct ccaaacttca agaaaaaatt 240  
 ctacacaggaa gatatcatgc cccaccactt cttgcccttc aacttgactc attaaaaaat 300  
 tactaatgct gaacgccagg aagtgtcctt cactgtaact gatgaaaaat ccatgggtga 360  
 aaagtagcca gaagatgcca ctgataccat acgaagagcc actcctggac caccctaaac 420  
 aatccagctc atgggtggcca tgggatttca ggccaagaac atctctgtgg caatcataga 480  
 aagaaaattc aactatccca tggccacctc cctcatttta gagcacacaa aacaagagag 540  
 gaagtgtctc accatcagag aactgtcctt tctctccggg gttccacact ctccttcccc 600  
 atccactgaa ctttccacct tccctctctc actgatgcgg gctcataggg agccagcttt 660  
 taacgttcag cctcccgaag aaagccagg 689

<210> 105  
 <211> 776  
 <212> DNA  
 <213> Homo sapiens

<400> 105  
 agcaaaagcag gagctggcca agctgatgcg gattgaggac ccctccctcc tgaacagcag 60  
 agtcttgctg caccacgcca aagctggcac catcattgcc cgccagggag accaggacgt 120  
 gagcctgcac ttctgtctct ggggctgcct gcacgtgtac cagcgcatga tcgacaaggc 180  
 ggaggacgtg tgctgttctg tagcgcagcc cggggaactg gtggggcagc tggcggtgct 240  
 cactggcgaa cctctcatct tcacactgcg agcccaacgc gactgcacct tcctgcggat 300  
 ctccaagtcc gacttctatg agatcatgcg cgcacagccc agtgtggtgc tgagtgcggc 360  
 gcacacggtg gcagccagga tgtcgccctt cgtgcgccag atggacttcg ccatcgactg 420  
 gactgcagtg gaggggggac gcgcgctgta caggtgcagc tcccaccgcg ctgctcaggc 480  
 ccggcctagg ggtgggggac tgggggtggt cagaccttgc tgacctccac gccactcag 540  
 gcagggcgac cgctccgact gcacttacat cgtgctcaat gggcggtgct gtagcgtgat 600  
 ccagcgaggc agtggcaaga aggagctggt gggcgagtag ggcgcggcg acctcatcgg 660  
 cgtggtgagc gcgaccccca cccactgacc tctggccttt tccaggccag tccttcggca 720  
 actcacacgc atcatcccgg gtaatccagg gagtgggtgaa gtttttcccg gggctc 776

<210> 106  
 <211> 707  
 <212> DNA  
 <213> Homo sapiens

<400> 106  
 cccacgcgtc cggatggacc ccaggaacca cccagacctt aggacagggg acagcatggg 60  
 acacagttgc ttccactcca ggaaccagcg agactacagc ttcagctgag ggaagacgaa 120  
 ccccaggagc aaccaggcca gcagctccag ggacaggcag ctgggcagag ggttctgtca 180  
 aagcacctgc tccgattcca gagagtccac cttcaaagag cagaagcatg tccaatacaa 240

cagaaggtgt	ttgggagggc	accagaagct	cggtgacaaa	cagggctaga	gccagcaagg	300
acaggagggg	gatgacaact	accaaggctg	ataggccaag	ggaggacata	gaggggggtca	360
ggatagctct	tgatgcagcc	aaaaaggctc	taggaacccat	tggggccacca	gctctgggtct	420
cagaaacttt	ggcctgggaa	atcctccac	aagcaacgcc	agtttctaag	caacaatctc	480
agggttccat	tggagaaaca	actccagctg	caggcatgtg	gaccttggga	actccagctg	540
cagatgtgtg	gatcttggga	actccagctg	cagatgtgtg	gaccagcatg	gaggcagcat	600
ctggggaagg	aagcgtgca	ggggacctag	atgctgccac	tggagacaga	ggcccccaag	660
caacactgag	ccagaccccg	gcagtatgac	cctggggacc	ccctggg		707

&lt;210&gt; 107

&lt;211&gt; 485

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(485)

&lt;223&gt; n = a,t,c or g

&lt;400&gt; 107

ccgctggaac	atcaggtact	ggggacactg	gccctggtaa	cacagcagtc	tcaggcacac	60
ctgtgggtatc	acctggagca	actcctggag	ctccaggtag	cagcaccct	ggggaagcag	120
acattggaaa	caccagtttt	ggaaaatcag	ggacccaac	agtatctgct	gcctcaacta	180
ccagtagccc	tgtgagtaaa	cacaccgatg	cagcctcagc	cacagcagtg	acaatctctg	240
gaagcaaacc	aggtacacct	ggaacaccag	gtggtgcaac	tagtggaggc	aaaattacac	300
ctggaattgc	atgaccacc	ctggaccaaa	agagccctg	cttctccggg	tatggagggt	360
atttccctgt	aaatccctcac	cagaacccat	gtgctgattc	cctgtaatct	tcccacaata	420
aatttttagc	agctctgnnn	nnnnnnnnnn	nggggcgcgc	gttttaaggg	accaccttt	480
actcg						485

&lt;210&gt; 108

&lt;211&gt; 565

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 108

cggtctcacc	gctgctgtct	cccgtcccca	agtctttctt	gtgaaatcca	aattggattc	60
tcttgatctt	ccatctttcc	agggcagtg	gcttgctctt	gttccctgctg	cagaagtgtg	120
agaaggaact	ggcctcagag	cccacgctgt	cctcatcctc	ctcccgcaac	ctgctccctg	180
cttctgagct	cctgtctgcc	gctctctctc	tcttgcctct	ggcgtgggtac	ctccgggaag	240
cctccttctc	aatctccagc	agcctctcgt	tccatgcgtc	ccaggtgctc	tccgaggaca	300
tcgagtctgc	gcggcgctc	ctgcctgggt	ccgggcgggt	cagctccagc	tgtctcttca	360
ggaccagat	gtcgtggctg	ctcacgctct	cccaggcgct	gctctcgctc	aggggtgcgc	420
gccgcctccc	caccgaggag	ccagcgtcgc	tctcctcctc	tttctcctcc	tcccttcccc	480
acctccggta	cccttctgct	aaaaacctct	cgtttcgggt	ctgccactcg	tgaatgatcc	540
tctccacgtc	ctcgtcctcg	accgc				565

<210> 109  
 <211> 986  
 <212> DNA  
 <213> Homo sapiens

<400> 109  
 ggatgacgtg ccgcccccg ctcctgacct ctacgacgtg cccctggct tgcggcgcc 60  
 tggcccgggc accctgtacg atgtgccccg tgaacgggtg cttcctcctg aggtggctga 120  
 tgggtggcgtg gtcgacagtg gtgtgtatgc ggtgcctccc ccagctgaac gtgaagcccc 180  
 ggcagagggc aagcgctgt cggcctccag caccggcagc acacgcagca gccagtctgc 240  
 gtccctccttg gaggtggcag ggcggggccg ggaaccctg gagctggaag ttgctgtgga 300  
 ggccctggca cggctgcagc aggtgtgtgag cgccaccgtt gccacacctc tggacctggc 360  
 aggcagcgcc ggtgcgactg ggagctggcg tagccctct gagccacagg agccgctggc 420  
 gcaggacctg caggctgctg tggccgccgt ccagagtgc gtccacgagc tgttgagtt 480  
 tgcccgccagc gcggtgggca atgctgcccc cacatctgac cgtgccctgc atgccaagct 540  
 tagccggcag ctgcagaaga tggaggacgt gcaccagacg ctggtggcac atggtcaggc 600  
 cctcgacgct gcccggggag gctctggagc cacccttgag gacctggacc ggctggggc 660  
 ctgctcgcg gctgtgccc aggacgcca gcagctggcc tccttcctgc acggcaatgc 720  
 ctcaactgctc ttcagacgga ccaaggccac tgcccgggg cctgaggggg gtggcaccct 780  
 gcacccaac cccactgaca agaccagcag catccagtca cgaccctgc cctcaccccc 840  
 taagtccacc tcccaggact cgccagatgg gcagtacgag aacagcgagg ggggctggat 900  
 ggaggactat gactacgtcc accttacagg ggaaggagg agtttttaga agaccagaa 960  
 ggagcttctg ggaaaaagg cagcat 986

<210> 110  
 <211> 414  
 <212> DNA  
 <213> Homo sapiens

<400> 110  
 cgaagggaaa gcagcagggt ggggttctt gtggccaact tcagagcctg tcaccaggaa 60  
 aggttaagcat gggaggaagg aagatggcga cagatgaaga aaatgtctat ggtttagaag 120  
 agaacgctca gtcccggcag gagtccacgc ggaggctcat ccttgttggg agaacagggg 180  
 ccgggaagag cgccactggg aacagcatcc tgggccagag acggttcttc tccaggctgg 240  
 gggccacgtc tgtgaccagg gcctgcacca cgggcagccg cagggtgggac aagtgccacg 300  
 tggaagtctg ggacactccg gacatcttca gctcccaagt gtccaagaca gatcctggct 360  
 gtgaggagag aggtcactgc tacctgctct cggcccccg accccacgcg ctgg 414

<210> 111  
 <211> 419  
 <212> DNA  
 <213> Homo sapiens

<220>  
 <221> misc\_feature



<222> (1) ... (419)  
 <223> n = a,t,c or g

<400> 111  
 gactctcggg ttacgttcac taacgaagga gggcggtggt ggggggtgatg tggcggcctt 60  
 tgagggttggc acaggggctg cggccagccg ggcgctgggg cagtgcgggc agctccagaa 120  
 gctcatcgtc atcttcattg gcagcctgtg cgggctgtgc accaagtgcg ctgtgtccaa 180  
 cgacctcacc cagcaggaga tacagacccc ggagatacaa cagagaaatg cataatgtcc 240  
 agtcaattta ttaaagttcc aaagtntnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn 300  
 nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnatttcaa tatgattaaa gcaggagtga 360  
 ggacacagcg aaagtgagac aaggaaaaga gaacaaaata aaacaggaga gacagaata 419

<210> 112  
 <211> 1191  
 <212> DNA  
 <213> Homo sapiens

<400> 112  
 gtgcaagggt ctgtcactca cgtgtgccct cgaccctccc gttcaccgcg agccttctca 60  
 gcgcctctcc ctgggcccga ggcctcctca ccagcctacc tgttgcctctg gaaaaaaatc 120  
 ccgtcccccg actccgtccc tacccccagt cttcggcggg ctctggcccc tggggagggg 180  
 gctgcacggg ggaaggaggc tggctatggg cccggctgcc cgctgcatgt acctcctcct 240  
 ccacccatcg cctcttgccct gggggtaact ttgcctgggg ctcatctctt ggттаagctg 300  
 aagctgccgt ggggtggccaa accgcagatt ctttgcaaat tctgagctgg cagagctcgc 360  
 agccgggagc cggccgggga agaggagact tgcgcgcgcg aagccgcctg cctccaccct 420  
 gctctccatc tcccgctcta gaagggtgg gaagctcgcg gccgggggttc cacctggaag 480  
 ctgcttgcat ggctgaaccc agcttaggtc cctgacgggg ctgctgggtg aattctcccc 540  
 cttcgaagct ggggaggttt aggaggggga aggtctctgt gaagctctca aaccactaat 600  
 agagcccccct ccccaacagt gacggcgagc atgctccccc tttctttagt tgacaccacc 660  
 aggcagcttc ctggccgttg gtaggttccct gcagctggct gagggaaacag ggaccggcag 720  
 gggactttgt taggggaggg ttgggatggg cagtgggccc ctgaaagtta atatatggga 780  
 acctagctcg agtgtcgctt tttccaattc cgaaagtaga aagagtaaaa ataggggtga 840  
 ttgggggtggg gttagtagaa tgcctctctc agggcgctcc cccctccccc accgttttag 900  
 agagctaggc ctcagccagt cttgccactc ccatctcagt gcttctctgaa gaggtgttt 960  
 tgagtgttga tgaaaagcaa tgcaattatg ccaaacagta ttgagcagaa taattttatt 1020  
 cttttttttc ttttgcttta aatcatgaat cccgccaggt acggtggctc acgcctgtca 1080  
 tcccagcact ttgggagggc aaggcggggc gattacttaa tacttaaggt caggagttcg 1140  
 agaccagcct ggccgatatg gtgaaacctc gtctctacca aaaaaaaaaa a 1191

<210> 113  
 <211> 1240  
 <212> DNA  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <222> (1) ... (1240)  
 <223> n = a,t,c or g

<400> 113  
 agaacacgaa ctagtgtctc taagccacta taatagttgc acatacaaca tgagtgtggt 60  
 gtggtaggat gcttttcott ttaggtcttt actgaacttt caagggatta aaaccaatgt 120  
 atgtcaactt tatagcaaaa gattcagatt ctaatcctga ataccaatgc attttagagg 180  
 gggaaaaaat gagggatgta aaatatatat agtagggtaa gagttttgcc tttgaacaat 240  
 gtgcatattc tattttaatt tggaatgttt tatacttgca tttcatgtta ttagtatttt 300  
 ggactggact gtgtttttcc acaaaatgaa aaatcaacta ttttgccacc ttattattca 360  
 acctacctgc ccatagtgtg ctatgccagt tactaatcta tttaaattta ataaatcaaa 420  
 agctgtcctt agggattggc caagagtcgt aagtccttca gcctgaagggt ttttcaattc 480  
 attcataaac gttgcatggg tttctttcca tccagccttg atagcatagg gcggctcttc 540  
 gaaagtgacc agcatatacc tgtctcctct gctggcaggg tcccgggcac ggagcttcat 600  
 gaagggtctc accgcgcctt tggccgtgtc caggtaggtg gtgccagat ggctgcgctg 660  
 gttcatagag gcagacgtgt ctatcaggaa cagtaagatg ggcatagtgc tggccgggga 720  
 caccggggcc cgaggtgggt gagaaagagg agatggtaga ggtggaggcg ccggtggcgg 780  
 cgaccgcgcg tagcggggcg ggggagcacg gccccggga ggaaaacact gtctgggtct 840  
 ttctccggc tgccggggaat tcctcccccg atagttgaga ggaaactccc cagaccagt 900  
 gctccccgtc gtaccncgc ctccgcctcc tctgcctgc ctgcccgctg gggcgggcgc 960  
 ccagccgtct gtctgtcggg tctcccccc cgcctcgggg gtcccgtccc cgtccccggc 1020  
 ccctgtgtgt gtcccagcgg gagacggggc tggctcccca ccccacccc ggtacaggag 1080  
 tggggacctg ggagctggcg aagaggggag tgggctgagg gaagattggc cctggggctg 1140  
 ttgggagaag tttcagggac tcctccgcga caccggcggt gtcaccactt tctcagcccc 1200  
 tctcgcggac gcgtgggtcg cgcgggggtt tccgcaggca 1240

<210> 114  
 <211> 810  
 <212> DNA  
 <213> Homo sapiens

<400> 114  
 aatagaattc cgtcggcaca cgcacgcgta cctaggatcg tatagagcgg ccgcaataca 60  
 tgccgtcttc ttaaatcaac tcctctctct caaaaagcct ttctttccgt gtccgcaata 120  
 tcatccctcc ggtcctgtcc cgcagcgagt tcccggcggt tgggcttctc tattatgccg 180  
 gccagcggag tccaattggt ctgacttcac tgtccggaga atcctctcgc tcccaaacct 240  
 ccctgagaga cgacctttaa ccgtgccagc cggacctgcc taaaaagacc ctctcttca 300  
 acctgtcccc tgtgttactc cacaaaacgg acacagaagt tctcaacct gccagatac 360  
 cagcctcaa agcggcaaca gagccgaacc cctttctcag gcttcggacg gccagaccc 420  
 ggcattctct ttctcctctt ccccagaccc ttccacctct ggcctccgag agccccagcc 480  
 tcagttcccc tccaggccct aggaacccta ctctccagca gtacagtctg tagacccccg 540  
 aatcagttcc cactcaacc tcagaactcc tctggcgccg actggcccca ctcgggcaaa 600  
 ggatggcggt ggataggatg accgaacca ccagagccag caaacttacc ccagccgcca 660  
 tggtgattcc gcaagaaaag ggggtggggg tctcggcgct gccgcaaagt aagcccggcc 720  
 gggagagaag ggagggggaa agaggagagc cgtggagaaa cagcagccga aaaacgagga 780  
 cgaaacagaa gacatacgtg cgacagttcg 810

<210> 115  
 <211> 320  
 <212> DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 115

caagagcacg	atgctgaagc	actggagagt	ggggctctgg	ggtcagtgct	ggatcagagg	60
caagaggagg	tgatgatgcg	gccctgtcct	gagtgacacc	aaccctccc	cagtactaca	120
cctgcagctg	tgctctgggc	ttcattgcct	gctccatctt	cttgagatg	agcctgaagc	180
caaaggtcat	gctgctgaca	gtggccctgg	tggcctgtct	cgtgctcttc	aacctctccc	240
agtgctggca	gcgggactgc	tgagccaag	gcctgggcaa	cctcactgag	cccagtgga	300
ccaacaggta	gggccccgcc					320

&lt;210&gt; 116

&lt;211&gt; 456

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 116

ggcaaggcag	gcggcgcggc	cggcctcttc	gccaagcagg	tgcagaagaa	gtttagcagg	60
gcccaggaga	agtagacaag	gcggtttggg	aagacatgtc	agccagaaga	aagagcgagg	120
gaagaaagac	aagaaggacc	tgagatagag	tttggttttt	cctttttttc	tctctctctt	180
tattaagccc	aacctgcctt	ctacaacgga	gaagttttgg	ttttctaaga	gctgatggac	240
ttagaagcat	ttggatgaac	agctctgctt	accaactgaa	atatccctat	tatcttctaa	300
aagtggagca	ctgctttgag	ccctgggaag	gcttaaaggc	aaccagctct	cccagttga	360
tttatcagca	gaaaactgat	ggaatgtaga	tgtagctcct	gactttaaga	gaccacaatg	420
gaagggaggt	tattttctat	catttgaggt	catgtg			456

&lt;210&gt; 117

&lt;211&gt; 2398

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 117

cccacgcgtc	cggtcagcct	cagtcttcaa	tgagggaccc	cgtacagagt	aacccaaacg	60
cttgttccta	tttcaggatg	tgaacactct	gcaaggaggt	gggcagcctg	tggtgactcc	120
gtccgtccag	ccctctcttc	agccggccca	tccagcggtta	ccacagatga	cctcacagge	180
acctcagcca	tctgttactg	ggctccaggc	accttctgtc	gccttaatgc	aagtgtcctc	240
tctcgattcc	cactcagctg	tatctggaaa	tgcccaatcc	tttcagccct	atgcaggtag	300
gcaagcctac	gcttateccc	aggcatctgc	cgtcacctcc	cagctgcage	ccgttcggcc	360
tttgtaccca	gcaccgctct	ctcagcctcc	ccatttccaa	ggatcagggtg	atatggcttc	420
atttctcatg	actgaagccc	ggcaacataa	cactgaaatt	cgaatggcag	tcagcaaagt	480
ggctgataaa	atggatcatc	tcatgactaa	ggttgaagag	ttacagaaac	atagtgtctg	540
caattccatg	cttattccta	gcatgtcagt	tacaatggaa	acaagcatga	ttatgagcaa	600
catccagcga	atcattcagg	aaaatgaaag	attgaagcaa	gagatccttg	aaaagagcaa	660
tgggatagaa	gaacagaatg	acaagattag	tgaactaatt	gaacgaaatc	agaggtatgt	720
tgagcagagt	aacctgatga	tggagaagag	gaacaactca	cttcagacag	ccacagaaaa	780

cacacaggca	agagtattgc	atgctgaaca	agagaaggcc	aagggtgacag	aggagtttagc	840
agcggccact	gcacaggtct	ctcatctgca	gctgaaaatg	actgctcacc	aaaaaaagga	900
aacagagctg	cagatgcagc	tgacagaaaag	cctgaaggag	acagatcttc	tcagggggcca	960
gctcaccaaa	gtgcaggcaa	agctctcaga	gctccaagaa	acctctgagc	aagcacagtc	1020
caaattcaaa	agtgaaaaagc	agaaccggaa	acaactggaa	ctcaagggtga	catccctgga	1080
ggaggaactg	actgaccttc	gagttgagaa	ggagtccttg	gaaaagaacc	tctcagaaaag	1140
gaaaaagaag	tcagctcaag	agcgttctca	ggccgaggag	gagatagatg	aaattcgcaa	1200
gtcataccag	gaggaattgg	acaaacttcg	acagctcttg	aaaaagactc	gagtgctccac	1260
agaccaagca	gctgcagagc	agctgtcttt	agtacaggct	gagctacaga	cccagtgagg	1320
agcaaaatgt	gaacatttgt	tggcctccgc	caaggatgag	cacctgcagc	agtaccagga	1380
ggtgtgcgca	cagagagatg	cctaccagca	gaagctggta	caacttcagg	aaaagtctgt	1440
ttgttttgca	gtgttttagcc	ctccaggccc	aaatcacagc	tctcaccaag	caaaatgaac	1500
agcacatcaa	ggaactagag	aagaacaagt	cccagatgtc	tgggggttgaa	gctgctgcat	1560
ctgacccctc	agagaaggtc	aagaagatca	tgaaccaggt	gttccagtc	ttacggagag	1620
agtttgagct	ggaggaatct	tacaatggca	ggaccattct	gggaaccatc	atgaatacga	1680
tcaagatggt	gactcttcag	ctgttaaacc	aacaggagca	agagaaggaa	gagagcagca	1740
gtgaagaaga	agaagaaaaa	gcagaagagc	ggccacgaag	accttcccag	gagcagtcag	1800
cctcagccag	ttctgggcag	cctcaagcac	ccctgaatag	ggagaggcca	gagtccecca	1860
tggtgccctc	agagcagggtg	gtcgaggaag	ctgtcccgtt	gcctcctcag	gccctcacca	1920
cttcccagga	tggacacaga	aggaaaaggg	actcagaagc	tgaggcactc	tcagagataa	1980
aagatgggtc	ccttccaccc	gaactgtctt	gcatcccatc	ccacagagtt	ctagggcccc	2040
cgacttcaat	tccacctgag	cccctaggcc	ctgtatccat	ggactctgag	tgtgaggagt	2100
cacttgctgc	cagcccaatg	gcagctaaag	cccagacaacc	catcaggga	aggtctgtgt	2160
tcaggggaag	taggcaccag	atgggcccac	ttacaaggaa	aggttccaca	agattgttcc	2220
ctggatttca	ggacccccag	ggagggggac	ccactggcct	tagggcttga	aaagcccagg	2280
gagagcctca	gcctccacag	cttcaaggaa	aggttgatgt	tcactagggt	ccaccgggtc	2340
cccacaaggg	agcttttcaa	gaacaggagg	gcagggttcc	acagttttgc	agggagca	2398

<210> 118  
 <211> 800  
 <212> DNA  
 <213> Homo sapiens

<400> 118						
agcgaaacgg	cgcagcaaat	tatcgaccgt	ctgcgcgtaa	aactggcgaa	agaaccgggg	60
gcgaatctgt	tctgatggc	ggtacaggat	attcgcgttg	gtgggcgtca	gtcgaacgcc	120
agctaccagt	acacgttggt	atccgacgac	ctggcggcac	tgcgagaatg	ggagccgaaa	180
atccgcaaaa	aactggcgac	gttgccggaa	ctggcggacg	tgaactccga	tcagcaggat	240
aacggcgcg	agatgaatct	ggtttacgac	cgcgacacca	tggcacggct	gggaatcgac	300
gtacaagccg	ccaacagtct	gttaaataac	gccttcggtc	agcggcaaat	ctcgaccatt	360
taccagccga	tgaaccagta	taaagtgggtg	atggaaagtgg	atccgcgcta	taccaggagc	420
atcagtgcgc	tggaaaaaat	gttcgttatc	aataacgaag	gcaaagcgat	cccgtctca	480
tatttcgcta	aatggcaacc	ggcgaatgcc	ccactatcgg	tgaatcatca	gggattatcg	540
gcggccttga	ccatttcggt	taacctgccg	accggaaaat	cgctctcgga	cgccagtgcg	600
gcgatcgatc	gcgcaatgag	ccagcttggt	gtgccttcga	cggtgcgcgg	cagttttgcc	660
ggcccggcgc	aggtgttcca	ggagaccatg	aactcgcagg	tgatcctgat	tattgccgcc	720
atcgccacgg	tgtatatcgt	gctgggaatc	ccttacgaga	ggtacgtaca	tccgccgacg	780
attctcttgt	gaaggccgcc					800

<210> 119  
 <211> 427  
 <212> DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 119

aaatcatcac	acctgatgcg	atggggttgcc	agaaagatat	tgcagagaag	atacaaaaaac	60
agggaggtga	ttatttattc	gctgtaaaag	gaaaccaggg	gcggcttaat	aaagcctttg	120
aggaaaaatt	tccgctgaaa	gaattaaata	atccagagca	tgacagttac	gcaatcagtg	180
aaaagagtca	cggcagagaa	gaaatccgtc	ttcatattgt	ttgcgatgtc	cctgatgaac	240
ttattgattt	cacgtttgaa	tggaaagggc	tgaagaaatt	atgcgtggca	gtctcctttc	300
ggtccataat	agcagaacaa	aagaaagagc	cagaaatgac	ggtcagatac	aatatcagtt	360
agttgggtat	gcgcggggat	atatcagtca	cagcgatctc	cgggacggac	gattgaatct	420
cgtaatc						427

&lt;210&gt; 120

&lt;211&gt; 378

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 120

ccattatttg	aaaatgctca	ctcaggcgcg	gcgggaagtg	attatcgcca	acgcctactt	60
cttccccggc	tatcgatttt	tacacgcctt	gcgtaaagcg	gcacggcgcg	gggtgcggat	120
caaactgac	attcagggcg	aaccggatat	gccgattgtc	agagtcgggtg	cgcgcttget	180
gtataactat	ctggttaaag	gcggcgttca	ggtttttgag	taccgccgcc	gcccgcctcca	240
cggcaaagtg	gcattgatgg	acgatcaactg	ggcgacagta	gggtccagta	atctccatcc	300
ggtcagttag	tcgggggaatc	tccaagcaaa	tgtcatcctc	cacgttctac	gggtaccgac	360
attgaatccg	taatcatg					378

&lt;210&gt; 121

&lt;211&gt; 508

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 121

ctgccgcctg	gtgaagttta	cgccccatcg	aagccctggc	aaaagaagtc	cgtgaactga	60
aataacatac	tcgttaattg	ctcaatccag	ccacaacgcg	agaactgacc	agtctgggac	120
gaaacctgaa	ccgattgtta	aaaagtgaac	gcgaacgtta	cgacaaatac	cgtacgacgc	180
tcaccgacct	gacccatagt	ctgaaaacgc	cactggcggt	gctgcaaagt	acgctgcgtt	240
ctctgcgtag	tgaaaagatg	agcgtcagtg	atgctgagcc	ggtaatgctg	gagcaaatca	300
gccgcatttc	acagcaaatt	ggctactacc	tgcacgtgc	cagtatgcgc	ggcgggacat	360
tgctcagccg	cgagctgcat	ccggtcgccc	cactgctgga	caatctcacc	tcagcgctga	420
tcaaaggcaa	gccgcgtaaa	gggggcaacg	tcactgtttt	tccattcaca	gcgatgtaca	480
gggacggaca	ttgaatccgt	gatcagtg				508

<210> 122  
 <211> 724  
 <212> DNA  
 <213> Homo sapiens

<400> 122  
 gggtaacact gtgatgtttc agcacctgat gcagaagcgg aagcacaccc agtggacgta 60  
 tggaccactg acctcgactc tctatgacct cacagagatc gactcctcag gggatgagca 120  
 gtccctgctg gaacttatca tcaccaccaa gaagcgggag gctcgccaga tcctggacca 180  
 gacgccggtg aaggagctgg tgagcctcaa gtggaagcgg tacgggcggc cgtacttctg 240  
 catgctgggt gccatataat tgctgtacat catctgcttc accatgtgct gcactctaccg 300  
 cccctcaag cccaggacca ataaccgcac gagcccccg gacaacaccc tcttacagca 360  
 gaagctactt caggaagcct acatgacccc taaggacgat atccggctgg tcggggagct 420  
 ggtgactgtc attggggcta tcatcatcct gctggtagag gttccagaca tcttcagaat 480  
 gggggtcact cgcttctttg gacagaccat ccttgggggc ccattccatg tctcatcat 540  
 cacctatgcc ttcattgtgc tggtagccat ggtgatgcgg ctcatcagt ccagcgggga 600  
 ggtggtaccc atgtcctttg cactcgtgct gggctggtgc aacgtcatgt acttcgcccg 660  
 aggattccag atgctaggcc ccttcaccat catgattcag aagatgattt ttggcgacct 720  
 gatg 724

<210> 123  
 <211> 435  
 <212> DNA  
 <213> Homo sapiens

<400> 123  
 gagaaagcag cagctgccaa catagatgaa gtgcagaagt cagatgtatc ctctacaggg 60  
 caggggtgtca tcgacaagga tgcgctgggg cctatgatgc ttgaggtagc acatcttcat 120  
 tttagtgtctg tattttaaaa tcttggtgat cttcacatta ttacatttaa tttcagggtga 180  
 atataattta aggagaatcc acactagtag tagtactatg gacctcttga gcttgctgat 240  
 atgcctgtgt gtctctatgt atgttttggc tctgctgcc agtatatgtg tgtttgaaat 300  
 taacatagaa ttaaattaac tagattagag tagacattgg caagttgtaa ttgccagttg 360  
 agcatttatt tgaaaaactg tattcacaag tcctactaaa ttctgtgttg attttagctt 420  
 gaaatgttct caaaa 435

<210> 124  
 <211> 363  
 <212> DNA  
 <213> Homo sapiens

<400> 124  
 actggaagtg ccttcagagg tcaccccttt gggctttgcc atgcaggcta caaagactct 60

cctcctcaga	acatgctgct	tgcaggaatt	caacatcatg	gaaaagaata	aaggatgggc	120
tctcctggga	ggaaaagatg	gccatcttca	gggactatth	ctccttgcca	acgcattgct	180
ggaaagaaat	cagctccttg	cacagaaggt	catgtactta	ttagtccctc	ttcttaaccg	240
aggggaatgat	aaacataaac	tcacatctgc	aggctthttt	gtggagcttc	tccggagtcc	300
agtggccaag	agactgcccc	gcataatac	tgttgcccc	tttaaagact	ggctacaaga	360
tgg						363

<210> 125  
 <211> 373  
 <212> DNA  
 <213> Homo sapiens

<400> 125						
agaccggccc	ccgctccctc	agctgcgccc	gaggaggcgc	ccagtcctcg	gggtgaaggg	60
tccgggggatg	gcgaagcgaa	gagtgcgccg	tccggtgtgg	gggggagcag	gaggaggagc	120
gaagtccgcc	cgccgcgccc	ccgccgcgcc	tgacaccgag	cggagcgagg	aaggaggagc	180
agcgggtgaag	gaagcctacc	cttccagccc	tcagccgccc	ccgccgtcgc	cgtgaccctt	240
gcgttgccgc	cggcgctgcc	acccgaactt	agccccctcg	atgccaattt	caaataggga	300
aggaaaagg	aaaagaagg	aagagaaaat	ccggccgctg	agtcccgcgt	ccactcacac	360
ctccgctcgt	gcc					373

<210> 126  
 <211> 362  
 <212> DNA  
 <213> Homo sapiens

<400> 126						
gcctacaggg	ggtccatggc	agcagttcta	ctttctgcag	ctccctaagc	agtgactttg	60
acccccctaga	gtactgcagc	cctaaagggg	atccccagcg	agtggacatg	cagcctagtg	120
tgacctctcg	gcctcgttcc	ttggactcgg	aggtgcccac	aggggaaacc	caggtttcca	180
gccatgtcca	ctaccaccgc	caccggcacc	accactacaa	aaagcgggtc	cagaggcatg	240
gcaggaagcc	tgcccagaa	accggagtcc	cccagtcag	gcctcctatt	cctcggacac	300
agccccagcc	agagccacct	tctcctgatc	agcaagtcac	cagatccaac	tcagcagccc	360
ct						362

<210> 127  
 <211> 351  
 <212> DNA  
 <213> Homo sapiens

&lt;400&gt; 127

catggctgac	cccgaccccc	ggtaccctcg	ctcctcgatc	gaggacgact	tcaactatgg	60
cagcagcgag	gcctccgaca	ccgtgcacat	tcgaatggcc	tttctgagaa	gagtctacag	120
cattctatct	ctgcaggatc	tcttagctac	tgtgacttcg	acagataatt	tagcctttga	180
ggatggacgg	actgactggc	tgcaaaggcc	tgactgtgtc	tccttcaaaa	ttcatgtgct	240
gccaatgtga	cggtattaag	aggaggggcc	ttagaggggg	attagatcct	gaaaggtcct	300
tacttttttg	agtgcagagg	atgcatacga	tgaaagcatc	tcgtagatac	g	351

&lt;210&gt; 128

&lt;211&gt; 374

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 128

gaactcccca	aaggcaccat	ccaggttttt	accccgcttg	tcaaattccc	ctctggccca	60
gggctggctg	ctcagcagga	gtgtttaata	agcacttaat	tgcccgggtga	gtacagacca	120
ttccagctca	ccttaactgt	ttcctggctg	actcgctct	cggcctgatt	gccctgctca	180
tctggctgag	tgagctggaa	tgagtgtagt	ggtagtgcca	cctatagggt	cctcttacct	240
tggctcttatt	tcacaggagc	acttcccga	cgagtttacc	tcgggagatg	gaaagaaagc	300
tcaccaggac	tttggctact	tttatggctc	gagctatgtg	gcagcctctg	acagcagccg	360
gactcctggg	ctgt					374

&lt;210&gt; 129

&lt;211&gt; 392

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 129

taccaccacg	cccagcccca	acatatgact	ttctgtgtgt	tttccaagag	tctagtgtga	60
ggtcagaggt	cagacaggtc	atcaggaatt	ttgcttcaag	tgagttgctg	ctgccctgac	120
tcttttcccc	cagcaattaa	gtccccccgg	ggcttggggg	ttgggtttgt	cagcttgctt	180
ttgctgtgct	gagggcttct	ccagactgaa	tcagcaggtc	ctcagctcat	ctctgctcct	240
tctctctagg	accaactgcc	cctgtaagta	cagttttttg	gataacctca	agaagttgac	300
tcctcgacgc	gatgttccca	cttaccocaa	ggtaagatga	gattccggcc	cagaagaagc	360
tgcagctgtg	tccccagccc	cacgccgagc	cc			392

&lt;210&gt; 130

&lt;211&gt; 359

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens



```

<400> 130
ccgggacgat gcctgcctct actccccagc ctcagctccc gaggtcatca cagtaggggc      60
caccaatgcc caggaccagc cggtgacctt ggggactttg gggaccaact ttggccgctg      120
tgtggacctc tttgccccag gggaggacat cattggagcc tccagcgact gcagcacctg      180
ctttgtgtca cagagtggga catcacaggc tgctgcccac gtggctggca ttgcagccat      240
gatgctgtct gccgagccgg agctcaccct ggccgagttg aggcagagac tgatccactt      300
ctctgccaaa gatgtcatca atgaggcctg gttccctgag gaccagcggg tactgaccc      359

```

```

<210> 131
<211> 389
<212> DNA
<213> Homo sapiens

```

```

<400> 131
gttagaaatc aagtttttgg agcaggtgga tcaattctat gatgacaact ttcccatgga      60
aattcggcat ctgttggccc aatggattga aaatcaagac tggtaggac aaacatatTT      120
tccctagaag ttgatgcaca aatgtctgat gctctatoca tgtgaattta ttttatggtc      180
cactttttac tcagtagatg cattcttttc aggtaaagaa ctttctcaag gatttgaaag      240
ccttcccaaa gaaggggaat aattgtcctt tctggttcca ttcattgtaa atgaaaagtt      300
aatggttcca gtgcttcttt tctctgtaaa caaaaaccca aataattttt catgtattaa      360
aaaaagaagc aaatcaattg attgtcagt

```

```

<210> 132
<211> 465
<212> DNA
<213> Homo sapiens

```

```

<400> 132
ggaggcagga gatgcggatg aagatgaggc tgatgctaata agctctgact gtgaaccaga      60
ggggcccgtg gaagcggaag agcctcctca ggaggatagt agcagtcagt cagactctgt      120
ggaggaccgg agtgaggatg aggaagatga acattcagag gaggaagaaa caagtgggaag      180
ttcagcatca gaggaatctg agtctgaaga gtctgaggat gcccaatcac agagccaagc      240
agatgaagag gaggaagatg atgatttttg ggtggagtac ttgcttgcca gggatgaaga      300
gcagagttag gcagatgcag gcagtgggcc tcctactcca gggcccacta ctctaggtcc      360
aaagaaagaa attactgaca ttgctgcagc agctgaaagt ctccagccca agggttacac      420
gctggccacg acccaggtaa agacgcccac tccctgctt ctgcg

```

```

<210> 133
<211> 354
<212> DNA
<213> Homo sapiens

```

```

<400> 133
ctaaaaaacc taagggagtt actgcttgaa gacaaccagt taccccaaat accctctggt      60
ttgccagagt ctttgacaga acttagtota attcaaacca atatatacaa cataactaaa      120
gagggcattt caagacttat aaacttgaaa aatctctatt tggcctggaa ctgctatttt      180
aacaaagttt gcgagaaaac taacatagaa gatggagtat ttgaaacgct gacaaatttg      240
gagttgctat cactatcttt caattctctt tcacacgtgc cacccaaact gccaaagctcc      300
ctacgcaaac tttttctgag caacaccag atcaaataca ttagtgaaga agat              354

```

```

<210> 134
<211> 326
<212> DNA
<213> Homo sapiens

```

```

<220>
<221> misc_feature
<222> (1)...(326)
<223> n = a,t,c or g

```

```

<400> 134
cccacgcgtc cggngacagg cctggccggc ctctgcagag acgtccaacc tcgtgcgcat      60
gcgcagccag gccctgggcc agtcggcgcc ctcgctcacc gccagcctga aggagctgag      120
tctccccaga agaggaagtt tccctgtgtg tccaaatgct gggagaacat cacccttgg      180
atgaattgcc accacattaa ataaaatata tccaaagctc nnnnnnnnnn nnnngggggg      240
gccgttttaa aggacccttg ggggggcca a ggtttacgcg ggctggcaag gtaatagttt      300
tttccttata gggagccgaa ttaaaa              326

```

```

<210> 135
<211> 210
<212> DNA
<213> Homo sapiens

```

```

<400> 135
cttctgtgtg tctgtcttcc tgtgggtgcc tgcccgtctc tttctcttct aacagcccct      60
ttgaaccagc tgatgcgctg tcttcggaaa taccaatccc ggactcccag tcccctccta      120
cattctgtcc ccagtgaat agtgtttgat tttagacctg gccagtggt cagaggtagt      180
tgggctcttc tttcttggtc gacgcggccg

```

```

<210> 136
<211> 310
<212> DNA
<213> Homo sapiens

```

<400> 136  
 tttttccaat acacatataa accatcattc actaaaatgt actatatatt caatattttg 60  
 tgtatactca ctgcttttcc taacgtgaaa aatttaccaa aatgctaatt gtgacttata 120  
 aggtattttaa cagactcccc acaaaaagca gaatgatcag cgaaatcgga aaagaaaagc 180  
 tgaaccatat gaaactagcc aaggtagtaa taatttcgta tcaacaaaag tactcaattc 240  
 taatgtactt agatagaatt ttctaactca tactaaataa ttagtttgta cacagggatt 300  
 cctgataaag 310

<210> 137  
 <211> 502  
 <212> DNA  
 <213> Homo sapiens

<400> 137  
 cttaaagtga aatttaaaaa gtaataataa tttttaaaaa tgttttaaagg cttacttttg 60  
 agagacagtt ttacatagct taatatatta tcattaaagg catgggtggag ctgggttcctg 120  
 cttccgatac cctcaggaaa atccaagtgg aatatggtgt gacaggatcc tttaaagata 180  
 aaccacttgc agagtggcta aggaaataca atccctctga agaagaatat gaaaaggcct 240  
 cagagaactt tatctattcc tgtgctggat gctgtgtagc cacctatgtt ttaggcacat 300  
 gtgatcgaca caatgacaat ataatgcttc gaagcacggg acacatgttt cacattgact 360  
 ttggaaaagtt tttgggacat gcacagatgt ttggcagctt caaaagggat cgggctcctt 420  
 ttgtgctgac ctctgatatg gcatatgtca ttaatggggg tgaaaagccc accattcgtt 480  
 ttcagttggt tgtggacctc tg 502

<210> 138  
 <211> 963  
 <212> DNA  
 <213> Homo sapiens

<400> 138  
 ctctagtc cctccctagc ctgtcccttc ctccctccgt tgctcctggt ggccaggaga 60  
 gcccttcacc ccacacagct gaggtggaga gtgaggcctc accacctcct gctcggcccc 120  
 tcccagggga agccaggctg gcgcccattc ctgaagaggg aaagccgcag cttgttgggc 180  
 gtttcccaag tgacttcac caaggaaccg gctgagcctc ttcccttgca gccaacatcc 240  
 ccactctct ctggttctcc aaaaccttca acccctcagc tcacttcaga gagctcagat 300  
 acagaggaca gtgctggagg cgggccagag accaggggaag ctctggctga gagcgaccgt 360  
 gcagctgagg gtctgggggc tggagttgag gaggaaggag atgatgggaa ggaaccccaa 420  
 gttgggggca gcccccaacc cctgagccat cccagccag tgtggatgaa ctactcctac 480  
 agcagcctgt gtttgagcag cgaggagtca gaaagcagtg gggaagatga ggagtctggt 540  
 gctgagctgc agagtcttcg gcagaagcac ttgtcagagg tggaaacact acagacacta 600  
 cagaaaaaag aaattgaaga tttgtacagc cggtcgggga agcagccccc accgggtatt 660  
 gtggccccag ctgctatgct gtccagccgc cagcgcgcgc tctccaaggg cagcttcccc 720  
 acctcccgcc gcaacagcct acagcgctct gagccccag gccctggtga gactgcagtc 780

accagcttc	catcttttcc	ctgagacccc	tttctgtcga	ctgtttttct	ccagggcctg	840
ggggtctgcc	ccgggggaat	agacccctc	tccccacctc	ccctttctc	acttagtgct	900
ctccttcccc	catcctggct	ccaggcatca	tgcgaaggaa	ctctctgagt	ggcagcagca	960
ccg						963

&lt;210&gt; 139

&lt;211&gt; 376

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1) ... (376)

&lt;223&gt; n = a,t,c or g

&lt;400&gt; 139

cgccgctttg	tttctcaaga	gactgggaat	ctgtatattg	ccaaagtaga	aaaatcagat	60
gttgggaatt	atacctgtgt	ggttaccaat	accgtgacaa	accacaaggt	cctggggcca	120
cctacaccac	taatattgag	aaatgatgga	gtgatgggtg	aatatgagcc	caaaatagaa	180
gtgcagttcc	cagaaacagt	tccgactgca	aaaggagcaa	cggtgaagct	ggaatgcttt	240
gctttaggaa	atccagtacc	aactattatc	tggcgaagag	ctgatggaaa	gccaatagca	300
aggaaagcca	gaagacacaa	gtcaagagtg	gggaaanntc	ttgagaaatc	ccttaatttt	360
tcagcagggg	ggatgc					376

&lt;210&gt; 140

&lt;211&gt; 968

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1) ... (968)

&lt;223&gt; n = a,t,c or g

&lt;400&gt; 140

gcaaggggca	gttgggtgaa	ttgctgcctc	cagagaatth	tccctgggtg	ggaggcagcc	60
agggacccag	gatgctccgg	acctgttacg	tgtctgttcc	ccaagctgg	ccccgctcca	120
ggggctggca	gtccctgagc	tttgatggcg	gggccttcca	ccttaagggc	acaggagagc	180
tgacacgggc	cttgcctggt	ctccggctgt	gtgcctggcc	cccactcgtc	actcacgggc	240
tgttgctcca	ggcctggtct	cggcgactcc	tgggctcccg	gctctcaggc	gcatttctcc	300
gagcatccgt	ctatgggcag	tttgtggctg	gtgagacagc	agaggaggtg	aagggtgcg	360
tgcagcagct	gcggaacctc	agcctccgac	cactgctggc	agtgccact	gaggaggagc	420
cggactctgc	tgccaagagt	ggtgaggcgt	ggtatgagg	gaacctcgg	gctatgctgc	480
ggtgtgtgga	cctgtcacgg	ggcctcctgg	agccccccag	cctggctgag	gccagcctca	540
tgcagctgaa	ggtgacggcg	ctgaccagta	ctcggtctct	taaggagcta	gcctcgtggg	600
tcagaaggcc	aggagcctcc	ttggagctga	gccccgagag	gctggctgaa	gctatggact	660
ctgggcagaa	cctccaggtc	tcctgcctca	atgctgagca	gaaccagcac	ctccgggcct	720
ccctcagccg	cctgcacggg	gtggcacagt	atgcccgggc	ccagcacgtg	cggctcctgg	780

tggatgcgga	gtacacctca	ctgaaccctg	cgtctctcgt	gctgggtggct	gccctggctg	840
tgcgctggaa	cagcccgggt	gaaggcgggc	cctgggtgtg	gaacacctac	cagggcctgtc	900
taaaggacac	attctagcgg	ctggggaggg	atgcanaggc	tgcgcacagg	gccggcctgg	960
ccttcggg						968

<210> 141  
 <211> 306  
 <212> DNA  
 <213> Homo sapiens

<400> 141						
agacggctga	aaagggaggg	gtattgaggg	cggttcagag	ggcgaggaga	ggggcgtaga	60
gaacctgtgg	agaagaagtt	cactggaggg	gcattaggcc	tcgcactatg	tatccagatc	120
atcagtaggg	gaagagaaaa	gatgggcaat	atgtatagtc	agacgagaag	tgggatcaaa	180
cagagggctc	atggagaagt	aggctaccca	ccacataacc	ccatcatagg	attgcaggag	240
atacagctat	agataagaat	atccaccagt	cggtgagtga	gcagatcaag	aagaactttg	300
ccaaga						306

<210> 142  
 <211> 316  
 <212> DNA  
 <213> Homo sapiens

<400> 142						
ccacactcac	atttaatat	ctgttaggtt	gtttactttg	aggcaatgtc	atcctcatta	60
gtatagggca	ttatatctct	gaatagcaga	atactcctcc	attcatgaag	ttcagtatta	120
tacattctta	ttattgcaca	acaaatagaa	gactttggat	ttccttata	aagtaccttg	180
acagatgact	aaccattttt	tcctatgctt	tacaactatg	atcagtaact	gtaatttttt	240
taaaggtcct	cctggacccc	cgggtgaaaa	aggagatcga	ggtcccactg	gagaaagtgg	300
tccacgagga	tttcca					316

<210> 143  
 <211> 339  
 <212> DNA  
 <213> Homo sapiens

<400> 143						
gacaatacca	aatgaatgaa	cgtgactgtg	ttccaacaaa	actttattta	caaaaacagg	60
gatgggccgg	atgtagccag	aggccataat	ttgccaaccc	ctgattttaga	cgaaggaaag	120
gagcagtgtc	tcactgcttt	taaattaatt	ctgtattctc	acaaggccta	cattgaaatg	180

gaattatagc	ctcatttttt	cttagaacct	ttatatatttg	ttttattcat	atacaggggt	240
gtcaagctgg	acagactatt	aaagttcaag	tctcctttga	tttgcttagt	ctgatgttta	300
catttgtaag	tccatgtacc	aacgatttaa	tcatacacg			339

<210> 144  
 <211> 2018  
 <212> DNA  
 <213> Homo sapiens

<400> 144						
acaagttatc	tgtgaatcat	aggagaacac	atcttacaaa	actcatgcac	actggtgaac	60
aagctacttt	aaggatatcc	cagagcttcc	aaaagaccac	agagtttgat	acaaattcaa	120
cggatatagc	tctcaaagtt	ttcttttttg	attcatataa	catgaaacat	attcatcctc	180
atatgaatat	ggatggagac	tacataaata	tatttccaaa	gagaaaagct	gcatatgatt	240
caaatggcaa	tgttgcagtt	gcatttttat	attataagag	tattggctct	ttgctttcat	300
catctgacaa	cttcttattg	aaacctcaaa	attatgataa	ttctgaagag	gaggaaagag	360
tcatatcttc	agtaatttca	gtctcaatga	gctcaaacc	accacatta	tatgaacttg	420
aaaaaataac	atttacatta	agtcacgaa	aggtcacaga	taggtatagg	agtctatgtg	480
cattttggaa	ttactcacct	gataccatga	atggcagctg	gtcttcagag	ggctgtgagc	540
tgacatactc	aaatgagacc	cacacctcat	gccgctgtaa	tcacctgaca	cattttgcaa	600
ttttgatgtc	ctctggctct	tccattggta	ttaaagatta	taatattctt	acaaggatca	660
ctcaactagg	aataattatt	tactgattt	gtcttgccat	atgcattttt	accttctggg	720
tcttcagtga	aattcaaagc	accaggacaa	caattcacaa	aaatccttgc	tgtagcctat	780
ttcttgctga	acttggtttt	cttggtggga	tcaatacaaa	tactaataag	ctcttctggt	840
caatcattgc	cggactgcta	cactacttct	tttttagctgc	ttttgcatgg	atgtgcattg	900
aaggcatata	tctctatctc	attggttggtg	gtgtcatcta	caacaaggga	tttttgca	960
agaattttta	tatctttggc	tatctaagcc	cagccgtggg	agttggattt	tcggcagcac	1020
taggatacag	atattatggc	acaaccaag	tatgttggct	tagcaccgaa	aacaacttta	1080
tttgaggatt	tataggacca	gcatgcctaa	tcattcttgt	taatctcttg	gcttttgagg	1140
tcatcatata	caaagttttt	cgtcacactg	cagggttgaa	accagaagtt	agttgctttg	1200
agaacataag	gtcttgtgca	agaggagccc	tcgctcttct	gttccttctc	ggcaccacct	1260
ggactcttgg	ggttctccat	gttgtgcacg	catcagtggt	tacagcttac	ctcttcacag	1320
tcagcaatgc	tttccagggg	atgttcattt	ttttattcct	gtgtgtttta	tctagaaaga	1380
ttcaagaaga	atattacaga	ttgttcaaaa	atgtccctcg	ttgttttgga	tgtttaaggt	1440
aaacatagag	aatggtggat	aattacaact	gcacaaaaat	aaaaattcca	agctgtggat	1500
gaccaatgta	taaaaatgac	tcatcaaatt	atccaattat	taactactag	acaaaaagta	1560
ttttaaatca	gtttttctgt	ttatgctata	ggaactgtag	ataataaggt	aaaattatgt	1620
atcatataga	tatactatgt	ttttctatgt	gaaataggtc	ctgtccaaaa	atagtatttg	1680
ccagatattt	gggaaaagta	aattgggttt	cctcagggag	tgatatcccc	ttgcacccaa	1740
gggaaaagat	tttctttcta	acacgagaag	tatatgaatg	tcctgaaggg	aaaccctggg	1800
ccttgatatt	tctgtgactc	gtgttgctt	tgaaactagt	cccctaccac	ctcggtaatg	1860
agctccatta	cagaaagtgg	aacataagag	aatgaagggg	cagaatatca	aacagtga	1920
agggaatgat	aagatgtatt	ttgaatgaac	tgttttttct	gtagactagc	tgagaaattg	1980
ttgacataaa	ataaagaatt	gaagaacaa	aaaaaaaa			2018

<210> 145  
 <211> 429  
 <212> DNA  
 <213> Homo sapiens

<400> 145  
 ggcacgaggg aagctgcccc gtccagggtc atgttcctct tatttctcct cactgttgag 60  
 ctggctgcag aagttgctgc agaagttgag aaatcctcag atggtcctgg tctgcccag 120  
 gaacccacgt ggctcacaga tgtcccagct gccatggaat tcattgctgc cactgaggtg 180  
 gctgtcatag gcttcttcca ggatttagaa ataccagcag tgcccatact ccatagcatg 240  
 gtgcaaaaat tcccaggcgt gtcatttggg atcagcactg attctgaggt tctgacacac 300  
 tacaacatca ctgggaacac catctgcctc ttctgcctgg tagacaatga acaactgaat 360  
 ttagaggacg aagacattga aagcattgat gccaccaa at tgagccgttt cattgagatc 420  
 aacacctc 429

<210> 146  
 <211> 717  
 <212> DNA  
 <213> Homo sapiens

<400> 146  
 gatgaaactt ccggtctcat tgtccgggaa gtgagcattg agatttcgcg ccagcaagtg 60  
 gaagaactct ttggacctga agattactgg tgccagtgtg tggcctggag ctgagcgggt 120  
 accacaaaga gccggaaggc gtatgtgcgc attgcatagg aactcatgac ctgacatcca 180  
 ttagcagagt catcagagtc atctggctgc tgtgttgaga atggaccatg ctgggcaagg 240  
 ggagaagcag gaagaccagt gatgagactg cagctatgag agatgttaag ctactgtaga 300  
 ttggaagcag tggagggtggg gaggccagga ttctcagatat atttaaaagt agagataaca 360  
 gcttttggtg agaccttggg tgtgtgatgt gagagaaaga agagaaagga tgattttgaa 420  
 agggcctaag cctttatcca aggatttctt tcaaagtctt ttagtgaagc cattcctgcc 480  
 tcacagagag aggaggctgg gcattccttt ctcaatactt tcagagcagt ttgtccatac 540  
 ccctaataata gtgcttgtct catttcgaat tatattcact cgtaaaattt gtgtttcatg 600  
 ccagtgaagt ccatgagatc aagaattcta ttgtacttaa ttttataatc ctctgtctta 660  
 gcacaatacc tagagtatca cagatgttta acaattttct tgaattaaaa ctgttat 717

<210> 147  
 <211> 367  
 <212> DNA  
 <213> Homo sapiens

<400> 147  
 ggcacgagat cgattcatgt aaagctggac gtgggcaagc tgcacaccca gcctaagtta 60  
 gcggcccagc tcaggatggg ggacgacggc tctgggaagg tggagggcct acctgggatt 120  
 tgaccagagt ccgcctggct ccaggctctg ccaccacag gaagaagaaa ctacactgac 180  
 agatgtgaga cagtgtttcc ccttcagtct ttgaacaggc tttgtgtttt cttaatgaca 240  
 ctggataaaa gggaattcat tcaagagctc caaggcttcc ctttccgccc ggcttctgtt 300  
 gccctggcct gagcagcgag cagctgggag gggactgaac tgcccctaac cagggttgtg 360  
 gctggcg 367

<210> 148  
 <211> 791  
 <212> DNA  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <222> (1)...(791)  
 <223> n = a,t,c or g

<400> 148  
 cgagaccgga ccctgggctg ggtgcatcga ggtagatgca aagatgctgg ccagagcaag 60  
 tgtcgccctgg agcgggctca agccctggag caagccaaga agcctcagga agctgtgttt 120  
 gtcccagagt gtggcgagga tggctccttt acccaggtgc agtgccatac ttactactggg 180  
 tactgctggg gtgtcacccc ggatgggaag cccatcagtg gctcttctgt gcagaataaa 240  
 actcctgtat gttcagggttc agtcaccgac aagcccttga gccagggtaa ctcaggaagg 300  
 aaagatgacg ggtctaagcc gacacccaag atggagaccc agccggtgtt cgatggagat 360  
 gaaatcacag ccccaactct atggattaaa cacttgggtga tcaaggactc caaactgaac 420  
 aacaccaaca taagaaattc agagaaagtc tattcgtgtg accaggagag gcagagtgcc 480  
 ctggaagagg cccagcagaa tccccgtgag ggtattgtca tccctgaatg tgccccctggg 540  
 ggactctata agccagtgc atgccaccag tccactggct actgctgggtg tgtgctgggtg 600  
 gacacagggc gcccgctgcc tgggacctcc acacgctacg tgatgcccag ttgtgagagc 660  
 gacgccaggg ccaagactac agaggcggat gacccttca aggacagggg gctaccaggc 720  
 tgtccagaag ggaagaaaat ggagtttatc accagcctac tggatgctct caccactgac 780  
 atggnctcagg g 791

<210> 149  
 <211> 335  
 <212> DNA  
 <213> Homo sapiens

<400> 149  
 ggcacgagca aactcggggc tcagcttggg gacgggagtt gatagtcagg tgcctggaac 60  
 ataatggaga ccgtccatat tggttgaatg agtggatgaa tgaattaatg aatttctttt 120  
 ctcttaagtc ctgcagctga ttaagtcaca gaaatttctg aataagttgg tgatcttggg 180  
 ggaaacggag aaggagaaga tcctgcggaa ggaatatgtt ttgctgact ccaaagtaag 240  
 tgacagcaaa cttctaaagt gggctgtgag gtaggagggg gacacaagcg ttttgaggct 300  
 cgctgtgtgc cagggagtgt atcattagct cactc 335

<210> 150  
 <211> 1293  
 <212> DNA  
 <213> Homo sapiens



```

<400> 150
cgacgcctgt ccctcttaga cttgcagctc ggtcctcttg gcagagaccc cccgcaggag    60
tgcagcacct tctcccaaac agacagcggg gaggagccgg ggcagctctc ccctggcgtg    120
cagttccagc ggcggcagaa ccagcgcgcg ttctccatgg aggacgtcag caagaggctc    180
tctctgccca tggatatccg cctgccccag gaattcctac agaagctaca gatggagagc    240
ccagatctgc ccaagccgct cagccgcgat tcccgcggg cctccctgtc agacattggc    300
tttgggaaac tggaaacata cgtgaaactg gacaaactgg gagagggcac ctatgccaca    360
gtcttcaaag ggcgcagcaa actgacggag aaccttgtgg ccctgaaaga gatccggctg    420
gagcacgagg agggagcgcc ctgcactgcc atccgagagg tgtctctgct gaagaacctg    480
aagcacgcga atattgtgac cctgcatgac ctcatccaca cagatcggtc cctcaccctg    540
gtgtttgagt acctggacag tgacctgaag cagtatctgg accactgtgg gaacctcatg    600
agcatgcaca acgtcaagggt gaggcctcgg gggcagggtc ccccatctt ggccagccacc    660
tgtccagaag cccagtgtgg ggacccactc tcaccaccag ggatccggct gctgagggtg    720
ctcaaacctt cccacgtagg aaagaggagg agggcaatgc catcaacgag tccaggaact    780
gggttgagcg ctttacccca agaacagaca cacactgtct gccactgtct agctgttggg    840
ataaaaccca ctctcaactc tgaacatcag tttccagtc tgtcaaatgg gagtgtgagc    900
tacctgccaa aatgcaggga ggcttctggg gaagctcggg gttatgaatg acctctcctg    960
gtgtttgtta aagaatcaag actgggcatg gtggcccacg cctgtaatcc cagcactggg    1020
aggccaaggc aggaagatgg cttgagccca ggagtgtgag accagcctgg gcaacatggc    1080
aagacctcat ctctactaaa aattgaaaaa ttagccgggc acagtagcgt gcacccatag    1140
tccagctgc ttgagaggct gaggcaggag ggccacttga gcccgggagg ttgaggctgc    1200
agtgagccat gatcacacca ctgcactcca gcatgggtga cagagtaaaa ccctgacatg    1260
tattgcgggc gctctagagg ataacaagca tac                                1293

```

```

<210> 151
<211> 349
<212> DNA
<213> Homo sapiens

```

```

<400> 151
ggcacgagcg gcacgagcct tctcctactg cattagcatt tggggaccac cctattgtac    60
aaccaaagca attatccttt aaaattatc aggtaaatga taattaaaat gtttttttct    120
atggcttcta agaaaccatt gactaactta ctaacaacta agatgtctgt ttgttttata    180
tgtagtcata aagcagaatt acacatcaag aaagataact tactaaacaa aaacaacaga    240
atttgtagga aggagtgaga aactgaaaca cacaatttac tatcagcttt ttaaacaacc    300
gttaacatgt cagttctgtt tactgattct ttctgaactt aatttccag                349

```

```

<210> 152
<211> 324
<212> DNA
<213> Homo sapiens

```

```

<400> 152
ggcacgagga ccttcottgc tttcagaatt tcaccaggg tctgacaggc ctcaagaaa    60
gagaactagt tatgaaccga ttcattccagg cccatcccca gtggatcatg attcactgga    120
atcgaagcga ccagtcctgg aacaggcttc tgattctcat tatcagggtc acatcactgg    180
cgaatcccta ccaggacgtg tacactagca gctcctcact gtggaatctg atgggcaatg    240

```

ccatggtgat	tacccactat	atccgtctta	ccccatatgt	tcaaagtaaa	ctcgggtccc	300
tagggaacct	gatgccatgt	tacc				324

<210> 153  
 <211> 377  
 <212> DNA  
 <213> Homo sapiens

<400> 153						
ggcagcagaa	aagaagaatt	cagtgcagaa	gaaaattttc	tcattttgac	ggaaatggca	60
accaatcatg	tacaggttct	tgtagaattc	acaaaaaagc	taccaggtat	tttttaaata	120
atcacagtta	atatattattg	agagtttaaa	tatgtgcca	cagattagat	tacctatttt	180
acatacgggtg	ttttaatttt	caaaacattc	ctgtgagatc	agctctattt	tcactattac	240
tttgccaagt	attttcacat	gtacttattt	cactgctatt	ctctacaata	gtcttgtgac	300
attgagaaag	gcaggctctgt	tctttgtaaa	atgaaaatca	tttaatatct	gattttaaagt	360
aactgtcgaa	ctactat					377

<210> 154  
 <211> 1224  
 <212> DNA  
 <213> Homo sapiens

<400> 154						
ggtttttttt	ttttttcttt	tgggaaaggc	attggccact	ttggacttta	ttagcaacag	60
taatgtcccc	tgacatacgc	acaagcttgt	agctccacgg	ccagggtcttc	ccccaacctc	120
acaatggccc	cgtgatgcag	gcaggcaggc	gagtgggggg	ctccctcct	tatccacagg	180
gccaccgaaa	ggccccagag	acggccttgc	ccgaggtcac	ccagcggagt	ggcttgctgg	240
gagccctggg	aataacagtc	ccacacaagg	ctctctccct	ccgcagctgg	acctgtacgc	300
gggggctctg	tttgtgcaca	tctgcctggg	ctggaaacttc	tacctctcca	ccatcctcac	360
gctcggcatc	acagccctgt	acaccatcgc	aggtatgggtg	cctgcagcag	ggaggtccac	420
ccaggggacg	tgtaaagggg	tcagaaggcc	acctccccct	acaggcccca	gggagcagcc	480
caggaagtgg	ccccagcagg	agccccagaa	gttctctccc	gtgtccctcc	tccctggggc	540
cagggccccc	tccagcaacc	ttgcttccac	tggcaggggg	cctggctgct	gtaatctaca	600
cggacgccct	gcagacgctc	atcatggtgg	tgggggctgt	catcctgaca	atcaaagggtg	660
aggacagagt	ctgtggccat	ggcggggctg	tccccacagc	gagccctttg	gagtctggca	720
ctgcccggca	ctgtgcagga	ttcatgccgt	tggggttctg	ggtagcatcg	ctgggagtgg	780
gtgggttcag	gaggttgagc	cactaggcag	tcagccccc	tgttgggccc	tcagggactg	840
ccctggctgg	tagaggctac	ccaccctgct	gccccgctgt	taccagctct	ggccctggca	900
aggagctgac	tcaggaactc	agggccagcc	acaccgcgat	tggctcagcg	cttgatggtg	960
aggtaggggt	gtaggcgggt	gtgaaggcac	acaaccagga	ggccataaaa	ctgcctgggc	1020
agctcctcca	attgttttaa	agcatgtaca	aaatgccaaag	aggtgatgct	acctcctgca	1080
ggacaaaggc	cagggaggaa	agaagagagc	tgggagagat	tggcgatact	agtctggaac	1140
agataggaaa	ctcacagggc	tgcccggaga	gagcgtgagc	tcaccgtccc	tggaagtatg	1200
taagcagagc	caggagctcg	tgcc				1224

<210> 155  
 <211> 345  
 <212> DNA  
 <213> Homo sapiens  
  
 <220>  
 <221> misc\_feature  
 <222> (1)...(345)  
 <223> n = a,t,c or g

<400> 155  
 ggcacgagcg gcacgagatc tgaagaggta tattgcttac agaaagagcg ggagatggta 60  
 aatcacagtc ttcaagagac ttctgagcaa aacgttattc tacagcatac tcttcagcaa 120  
 cagcagcaaa tgttacaaca agagacaatt agaaatggag agctagaaga tactcaaaact 180  
 aaacttgaaa aacaggtgtc aaaactggaa caagaacttc aaaaacaaag ggaaagttca 240  
 gctgaaaagt tgagaaaaat ggaggagaaa tgtgaatcag ctgcacatga agcagatttg 300  
 aaaaggcaaa aagtgattga gcttactggc actgccaggc aagtn 345

<210> 156  
 <211> 340  
 <212> DNA  
 <213> Homo sapiens

<400> 156  
 ggcacgagct tctacttgta caggaaaggt tacttgagtt tgtccaaagt ggtgccgttt 60  
 tctcactatg ctgggacatt gctgctactt ctggcacgtg tggcctgcct cctaggcatt 120  
 gtcgctggg cctaccccca cttccgcag ttctcgcga tctcctctcc gatccatctc 180  
 tacctgacgt cataactcta tatgcatggt atgcgggtcca tcttagtctt ctaaaaaggc 240  
 catttttagct tacctgccat caagctatac atgtggaaat atacactgta ttattttccc 300  
 ttccagggtg attacttacc tcactctgtc ttatatctgc 340

<210> 157  
 <211> 478  
 <212> DNA  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <222> (1)...(478)  
 <223> n = a,t,c or g

<400> 157  
 gagactccaa gccccagttt cacctcagag gcagagatga ggggtcccc ggtcctgtc 60

ctccaggccg	ccccaatgga	gtgtcctgtt	cgcaggggga	tcccggccgg	gtccagtcct	120
gagcctgcac	ctgaccccc	ggggcctcat	ttcctccggc	aggagcgcag	cttcgagtgc	180
cgcattgtgcg	gcaaggcctt	caagcgtctg	tcacgctgt	ccaccacct	gctcatccac	240
tcagacacgc	ggccctaccc	ctgccagttc	tgccgcaagc	gtttccacca	gaagtccgac	300
atgaagaagc	acacctacat	ccacacaggt	gagaagccgc	acaagtgcc	ggtgtgcgga	360
aaggccttca	gccagagctc	caacctcatc	acccacagac	tcagagagaa	cccaccatgg	420
tgctgtctcc	tgccgacaag	accaacgtca	aggccgcctg	gngtaagggt	cgcgcgca	478

<210> 158  
 <211> 332  
 <212> DNA  
 <213> Homo sapiens

<400> 158						
ggcagcagca	gctcaccaac	aacacagcca	ctgccccctc	tgccacgccc	gtgtttgggc	60
aagtggcagc	cagcaccgca	ccaagtctgt	ttgggcagca	gactggtatc	acagccagca	120
cagcagttgc	cactccacag	gtaatcagct	caaggttcat	taatctagat	ttttagtata	180
tagtattatt	gaatatatat	aatgttttat	atattagact	ttatacttga	gacataggaa	240
ataatttatg	tataactggt	aattaaattt	tatatttgct	agattagaaa	attctattaa	300
tttattaatg	aattatatct	aattatgtga	ca			332

<210> 159  
 <211> 868  
 <212> DNA  
 <213> Homo sapiens

<400> 159						
cccacgcgtc	cgggaataaag	agagaactct	gttactattg	tttttacatc	accaaataat	60
tattttaatat	cgttagctaa	gagaagaatt	ggctatgaac	tgtactttta	caactgacac	120
aactgcatac	aagttataaa	gtttaataat	ctttatcatc	ttggaaaata	aatctcttct	180
tgctaagtat	cagtttttaa	aaattgcccc	atgtattaga	tatgtatttt	tttaacaaaa	240
atgttctgtg	tattaattat	tttgaaataa	attttaagtt	cacaaaaage	cattacaaga	300
agtggaaata	gcagcaatta	cacatggtgc	tcttcagggg	ttagcctact	tacattctca	360
tactatgatt	catagagata	tcaaagcagg	aaatatcctt	ctgacagAAC	caggccaggt	420
gaaacttgct	gactttggct	ctgcttccat	ggcatcacct	gccaattcct	ttgtgggaac	480
gccgtattgg	atggccccag	aagtaatttt	agccatggat	gaaggacaat	atgatggcaa	540
agtagatgtg	tggtctcttg	gaataacatg	tattgaacta	gcggaaagga	agcctccttt	600
atttaatatg	aatgcaatga	gtgccttata	tcacatagcc	caaatgaat	cccctacact	660
acagtcta	gaatggtgag	tattgtta	atatatttg	ctcagtgttg	aataaatgaa	720
atgctttttc	ataatctgtt	atcaaagtga	tttaatttca	gttaggtaaa	atgtatcacc	780
ttataagata	ttaaaataga	tgtattttac	cctttttaa	atattttattc	tttatcatgt	840
ttccatttca	tgccatacgt	ataactgg				868

<210> 160

<211> 1404  
 <212> DNA  
 <213> Homo sapiens

<400> 160  
 gcgccacgcg cggcctggcg gcggcgccca ctctaaccag cgcaaaatgt ccctggaaca 60  
 ggaggaggaa acgcaacctg ggcggtcctt aggcgcgaga gacgccgtcc ccgccttcat 120  
 tgagcccaac gtgcgtttct ggatcacgga gcgccaatcc tttattcgac gattttctca 180  
 atggacagaa ttattagatc ctacaaatgt gttcatttca gttgaaagta tagaaaactc 240  
 gaggcaacta ttgtgcacaa atgaagatgt ttccagccct gcctcggcgg accaaaggat 300  
 acaggaagct tgggaagcga gtcttgcaac agtgcattcc gacagcagca acctgatccc 360  
 caagcttttt cgacctgcag cgttcctgcc tttcatggcg cccacggtat ttttgtcaat 420  
 gacgccactg aaagggatca agtccgtgat tttacctcag gttttcctct gtgcctacat 480  
 ggcagcgttc aacagcatca atggaaacag aagttacact tgtaagccac tagaaagatc 540  
 attactaatg gcgggagcgg ttgctttctc aactttctta ggagtaatcc ctcatgttct 600  
 ccagatgaag tatggcctga ctggcccttg gattaaaaga ctcttacctg tgatcttctc 660  
 cgtgcaagcc agtgggaatga atgtctacat gtcccggaagt cttgaatcca ttaaggggat 720  
 tgcggtcatg gacaaggaag gcaatgtcct gggtcattcc agaattgctg ggacaaaggc 780  
 tgtagagaa acgctagcat ccagaatagt gctgtttggg acctcagctc tgattcctga 840  
 agtcttcacc tactttttta aaaggaccca gtatttcagg aaaaaaccag ggtcattgtg 900  
 gattttgaaa ctgtcttgta ctgtcctggc aatgggactg atgggtgcca tttcttttag 960  
 tatatttcca cagattggac agatacagta ctgtagtctt gaagagaaaa ttcagtctcc 1020  
 aacagaagaa acagaaatct tttatcacag aggggtgtag gccgtgagtt ttaggtgaat 1080  
 ttatgtggtt ccctgcttga aaaccttccc cctctcccag gttcgggtta gagaactttg 1140  
 cccacaggtc ttctggggac ccagagggtg tctgtgctga caaggcgact tcagattcca 1200  
 tactgagatc gttcccaggc tggcgtctct ggggttttta aggtctggctg gagaagacag 1260  
 tgggaagggt gccccgtctg acacccctgg ggttgcctga ggaacgggtg gagtggggat 1320  
 cggcctgcga aaggatactg tgaaatcact aattaactaa taaacctgtc tcaagttgag 1380  
 gatttgaaga aaaaaaaaaa aaag 1404

<210> 161  
 <211> 562  
 <212> DNA  
 <213> Homo sapiens

<400> 161  
 cccacgcgtc cgggagattg gaagtcttct ataacgggac ctggggcagc gtcggcagga 60  
 ggaacatcac cacagccata gcaggcattg tgtgcaggca gctgggctgt ggggagaatg 120  
 gagttgtcag cctcgccctt ttatctaaga caggctctgg tttcatgtgg gtggatgaca 180  
 ttcagtgtcc taaaacgcat atctccatat ggcagtgcct gtctgcccc tgggagcgaa 240  
 gaatctccag cccagcagaa gagacctgga tcacatgtga agatagaata agagtgcgtg 300  
 gaggagacac cgagtgtctt gggagagtgg agatctggca cgcaggctcc tggggcacag 360  
 tgtgtgatga ctctggggac ctggccgagg cggaagtggg gtgtcagcag ctgggctgtg 420  
 gctctgctct ggctgccctg agggacgctt cgtttggcca gggaaactga accatctggg 480  
 tggatgacat gcggtgcaaa ggaaatgagt catttctatg ggactgtcac gccaaacctt 540  
 ggggacagag tgactgtgga ca 562

<210> 162

<211> 1812  
 <212> DNA  
 <213> Homo sapiens

<400> 162

gccttgcttg	gaggcaaagc	gtcctccact	ctgtcctcag	gactcagctg	tgtggccttg	60
gatttctttt	tgcgggactt	gcgccctttg	ggtgccaaag	gtccaggatc	cccctggaac	120
cagatggtac	ggccatgccg	gtcctgcagg	gagctcatgc	ctggcatgcc	atagcagcgc	180
agccaggctc	gaaaggcagc	aaagtccctc	tccccgctct	ctgaccctga	gcccctgccc	240
cccaactgga	ccacttcctt	gggcactgag	tgacatagct	ccagcaggtc	tggattctgc	300
agcttggtcc	ttatcttctg	gctcagggtc	agctccgggc	tggccctgtg	ctgctgcagg	360
gcctccagga	ccgagcgggc	cttctcaaag	ggggggatct	tcagccggta	caggatctct	420
gcccgcagat	agttgccaat	gccattgaag	aacctctggt	ccaggagggc	ctcgcagatg	480
ggccgggtcaa	aggccttata	cgctagggtt	cgtagcacat	tctccctgaa	ctgctggtag	540
tcttgcaaga	cacaggggccc	gcggcccggc	tgccactttc	ccccaaagtc	ccagcggccg	600
aaccggcgga	tgtccacgaa	acataggggc	agccgggggc	caggcggggc	cgtgtaaaag	660
cgcagggtggg	catggcgtgg	cagctcctcg	cggggcacca	gctgaaaaga	gccggacatg	720
ccgaagcgga	agaccagggc	cagtggctcc	tgttggggct	gggccccagg	cagagggtct	780
agtatcaggc	gcagctcctt	gcgcggggct	gaagctgaga	tgcggtaggc	actgctctca	840
aagggcacct	cagggttgcg	gctgacagag	gacttctcca	cgcagccgcc	gaacaccagc	900
gcctgcagg	cctcattcac	aaactggctg	gccaggtgca	gctcggggcc	ctcaggcatc	960
ctgagggagg	gtggcagagt	cctggctggg	aggtggcgga	agaacctgac	ttcccactgc	1020
ctggcgccgg	cgagatgcgg	gggcaggctc	gaggccccgg	gtcgccgctg	tctctgcggt	1080
tgggggaagt	caccagcta	gcgtgggaca	gggtcggcac	ccccagcagg	aaacagcagc	1140
gacgagccag	agcggagtcg	cctgcagctg	cgcgcaggac	gtgcacaggt	gcgcggtacg	1200
cacaggccct	agggaccctg	tggggatctt	aagcaccaac	gaacagtcag	acctaaactca	1260
taaaacaaaca	tcatcacggc	ctgccctgtc	agaagcgcag	ccaagcaaca	acaacaacaa	1320
aaaaaggcga	ggaggtagac	ccacttgaga	tggttctgtt	gcggagagtc	tctgaaatca	1380
gaaagcgcca	gtccgcaaaa	acgaggaaaac	ccgacgtgtc	cggcgggaagg	aaccgccagt	1440
acaaaggccc	tgaggcgaga	aagagattgg	tactgaaag	aactcaaaga	agtccctgtgt	1500
ggctggagta	tagctgcggg	ttagtgctgg	caggtgaaga	cagagaagca	aaccaggtc	1560
aggtccggtt	gggcctcggg	aggccctccg	tgtggagtct	gcacttcatt	ctaagtgtat	1620
acctaaccca	tcgccacgat	ttcccctcct	tcacactacc	ctgctacgtc	tccttattag	1680
gcgtaataaa	attatgtggc	tttgtaagaa	attggttttt	agagatgcat	gttaaagtat	1740
tgggtatgaa	atgtcatgat	ttgtctaatt	tactttaaaa	tacttctgcc	ataataaatg	1800
aatagaatta	ac					1812

<210> 163  
 <211> 333  
 <212> DNA  
 <213> Homo sapiens

<400> 163

agctgacgtg	gtctgcctgt	tattggagag	atatattaag	aatccagttg	tggattgcag	60
ctgatattct	tttgcaatg	cttgaaaaag	cacttcttta	tagtgaacac	cagaacatca	120
gcaacactgg	actgtcatcc	caaggcttat	tgatatttgc	ggagtgtgatt	cctgccatta	180
agaggacgtt	ggctcgcctt	ctcgtgatca	ttgcgagcct	ggactatggc	attgagaaac	240
ctcatttagg	aacaggcatg	caccgtgtga	tcggactgat	gcttctatac	ttaatctttg	300
caaagtctga	aagcgtgatt	agagtcattg	ggg			333

<210> 164  
 <211> 134  
 <212> DNA  
 <213> Homo sapiens

<400> 164  
 tttttttttt gagatggagt ctgctctgc tgcccaggct ggagtgcagt ggtgcaatct 60  
 tggctcactg caagctctgc ctcccagggt cagccattc tcctgcctca gcctcccgag 120  
 tagctgggac taca 134

<210> 165  
 <211> 839  
 <212> DNA  
 <213> Homo sapiens

<400> 165  
 cctgagcccg gcgagcagga gaggaggtct tccgggccgc ggcctccgag cgcgcgggat 60  
 ttgcagaact taatatgaat gtgaagaact tgcaaagaaa cttgaaaaca gccaaaggga 120  
 tggcatatca agaaataaat tggccttggc agaattgtat gaagatgaag tgaagtgcaa 180  
 atcttccaag tctaataagac ctaaagccac agtcttcaag agcccacgga caccacctca 240  
 acggttttac tcaagtgaac atgaatacag tggattaaat atagtctgac cttcaactgg 300  
 gaaaattgtg aatgaacttt tcaaagaggc aagggaacat ggggctgtcc ctctgaatga 360  
 agccacaaga gcttcagggtg atgataaatc taagtcattt acagggtggag gatacagatt 420  
 gggtagttct ttttgtaagc ggtctgaata tatctatgga gaaaatcagc tgcaagatgt 480  
 tcagattttg cttaaactgt ggagcaatgg tttcagttta gatgatggag aattgagacc 540  
 ttacaatgaa ccaacaaatg ctcaatttct ggagtctgtt aagagagggg tgactctcat 600  
 tgcattgtat ctgaaaattc agcaacttat gttagaaatc ttttaattgtg gcattactgc 660  
 tggcagaaga tttcaaaagg ttagtttgaa gttataattt gtgaaagtaa actcagatat 720  
 tcagtgtctc caccatcca aagaacattg taacttacca gctcttcttg ctaaaggatg 780  
 aggaatcaag tgattttgct atgataataa aagcttttct gtgttatgat taacaaaaa 839

<210> 166  
 <211> 1256  
 <212> DNA  
 <213> Homo sapiens

<400> 166  
 ctgatcacc tgatggccct gcggcgcagc tcccgggttg acccacgcgt ccgagcggat 60  
 gttcactctc acgaccatga ttcaagctct tgcacctgtt atgggatggg acaggaagcc 120  
 actgaagatg ttttcatcag aagagatgag aggacatctt catcatcatc ataaatgtct 180  
 gacgaagatc ctgaagggtg aggggcagggt tccagatctg ccactcctgc tgccccctgac 240  
 tgacaacacc cgcattgctgg cctctatcct catcaacatg ctctatgatg acctgcgctg 300

tgaccoggag	cgcgatcact	tccgcaagat	ctgtgaggaa	tatatcacgg	gcaagtttga	360
ccccaggac	atggacaaga	acttgaatgc	catccagaca	gtgtcaggga	tcctgcaggg	420
cccctttgac	ctgggcaacc	agctgctggg	actgaaaggt	gtgatggaga	tgatggtggc	480
actatgtggc	tcagagcgcg	agacggacca	gctggtggcc	gtggaggccc	tcattccatgc	540
ctccacgaag	ctcagccgcg	ccaccttcat	catcaccaat	ggagtgtcac	tgctcaaaca	600
gatctacaag	accaccaaaa	atgagaagat	caagatccgc	acactgggtg	gactctgtaa	660
gctcggctct	gcagggtggca	cagactacgg	tctcaggcag	tttgcggaag	ggtcgacaga	720
aaaactggcc	aaacagtgtc	gcaagtggct	gtgcaatatg	tccatagaca	ctcggaccgc	780
acgctgggca	gtggagggcc	tggcctacct	cacgctggac	gctgatgtga	aggacgactt	840
tgtccaggac	gtccctgccc	tgcaggccat	gtttgagctg	gccaaagacca	gtgacaagac	900
catcctgtac	tcggtggcca	ccaccctggg	gaactgcacc	aacagctacg	atgtcaagga	960
ggcatcccca	gagcttgtcc	agctcgccaa	gttctccaag	cagcatgtgc	ccgaggaaca	1020
ccccaggac	aagaaggact	ttatagacat	gcggtggaag	cggcttctga	aggcgggtgt	1080
catctctgcc	ctggcttgca	tgggtgaaagc	agatagtgcc	atcctcactg	accagaccaa	1140
ggagctgctg	gccaggggat	tcctggcact	gtgtgacaac	ccaaaggacc	gaggcaccat	1200
tgtggctcaa	ggtggtggca	aggccctgat	tcccctggct	ttggagggca	cagatg	1256

<210> 167  
 <211> 892  
 <212> DNA  
 <213> Homo sapiens

<400> 167						
atgtggacag	cgtgggtggc	ggcagcgagt	ctcggctccct	ggactcaccc	acttccagcc	60
caggcgctgg	cacgaggcag	ctggtgaagg	cttcgtccac	aggcactgag	tcctcagatg	120
actttgagga	gcgagacctt	gacctgggag	acgggctgga	gaatgggctg	ggcagccctt	180
tcgggaagtg	gacactgtcc	agcgcggctc	agaccaccca	gctgcggcga	ctgcggggcc	240
cagccaagtg	ccgcgagtgc	gaagccttca	tggtcagcgg	gacggagtgt	gaggagtgtc	300
ttctgacctg	ccacaagcgc	tgcttgagga	ctctcctgat	cctctgtgga	cacaggcggc	360
tcccagcccc	gacacccctt	tttggggttg	acttctgca	gctacccagg	gacttcccgg	420
aggaggtacc	ctttgtggtc	acgaagtgca	cggctgagat	agaacaccgt	gccctggatg	480
tgcagggcat	ttaccgggtc	agcgggtccc	gggtccgtgt	ggagcggctg	tgccaggctt	540
tcgagaatgg	ccgagcgttg	gtggagctgt	cggggaactc	gcctcatgac	gtctcgagtg	600
tcctcaagcg	atttcttcag	gagctcaccg	agcccgatg	cccttccac	ctctacgacg	660
ccttcattct	tctggctaag	accttgcatg	cagaccctgg	ggacgaccct	gggaccccca	720
gccccagccc	tgaggttatc	cgctcgctga	agaccctctt	ggtacagctg	cctgactcta	780
actacaacac	cctgcggcac	ctggtggccc	atctgttcag	ggtggctgca	cgatttatgg	840
aaaacaagat	gtctgccaac	aacctgggca	ttgtgtttgg	gccgacactg	ct	892

<210> 168  
 <211> 394  
 <212> DNA  
 <213> Homo sapiens

<400> 168						
ggactccatg	tcattctctt	gcacagcgct	gatggctcgt	actgggagga	tcccctttct	60
gagcttgaca	gtgaacgtgt	gtctgcattt	cttgtcactg	agaccctggg	gttctatttg	120
ttctgtctcc	ttgcagatga	aacctgcgtg	ccaccagatg	ttccaagcta	cctctcttct	180



caggggaccc	tttctgaccg	acaagaaacc	gtggtcagga	ccgaggggtg	ccctcaggcc	240
aatgggcaca	ttgagagcaa	tggttaaggcc	tcagtaaccg	tgaagcagag	ctctgctgtg	300
actgtgtctc	tggtgctgg	aggtggcctc	caggtcttta	cagggcaggt	acctggcatt	360
agatggggca	aacttggtga	agccacgcg	tccg			394

<210> 169  
 <211> 550  
 <212> DNA  
 <213> Homo sapiens

<400> 169						
ctgtgacacc	tccgggcagc	ccggcacttg	ttgctccac	gacctgttgt	cattccctta	60
accggcttt	ccccgtggcc	ccccgcctcc	tcccggttc	gctccttttc	atgtgagcat	120
ctgggacact	gatctctcag	accccgctgc	tcgggctgga	gaatagatgg	ttttgtgaaa	180
aattaaacac	cgccttgaag	aggagccccg	ctgggcagcg	gcaggagcgc	agagtgtctg	240
cccaggtgct	gcagaggtgg	cgcctccccg	gcccgggacg	gtagccccgg	gcgccaacgg	300
catgacagac	tcggcgacag	ctaacgggga	cgacagggac	ccgagatcg	agctctttgt	360
gaaggctgga	atcgatggag	aaagcatcgg	caactgtcct	ttctctcagc	gcctcttcac	420
gatcctctgg	ctgaaaggag	tcgtgttcaa	tgtcaccact	gtggatctga	aaagaaagcc	480
agctgacctg	cgcaacctag	cccccggaac	gcacccgccc	tttctggcct	tcaactggta	540
cgtgaagaca						550

<210> 170  
 <211> 422  
 <212> DNA  
 <213> Homo sapiens

<400> 170						
cttggattca	gtgatggaca	ggaagccagg	cctgaagaaa	ttggctggtt	aaatggctat	60
aatgaaacca	caggggaaaag	gggggacttt	ccgggaactt	acgtagaata	tattggaagg	120
aaaaaaatct	cgcctcccac	accaaagccc	cggccacctc	ggcctcttcc	tgttgcacca	180
ggttcttcga	aaactgaagc	agatgttgaa	caacaagtgc	tctacaagta	tagaaaagag	240
ccttcctctt	cccaccgtcc	ccagacacca	cataatggaa	aaagcaagaa	ttttctgcat	300
aagcaaggcc	ttaaaaaaaa	aaaagccagc	ctctgatggg	acttttttcc	tgccaaaaat	360
cccactggtc	cactgtcgca	atttttacaa	aaggccacga	taaaagagta	aggcccattt	420
tg						422

<210> 171  
 <211> 1042  
 <212> DNA  
 <213> Homo sapiens

<400> 171  
 eggacgcgtg gggatcatgga gctggcactg cggcgctctc ccgtcccgcg gtgggttgctg 60  
 ctgctgccgc tgctgctggg cctgaacgca ggagctgtca ttgactggcc cacagaggag 120  
 ggcaagggaag tatgggatta tgtgacggtc cgcaaggatg cctacatgtt ctgggtggctc 180  
 tattatgccca ccaactcctg caagaacttc tcagaactgc ccctgggtcat gtggcttcag 240  
 ggcgggtccag gcggttctag cactggattt ggaaactttg aggaaattgg gccccttgac 300  
 agtgatctca aaccacggaa aaccacctgg ctccaggctg ccagtctcct atttgtggat 360  
 aatcccgtgg gcaactgggtt cagttatgtg aatggtagtg gtgcctatgc caaggacctg 420  
 gctatgggtg cttcagacat gatgggtctc ctgaagacct tcttcagttg ccacaaagaa 480  
 ttccagacag ttccattcta ctttttctca gagtcctatg gaggaataat ggcagctggc 540  
 attggtctag agctttataa ggccattcag cgagggacca tcaagtgcaa ctttgcgggg 600  
 gttgccttgg gtgattcctg gatctcccct gttgattcgg tgctctcctg gggaccttac 660  
 ctgtacagca tgtctcttct cgaagacaaa ggtctggcag aggtgtctaa ggttgcagag 720  
 caagtactga atgccgtaaa taaggggctc tacagagagg ccacagagct gtgggggaaa 780  
 gcagaaatga tcattgaaca ggtaaaaagg ggaaacactc agaggcgagc ctgcttggct 840  
 tttctgggtg ggtacagggc ccatgggttg tgttgcataa cttggagtct acactgaggc 900  
 tccccacata tctgcaaatg attgcattgt ggataataaa tctcttgggt ctaagcagtg 960  
 atgtagtggc tccttacaga gtcagaaagc caccaggccg tgcaagactt gcttgtcctt 1020  
 cactaaatgt aaaaattcta tt 1042

<210> 172  
 <211> 890  
 <212> DNA  
 <213> Homo sapiens

<400> 172  
 aaagtagtag gttgggtgcaa acgtagtaat aaattggttt ggccctgttt tcatagaact 60  
 atagagggtg gacctttgtc ccctccaga tgcctacaaa caaactgatg tttttgattt 120  
 ttttttcttt ttaaatcttt gttgccacta attcttataa aaatcctcac acaaggctgg 180  
 gctcagtggt tcacacctgt aatcccagca ctttggagg ctaggcagg cggatcacga 240  
 ggtcaggaga tcgagaccat cctggctaac acggtgaaac ccccgctctt actaaaaata 300  
 caaaaaaatt agccgggctg ggtggcgggc gcctgtagtc ccagctactc gggaggctga 360  
 ggcaggagaa tggcgtgaac ccgggaggca gagcttgagc tgagccgaga tagcgccact 420  
 gcactccagc ctggggcgaca gagcaagact ccatctcaaa aaaaaaaaaa agtgataata 480  
 ctgtaatccc agcacttttg gaggccgagg caggccgatc acgaggtcag gagatcgaga 540  
 ccatcctggc taacacgggtg aaaccccgct tctactaaaa atacaaaaaa ttagctgggc 600  
 gtgggtggcg gcacctgtag tcccagctac ctgggaggct gaggcaggag aatggcgtga 660  
 acccaggagg cggagcttgc agtgagcgga gatcatgcca ctgcacttca gcctgggcga 720  
 cagagcaaga ctccatctca aaaaacacac acacacacac acacacacac acacacacaa 780  
 atagaaaaat aataatagtt ttaagcacct ctaaagtaca gatattgtgc caagcaattt 840  
 atgtgaattg attagattga taactctaaa aatagtttcc ctaatcaact 890

<210> 173  
 <211> 1922  
 <212> DNA  
 <213> Homo sapiens

<400> 173

tttctttctt	catccaaaat	agtagagatg	tctttccac	gatgacctgt	gatggtggag	60
atatcttttc	ctcgccaac	tcctcctcca	tcggcttctt	tgatgtcatc	ttcaatagct	120
tcatcaattg	cttcatcaaa	ctcatcaaat	ctgtagctta	tacatttcct	tgttcttggt	180
gacctccttt	caaagcaagt	ttgctttgga	tttttttgaa	tcttttttct	tttcttcttg	240
atcttcagaa	aagtctggct	ctttgtggag	gaatgatgtt	ttcaatactg	gataccaaca	300
tacaccaagc	gttcttttcc	ttcgttccgg	caacgctctt	tccttcttta	aggcaacatc	360
ccaaatcctg	gaaactggtc	ctctaatttt	tccaacaaga	gcaagtttaa	tgttgggcaa	420
aaggtggggc	aagaacccat	cctcccatct	ggggatggat	catcagagga	ggggcgaaag	480
gcagggcagt	atggtatcca	ctatcgcaag	agtcacacag	aagaattagc	tcaggatggt	540
ttggaaggcc	acattttttg	catggttcat	catcatctgc	taggatggct	tcttcacttt	600
ccttttcttc	ctcctcttct	gaagctgcag	atgatttttc	actgccagac	ccttcacttt	660
catcattgct	ggaatatttc	catctgccac	gtgtccgaga	accagtccat	cgaactttgc	720
ctttgggttt	taccttgctt	actttagaat	ttgtatcttt	ctctgatttt	ttcaaaattt	780
cctttttgtc	agttttttgc	aaagctgttg	actcttcttc	cacctcatct	tctccttccc	840
ctcttttttt	atcagctttc	tgatctctga	tctcagccac	ttttgcagtg	ggtctagata	900
ttcttgagaa	tcttcttaaa	gtacgaccca	catttgtttt	ctcctcttcc	ttttctgtct	960
tctcttgctt	gttttctggt	tctagaactt	tggggggaga	atcgggcttc	tttttccgac	1020
ttgatatcct	gattgttaat	ttgatgccct	ctttctgcct	ttcagagggt	atctctgtat	1080
tttctgaggc	agtggtttct	tcttcaggaa	ccaactata	tttgaatttg	cttttttgca	1140
tagaaccttt	tgtctcagaa	ggctcctcta	tgccagagg	ctgggcattg	tccagattat	1200
ccatttctac	ctttgtgaac	tcagaatcct	cttttaggg	ttctaggtct	acttttttca	1260
cagactggcc	accaacagta	cttgtactct	ggcattctac	cacttctttt	tctgaggcta	1320
gtttctcaca	gtggtcaatg	atattagatg	gtggagaagt	ttcagctgcc	tcaggagagc	1380
caggcttttc	tgactctaga	gtactctttg	gaacttcttc	tggatttgga	ctcaatcttt	1440
gtgcgtcctt	atcaagaaaa	gtcttttttg	acttctctaa	cttttcaaga	cattctagga	1500
ttggtgggcg	cttatccttc	ttagtttttg	gagacttctc	ttcaccttcc	atggtagacg	1560
actcgggtgga	agataaagca	gtttttgaag	agagatcttt	tgccatctca	gaagaatcaa	1620
gagaagtttc	catttctgga	ggatcgggtt	cctctatttg	tgttttttga	ctatggatct	1680
ctaagactga	tattgaacta	tctgcatctt	tcctcaaagg	ggctgtttct	ttctcaagct	1740
cacctgtttt	catacttggt	tatgacagaa	tttaaggact	ctgttccatt	tccctccgtg	1800
atgatatttc	tgtccttagg	ggggctatag	ctctcttctt	ttgtctcata	aaactttgtc	1860
tctacttggt	tctgtcttaa	aatttgagag	taccctttca	tcactaactt	ctccatttac	1920
ca						1922

<210> 174  
 <211> 537  
 <212> DNA  
 <213> Homo sapiens

<400> 174

aaaagcggcg	cggctcgctc	aagatggcgg	agctcgacca	gttgcttgac	gagagctctt	60
cagcaaaaagc	ccttgctcagt	ttaaaagaag	gaagcttatc	taacacgtgg	aatgaaaagt	120
acagttcttt	acagaaaaca	cctgttttga	aaggcaggaa	tacaagctct	gctgtggaaa	180
tgcttttcag	aaattcaaaa	cgaagtgcac	ttttttctga	tgaagatgat	aggcaataaa	240
atacaaggtc	acctaaaaga	aaccagaggg	ttgcaatggt	tccacagaaa	tttacagcaa	300
caatgtcaac	accagataag	aaagcttcac	agaagattgg	ttttcgatta	cgtaactctgc	360
tcaagcttcc	taaagcacat	aaatggtgta	tatacgagtg	gttctattca	aatatagata	420
aaccactttt	tgaaggtgat	aatgactttt	gtgtatgtct	aaaggaatct	tttctaattt	480
tgaaaacaag	aaagttaaca	agagtagaat	ggggaaaaat	tcggcggctt	atgggaa	537

<210> 175  
 <211> 659  
 <212> DNA  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <222> (1)...(659)  
 <223> n = a,t,c or g

<400> 175

tctctctttg	ccagtaatgt	tggaagtgga	catttcattg	gcctggcagg	gtcaggtgct	60
gctacgggca	tttctgtatc	agcttatgaa	cttaatggct	tgttttctgt	gctgatgttg	120
gcctgggtct	tcctacccat	ctacattgct	ggtcagggtca	ccacgatgcc	agaataccta	180
cggagcgct	tcggtggcat	cagaatcccc	atcatcctgg	ctgtactcta	cctattttatc	240
tacatcttca	ccaagatctc	ggtagacatg	tatgcgggtg	ccatcttcat	ccagcagtct	300
ttgcacctgg	atctgtacct	ggccatagtt	gggctactgg	ccatcactgc	tgtatacacg	360
gttgctgggtg	gcctggctgc	tgtgatctac	acggatgcc	tgcagacgct	gatcatgctt	420
ataggagcgc	tcaccttgat	gggctacagt	ttcgccggcg	ttggtgggat	ggaaggactg	480
aaggagaagt	acttcttggc	cctggctagc	aaccggagtg	agaacagcag	ctgcgggctg	540
ccccgggaag	atgcctttca	tatttttcga	gatccgctga	catctgatct	cccgtggccg	600
ggggtcctat	ttggaatgtc	catcccatcc	ctctgggtact	ggngcacgga	tcaggtgaa	659

<210> 176  
 <211> 1033  
 <212> DNA  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <222> (1)...(1033)  
 <223> n = a,t,c or g

<400> 176

cccacgcgtc	cggatgtgtg	ctcacacttg	ggggacctga	ttggggcttc	agaccttggg	60
ggcctgtccg	cagggctctc	tccatccttc	ttgatattgc	tgctattgag	gctgcccgtc	120
ctgggcgcca	ttcccagcc	taacacctct	tctcagtcct	tccttgccagg	tccctggagt	180
ccaggccttg	gggcagtgaa	gaaaccgtgg	ggaggggcat	gagatgccag	tccccaaagt	240
ccttggggagc	ccttgtgggc	caagtcattg	taggacacac	cctctcctgg	gcattgtctga	300
ggtcacccag	tgagcctagg	ctccccctc	ctcccatccc	cagcctgggg	gaaccttcag	360
cgtctctcct	ccctgtaggc	cccggtctcag	cttcccagga	acttttggtg	gtgggtacta	420
gtagggtaag	gcagttcttc	ccatcatgag	ggagaccttg	ggagactttc	attaccaaatt	480
ccattgtctgc	cccgaccttc	ctgggactga	tctgggtcac	cctggtctcc	tgatcttgga	540
gaagtcgaagt	tcttatccca	gacttgagag	gttacaagcc	tccaggtctc	tggcaaagtg	600
tggagatgat	ggagagccat	ttgtacacac	accagccagt	cccttagcat	atctctcttg	660
gttttgtctc	aggtctgcct	cagccacctc	cctgacgctg	tcccactgtg	tggatgtggg	720
gaaggggctt	ctggatttta	agaagaggag	aggtcactca	attgggggag	cccctgagca	780
gcgataccag	atcatccctg	tgtgtgtggc	tgcccgaact	cctaccgggg	ctcaggatgt	840
gctgcagcct	cctggccact	ggaggggctg	accgcctgat	ccacctctgg	aatgttgttg	900
gaagtcgcct	ggaggccaac	cagaccctgg	agggagctgg	tggcagcatc	accagtgtgg	960
actttgacct	ctcgggctac	caggttttag	cagcaactta	caaccagggt	gcccagtttt	1020
ggaaggtnng	gga					1033

<210> 177  
 <211> 335  
 <212> DNA  
 <213> Homo sapiens

<400> 177  
 gtcaaaaacg atttcctagc aactgtggcc gtgatggaaa actgtttctt tggggacaag 60  
 cacttcatat catcgcaaaa ctccctgggta agtggagaag attgggaatg gtattttttt 120  
 ccttggttatt aagctattag aaataaatat gcctttgctg gcacataata gtacttttgg 180  
 acaacaggat atccctatgga gtttaaaaaat aagtatttaa aatataacaa atctgtatta 240  
 gtccattctc atgctactaa taaagatata cccaagactg ggtaatttat aaaggaagga 300  
 gttttaatgg cctcacagtt ccgtcgacgc gggcg 335

<210> 178  
 <211> 556  
 <212> DNA  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <222> (1)...(556)  
 <223> n = a,t,c or g

<400> 178  
 gttcacgtct gcagcagtaa gatgggagct ttgtccacgg agcggctaca gtactacact 60  
 caggaactgg ggggtccggga gcgcagtggc cacagcgtgt ccctcatcga cctctggggc 120  
 ctccctgttg agtatctcct gtaccaggag gagaaccctg ccaagctgtc tgaccaacag 180  
 gagggcgtcc gccagggtca gaacccttac ccattttaca ccagtgtcaa cgtccgcacc 240  
 aacttgagtg gggaagattt tgcagagtgg tgcgagttca cgccctatga ggttggttc 300  
 cccaagtacg gggccttatgt tcccaccgag ctcttcggct cagaactctt catgggacga 360  
 ttgtgcagc tccagcctga accccggatc tgttacctgc aaggtatgtg gggcagcgcc 420  
 tttgccacca gcctggatga gatcttccta aagaccgccg gctcgggcct cagcttcctg 480  
 gagtggatca gaggcagtgt gaatatcaca gacgactgcc agaagcctca gctgcacaac 540  
 ncctcgacgc gggaat 556

<210> 179  
 <211> 631  
 <212> DNA  
 <213> Homo sapiens

```

<400> 179
gaatttctgg gtcgtcccccac gcggtcccgca aaggatgagg gaaacgatga gggaaaggat    60
gaggggaaagg atgaggggaaa ggatgaggga aaggatgagg gaaaggatga gggaaaggat    120
gagagaaagg atgaggggaaa ggatgaggga aaggatgaga gaaaggatga gggaaaggat    180
gaggggaaagg atgaggggaaa ggatgaggga aaggatgagg gaaaggatga gggaaaggat    240
gaggggaaagg atgaggggaaa cgatgaggga aaggatgagg gaaaggatga gggaaaggat    300
gaggggaaagg atgaggggaaa ggatgaggga aaggatgagg gaaacgatga gggaaacgat    360
gaggggaaacg atgaggggaaa ggatgaggga aaggatgaga gaaacgatga gggaaaggat    420
gaggggaaagg atgaggggaaa ggatgaggga aaggatgaga gaaacgatga gggaaaggat    480
gagagaaagg atgaggggaaa ggatgaggga aaggatgagg gaaaggatga gggaaaggat    540
gaggggaaagg atgaggggaaa cgatgaggga aaggatgaga gaaaggatga gggaaaggat    600
gaggggaaagg atgaggggaaa ggataagtaa g                                631

```

```

<210> 180
<211> 469
<212> DNA
<213> Homo sapiens

```

```

<220>
<221> misc_feature
<222> (1)...(469)
<223> n = a,t,c or g

```

```

<400> 180
ggcggggctc ntttgagacc tgatgaccat cattacgccc agcttggcac gggggggagg    60
acttcagcta cggcctgcag ccctactgcg ggtactcctt ccaggttgtg ggggagatga    120
tccggaaccg ggaggtgctg ccttgccccg atgactgtcc cgcctgggcg tatgcéctca    180
tgatcgaggg ctggaacgag ttcccagcc ggaggggccc ctttaaggac atccacagcc    240
ggctccgagc ctgggggcaac ctttccaact acaacagctc ggagcagacc tccgggggca    300
gaaacaccac gcagaccagc tccctgagca ccagcccact gtgcaatgtg agcaacgccc    360
cctacgtggg gcccaagcag aaggtcccgc cctttccaca gaccaggtc atccccatga    420
agggccagat cagacccatg gtgccccccg cgcagctata cgtccccgg    469

```

```

<210> 181
<211> 453
<212> DNA
<213> Homo sapiens

```

```

<400> 181
caggaattcc gggcgccacc cacgcgttcg atggatcctg gaagagcgca agcgggtgat    60
gcaggaggcc tgcgccaagt accgggagcag cagcagccgc cgggcccgtc cggcccgcca    120
cgtgtcccgt atcttcgtgg aggaccgcca ccgcgtgctc tactgcgagg tgcccaaggc    180
cggctgctcc aatttgaagc ggggtgctcat ggtgctggcc ggccctggcct cgtccactgc    240
cgacatccag cacaacaccg tccactatgg cagcgtctctc aagcgcctgg acaccttcga    300
ccgccagggt atcttgacc gtctcagcac ctacaccaag atgctctttg tccgcgagcc    360
cttcgagagg ctgggtgtccg ccttcgcgca caagtttgag caccccaaca gctactatca    420
cccgtctctc tgcattggcca tactggcccg gta                                453

```

<210> 182  
 <211> 377  
 <212> DNA  
 <213> Homo sapiens

<400> 182  
 cataatgtat agtattttctc ctgccaaactc tgaggaaggc caggaacttt atgtctgcac 60  
 agtcaaggat gatgtgaact tggatacagt acttctccta ccctttttga aagaaatagc 120  
 agtaagccaa ctggatcaac tgagcccaga ggaacagttg ctgggtcaagt gtgctgcaat 180  
 cattgggtcac tccttccata tagatttgct gcagcacctc ctgcctggct gggataaaaa 240  
 taagctactt caggtcttga gagctcttgt ggatatacat gtgctctgct ggtctgacaa 300  
 gagccaagag cttcctgctg agcccatatt aatgccttcc tctatcgaca tcattgatgg 360  
 aaccaaagag aagaaga 377

<210> 183  
 <211> 621  
 <212> DNA  
 <213> Homo sapiens

<400> 183  
 ctcacccctta aagtgcacaga gtaaattaac tctaaggccc catccaggac tcaagctgtg 60  
 tgattttaca aaaatgaaaa ttatattaat aatcccattg taaaatccca aaagaaagtc 120  
 aagagactag cagaaagaca ggtgggtgat gggatgtcct ggacagagcc tggatcatga 180  
 ggtcccatg tagtgcttgt actacgcaga tgtttcctct tgagctatct taaagggtgtg 240  
 gaaaaagcca aagcaatgcc ctctccacgg atactaaaga ctcaccttct cactcagctg 300  
 ctgccaccgt ctttctggga aaacaactgc aaggttaagat accaacagct ccctgtgaca 360  
 gaagggaaag taagccaacc aaagcgagtc ctgcagaccc caacgcagag cattcgtgat 420  
 cacctttgcc tctccactgt ctctgatgct taccagcaaa gagaaaacat aaagttctac 480  
 attcagcagg acattcacct gaacagtttc aaataggaca tgaaggcagg atccagattg 540  
 aatggttggga gggaaactaga gacatgggga ggcagtgagt gcagtaagcg tagctgtgaa 600  
 atgaagggga gaagatgggtg g 621

<210> 184  
 <211> 415  
 <212> DNA  
 <213> Homo sapiens

<400> 184  
 accgggacga cccacgcgtc cggaatttta attctattat atatgcagac tttctaaaga 60

agataaagct	tttttatggg	agaaacgtta	ttattgcttc	aaacacccaa	attgtcttcc	120
taaaatatta	gcaagcgccc	caaactggaa	atgggttaat	cttgccaaaa	cttactcatt	180
gcttcaccag	tggcctgcat	tgtaccact	aattgcattg	gaacttcttg	attcaaagta	240
agtcaaatac	atttatgtgc	tcttggttta	ttgtcagttt	ttccagtaag	gtatgttgcc	300
agaagtattt	cctttccttt	taacatgaaa	gcaattcaat	ataatccaaa	tgtgtaaattg	360
tatatattata	caaacatatc	ttctgcattg	aagttgtcaa	taaagcattg	catgt	415

<210> 185  
 <211> 359  
 <212> DNA  
 <213> Homo sapiens

<400> 185						
ggaaaatgat	gatttgaggt	ttatttgaaa	tacaacaatg	tccaatagga	aaacactgca	60
actttcttca	gggtgtgaga	aatccaatag	agacctctgc	ttgtctcctc	ctttggcaag	120
agctccaagg	ggagagagag	gatgggccac	cacgatgaat	actacaggct	gcggggaagg	180
ataaccctag	tccagaccat	tcctacaaaa	gaaatgggga	atccgaaagg	aaaaggaaga	240
aatctcacta	gcacatgtca	aagagccagg	agaggcacia	ttaccaagc	agaggaagaa	300
atagtgcagg	cagcgggggc	cgggtgcaggc	gcagtgataa	cggtcggagc	cgttacagg	359

<210> 186  
 <211> 1616  
 <212> DNA  
 <213> Homo sapiens

<400> 186						
ggagggttgcg	gcggcggctg	cggcgcagcc	cggggcgggc	gggtgggaaga	ggactaccag	60
aggggcctgc	gggagaccca	gggtcggacc	cataggagtc	ctgtcgtcag	gacctccttg	120
atcgggtcttc	tgcttggggtt	ctcgggtgaag	gaggagcttc	gggggtgtcgg	ctgggctcgc	180
cggactcctc	ttgggatccg	atgatggatc	ccaccgggtg	atcgggaatg	gggttacaat	240
gcagtgcagg	ggaaaggctc	tcgccggggc	acagaaagat	cccaggggcc	gcaaggcgtg	300
ctgtcgcctg	caaaggcact	gaccacagag	cccactgcct	ccctccttcc	tgggtggagc	360
aggggcctgc	cttcatctcc	aaggccgggg	ggctccggca	tctcgacgcg	gcttccggcg	420
acacgggcaa	agagagacag	aggctagtcc	gagccggagc	cagtgtgacc	acacgtggca	480
ctgacgtccc	ccaagagcac	atgcagtgcg	cctgtgtctc	tgaggccgta	gtgggcgacg	540
acgagacgga	cagtgatgtc	caggcctgcg	cccggggggc	actggagacc	tgcccctcaa	600
agcggaggaa	acgccaaagt	cacctgaaaa	cctgcgagac	agggcctgtg	cacgagtcca	660
gtactcctac	ttcgccaagt	ctcagggacc	catccccgag	caacgggtggc	ggcgcagaga	720
agagcacggc	gccggcgag	gtgcagagag	acaggaggct	gatgggggga	agttgaggca	780
cctggggcag	agaaaaaaat	gcattgccaa	gaggtttctg	ggtcatctac	tgacgaaaat	840
gtcttcccat	cagcccttgc	gctgggtccc	agggaccctg	gcacccgtcg	ttggcgccca	900
gggtgcgcgt	cgggccacta	gggttaccac	aactcggaca	gaaggcccat	gagttgaatt	960
tgaagtttgt	gggaatagag	gtgaggcacc	aggggcagaa	aaaaaacagg	agacctcgcc	1020
tcagacaagc	ggggcctggg	tcccccatgg	atgaaagtgc	cttcccatta	tgctgtaccc	1080
tgggcagagt	ggacagtgc	gaccctgggt	cgagcccagg	gtgcgcttcg	ggaccgcttg	1140
cggttaccag	aaagcgaaca	aatgggtccat	gagcgggaagg	tgaggcacct	gaggcagaga	1200
aagtaagaa	acgcgcgcgc	gagaagcagt	gcttgggtcc	ctcacggagg	aaattgtctt	1260
ctccttagcc	cgttcgcttg	gcagtgcagg	ccctggcgctc	cctgggttga	tcccagggta	1320



cgctcgggc	cactagtgtt	acccaaggt	gggcagaaag	cccataaggg	gaaggcgagg	1380
cacctggggc	agagaaaaaa	aaaaacttcg	ccgcaaagaa	gcgcggcctg	attccccacg	1440
gacgaaagt	tcttcccatc	agtccctgca	ctgggacccg	gggaccctgg	tgccccctgg	1500
tcgagctcag	ggtgtgcctc	agccgctacg	tgaccccaa	ggggagcttt	gggagcccaa	1560
aagccaataa	gggaaagtaa	tttttaaggc	ccccagtgg	gaggccctg	tcacag	1616

<210> 187  
 <211> 916  
 <212> DNA  
 <213> Homo sapiens

<400> 187

ttttgataag	aggcaacatg	aagcaagaat	ccagcaaattg	gagaatgaaa	ttcactat	60
gcaagaaaat	ctaaaaagta	tggaggaaat	ccaaggcctt	acagatctcc	aacttcagga	120
agctgatgaa	gagaaggaga	gaattctggc	ccaactccga	gagttagaga	aaaagaagaa	180
acttgaagat	gccaaatctc	aggagcaagt	ttttggttta	gataaagaac	tgaagaaact	240
aaagaaagcc	gtggccacct	ctgataagct	agccacagct	gagctcacca	ttgccaaaga	300
ccagctgaag	tcccttcatg	gaactgttat	gaaaattaac	caggagcgag	cagaggagtt	360
gcaggaagca	gagaggttca	gcagaaaggc	agcacaagca	gccagagatc	tcacccgagc	420
agaagctgag	atcgaactcc	tcagaaatct	cctcaggcag	aagggggagc	agtttcgact	480
tgagatggag	aaaacagggtg	taggtactgg	agcaaactca	caggtcctag	aaattgagaa	540
actgaatgag	acaatggaac	gacaaaggac	agagattgca	aggctgcaga	atgtactata	600
cctcactgga	agtgacaaca	aaggaggcct	tgaatatgtt	ttagaagaaa	ttgctgaact	660
tcgacgtgaa	ggttcttata	agaatgatta	cataagcagc	atggcagatc	ctttcaaaa	720
acgaggctat	tgggtacttta	tgccaccacc	accatcatca	aaagtttcca	gccatagttc	780
ccaggccacc	aaggactctg	gtgttggtct	taagtactca	gcctcaactc	ctgttagaaa	840
accacgccct	gggcagcagg	atgggaagga	aggcagtc	cctccccctg	cctcaggata	900
ctgggtttat	tctccc					916

<210> 188  
 <211> 1080  
 <212> DNA  
 <213> Homo sapiens

<400> 188

cctctactgc	agcttcatca	tcagattctt	ctttctgttc	ttgggtgct	tcttcttct	60
ccatgggctc	ctcaacagtt	tcagtcttgc	tgctccatac	ataaatagga	aagtttatga	120
actgtgaata	tttttgacg	agatttttaa	ttgtatccaa	ttcaaggtaa	tcagatgctt	180
cttcttttaa	gacaagggtg	attgtogttc	ccgctoctag	agtgtttcct	cttgggtcag	240
caattacaga	aaattcattg	gagtcagact	cccagattgg	ccagtttggg	gtcggtttct	300
attccgcctt	ccttgttagc	gataagggtg	ttgtcacttc	aaaacacaac	aacgataccc	360
agcacatctg	ggagtctgac	tccaatgaat	tttctgtaat	tgctgaccca	agaggaaaca	420
ctctaggacg	gggaacgaca	attacccttg	tcttataaaga	agaagcatct	gattaccctg	480
aattgggatac	aattaaaaat	ctcgtcaaaa	aatattcaca	gttcataaac	tttcttattt	540
atgtatggag	cagcaagact	gaaactgttg	aggagcccat	ggaggaagaa	gaagcagcca	600
aagaagagaa	agaagaatct	gatgatgaag	ctgcagtaga	ggaagaagaa	gaagaaaaga	660
aaccaagac	taaaaaagtt	gaaaaaactg	tctgggactg	ggaacttatg	aatgatataca	720
aaccaatatg	gcagagacca	tcaaaagaag	tagaagaaga	tgaatacaaa	gctttctaca	780

aatcatttttc	aaaggaaagt	gatgacccca	tggcttatat	tcactttact	gctgaagggg	840
aagttacctt	caaatcaatt	ttatttgtac	ccacatctgc	tccacgtggt	ctgtttgacg	900
aatatggatc	taaaaagagc	gattacatta	agctctatgt	gcgccgtgta	ttcatcacag	960
acgacttcca	tgatatgatg	cctaaatacc	tcaattttgt	caaggggtgtg	gtggactcag	1020
atgatctccc	cttgaatggt	tcccgcgaga	ctcttcagca	acataaactg	cttaagggtga	1080

<210> 189  
 <211> 1344  
 <212> DNA  
 <213> Homo sapiens

<400> 189

tttttttttt	ttgctgctgg	gtcggggttt	atttcaaagt	cagccacaga	ggcgggtttct	60
gcacaggtac	gtgatccgac	tccacaagct	cccaccaggg	gctcccatg	acccgcaatg	120
acgtgtgtgt	gggtcaaagg	aaaacaggcc	acagccaggc	ccctcgatgg	acgcaggcag	180
gggaccagga	atgcggccca	cgagggggga	tcgggaatca	ggcggaaagt	gcaggtttgc	240
agctggcggg	aggagccagc	atgcccgaat	ctctaaaata	ttcccgttag	aaaaatagac	300
atttccctcc	aaagcagatt	cctgggggctg	gaggggtccct	ccaaggccag	gggtccgggt	360
gattccagag	catccacgct	ctgcgctgaa	ggcactgaac	ctgccatcac	tgtcacagcc	420
gtcaccggcc	aaggagggtc	tggaggaggg	aaggggccct	tgcgaggctc	tgggtgctggt	480
gatcccggcc	cccaccaccg	gaggagctga	aagcccttgc	tcagccgctg	ccctgctggt	540
gaacccggcc	cccaccgccc	gaggagctgc	accctgtgtg	gtctgaggca	gcccctgcact	600
gggcagcggc	cccgcgccgc	gctgaaccca	ctaggagagc	agctgcagca	cctgtcggat	660
gcgctggggc	ctccccggca	gggggggata	agagccctcc	tcatccagct	ccgcacacag	720
ggcttccgac	ttctgcaccg	tcagctctcg	ggcccggccc	tgcagcccct	ccaggtaggc	780
cagcagggtg	gagaagtgtc	catcggaac	cttgtcactg	tcatacatgt	gcagcaggag	840
ccacgtctgc	ctcgtcttct	gaaacctcca	gttcttgtgc	ttttgggccc	atctgcagag	900
gtagtccagg	gccagttcgg	cccccgagcg	cctggcaggc	gggtgctggg	ccacaaggcc	960
tgcctcccgc	agacgtctgc	tctcctcttt	cttccgttcc	tttttcagct	tcctttccag	1020
gacctctctg	tcctctgggg	acagctctgg	ctctgcgtcc	agcccgggccc	tgagcacagc	1080
ttcgcccttg	gagccggctc	cttcgccact	tggcgcagcc	tcagggccca	gcagtggccc	1140
ctctcagcag	gcctctttca	gttttttctt	ctttttctct	gtcacttcag	gaacttttct	1200
cttctgtttt	gccatcctgc	gcccacctgc	gcccacgtcg	cccacctaag	cgtgaacagc	1260
tgcgtcgcgg	acgccgcctt	ccggcaggga	cccgcggacg	cgtgggtcga	cccggcaaaa	1320
cgggtccaac	ctagggcgtc	gagg				1344

<210> 190  
 <211> 550  
 <212> DNA  
 <213> Homo sapiens

<400> 190

cccggaccca	cgccgcccc	gcgccacggc	tctccccac	accgccttat	tcgggtcgag	60
acccgggggc	ccccggcgcc	gcctgctgat	gagcggatct	ccggaccccc	cgccagcagc	120
gataggctag	ctatcctaga	agactatgcy	gaccggtttg	atgttcagga	gactggcgaa	180
ggctcagcag	gagcttcagg	agccccagag	aaggtccctg	aaaatgatgg	ctacatggag	240
ccctatgagg	ctcaaaagat	gatggccgag	atccgggggt	ccaaggagac	agcaactcag	300
cccttgccctc	tgtatgacac	accctatgag	ccagaggagg	atggggccac	cccggaaagt	360

gagggggccc	cctggccccg	ggagtcccg	ctgccagagg	atgatgagag	gccccctgag	420
gagtatgacc	agccctggga	gtggaagaag	gagcggattt	ccaaagcctt	tgagttgac	480
attaagggtca	tcaaagacct	accttggcct	ccacctgtgg	gacagctgga	cagcagcccc	540
tccttgccctg						550

<210> 191  
 <211> 562  
 <212> DNA  
 <213> Homo sapiens

<400> 191						
caatTTTTTT	ctctTTTTctt	aaggTatcag	atacacaccg	gacttcaaca	ttctatcata	60
agacctacc	aacccaactg	tttacctctg	gacaatgcc	ccctacctca	gaaactgaag	120
gaggttgat	attcaacgca	tatggtcgga	aaatggcact	tgggttttta	cagaaaagaa	180
tgcatgccc	ccagaagagg	atttgatacc	ttttttgggt	cccttttggg	aagtggggat	240
tactatacac	actacaaatg	tgacagtcc	gggatgtgtg	gctatgactt	gtatgaaaac	300
gacaatgctg	cctgggacta	tgacaatggc	atatactcca	cacagatgta	cactcagaga	360
gtacagcaaa	tcttagcttc	ccataacccc	acaaagccta	tatttttata	tattgcctat	420
caagctgttc	attcaccact	gcaagctcct	ggcaggtatt	tcgaacacta	ccgatccatt	480
atcaacataa	acaggaggag	atatgctgcc	atgctttcct	gcttagatga	agcaatcaac	540
aacgtgacat	tggtctctaaa	ag				562

<210> 192  
 <211> 2171  
 <212> DNA  
 <213> Homo sapiens

<400> 192						
cacgcgtccg	gaaaggaaga	ggcggtgaga	ggctgcaaag	ccccttgcg	gttccgcaga	60
aaccagaaa	acctccccct	ccacccaagc	ctcagttcct	aaactcaggg	gcatactctc	120
aaaaacctct	tagaaatcag	ggagtgggga	ggacactgtc	cagctctgcc	caagaggaca	180
tcattccggtg	gttttaaagag	gagcagctac	cacttcgagc	gggctaaccag	aaaacctcag	240
acaccatagc	cccctgggtc	catggaattc	tcacactcaa	gaaagcaaat	gaacttcttc	300
tgagcacagg	catgcccggc	agttttctca	tcagagtcag	tgaaaggatc	aaaggctatg	360
ccctgtccta	tctgtcggag	gacggctgta	aacatttcct	catcgatgcc	tctgcagacg	420
cctacagctt	cctgggctgt	gaccagctac	agcatgccac	cttggcggat	ttggtggaat	480
atcacaagga	ggaacccatc	acttcctctg	ggaaggagct	ccttctctat	ccctgtgggtc	540
agcaggacca	gctgcctgac	tacctggagc	tgtttgagt	acagcctcca	tcagggtcat	600
cctacagcct	ccaagcgggc	tttcccctgg	acaatgcca	ctgcaacatt	tatgtgtgaa	660
gccaaaatca	ccctgcagca	gagccaatac	tgatcaactg	aaagtatcca	tgaggtcttc	720
attgacacct	cttttctgca	caaatactgg	aattcaatgt	caagagaaaa	tgacctctgc	780
tcaaaaggga	gaagagtctc	aatttcagca	agtacctgtc	atgaagggtg	tgaccttaat	840
gatgtacata	aaataaaaaca	aatgaagaaa	tggaaaactt	ttagaaatta	aggtgtactt	900
gaaaacgagt	atctatcata	tgacccctgc	actccctctg	tatcatctca	ggagggttca	960
ggggcctgtt	gacatgaagt	ttcgaagttt	catggtggct	ttggaatggt	agcaaaagcc	1020
tttccctggc	gagatgatgc	ttaaaacaca	cctcacttat	tgtacatgtt	ggaaccagga	1080
catgagagac	atagaaaaac	agaagtcag	aatgtaaatt	gaatgagagg	cttaacatgc	1140
atgaaaatac	agatggacct	gcaggaaagt	gagcaaacat	cgctgagttt	gttttcttgt	1200

tcgggagaat	ggggccgggg	ctggcctggc	ctccccctgga	tatactctat	agtgcaccaa	1260
aaggataaag	catctgtaca	tgtatttttt	tatttttttat	cagaagtgt	tagacaagaa	1320
cagaataagc	aggctgtttg	gatgctactt	gtggttgaat	tgtgttcccc	caaaatata	1380
ggtgaagtct	taaccccat	ccccgtgaat	gggacctgt	ttggaaatag	ggtctttgca	1440
gatatagtca	agatgaggtc	acatttgatt	aggggtggg	ccaaatccaa	tgactggcat	1500
ccttaggaga	agagagagtt	ttggtaatag	acacaaatgc	agtgggaaga	agaccagggg	1560
acaagaggca	agtggagtg	atgcagccgg	aagggaagg	acaccaagga	tctccggcca	1620
ccagcagaag	ccagcagaga	ggcatgggac	aggttcccca	caagccttag	aaggaagcat	1680
ggccctgact	tcagaattcc	agactccaga	actggaagaa	taaatgtctg	ttgttttaag	1740
ctgcttagtt	catgctgagt	tcattgctgac	ttgttactat	agccccagaa	agctaataca	1800
gtcgtttatg	taattacata	acctgacaca	caagatcgac	ccattcactg	ctgcccagtc	1860
caccattttc	ataatgaagt	agaaatggga	ggtaagaaaa	acattccagc	cagttctgtt	1920
tagccctggg	acacatatatt	gtcccgtcag	gaatcttatg	ccctcctgga	acccccgcc	1980
acctcagtc	agtcccagtc	aggcgaacgg	cctctggaca	gggactgagg	tggctttgag	2040
ccactggaga	tcatttttct	tggaggatgg	agattggcta	gtacctctgg	cctaactgtg	2100
taggtcaata	ctctttttaca	ttgccttcta	ataaaagcag	aatgatacag	cagtgttgtt	2160
aaaaaaaaa	a					2171

<210> 193  
 <211> 2095  
 <212> DNA  
 <213> Homo sapiens

ggggaagtct	ggagaaggca	ttgtttcaat	tattaaaagt	gtgggggag	tgggcggaac	60
aaacgcgcgc	actacagagg	ctggacgtaa	gcttatcggt	ggcgcgctg	cgcagcgccg	120
gcccgagttg	ccaaaacaaa	ggggattttg	tgatggaggc	tttgtagaa	ggaatacaaa	180
atcgagggca	tgggtggggga	tttttgacat	cttgtgaagc	agaactacag	gagctcatga	240
aacagattga	cataatggtg	gctcataaaa	aatctgaatg	ggaaggacgt	acacatgctc	300
tagaaaactg	cttgaaaatc	cgtgaacagg	aacttaagag	tcttaggagt	cagttggatg	360
tgacacataa	ggaggttggg	atgttgcatc	agcaggtaga	agaacatgaa	aaaatcaagc	420
aagagatgac	catggaatat	aagcaggagt	tgaagaaact	acatgaagaa	ttatgcatac	480
tgaagagaag	ctatgaaaag	cttcagaaaa	agcaaatgag	ggaattcaga	ggaaatacca	540
aaaatcacag	ggaagatcgg	tctgaaattg	agagggttaac	tgcaaaaata	gaggaattcc	600
gtcagaaatc	gctggactgg	gagaagcaac	gcttgattta	tcagcaacag	gtatcttcac	660
tggaggcaca	aaggaaggct	ctggctgaac	aatcagagat	aattcaggct	cagcttgtca	720
atcggaacaa	gaaattagag	tctgtggaac	tttctagcca	atcagaaatt	caacacttaa	780
gcagtaaact	ggagcgggct	aatgacacta	tctgtgcca	tgagtggaa	atagagcgcc	840
tcaccatgag	ggtcaatgac	ttggttggaa	ccagtatgac	tgtcctacag	gagcagcagc	900
aaaaagaaga	aaaattgagg	gaatctgaaa	aactattaga	ggctctgcag	gaagaaaaga	960
gagaattgaa	ggcagctctt	cagtctcaag	aaaatctcat	acatgaggcc	agaatacaaa	1020
aggagaagtt	acaagaaaaa	gtaaaggcaa	ctaactctca	acatgctgta	gaagctataa	1080
gtttggaatc	tgtgagtgca	acgtgtaaac	agctgagcca	agaactaatg	gaaaaaatatg	1140
aagaactgaa	gaggatggaa	gcacataaca	atgaatacaa	agcagagatt	aagaagttaga	1200
aagaacagat	tttacagggt	gaacaaagtt	acagttctgc	actagaagga	atgaagatgg	1260
aaatctccca	tctaactcag	gagttacatc	agcgagatat	cactattgct	tccaccaaag	1320
gttcttcctc	agacatggaa	aagcgactca	gagcagagat	gcaaaaggca	gaagacaaa	1380
cagttagagca	taaggagatt	ttggatcagc	tggagtcact	caaattagaa	aatcgtcatc	1440
tttctgaaat	ggtgatgaaa	ttggaattgg	gtttacatga	gtgttccttg	cctgtatctc	1500
cccttggttc	aatagctacc	agatttttgg	aagaggagga	actgagggtc	catcacattc	1560
tagagcgctt	ggatgcccac	attgaagaac	taaaaagaga	gagtgaagaa	acagtgaagc	1620
aattcacagc	cttaaagtag	cctcttaaaa	aaatcacaat	cttggaaata	aaaataaaca	1680
ccaaagagtt	actgtcatct	gaagtagcag	ctcttttaaaa	acatgaagag	ataaaattat	1740
aaaaatgata	catctaaagc	agtgggtgaag	aaagctgaaa	aactgatact	tttgatagggc	1800
attttctctg	cactggtttt	tttaaaaggac	ttcttccagc	aataagttga	aagaataaac	1860
cacttttgcta	gacttttttc	tcatacgaat	atttattatc	ataaagtgat	acttaccttg	1920

ctgactttaa	tgtgaatagc	tatgtactaa	ttgaaataag	gattttatga	tacatgttga	1980
aaataaagta	actgcaggaa	ctttcttttag	gggaaatgtg	tagaagcatg	gatttagggg	2040
tcaaacatac	ctggatcgat	agactggttt	tgccacttac	cagccaacgg	ggctt	2095

<210> 194  
 <211> 1051  
 <212> DNA  
 <213> Homo sapiens

<400> 194						
gagaccttgt	cttaaaaaaa	taaaatgctg	tcagaataaa	aagcagtcaa	cagaaatgaa	60
acccttataa	gagacaaata	aatgtgggca	attattttct	gcaaaatgcc	ctccaagccc	120
ctgggcgcca	ttgccttctg	taataggaca	tcacctgaac	aggctttctg	ggctggagcc	180
aaggaccctc	cctgactccc	acctcccttt	ctgccttgta	ccccagccag	gtggaagaga	240
ccggagtggg	gctgtccctg	gagcaaacgg	agcaacactc	tcgcagaccc	attcagcggg	300
gcgccccctc	tcagaaggac	acccctaacc	ctggggacag	ccttgacacc	cctggcccc	360
ggatccttgc	cttcctgcac	ccgccttccc	tgagcgaggc	tgccctggcc	gctgaccccc	420
gccggttctg	cagccctgac	ctccgtcgcc	tcctgggacc	catcctggat	ggggcttcag	480
tagcagccac	tcccagcacc	ccgctggcca	cacggcacc	ccaaagtcct	ctttcgctg	540
atctcccaga	tgaactacct	gtgggcaccg	agaatgtgca	cagactcttc	acctccggga	600
aagacactga	ggcagtggag	acagatttag	atatagtca	ggatgctgat	gctctggatt	660
tggagatgct	ggccccctac	atctccatgg	atgatgactt	ccagctcaac	gccagcgagc	720
agctaccag	ggcctaccac	agacctctgg	gggctgtccc	ccggccccgt	gctcggagct	780
tccatggcct	gtcacctcca	gcccttgagc	cctccctgct	accccgtgg	gggagtgacc	840
cccggttat	ctgtccagc	ccttcagag	gggacccctc	agcatcctct	cccattggctg	900
gggctcggaa	gaggaccctg	gcccagagct	caaaggacga	ggacgaggga	gtggagctgc	960
tgggagttag	acctcccaaa	aggtccccca	gcccagaaca	cgaaaacttt	ctgctctttc	1020
ctctcagcct	gagtttcctt	ctgacaggag	g			1051

<210> 195  
 <211> 423  
 <212> DNA  
 <213> Homo sapiens

<400> 195						
gtgaactcca	agactgtttt	gatgttcatt	atgcatcttg	ggaagagcag	atattctggg	60
gatggcataa	tgatgtccac	atatattgaca	caaagacaca	gacttgggtt	caaccagaaa	120
ttaaagggtg	agttccacca	cagccacgag	ccgcgcatac	gtgtgcagtt	cttggaataa	180
aggggttat	ctttggcgga	cgtgttctgc	aaactaggat	gaatgatttg	cactatctaa	240
acctagacac	ctggacttgg	tctggaagga	ttactattaa	tggagaaagc	ccaaaacatc	300
ggtcatggca	tactttaaca	cctatagctg	atgataaact	tttcctatgt	ggtggactaa	360
atgcatataa	tatgccatta	agtgatgggt	ggattcataa	tgtcacaaca	cattgttggg	420
aac						423

<210> 196  
 <211> 411  
 <212> DNA  
 <213> Homo sapiens

<400> 196  
 tttttttttt ttgaggacaa ggtctcactc tgtcacccca aggtgggagt gcagtgcaga 60  
 catcacagct cactggcagc ctcaaccctg gggttcaagt gatcctctca ccttcagcct 120  
 cccaagtag ttgtgcctcc taggcacaca acactatgcc ccggcaaatt tttttgtatt 180  
 ttgtattttt tgtagaaaca ggatttcgcc atgttggcca ggctggtctc gaacaccctg 240  
 ggctcaactg atccgcctgc ctcgccctcc caaagtgctg ggattacagg tgtgagccac 300  
 cctgctcaac cagggttttat tatttaagtt agttaactt tggatagatt gtataatata 360  
 tagtttaatg taatcatgct catatttttt aaataaataa aacactatac t 411

<210> 197  
 <211> 751  
 <212> DNA  
 <213> Homo sapiens

<400> 197  
 cccacgggaa gggcagggtga agcagggggt gctgggggat tgctggttcc tgtgtgcctg 60  
 cgccgcgctg cagaagagca ggcacctcct ggaccaggtc attcctccgg gacagccgag 120  
 ctgggccgac caggagtacc ggggctcctt cacctgtcgc atttggcagt ttggacgctg 180  
 ggtggagggtg accacagatg accgcctgcc gtgccttgca gggagactct gtttctcccg 240  
 ctgccagagg gaggatgtgt tctggctccc cttactggaa aaggctctac ccaaggcca 300  
 tgggtcctac gagcacctgt gggccgggca ggtggcggat gccctggtgg acctgaccgg 360  
 cggcctggca gaaagatgga acctgaaggg cgtagcagga agcggaggcc agcaggacag 420  
 gccaggccgc tgggagcaca ggacttgtcg gcagctgctc cacctgaagg accagtgtct 480  
 gatcagctgc tgcgtgtctc gcccagagc aggtgaggca cgtggccagc atgggagggc 540  
 tgcagccagc gtgcccccca ctgccaggcc tcaggcacac tgtagctttt tatgtgactg 600  
 gctacacagc cctgtcagga ctaagtggga agaagtaagc ttgttctcaa ggggtggtgc 660  
 ctcagtttgt gaccttcccc tgctgtcctc ttccagaggg acgtggccct tctctccct 720  
 gaccagtcct: ttccactagt gcgaggcagg g 751

<210> 198  
 <211> 636  
 <212> DNA  
 <213> Homo sapiens

<400> 198  
 gggccgagtg tctggaggcc tctattgccc gatatgcccc ccgtgtcgcc aatagccgtt 60  
 atacctttga cgggtgaaacc gtgacgcttt cgccaagtca gggcgtaaac cagctgcacg 120  
 gcgggcccga aggggttcgac aaacgtcgct ggcagattgt gaaccagaac gatcgtcagg 180  
 tgctgtttgc cctgagttca gatgatgggt atcagggctt cccgggtaat ctccgcccga 240

cgggtgcaata	tcgtctgacc	gacgataaac	gtatctccat	tacttatcgc	gccacagttg	300
ataaaccttg	cccggtgaat	atgactaatc	acgtctatct	caatcttgac	ggcgagcagt	360
ctgacgtgcg	caatcacaag	ttgcagatc	tggcggacga	atatctgccg	gttgatgaag	420
gcggcattcc	gcacgacggc	ctgaaatctg	tgcgccgaac	gtcttttgat	ttccgcagcg	480
ccaaaatcat	cgccagtgcg	tttcttgccg	acgacgatca	gcgcaaagtg	aaaggttacg	540
atcacgcatt	cttggttacg	gccaaaggcg	atggcaagaa	agtggcggcg	catgtctggt	600
cagcagatga	aaaattgcag	ctgaaggctc	acacca			636

<210> 199  
 <211> 690  
 <212> DNA  
 <213> Homo sapiens

<400> 199						
aaagtggcag	tggtttctct	gaaattctca	ggcagtcaga	ctgtcttagg	caaattctga	60
taaaatagcc	cttatccagg	tttttatcta	aggaatccca	agaagactgg	ggaatggaga	120
gacagtcaag	ggttatgtca	gaaaaggatg	agtatcagtt	tcaacatcag	ggagcggtag	180
agctgcttgt	cttcaatttt	ttgctcatcc	ttaccatctt	gacaatctgg	ttatttataa	240
atcatcgatt	ccgcttcttg	catgaaactg	gaggagcaat	ggtgtatgac	aagccgccga	300
aatttgccat	gtcacgagag	caaatgtcac	agtcatgttc	tcacacggca	cataatgcaa	360
gtctgttgac	agatgcgggt	ccattgtcat	gtggggagtc	gagggcgagc	tggtttgttt	420
tgtaacgatg	ttgggaagtg	atggctctgc	agtcacaaag	agcagccttc	tctcactggc	480
tgcaccgatg	aacattacga	agttctagaa	caaacatcac	ttcaaaatgc	ctggagtaat	540
tctctttata	tcaactaatt	tcaagaagaa	aacctgcaga	aactaaccac	accctctcca	600
acgagaatat	tgtgtccacg	tcctctttac	ttatacgacc	cgtctcttat	tctcttataa	660
cacaacgtca	taactaaacg	agcacaacac				690

<210> 200  
 <211> 433  
 <212> DNA  
 <213> Homo sapiens

<400> 200						
gtgactccaa	ggaaccaaga	ctgcagcagc	tgggcctcct	ggaggaggaa	cagctgagag	60
gccttggtgatt	ccgacagact	cgaggataca	agagcttagc	aggggtgtct	ggccatggct	120
ccctgggtgct	gcaactcctc	tccttcacgc	tcttggtggg	gtcctctgtc	caagtgtcca	180
aggtccccag	ctccataagt	caggaaacat	ccaggcaaga	cgcgatctac	cagaacctga	240
cccagcttaa	agctgcagtg	ggtgagctct	cagagaaatc	caagctgcag	gagatctacc	300
aggagctgac	ccagctgaag	gctgcagtg	gtgagcttcc	agagaaatct	aagctgcagg	360
agatctacca	ggagctgacc	tggctgaagg	ctgcagtg	tgagcttcca	gagaaatcta	420
agatgcagga	gag					433

<210> 201  
 <211> 782

<212> DNA  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <222> (1)...(782)  
 <223> n = a,t,c or g

<400> 201

gaagaagggg	aaaagaggct	ccaggccct	tctccaatca	ctccctgcc	ccctttctcc	60
tttgattcc	ttggctgctt	tagcaggct	tcctagaggc	taactttgat	ctttcttgct	120
gcagtttctt	tttgggagag	ctagtcagtc	ccacagagtg	gtatccctag	aaggggagaag	180
taaggattgc	cctcttcttt	aaaatgaaag	ccagctatctt	ttcacgccct	ttactgcag	240
gtctgctcta	ttttcttttc	tctctctgga	gctgagagtc	agagggccct	tctcctctc	300
ctttcagccc	ccaacactaa	gctgatggat	tgataaatac	ctcagccct	cgcctttctc	360
aaccacactg	gcaagtcttc	ttaggatctg	atcccagttt	tctggaagca	atcctacccc	420
agccattct	tccagagtc	gagccttaat	ccttctcact	tctcagtgtc	agagcagaaa	480
tgaatcctgg	ggttgactgt	gtccattcgg	gttattagca	gctaagaagc	ccagacgagt	540
agtgtgagct	gccttgggag	cctcagtgag	ggcactggga	ctggcctcac	tctcttgccc	600
ccagcctagt	gggctttctc	ctctgtctct	cgggtggccc	caggcaatcg	actgcatcac	660
gcanggacgt	gagttggagc	ggccacgtgc	ctgcccacca	gaggtctacg	ccatcatgcc	720
gggctgctgg	gcagcggagc	cccagcaacg	ccacagcatc	aaggatgtgc	acgcccgcgtg	780
ca						782

<210> 202  
 <211> 714  
 <212> DNA  
 <213> Homo sapiens

<400> 202

ttcgagaccc	tatccatgag	gggaattcct	cacatgctgg	ctttggggcc	acagcagctg	60
ctggcccagg	atgaggaggg	ggacacgctc	cttcacctgt	ttgcggctcg	ggggctgcgc	120
tgggcgcat	atgctgcggc	tgaggtgctc	caggtgtacc	ggcgtcttga	cattcgtgag	180
cataagggca	agacccctct	cctggtggcg	gctgtgcca	accagccct	gattgtggag	240
gatctgttga	acctgggagc	agagcccaat	gccgctgacc	atcagggacg	ttcgtctctg	300
cacgtggccg	ctacctacgg	gctcccagga	gttctcttgg	ctgtgcttaa	ctctggggtc	360
caggttgacc	tggaagccag	agacttcgag	ggcctcacc	cgtccacac	ggccatcctg	420
gcccttaacg	ttgctatgcg	cccttccgac	ctctgtcccc	gggtgctgag	cacacaggcc	480
cgagacaggc	tggattgtgt	ccacatgttg	ctgcaaatgg	gtgctaatac	caccatccag	540
gtgagcgggg	atgtgggcgg	tcagaccctg	ggagattgtg	tggaatgggg	ccacttggat	600
gtccgggagc	tccaggcaaa	tgctgacttt	gcctcttctc	tgctgcgtgc	ccttgaacat	660
gttacttcac	ttctctgtgc	cttaagggtt	ttttgcttgt	ttctttgtca	gtta	714

<210> 203  
 <211> 477  
 <212> DNA  
 <213> Homo sapiens



&lt;400&gt; 203

cggacgcgtg	ggcggacgcg	tgggtgggga	ccaagatggc	ggaccttgat	tgcctccga	60
agctgtcagg	ggtgcagcag	ccgtctgagg	gggtgggagg	tggccgctgc	tccgaaatct	120
ccgctgagct	cattcgctcc	ctgacagagc	tgcaggagct	ggaggctgta	tacgaacggc	180
tctgcggcga	ggagaaagtg	gtggagagag	agctggatgc	tcttttgaa	cagcaaaaca	240
ccattgaaag	taagatggtc	actctccacc	gaatgggtcc	taatctgcag	ctgattgagg	300
gagatgcaaa	gcagctggct	ggaatgatca	cctttacctg	caacctggct	gagaatgtgt	360
ccagcaaagt	tcgtcagctt	gacctggcca	agaaccgcct	ctatcaggcc	attcagagag	420
ctgatgacat	cttggacctg	aagtctctga	tggatggagt	tcagactgct	ttgagga	477

&lt;210&gt; 204

&lt;211&gt; 706

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 204

gcgggtggaat	tccgggttcc	ccgttctggt	tccgcatatc	tctacagcta	tgtcactgtg	60
ggtgaactct	gggccttcac	cactggctgg	aacctcatcc	tctcctatgt	cattggtaca	120
gccagtgtgg	cccgggcctg	gagctctgct	tttgacaacc	tgattgggaa	ccacatctct	180
aagactctgc	aggggtccat	tgcactgcac	gtgccccatg	tccttgca	atatccagat	240
ttctttgctt	tgggcctcgt	gttgctgctc	actggattgt	tggctctcgg	ggctagttag	300
tcggccctgg	ttaccaaagt	gttcacaggc	gtgaaccttt	tggttcttgg	gttcgtcatg	360
atctctggct	tcgttaaggg	ggacgtgcac	aactggaagc	tcacagaaga	ggactacgaa	420
ttggccatgg	ctgaactcaa	tgacacctat	agcttgggtc	ctctgggctc	tggaggattt	480
gtgcctttcg	gcttcgaggg	aattctccgt	ggagcagcga	cctgtttcta	tgcatttgtt	540
ggtttcgact	gtattgtctac	cactggagaa	gaagcccaga	atccccagcg	ttccatcccg	600
atgggcattg	ggatctcact	gtctgtctgc	tttttggcgg	atthtgcgtg	ctcttctgca	660
ctcacctga	tgatgcctta	ctaccagctt	cagcctgaga	gcctg		706

&lt;210&gt; 205

&lt;211&gt; 852

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 205

ggcttccatc	ctaatacgac	tcaactatagg	gctcgagcgg	ccgcccgggc	aggtgctggg	60
tcgtttgtgg	gcgaagtaag	tgctgtagat	aaagactttg	ggccaaatgg	agaagtaagg	120
tattcttttg	aaatgggtga	gccagatttt	gagttgcatg	ccatcagtg	ggaaattaca	180
aatactcatc	agtttgacag	ggagtctctt	atgaggcgga	gagggactgc	tgtgttttag	240
tttacagtca	tagcaacaga	tcaggggatc	cctcagcctc	tcaaggatca	ggccactgta	300
catgtttaca	tgaaggatat	aatgataat	gctcccaaat	ttttaaaaga	cttttaccaa	360
gctacaatat	cagaatcagc	agccaatctg	acacaagtgt	taagagtatc	tgccctcagat	420
gttgatgaag	gtaataatgg	acttattcac	tattctataa	taaaaggaaa	tgaagaaaga	480
cagtttgcta	tagacagtac	ctctggctcag	gtaacactaa	ttggcaaatt	agactatgaa	540

gcaacacctg	cctattccct	tgtaattcaa	gcagtggatt	cagggacaat	ccccctcaat	600
tcaacgtgta	ctttaaatat	tgatatttta	gatgaaaatg	acaatacccc	tttctttccc	660
taaatcaaca	cttctttgtt	gatgttttgg	aaaacatgag	aattgggtgaa	ctcggggcct	720
ctgggtactgc	aactgattcc	cgattcagggt	gacattgctg	atttatatta	caagtttact	780
gggactaaac	accccccccg	aacttttagc	attagcccca	aacacttggg	agtatttttc	840
ttggcccaaa	aa					852

<210> 206  
 <211> 361  
 <212> DNA  
 <213> Homo sapiens

<400> 206						
ctgggtgattg	ctatgacctg	tatggagggg	agaagtttgc	cacttttgct	gagttgggtcc	60
agtattacat	ggaacatcat	gggcaattaa	aagagaagaa	tggagatgtt	attgagctta	120
aaaatcctct	gaactgtgca	gacccactct	ctcaaagggtg	gtttcatgga	cacctctctg	180
gaaaagaagc	agagaaattg	ttaactgaaa	aaggaaagca	tagtagcttt	ctgttacgag	240
agagccagag	ccaccctgga	gattttgttc	tctccgtgtg	caccgggtgat	gacaaaggag	300
agagcaatga	cggcaagtct	aaagtgactc	atgtcatgat	tcactgtcag	gaactgaaat	360
c						361

<210> 207  
 <211> 2483  
 <212> DNA  
 <213> Homo sapiens

<400> 207						
ataaaatgga	catagtagta	ggacttacct	cccagggctg	tggttataga	ggttttgtaa	60
gaattaaatg	acatcatcca	tgtaaagcat	atagcagaat	gcctggcaca	tagatgccct	120
tagtgaattt	ttgctgttgt	tgtgattctt	ttgggagcag	tcataagtaac	atattctcat	180
atgttgggtat	gttctttcat	attgcattgt	cttatgaata	gattctggaa	acaaaaatgg	240
aggaaatgat	gataagacta	agaatgctga	gaggaaactat	ttaaagtgtt	tacctgggga	300
attttatatt	acacggcatt	ctaactctct	agaaatccat	gttgctttcc	atctctgtgt	360
ggatgaccat	gtgaaatcgg	gaaacatcac	tgctcgtgat	cctgccatta	tgggactccg	420
aaatatactc	aaagtttgct	gtacccatga	catcacaaca	ataagcattc	ctctcttgct	480
ggtacatgat	atgtcagagg	aatgactat	accctgggtc	ttaaggagag	cggaaactgt	540
gttcaagtgt	gtcaaagggt	tcattgatga	aatggcttca	tgggatggag	gaatttctag	600
gacagtgcga	tttctagtac	cacagagtat	ttctgaagaa	atgttttatc	aacttagtaa	660
catgcttccc	cagatcttcc	gagtatcatc	aacactcact	ctgacatcca	agcactaaac	720
ccttatagat	tgacatgctg	gcagaagatg	attgttaaag	tctccaggaa	cttgtgctat	780
gctgggaatc	tgtaagcaa	aagatgcccc	gaaagagaac	ttgcagctca	atccacaaat	840
caagatacat	gtgtgtgaaa	cccattccaa	aaatttatat	actggcacaa	actgggtggat	900
caacccctaa	cttaaacaact	taaagtctct	ttatgaattt	ctcttttttt	cttctctgtg	960
ttacctgtgg	aatattaggt	aatctaaaac	tttttattta	ttcacacagg	gacacttggg	1020
gggaaagggg	aacttgatta	tatttacatg	ggagggcatt	tgactttttt	caaggagggg	1080
ttggacttcg	tcttcagggtg	gcaatcctta	attaaacata	caaacaaaat	tttcctttta	1140
ctttctttgc	caaaacaaaa	tgtaaaagca	ctgaaatata	cattgcaagt	acaaatttcc	1200
tgtgaaaatc	tttttataga	aacacaaatg	tataagacaa	atgtgcttgt	tcttttaaata	1260

tctcctgttt	cagaatctct	ttttaatcta	ctcctaagga	tgtacaagtt	agagtcagaa	1320
gacgtttttg	attttttccc	tctctctcat	cctcccgtg	tgcccttgca	cttgcatatt	1380
aataacattt	catggactgg	gaaatagtgt	tcttttttgc	aagcttgatg	tcaagttagt	1440
ctaaaccagc	acctggcagt	atttttagtgc	tcacaaacat	tgtgacaatc	acacaaggaa	1500
gatcatttct	acatttctgt	cctccctgcg	ttctcagctt	gcttaaccat	tcctctacct	1560
cttgcatttt	tttgccgata	aatgtatccc	catttctgct	tctctgtttc	ccctcctttt	1620
ccattgtttt	tccttatggg	actactttct	caggtgctac	atatcatata	tttgteccat	1680
ctataacata	tttaaagtct	ataagtagta	actccattaa	acaaaggcat	ttacaaaagc	1740
acacaggtgt	ttagaaaagc	aatagtttca	tcaattcca	gttatgtgga	tattgtaact	1800
ggccacaaga	atgaaatgga	gggcatttgg	tgtcataaga	tggcatgtct	tgatgacaag	1860
aaacaaaacg	cccttcatta	atatgcctca	gtgtaataac	tattatagaa	actgttggca	1920
agcagagtgc	tttctataaa	cagaatgtgt	cttaattttc	tacttgaggg	aaaggtttgt	1980
ccaggtaaca	acactaaaga	caaccctaag	aacaccact	ccagcagtat	gtccattaga	2040
cactaaaact	ctccaaatta	tttgtcaggg	agcctggcga	ttctgccaa	aaggcaggtg	2100
ttttgccctt	agagcctata	cagttctctt	ggagaaattg	tctttcaggc	accactgtta	2160
atcactgaga	ctgattctaa	tgcaaagcag	ggaagacaga	ggcagaaacc	aggagagtgg	2220
tagatcagtg	cagcccagat	atcggaatgg	aggagcaaag	tttcattcac	ggatgtttgt	2280
tgaatgctgc	tgcccaactc	ttcctttgtc	acctctaggg	tattccacta	agttacttat	2340
aaactgggtg	ctttaactga	gggctgtgta	aaggctactat	ttggcatgtg	aagtcaggat	2400
aaatttatcg	aatgtccgtt	ttccacatgc	aactgtgtta	cagaagtagt	aaaattggaa	2460
gaatcatgtt	tatggtgtta	cca				2483

<210> 208  
 <211> 366  
 <212> DNA  
 <213> Homo sapiens

<400> 208	
caagcctcct	gcccgccttg
cggtcattgt	caaccggaag
tggtctgggt	gggcctcctc
ctgccacggt	ctatctcctc
cccctgggga	gcagccccag
tcttcctcct	gacgggaatc
cggtgc	
ctggtgacca	tcctgatctt
gagaacaaac	tgaagaaggc
atggctttgt	gctcctttat
gcccacatcg	acagcctcaa
tttctgggag	tcagggaaca
tctgtcttcc	tggtctccat
catggaccag	cagatcactg
tgccggctac	catctggacc
ggggctcccc	tggtacgtgg
gatggagaca	gagaccagtg
gagagtaacc	ggcatcatcg
cctaaagtgt	atccccctgc
	366

<210> 209  
 <211> 574  
 <212> DNA  
 <213> Homo sapiens

<400> 209	
cggcgcttca	cgcgtagagg
gatagtaaaa	gttcaagggc
cgtagtacaa	ggaagtctgg
acagagcaca	gtagaaacaa
ccgtgcgctg	gacacgacga
aaaaaatacg	catatctatt
caggcagtg	gaatggaatg
acgtgatgg	tacaacgata
caacgaacac	aaccataaat
aaatggcggt	gagcaaagag
ttgaaggcgg	aactcagctc
ctggaatagta	agtcacggc
gcaaattggt	gataaacacca
gtggtagcca	
gctctcagga	
agtatgttga	
tatatgagag	
agtcacggc	
gcacctcgga	
	60
	120
	180
	240
	300
	360

tggtattgaa	gtttattctg	gtggcgtgct	tgatgttagg	ggtggtagcg	caacaaatgt	420
taccagcac	gatggtgcaa	ttttaaaaac	taacactaac	ggtacgacgg	tgagcgggtac	480
gaatagttaa	ggtgcattct	ccatccacaa	tcacgtggca	gacaatgtgt	tgctggaaaa	540
cggtggtcat	ttagacataa	acgcataatg	ttcg			574

<210> 210  
 <211> 383  
 <212> DNA  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <222> (1)...(383)  
 <223> n = a,t,c or g

<400> 210						
tttttctctt	ccatccagct	gactgatgat	cagggccccc	tcctgatgac	cactgtagcc	60
atgcctgtgt	ttagtaagca	gaacgaaacc	agatcgaagg	gcattcttct	gggagtgggt	120
ggcacagatg	tcccagttaa	agaacttctg	aagaccatcc	caaatacaa	ggtaatgaat	180
gacctaatcc	ctgaaatcaa	agcaacagag	atgccagag	ccttggtttc	acaaagttca	240
ggcttcaaac	tctactttgg	agcgatgttt	ttgctcacca	ctattacagc	ctgttagctt	300
gtctttatac	catctgcaca	gttattttaa	aggnnnnnnn	nnnattattt	acaaggactg	360
gctgtttttc	ttattttac	cct				383

<210> 211  
 <211> 592  
 <212> DNA  
 <213> Homo sapiens

<400> 211						
tttcgtgttc	aggaactggc	accaatgcgt	gttacaatga	ggacatgagc	aacattgacc	60
tggtggaggg	cgacgagggc	aggatgtgca	tcaacacaga	gtggggggcc	ttcgggggacg	120
acggggccct	ggaggacatt	cgcactgagt	tcgacagggg	gctggacctc	ggctctctca	180
accagggaaa	gcaactgttc	gagaagatga	tcagtggcct	gtacctgggg	gagcttggtca	240
ggcttatctt	gctgaagatg	gccaaaggctg	gcctcctgtt	tggtgggtgag	aaatcttctg	300
ctctccacac	taagggaag	atcgaaacac	ggcacgtggc	tgccatggag	aagtataaag	360
aaggccttgc	taatacaaga	gagatcctgg	tggacctggg	tctggaaccg	tctgaggctg	420
actgcattgc	cgtccagcat	gtctgtacca	tcgtctcctt	ccgctcggcc	aatctctgtg	480
cagcagctct	ggcggccatc	ctgacacgcc	tcggggagaa	caagaagggtg	gaacggctcc	540
ggaccacagt	gggcatggac	ggcaccctct	acaagatata	ccctcagtag	cc	592

<210> 212  
 <211> 2166  
 <212> DNA

&lt;213&gt; Homo sapiens

```

<400> 212
tttcggttgca attgcaacga atgggtgttgt gcctgctggt ggctcctact acatgatttc      60
caggtctctgt ggcccagagt ttgggggtgct cgtgggcctc tgcttctacc tgggcactac      120
ctttgcagga gccatgtaca tcctggggcac catcgaaatc ctgctggctt acctcttccc      180
agccatggcc atcttcaagg cagaagatgc cagtggggag gcagcagcca tgctgaacaa      240
catgcgtgtt tacggcacct gtgtgtctcac ctgcatggcc actgtggtgt ttgtgggtgt      300
caagtatgtc aacaagtttg cccttgctct cctgggttgt gtcacctctt ccatcctggc      360
catctatgct ggggtcatca agtctgcctt cgacccaccc aacttccoga tctgcctcct      420
gggtaaccgc acgctgtctc gccatggctt tgatgtctgt gccaaagtgg cttgggaagg      480
aaatgagacg gtgaccacac ggctatgggg ccttttctgc tcctctcgtt tcctcaacgc      540
cacctgtgat gaatacttca cccgaaacaa tgtcacagag atccagggca tccctggtgc      600
tgccagtggc ctcatcaaag agaacctctg gagctcctac ctgaccaagg gegtattgt      660
ggagaggagt gggatgacct cggtgggcct ggccgatggc actcctatcg acatggacca      720
cccttatgtc ttcagtata tgacctccta cttcaccctg ctggttgga tctacttccc      780
ctcagtcaca gggatcatgg ctgggtctaa ccgctctggg gacctgaggg atgcccagaa      840
gtcaatcccc actggcacca tcctggccat cgccaccacc tctgctgtct acatcagctc      900
cgttggtctg tttggggcct gcattgaggg ggtcgtcctg cgggacaagt ttggcgaagc      960
tgtgaatggc aacctcgtgg tgggcactct ggcttgccca tctccatggg taattgtcat      1020
cggatccttc ttctccacct gtggggctgg gctgcagagc ctccaggggg ccccacgcct      1080
gctgcaggcc atctcgaggg atggcattgt gcccttccct caggtctttg gccatggcaa      1140
ggccaatgga gagccgacct gggccctgct cctgactgcc tgcactctgc agattggcat      1200
cctcattgca tccctcgacg aggtggcccc catcctctct atgttcttcc tgatgtgcta      1260
catgtttgtg aatctggcct gtgcagtga gacgtgctg aggacacca actggaggcc      1320
acgctttcga tattaccact ggacctctc cttcctgggc atgagcctct gcctggccct      1380
catgttcacg tgctcctggt attatgcact ggtagccatg ctcatgtctg gactcatcta      1440
caagtacatt gagtaccgtg gggcaaagaa ggagtggggc gatgggatac gaggtctgtc      1500
tctcagtgcg gctcgtctat ccctcttacg cctggaggaa gggcccccac acaccaagaa      1560
ctggaggcca cagctgctgg tgctggtgcg tgtggaccaa gaccagaatg tgggtgaccc      1620
ccagctgtct cactgacct ccagctgaa ggcagggaag ggctgacca tcgtgggctc      1680
tgtccttgag ggcaccttcc tggaaaatca tccacaggcc cagcgggcag aagagtctat      1740
caggcgctgt atggaggcag agaaggtgaa gggttctgtc caggtggtga tctcctccaa      1800
cttgctgatg ggcgtgtccc atctgatcca gtctgggggc ctgggggggc tgcagcacia      1860
cactgtgctt gttggctggc cccgcaactg gcgccagaag gaagatcatc agacgtggag      1920
gaacttcatt gagctggtcc gggaaaccac agctggccac ttagccctgc tggtcaccaa      1980
gaacgtttcc atgtttctct ggaaccctga gcgcttctct gaaggcagca tcgaccgttg      2040
ggggattggg cacgatggag gcatgctcat gctggtgccc ttctgctgc ggcaccacia      2100
ggctggtggg aagtgaaga tgctatctt cactgtggcc cagatggtt acatgcatgc      2160
catgag

```

&lt;210&gt; 213

&lt;211&gt; 392

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1) ... (392)

&lt;223&gt; n = a, t, c or g

&lt;400&gt; 213

ttctatctga	ggctactgtc	ttttttctgc	tttcaggagc	atgagaagag	gtgttggagc	60
gttgacttta	atttgatgga	tcctaaactc	ttggcttcag	gttctgatga	tgcaaaaggt	120
actgtttgaa	tctctttctc	agcacctcct	tctccctggc	cctcttaact	gtaattcctt	180
tcacggcgag	aaatacaaat	atttactcaa	actcatgtca	gtcctttgtg	attactgatt	240
attattattc	cccaannnnn	nnnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	300
nnnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	360
nnnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	nn			392

<210> 214  
 <211> 425  
 <212> DNA  
 <213> Homo sapiens

<400> 214						
ggcggaattc	aaaagcaatg	cacagggtctt	cctgtgaagg	gcccgtactc	tctctgccct	60
cagtgggacg	gtcagccacc	catgccctgg	tccaggccca	gctgatctgc	tcaggagcca	120
ggcggggcat	gcacgctttt	attgtgccaa	tccggagtct	tcaggaccac	acccactgc	180
caggtaagcc	cataatgctc	cctcaaggaa	ccctgccagg	aggagagccc	aggtggcctc	240
cctgacctgg	ggccccagag	ggccacagga	gtagctaaga	catgtctccc	ttgggcaggg	300
agcgggtccag	ttggacagac	ttggtgctaa	ctggctagggt	gaacttgagc	aagatttagc	360
atctttctga	cctcagcttg	ttcacctgca	aaatagggtac	aataatccca	gtgtcacagg	420
ctgct						425

<210> 215  
 <211> 608  
 <212> DNA  
 <213> Homo sapiens

<400> 215						
ctgcgggacc	ctcatcttgc	aggcccgggc	ctatgtggga	ccgcacgtcc	tggcagtggg	60
gacccgcaca	gggttctgca	cggcaaaagg	gggcctgggtg	agctccatct	tgcaccccg	120
gcccatcaac	ttcaagttct	ataaacacag	catgaagttt	gtggtgccc	tctctgtcct	180
ggctctctc	ggcaccatct	acagcatctt	catcctctac	cgaaaccggg	tgcctctgaa	240
tgagattgta	atccgggctc	tcgacctggg	gaccgtgggtg	gtgccacctg	ccctgcctgc	300
tgccatgact	gtgtgcacgc	tctacgcccc	gagccgactg	cggagacagg	gcattttctg	360
catccaccca	ctgcgcatca	acctgggggg	caagctgcag	ctggtgtgtt	tcgacaagac	420
gggcaccctc	actgaggacg	gcttagacgt	gatgggggtg	gtgcccctga	aggggcaggc	480
attcctgccc	ctgggtcccag	agcctgcgcg	cctgcctgtg	gggcccctgc	tccgagcact	540
ggccacctgc	catgccctca	gccggctcca	ggacaccccc	gtgggcgacc	ccatggactt	600
gaagatgt						608

<210> 216  
 <211> 858  
 <212> DNA

&lt;213&gt; Homo sapiens

```

<400> 216
ctatctggtc actggccact gtggctttgt attcctctaa cgtggctgcc aaggctgctt    60
ttcctttctg ctcagactca ataattcgct ccatatgggtg actgcgttct ttgagtgtccc    120
ctatcatttc ttgagcttcc ttattgtctt gttctgccat tttcaaagta ttgctttaat    180
gctgctggac accaagaagc tgctcccggt caaaacgggc attctcagcg aggtccatgt    240
aacgttgtct taattccata tagcgccac tttttacatc ttcattctatg acagattgaa    300
tacttccgct ctcttctaga tgagcatcac atttcttatg tcatagatga agatgtaaaa    360
agtgggcgct atatggaatt agagcaacgt tacatggacc tcgctgagaa tgcccgtttt    420
gaacgggagc agcttcttgg tgtccagcag catttaagca atactttgaa aatggcagaa    480
caagacaata aggaagctca agaaatgata ggggcactca aagaacgcag tcaccatattg    540
gagcgaatta ttgagtctga gcagaaagga aaagcagcct tggcagccac gtttagaggaa    600
tacaaagcca cagtggccag tgaccagata gagatgaatc gcctgaaggc tcagctggag    660
aatgaaaagc agaaagtggc agagctgtat tctatccata actctggaga caaatctgat    720
attcaggacc tcctggagag tgtcaggctg gacaaagaaa aagcagagac tttggctagt    780
agcttgccag aagatctggc tcatacccca aatgatgcca atcgattaca ggatgccatt    840
gctaaaggta gaggatga

```

&lt;210&gt; 217

&lt;211&gt; 399

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

```

<400> 217
agcacgctac cgctttaccc tcagcgccag gacgcagggtg ggctctgggg aagccgtcac    60
agaggagtca ccagcacccc cgaatgaagc tactccaacc gcagctcctc ccacattgcc    120
cccgactacc gtgggtgcga cgggcgctgt gagcagtacc gatgctactg ccattgtctgc    180
caccaccgaa gccacaacag tccccatcat cccaactgtc gcacctacca ccattggccac    240
caccaccacc gtcgccacaa ctactacaac cactgctgcc gccaccacca ccacggagag    300
tcctcccacc accacctccg ggactaagat acacgaatcc gccctgatg agcagtcctat    360
atggaacgct acggtgctcc ccaacagtaa atggggccaa

```

&lt;210&gt; 218

&lt;211&gt; 662

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

```

<400> 218
ctgaagtcaa cgcaagacga aatcaaccag gcaaggagca aactgtccca gctgcatgaa    60
agccgccagg aggccacag gagcctggag cagtatgacc aggtgctcga tggagcccat    120
ggtgccagcc tgaccgacct ggccaacctg agcgaaggcg tctccctggc agagaggggc    180
agttttggag ccatggatga tcctttcaaa aataaagcct tgttatttag caacaacacg    240
caagagttgc atccggatcc tttccagaca gaagaccctt tcaaattctga cccattttaa    300

```

ggagctgacc	ccttcaaagg	cgacccgttc	cagaatgacc	cctttgcaga	acagcagaca	360
acttcaacag	atccatttgg	aggggacct	ttcaaagaaa	gtgaccatt	ccgtggctct	420
gccactgacg	acttcttcaa	gaaacagaca	aagaatgacc	catttacctc	ggatccattc	480
acgaaaaacc	cttccttacc	ttcgaagctc	gaccccttgg	aatccagtga	tcccttttca	540
tctccagtg	tctcctcaaa	aggatcagat	ccctttggaa	ccttagatcc	cttcggaagt	600
gggtccttca	atagtgcctga	aggctttgcc	gacttcagca	ctattgaagg	tcgacgcggc	660
cg						662

<210> 219  
 <211> 752  
 <212> DNA  
 <213> Homo sapiens

<400> 219						
cggacgcgtg	ggggatctgg	caatagctcc	caaccctcac	ttcgtgaggg	ccacgacaaa	60
cctgttttta	atggagctgg	aaagcctcat	tccagcacct	cttcaccaag	tgtcccaaag	120
acttctgcta	gcaggactca	gaaatctgct	gttgagcaca	aagccaaaaa	atctctgtcc	180
catcctagcc	attccaggcc	tgggcccctg	gtcaccctac	acaataaggc	taagagtcca	240
ggtgtcaggc	agccaggcag	cagctctagc	tcagcccctg	ggcagcccag	cacaggggtt	300
gctcgaccca	cagttagttc	tggccctgtg	cctaggcgcc	agaatggcag	ctccagctca	360
ggacctgagc	gatcaatcag	tgggtccaag	aagccaacca	atgactcaaa	tccctctagg	420
cggacagtca	gtggtacatg	tggccctgga	caacctgcaa	gcagctcagg	tggccctggg	480
cgacccatca	gtggttcagt	tagttctgca	agacccttgg	gcagctctcg	tggccctggc	540
cggcctgtga	gcagtccaca	tgaacttcga	cgaccagtga	gtggcttggg	ccccccgggg	600
cggctctgtca	gtggccctgg	gagatccata	agtgggtcaa	ttccagctgg	acggactgtc	660
agtaattcag	tcccaggaag	accagtgagc	agcttgggac	ctgggcaaac	agttagtagc	720
tcagggtccca	ctataaagcc	taagtgcact	gt			752

<210> 220  
 <211> 582.  
 <212> DNA  
 <213> Homo sapiens

<400> 220						
ttattattat	tttgcataga	gacaagcact	cactgtgtta	cccaggettg	ttttgaactc	60
ctgagcttaa	tcagttctca	cctgctttgc	cctcccaaag	tgctatgatt	acagggtgtga	120
gccaccacgc	ttggccctgc	ccaggagtca	tttttgtatc	tacaggatc	ttcctatgct	180
gtagacagat	gccctttttc	aaggcaaaaa	ccttagccat	ttttctcttc	tccttcagag	240
tctgcaacat	cctctcaact	catccaagtg	actactgcct	ggtgctcttg	gggatgcagg	300
gaggcctgag	aaggccaatg	tctatacaga	aagttctaac	atagtgcact	gagtcaatgt	360
gggcacttta	aagccctttc	acctgccaa	tcacgaagca	cccctatagt	tgtgtttgta	420
aaatactggg	gggtttgaag	gggaaaagg	ataactccaa	ggtaccatct	ttgcatttca	480
gatccacaca	acttaaagat	ctgctgtcga	gtgaatgggg	aagtgggtcca	gagcagcaac	540
accaaccaga	tggtattcaa	gacagaggac	ctgatagcct	gg		582



<210> 221  
 <211> 440  
 <212> DNA  
 <213> Homo sapiens

<400> 221  
 ggaattc gat cagtaga agt ttggggg gata tagaaac gaa ggttttt ctaa ctttttag ctt 60  
 tcaaggagat tgtccggttg ggaaagcaag atatgaaaaa taaatatgtc aagaatataa 120  
 tccaaaacaa tctaattaag tgctagaagt ttgccatgga cagacaaagt gctacttggg 180  
 aaggaagtgc cagaaacacc acagctgggt acattcttca ccactctgag tgggtggcagt 240  
 gacgcgttgg ctttgtgaga atggtgtgtc ttacttgaga aagtgtgtgt gttctgcctg 300  
 caggcatggg actcgctgtg ctggagaagt ggcagccgct gcaaacaatt cgcactgcac 360  
 agtcggaatt gctttcaacg ccaagatcgg aggtatggga aaccaactca cgtggatgta 420  
 gaaatgcgcc agttagctct 440

<210> 222  
 <211> 489  
 <212> DNA  
 <213> Homo sapiens

<400> 222  
 ccgacgattt cgtgaggcgg cagccagggtg gggttccagc cagagcacgc acgcacggag 60  
 ccgggagcat gcagcctgca ctgcggggga tgtgatgtc ggctctaact cgcctggctg 120  
 gcccgccacg gacgcctcag cttgcaacca tggtaacgtt tctggcgggg gacacccccg 180  
 ggagcccacc gcgatgggca gcctcctggt gactgatgga cgagtgtcca cctcccagac 240  
 cgagagcgt tagtaggtcg gaggaagtgg agaggatgta acacgcccc agccgggagt 300  
 gaagccctga ggagctcctc cccctctcgt tcccaccctc aagtctgacg atgacacctc 360  
 caattttgat gaaccaaaga agaattcgtg ggtttcatcc tctccgtgcc agctgagccc 420  
 ctcaggcttc tcgggtgaag aactgcgctt tgtgggggtt tcgtacagca aggcactggg 480  
 gattcttgg 489

<210> 223  
 <211> 493  
 <212> DNA  
 <213> Homo sapiens

<400> 223  
 tttcgtcag cgccttgcc acctccacgc tgcctgcgcc ccgcgccgca aggtggcgct 60  
 cctcttggag gtgtgcagag atgtctatgc gggcctggct cgaggcgaga accaagatcc 120  
 cctgggggcc gacgccttcc tgccggcgct gaccgaggaa ctcatctgga gcccgacat 180  
 tggggacacg cagctggacg tagagtttct tatggagctc ttatgatccag atgagctgcg 240  
 gggagaggct ggggtactacc tgaccacgtg gtttggggcg ctgcaccaca ttgccacta 300  
 ccagcccga acagaccgcg ctccccgggg gctcagctcc gagggccgcg cctccctgca 360

ccagtggcac	cgcaggcgga	cgctgcacag	aaaggatcat	cccagagccc	aacagctgga	420
ctgaccctgg	ctgggtcgaag	agccctggcc	agatgtcctg	tggacagacc	caatttctgg	480
cctcgtctgc	tgg					493

<210> 224  
 <211> 883  
 <212> DNA  
 <213> Homo sapiens

<400> 224						
agtgcctgg	aaacaagttc	tgatccagaa	ggtgaggatt	gggatgagga	agctgaggat	60
gatggttttg	atagtgatag	ctcactgtca	gactcagacc	ttgaacaaga	ccctgaaggg	120
cttcaccttt	ggaaactcttt	ctgcagtgtg	gataccttata	atccccagaa	ctttacagca	180
acaattcaga	ctgctgccag	aattgttcct	gaagagcctt	ctgattcaga	gaaggatttg	240
tctggcaagt	ctgatctaga	gaattcctcc	cagtctggaa	gccttcctga	gacccctgag	300
catagttctg	gggaggaaga	tgactgggaa	tctagtgcag	atgaagcaga	gagtcttcaa	360
actgtgggaa	cttcattctg	ttaattcttg	atggaccctt	acaacccttt	aaattttaag	420
gctccttttc	aaacatcagg	ggaaaatgag	aaaggctgtc	gtgactcaaa	gaccccatct	480
gagtccattg	tggccatttc	tgagtgtcac	accttacttt	cttgtaagg	gcagctgttg	540
gggagccaag	aaagtgaatg	tccagactcg	gtacagcgtg	acgttctttc	tggaggaaga	600
cacacacatg	tcaaaagaaa	aaaggtaacc	ttccttgaag	aagttactga	gtattatata	660
agtggatgat	aggatcgcaa	aggaccatgg	gaagaatttg	caagggatgg	atgcaggttc	720
cagaaacgaa	ttcaagaaac	agaagatgct	attggatatt	gcttgacatt	tgaacacaga	780
gaaagaatgt	ttaatagact	ccagggaaca	tgcttcaaag	gacttaatgt	tctcaagcaa	840
tgttgagttg	gcagcctgta	gtcctagcta	gcatacacta	cct		883

<210> 225  
 <211> 389  
 <212> DNA  
 <213> Homo sapiens

<400> 225						
cggccgcgtc	tacggcatat	tctttttttg	gaactgtgga	gaatatggct	ccaaaagtgg	60
ttaatcgctc	aggtcatact	cagagtgtcg	actgggggtc	ttttgggggg	ttaatgggaa	120
ggtttgaatt	tgggattttt	ttaaagggga	aggagattgt	taagtgagga	tcaacagggga	180
atggtaaaga	aactgggggt	tttattttct	ttattttatg	ccctatgtaa	taaataacca	240
aaaaacatta	ttgcgtgcag	tataaaagga	ctatgaaatc	tgtagctgc	gtctatctca	300
tcctaatttg	aaagggcaaa	aaaaaatatt	accatagatt	tcctgcta	agtaacaatc	360
taaagcatta	atgggtgttg	gtccttttgg				389

<210> 226  
 <211> 412  
 <212> DNA  
 <213> Homo sapiens

<400> 226  
 ggggtttgttt ttcttccagg ccccatgtct gtgggttttg acttctctct gccaggcatg 60  
 gagcatgtct atgggatccc tgagcatgca gacaacctga ggctgaaggc cactgagtga 120  
 gtcctatggt gacatcagga agatggagggt gggcaggaag gagtcaggcc tttagggaga 180  
 tgggtgtgca tattggatac tctaggcaag catgggtcat ttcttgtgtc cagaatcacc 240  
 tttggtgata gaaaattttt tgagaaagga caagaggagc ctttgcttat ctctcacctg 300  
 tgtctgtgga gtggtgttag catataacgc agcctggggc cagttagcag cccaagtctg 360  
 tctgtttgcc tgcaggggtg gggagccata tcgcctctac aatttggatg tg 412

<210> 227  
 <211> 390  
 <212> DNA  
 <213> Homo sapiens

<400> 227  
 gggagtgagt gccagggcac tgacctggac acccgcaact gtaccagtga cctctgtgta 60  
 cacactgctt ctggccctga ggacgtggcc ctctatgtgg gcctcatcgc cgtggccgtc 120  
 tgctgtgtcc tgcctgtgct tgctctcatc ctctgttatt gccggaagaa ggaggggctg 180  
 gactcagatg tggctgactc gtccattctc acctcaggct tccagcccggt cagcatcaag 240  
 cccagcaaag cagacaaccc ccatctgtct accatccagc cggacctcag caccaccacc 300  
 accacctacc agggcagctc ctgtccccgg caggatgggc ccagccccaa gttccagctc 360  
 accaatgggc acctgctcag cccctgggt 390

<210> 228  
 <211> 777  
 <212> DNA  
 <213> Homo sapiens

<400> 228  
 cttattttata atgaagatat gatttgttgg attgaatcaa gagaatcttc aaatcaactc 60  
 aaatgtatcc agataacaaa agcaggagga ttaacagatg aatggacaat caatattctt 120  
 caatccttcc acaatgtgca acaaatggcg attgactggc tcaactcgaaa tctctatttt 180  
 gtggaccatg tcgggtgacc gatctttgtt tgtaattcca acggttctgt atgtgtcacc 240  
 ctgattgatc tggagcttca caatcctaaa gcaatagcag tagatccaat agcaggaaaa 300  
 cttttcttta ctgactacgg gaatgtcgcc aaagtggaga gatgtgacat ggatgggatg 360  
 aaccgaacaa ggatpattga ttcaaagaca gagcagccag ctgcactggc actagacctc 420  
 gtcaacaaat tggtttactg ggtagatctt tacttggact atgtgggagt agtggactat 480  
 caaggaaaaa atagacacgc tgtcattcaa ggcagacaag tcagacatct ttatgggtata 540  
 actgtgtttg aagattatct gtatgcaacc aattctgata gctacaatat cgtaaggata 600  
 agccgattta atgggactga tattcactca ttaattaaaa ttgagaatgc ttggggaatc 660  
 cgaatttatc aaaaaagaac tcaaccaaca gtcagaagcc atgcatgtga agtcgatcca 720  
 tatggaatgc cagggggctg ttcacacatc tgtctactca gcagcagtta cagcaaa 777

<210> 229  
 <211> 486  
 <212> DNA  
 <213> Homo sapiens

<400> 229  
 tttcgtctgg gaacccgcag cctggggact cctccggcgg gggcgctggg ggcgggctgc 60  
 cgtcccctgg ggagcaggag ctgagccggc gcttgacgag cctgtatccc gcggtcaacc 120  
 agcaagagac tccgctgccg cgctcctgga gcccgaagga caaatacaac tacattggtc 180  
 tctcccaggg caacctccgc gtccactaca aaggatcatgg caaaaatcac aaagatgcgg 240  
 cctcagtgcg tgccaccac cccatacctg ctgcctgtgg catttattac tttgaagtga 300  
 agattgtcag caaaggaaga gatgggtaca tgggaatagg actctcggct caaggcgtca 360  
 acatgaacag acttcctggg tgggacaaac attcctatgg ttaccatggg gatgatgggc 420  
 attcgttctg ctccctcgggg actggccagc cctatggtcc cacattcacc acaggagacg 480  
 tgatcg 486

<210> 230  
 <211> 396  
 <212> DNA  
 <213> Homo sapiens

<400> 230  
 tttttttttt ttaagatggg gtctcgctct gtcacccagg ctggagtga gtggtgtgat 60  
 gtcagctcac tgcaagctcc gcctcccagg ttcacactat tctgcctcag cctcccaagt 120  
 agctgggact acaggtgcgt gccaccatgc ccggctaatt tttttgtatt tttagtagag 180  
 acgggggttc accgtgttag ccagtatggg cttgatctcc tgacctcgtg atccacctgc 240  
 ctccggcctcc caaaagtgc gggattacag gtgtgagctg ctgcgcctgg cttatgagtc 300  
 gtatgttctg atcctccctc ttgaagttgc cttctgtggg ctaaggaggg cctgaagggt 360  
 caggtaaaaa cttcagggtg accttcactg ggggtg 396

<210> 231  
 <211> 713  
 <212> DNA  
 <213> Homo sapiens

<400> 231  
 tcagctcagc ttggcacgag gaaaggtggt cttgtgtgcc ttgtcttttg tttactttgc 60  
 caaagcattg gcagaaggct atctgaagag caccatcact cagatagaga gaaggggtga 120  
 tacccttct tcactgggtg gagttattga tggtagtttt gaaattggga atctcttagt 180  
 tataacattt gttagctact ttggagccaa acttcacagg ccaaaaataa ttggagcagg 240

gtgtgtaatc	atgggagttg	gaacactgct	cattgcaatg	cctcagttct	tcatggagca	300
gtacaaatat	gagagatatt	ctccttcctc	caattccact	ctcagcatct	ctccgtgtct	360
cctagagtca	agcagtcaat	taccagtttc	agttatggaa	aaatcaaaat	ccaaaataag	420
taacgaatgt	gaagtggaca	ctagctcttc	catgtggatt	tatgttttcc	tgggcaatct	480
tcttcgtgga	ataggagaaa	ctcccattca	gcctttgggc	attgcctacc	tggatgattt	540
tgccagttaa	gacaatgcag	ctttctatat	tgggtgtgtg	cagacggttg	caattatagg	600
accaatcttt	ggtttcctgt	taggctcatt	atgtgccaaa	ctatatgttg	acattggctt	660
tgtaaacctc	gtcattttta	ggtggaagca	tgttacagca	cattatcgag	gaa	713

<210> 232  
 <211> 1067  
 <212> DNA  
 <213> Homo sapiens

<400> 232						
cagccttcca	aggtagggca	caccaaggcc	taaggaatca	gaaagggccc	gagggtgggc	60
tgtgtcctgg	ctttcaggcc	ctggggcgac	caccagcctc	tgctcactct	gaggctccag	120
ccagggcgcc	aagcctcagg	accgtgggtg	gggccaagg	acactctgga	ccccgttcc	180
attcatgaga	ggccctcagc	acgccacgtg	tctgctgtga	cagcccgag	ggaggggtgga	240
agccttctgt	aaattccaca	tgtgggcca	gggcatgacg	tccttgatga	agggcgct	300
ggacctcacc	taccccatca	cgtccatgtt	ctccggagcc	ggcttcaaca	gcagcatctt	360
cagcgtcttc	aaggaccagc	agatcgagga	cctgtggatt	ccttatttcg	ccatcaccac	420
cgacatcaca	gcctcggcca	tgcgggtcca	caccgacggc	tccctgtggc	ggtacgtgcg	480
tgccagcatg	tccctgtccg	gttacatgcc	ccctctctgt	gacccgaagg	acggacacct	540
gctgatggac	gggggctaca	tcaacaacct	cccagcggat	gtggcccggg	ccatgggggc	600
aaaagtgggt	atcgccattg	acgtgggcag	ccgagatgag	acggacctca	ccaactatgg	660
ggatgcgctg	tctgggtggg	ggctgctgtg	gaaacgctgg	aacccttgg	ccacgaaagt	720
caagggtgtt	aacatggcag	agattcagac	gcgcctggcc	tacgtgtgtt	gcgtgcggca	780
gctggaggtg	gtgaagagca	gtgactactg	cgagtacctg	cgcccccca	tcgacagcta	840
cagcaccctg	gacttcggca	agtccaacga	gatctgcgaa	gtgggctacc	agcacgggcg	900
cacggtgttt	gacatctggg	gccgcagcgg	cgtgctggag	aagatgctcc	gcgaccagca	960
ggggccgagc	aagaagccc	cgagtgcggg	cctcacctgt	cccaacgcct	ccttcacgga	1020
ccttgccgaa	attgtgtctc	gcattgagcc	cgccaagccc	gccatgg		1067

<210> 233  
 <211> 704  
 <212> DNA  
 <213> Homo sapiens

<400> 233						
tttcgtgtga	gggagagccg	agggaaaccag	cgcggtgcct	agcggaactc	cagggtgga	60
atcccagagc	acaagtgcac	ctgctagctg	ttagcacttg	gcagacggag	ttctcctcta	120
gggtagtctc	aactttgggt	aataatgttt	gtcagctacc	tgatattaac	attgctccac	180
gttcaaacag	cagtgttagc	aagacctggg	ggagagagca	ttggctgtga	tgactactta	240
ggctccgaca	aagtcgtgga	caaagtgtgg	gtgtgtggag	gagacaacac	gggctgtcag	300
gttgtgtcgg	gcgtgtttta	gcatgccctc	accagcctgg	gctaccaccg	cgctgtggag	360
attcccagag	gagccacgaa	aatcaacatc	acggagatgt	acaagagcaa	caactatttg	420
gccctgagaa	gtcgttctgg	acgctccatc	atcaatggga	actgggcaat	tgatcgacca	480

ggaaaatacg	agggcggagg	gaccatgttc	acctacaagc	gtccaaatga	gatttcgagc	540
actgccggag	agtccttttt	ggcggaaagg	cccaccaacg	agatccttga	tgtctacgtg	600
agtttgatg	tttctggact	gttcttttga	ttttgaatct	tgtcacttct	aaggaacata	660
ctctgaacaa	ataagcaaca	aatcattgcc	catactcaat	aaaa		704

&lt;210&gt; 234

&lt;211&gt; 420

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 234

atttcaggag	ggaccagaag	cgcaggcccg	ctcaggagga	attacaactt	catcgccgcg	60
gtggtggaga	aggtggcgcc	atcggtggtt	cacgtgcagc	tgtggggcag	gaaccagcag	120
tggattgagg	tgtgtctcca	gaatggggcc	cgttatgaag	ctgttgtcaa	ggatattgac	180
cttaaattgg	atcttgcggt	gattaagatt	gaatcaaattg	ctgaacttcc	tgtactgatg	240
ctgggaagat	catctgacct	tcgggctgga	gagtttgtgg	tggctttggg	cagcccattt	300
tctctgcaga	acacagctac	tgcaggaatt	gtcagcacca	aacagcgagg	gggcaaagaa	360
ctggggatga	aggattcaga	tatggactac	gtccagattg	atgccacaat	taactatggg	420

&lt;210&gt; 235

&lt;211&gt; 1057

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 235

cccacgcgtc	cgagaactca	aagaaattct	ggataggaaa	gggcatttct	cagagaatga	60
gacaagggtg	atcattcaaa	gtctcgcctc	agctatagca	tatcttcaca	ataatgatata	120
tgtacataga	gatctgaaac	tggaaaatat	aatggttaaa	agcagtcctta	ttgatgataa	180
caatgaaata	aacttaaaca	taaagggtgac	tgattttggc	ttagcgggtga	agaagcaaag	240
taggagtga	gccatgctgc	aggccacatg	tgggactcct	atctatatgg	cccctgaagt	300
tatcagtgcc	cacgactata	gccagcagtg	tgacatttgg	agcataggcg	tcgtaatgta	360
catgttatta	cgtggagAAC	cacccttttt	ggcaagctca	gaagagaagc	tttttgagtt	420
aataagaaaa	ggagaactac	attttgaaaa	tgcagtctgg	aattccataa	gtgactgtgc	480
taaaagtgtt	ttgaaacaac	ttatgaaagt	agatcctgct	cacagaatca	cagctaagga	540
actactagat	aaccagtggg	taacaggcaa	ttaaactttct	tcggtgagac	caaccaatgt	600
attagagatg	atgaaggaat	ggaaaaataa	cccagaaagt	gttgaggaaa	acacaacaga	660
agagaagaat	aagccgtcca	ctgaagaaaa	gttgaaaagt	taccaaccct	ggggaaatgt	720
ccctgagacc	aattacactt	cagatgaaga	ggaggaaaaa	caggtaggaa	gaatcattgc	780
tgcattttct	ccaagtgtaa	aataccctca	ccacacctgg	aacatttttt	tgcaaatctg	840
tctttttgtt	gttagtttgt	aacaaaggcc	gagcggtata	tagcaagtaa	agttctttct	900
gccttataag	gctagcatga	tttagcggg	tggtctacat	gtttatttta	aggttggtga	960
ttatgtaggg	caggtgtctg	caaacttttt	ctgtaaggga	acaaacagta	aatatttttag	1020
gctttgtggg	ccctagtagt	ctttgtcaca	actactc			1057

<210> 236  
 <211> 467  
 <212> DNA  
 <213> Homo sapiens

<400> 236  
 ttgagtatta gtgtcagtga tgtgtctctc tctgatgaag gacagtacac ctgttcttta 60  
 tttaacaatgc ctgtcaaaaac ttccaaggca tatctcaccg ttctgggtgt tcctgaaaag 120  
 cctcagatta gtggattctc atcaccagtt atggaggggtg acttgatgca gctgacttgc 180  
 aaaacatctg gtagtaaaacc tgcagctgat ataatgggt tcaaaaatga caaagagatt 240  
 aaagatgtaa aatattttaa agaagaggat gcaaatcgca agacattcac tgtcagcagc 300  
 acactggact tccgagtggg ccggagtgat gatggagtgg cggtcactctg cagagtagat 360  
 cacgaatccc tcaatgccac cctcaggta gccatgcagg tgctagaaat gcactataca 420  
 ccatcagtta agattatacc atcgactcct tttccacaag aaggacg 467

<210> 237  
 <211> 416  
 <212> DNA  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <222> (1)...(416)  
 <223> n = a,t,c or g

<400> 237  
 ggtacaacca gaaagtggat ctcttcagcc tgggaattat cttctttgag atgtcctatc 60  
 accccatggt caccggttca gaaaggatct ttgttctcaa ccaactcaga gatccactt 120  
 cgcctaagtt tccagaagac tttagcatg gagagcatgc aaagcagaaa tcagtcactc 180  
 cctggctgtt gaaccacgat ccagcaaaac ggcccacagc cacagaactg ctcaagagtg 240  
 agctgctgcc cccaccccag atggaggagt cagagctgca tgaagtgtg caccacacgc 300  
 tgaccaacgt ggatggaaaag gcctaccgca ccattgatgg gccacagatc tttcggcagc 360  
 gcactctccc tgccatcgtt ttacacctat gaccagcgac atattgaagg gcaact 416

<210> 238  
 <211> 739  
 <212> DNA  
 <213> Homo sapiens

<400> 238  
 ggaccaggac tacaagtacg acagtacctc agacgacagc aacttctca accccccag 60  
 ggggtgggac catacagccc caggccaccg gacttttgaa accaaagatc agccagaata 120  
 tgattccaca gatggcgagg gtgactggag tctctggtct gtctgcagcg tcacctgcgg 180  
 gaacggcaac cagaaacgga cccggtcttg tggctacgag tgcactgcaa cagaatcgag 240

gacctgtgac	cgtccaaact	gcccaggaat	tgaagacact	tttaggacag	ctgccaccga	300
agtgagtctg	cttgcgggaa	gcgaggagtt	taatgccacc	aaactgtttg	aagttgacac	360
agacagctgt	gagcgctgga	tgagctgcaa	aagcgagttc	ttaaagaagt	acatgcacaa	420
ggtgatgaat	gacctgccc	gctgcccctg	ctcctacccc	actgaggtgg	cctacagcac	480
ggccgacatc	ttcgaccgca	tcaagcgcaa	ggacttccgc	tggaaggacg	ccagcgggcc	540
caaggagaag	ctggagatct	acaagccac	tgcccggtac	tgcatecgct	ccatgctgtc	600
cctggagagc	accacgctgg	cggcacagca	ctgctgctac	ggcgacaaca	tgcagctcat	660
caccaggggc	aagggggcgg	gcacgccc	cctcatcagc	accgagttct	ccgcggagct	720
ccactacaag	gtggacgctc					739

<210> 239  
 <211> 611  
 <212> DNA  
 <213> Homo sapiens

<400> 239						
ggaatcggaa	gaaaatggag	agagtgcaat	ggacagcaca	gtggccaaag	aaggcactaa	60
tgtaccatta	gttgctgctg	gtccttgtga	tgatgaaggc	attgtgacta	gcacaggcgc	120
aaaagaggaa	gacgaggaag	gggaggatgt	tgtgactagt	actggaagag	gaaatgaaat	180
tgggcatgct	tcaacttgta	caggggttagg	agaagaaagt	gaaggggtct	tgatttgtga	240
aagtgcagaa	ggggacagtc	agattggtac	tgtggtagag	catgtggaag	ctgaggctgg	300
agctgccatc	atgaatgcaa	atgaaaataa	tgttgacagc	atgagtggca	cagagaaagg	360
aagtaaagac	acagatatct	gctccagtgc	aaaagggatt	gtagaaagca	gtgtgaccag	420
tgcagtctca	ggaaaggatg	aagtgcaccc	agttccagga	ggttgtgagg	gtcctatgac	480
tagtgctgca	tctgatcaaa	gtgacagtca	gctcgaaaaa	gttgaagata	ccactatttc	540
cactggcctg	gtcgggggta	gttacgatgt	tcttgtatct	ggtgaagtcc	cagaatgtga	600
agttgtcac	a					611

<210> 240  
 <211> 1090  
 <212> DNA  
 <213> Homo sapiens

<400> 240						
tttttttttt	ttaagcttga	aataaaat	ttattttgtt	ttgaattaaa	tcaaccatga	60
ttattcacag	tgcagtaagt	gtgtatcatc	tgtttgatat	tttcatatta	cagttttgat	120
agtgtctctc	agtctgcgaa	atcttctttg	ggtggaaatg	atgaactgtc	agctactttc	180
ttagaaatga	aaggacat	ctatatgtat	gctggttctc	tgctcttgaa	gatgggtcag	240
catggttaata	atgttcaatg	gcgagctctt	tctgagctgg	ctgcgttggtg	ctatctcata	300
gcatttcagg	taagtcttcc	acttggagca	attgacattt	cacggagtct	tgatgtgttt	360
taaatgaagg	tgtgtctctg	tatgtaatga	caatatgtga	acaaacctgt	ggaattaaag	420
ttaaaatgaa	atagtcaatt	tgatacagtg	gaaaaataact	aagcatacac	aatactggtg	480
aggctggtga	aacagggatg	ttgaatgcac	tcttgtogaa	agcctgcatt	gccatgattt	540
gtttgtagac	aaatttgaag	agtttgatct	ttttactctg	ccatttttgg	gaacatgata	600
aagatgtaat	ctcgtattat	gggtaaagct	tgattcaaaa	agatgtgtta	cttggacaaa	660
atcctaataa	gtagacgtag	ggcaatggct	ttatagccta	tgatagaaga	atatgattgc	720
aatttaacat	gttaattgaa	acacatgtat	ataacattta	tgactgtatt	gtgtatatgt	780
aacagtatat	ctattaatct	ttgaaaacat	aaaacctttt	cttatttttt	atttttttat	840



ttttttttga	gaccaagtct	ctctctgtcg	ccaggctgga	gtgcagtggg	gtgatctcgg	900
ctcactgcag	cctccacctc	ctgggttcga	gtgattctcc	tgccctcagcc	tcccagagtag	960
ctgggactac	aggcccatgc	taccaagccc	agctaatttt	ttgtattttt	aatagagatg	1020
gggtttcacc	atgttgGCCA	ggatgggtcg	aatctcttga	cctcttgatc	tacctgcctt	1080
ggtctcccaa						1090

<210> 241  
 <211> 680  
 <212> DNA  
 <213> Homo sapiens

<400> 241						
gcaacaccca	tcccaggaaa	agccacaagt	cctgaccccc	agccccagga	agcagaagct	60
gaacagaaag	tacagggtccc	accatgacca	gatgatctgc	aagtgcctct	ccctgagcat	120
atcctactcc	gtaccattg	gcggcctgac	caccatcatc	ggcacctcca	ccagcctcat	180
cttcctggaa	cacttcaaca	accagtatcc	agcctcagag	gtgggtgaact	ttggcacctg	240
gttcctcttc	agcttcccca	tatccctcat	catgctgggtg	gtcagctggg	tctggatgca	300
ctggctgttc	ctgggctgca	attttaaaga	gacctgctct	ctgagcaaga	agaagaagac	360
caaaagggaa	cagttgtcag	agaagaggat	ccaagaagaa	tatgaaaaac	tgggagacat	420
tagctaccca	gaaatgggtga	ctggattttt	cttcctcctg	atgaccgtac	tgtgggtttac	480
ccgggagcct	ggctttgtcc	ctggctggga	ttctttcttt	gaaaagaaaag	gctaccgtac	540
tgatgccaca	gtctctgtct	tccttggtct	cctcctcttc	ctcattccag	cgaagaagcc	600
ctgctttggg	aaaaagaatg	atggagagaa	ccaggagcac	tcactgggga	ccgagcccat	660
catcacgtgg	aaggacttcc					680

<210> 242  
 <211> 491  
 <212> DNA  
 <213> Homo sapiens

<400> 242						
cttgaaagag	aaggggacaa	aggaacacca	gtattaagag	gattttccag	tgtttctggc	60
agttgggtcca	gaaggatgcc	tccattcctg	cttctcacct	gcctcttcat	cacaggcacc	120
tccgtgtcac	ccgtggccct	agatccttgt	tctgcttaca	tcagcctgaa	tgagccctgg	180
aggaacactg	accaccagtt	ggatgagtct	caaggctctc	ctctatgtga	caaccatgtg	240
aatggggagt	ggtaccactt	cacgggcatg	gcgggagatg	ccatgcctac	cttctgcata	300
ccagaaaacc	actgtggaac	ccacgcacct	gtctgggtca	atggcagcca	ccccctagaa	360
ggcgacggca	ttgtgcaacg	ccaggcttgt	gccagcttca	atgggaaactg	ctgtctctgg	420
aacaccacgg	tggaaagtaa	ggcttgccct	ggaggctact	atgtgtatcg	tctgaccaag	480
cccagcgttt	g					491

<210> 243  
 <211> 983  
 <212> DNA

&lt;213&gt; Homo sapiens

```

<400> 243
tgccggccgca ccatgagcga catccgccac tcgctgctgc gccgcgatgc gctgagcgcc      60
gccaaaggagg tggtgtacca cctggacatc tacttcagca gccagctgca gagcgcgccg      120
ctgcccacatc tggacaaggg ccccgaggag ctgctggagg agttcgtgtt ccagggtccc      180
aaggagcgca gcgcgcagcc caagagactg aattcccttc aggagcttca acttcttgaa      240
atcatgtgca attattttcca ggagcaaacc aaggactctg ttcggcagat tattttttca      300
tccctttttc gccctcaagg gaacaaagcc gatgacagcc ggatgagctt gttgggaaaa      360
ctgggtctcca tggcggtggc tgtgtgtcga atcccggtgt tggagtgtgc tgcctcctgg      420
cttcagcgga cgcccggtgt ttactgtgtg aggttagcca aggcccttgt agatgactac      480
tgctgttttg tgccggggtc cattcagacg ctgaagcaga tattcagtgc cagcccagaga      540
ttctgctgcc agttcatcac ctccgttacc gcgctctatg acctgtcatc agatgacctc      600
attccaccta tggacttgct tgaatgatt gtcacctgga tttttgagga cccaagggtg      660
attctcatca ctttttttaa tactccgatt gcggccaatc tgccaatagg attcttagag      720
ctcaccccgc tcgttggatt gatccgctgg tgcgtgaagg caccctggc ttataaaagg      780
aaaaagaagc ccccttatc caatggccat gtcagcaaca aggtcacaaa ggacccgggc      840
gtgggggatgg acagagactc ccacctcttg tactcaaac tccacctcag cgtcctgcaa      900
gtgctcatga cgctgcagct gcacctgacc gagaagaatc tgtatgggccc gcctggggct      960
gacctcttc gaccacatgg tcc

```

```

<210> 244
<211> 526
<212> DNA
<213> Homo sapiens

```

```

<220>
<221> misc_feature
<222> (1) ... (526)
<223> n = a,t,c or g

```

```

<400> 244
cggtcgtcc nnatttgaac cccttctttg atcgccctgc agtaccgggc cggaattacc      60
cggtcgagcc acgcgttcgc tcacgcgtcc ggccaaccag aagggttgcg acggggaccg      120
cctgtactac gacggctgtg ccatgatcgc catgaacgga agcgtctttg ctcaaggatc      180
ccagttttct ctggatgacg tggaaagtcc gacggccacg ctggatctgg aggacgtccg      240
gagctacagg gcggagattt catctcgaaa cctggcgggtg agtgctccag tagacacctg      300
tgtgggatgc tcatcaaaga cgtggaaagt ggcccatc gtgcgggcct ggtggaggcc      360
gtgaggggtgc agtgctgaa aagtctgaca gggaaagtcc ggacttcccg agcgtggaaa      420
ggggctgggtg ccgcagacag aacctgcttc catctgttcc ccgtcatcct ctgcttgggc      480
caggccctga gctggggtga gctggggaca ggcaggcagg tgtatt

```

```

<210> 245
<211> 418
<212> DNA
<213> Homo sapiens

```

```

<400> 245
ggggcgggcc ccccaggtag gcatggctgc tgcccccagc ccatttcttt tgaatctgtt    60
cactcctatt cactcctact tgccactcct tctattcatt actcactgcc cctgccccta    120
gtccccatgg taccctgag ccatgggcat ttcttgagcc ccactcagca ggctctgttt    180
ccccaggtc ctggtgaacg agggcgggtg ctttgaccgg gcctctggct ccttcgtagc    240
cctgtccgg ggtgtctaca gcttccgggt ccatgtggtg aaggtgtaca accgccaaac    300
tgtccaggtg acctcagcac tggcccccac ccccggtcca ggagggtggg gagggggaag    360
aaggggagcc cagctgacct ccgggtggac tctccattga cctgtgtcct ggacgaaa    418

```

```

<210> 246
<211> 706
<212> DNA
<213> Homo sapiens

```

```

<400> 246
acctcatatt attggagcag aagatgatga ttttggtact gaacatgaac agatcaatgg    60
acagtgcagc tgtttccaga gcattgaatt gctaaaaatct cgcccggtc atttggctgt    120
tttcttacgc catgtagttt cacaatttga cctgcgact ttgctttgtt atctctattc    180
agacctgtat aaacatacca attccaaaga aactcgtcgc atcttccttg agtttcatca    240
gttctttcta gatcgatcag cacacctgaa agtttctgtt cctgatgaaa tgtctgcaga    300
tctagaaaag agaagacctg agctcattcc tgaggatctg catcgccact atatccaaac    360
tatgcaagaa agagtccatc cagaagttca aaggcactta gaagattttc ggcagaaacg    420
tagtatggga ctgaccttgg ctgaaagcga gctgactaaa cttgatgcag agcgagacaa    480
ggaccgattg actttggaga aggagcggac atgtgcagaa cagattgttg ccaaaattga    540
agaagtattg atgactgctc aggctgtaga ggaagataag agctccacca tgcagtatgt    600
tattctcatg tatatgaagc atttgggagt aaaagtgaaa gagcctcgaa atttggagca    660
caaacggggt cggattggat ttcttcccaa aatcaagcaa agtatg    706

```

```

<210> 247
<211> 439
<212> DNA
<213> Homo sapiens

```

```

<400> 247
caagggaggg gggttgatcc cctggcacag gtcgaggccc tggaccacaca tcctttgtct    60
gcctccccac cccacagtgc ccgttcacgc acgatttcat cctggccctc cataggaaga    120
tcaagaatga gcccggtggtg ttctctgagg ggccagaaat cagcgaggag ctcaaggacc    180
tgatcctgaa gatgttagac aagaatcccg agacgagaat tggggtgcca gacatcaagt    240
tgcacccttg ggtgaccaag aacggggagg agcccttcc ttgggaggag gagcactgca    300
gcgtggtgga ggtgacagag gaggagggtta agaactcagt caggctcatc cccagctgga    360
ccacggtgat cctggtgaag tccatgctga ggaagcgttc ctttgggaac ccgtttgagc    420
cccaagcacg aatggcgaa

```

<210> 248  
 <211> 730  
 <212> DNA  
 <213> Homo sapiens

<400> 248  
 cccacgcgtc cggaataaag atagataaga cttccgatgg accaaaactt ttcttaacag 60  
 aagaagatca aaagaaactt catgattttg aagagcagtg tgttgaaatg tatttcaatg 120  
 aaaaagatga caaatattcat tctgggagtg aagagagaat tctgtgtcact tttgaaagag 180  
 tggaacagat gtgcattcag attaaagaag ttggagatcg tgtcaactac ataaaaagat 240  
 cattacaatc attagattct caaattggcc atttgcaaga tctttcagcc ctgacggtag 300  
 atacattaaa aacactcact gccagaaaag cgtcgggaagc tagcaaagtt cataatgaaa 360  
 tcacacgaga actgagcatt tccaaacact tggctcaaaa ccttattgat gatggctctg 420  
 taagaccttc tgtatggaaa aagcatgggtg ttgtaaatac acttagctcc tctcttcctc 480  
 aaggggatct tgaaagtaat aatccttttc attgtaatat tttaatgaaa gatgacaaaag 540  
 atccccagtg taatatattt ggtcaagact tacctgcagt accccagaga aaagaattta 600  
 attttccaga ggctgggttc tcttctgggtg ccttattccc aagtgcgtgtt tcccctccag 660  
 aactgcgaca gagactacat ggggtagaac tcttaaaaat atttaataaa aaacaaaaaa 720  
 aaagggcggc 730

<210> 249  
 <211> 466  
 <212> DNA  
 <213> Homo sapiens

<400> 249  
 attgctgccg ctggatcgac tgctttgcct tgtacgacca gcaggaggag ctctgctggc 60  
 acatcgagaa ggtccacatc gaccagcgca aaggggagga cttcacttgc ttctgggccc 120  
 gttgccctcg aagatacaag cccttcaacg cccgctataa actgctgac caccatgagag 180  
 tccactctgg ggagaagccc aacaagtgtc cgtttgaagg ttgcgagaag gccttttcaa 240  
 ggcttgaaaa tctcaagatc cacttgcgga gccacacagg cgagaagccg tatttgtgcc 300  
 agcatccggg ttgtcagaag gccttcagta actccagtga ccgcgcctaaa caccagcgga 360  
 cgcactctga cactaaacct tatgcttgct aaattccagg atgtacccaa cgctacacag 420  
 acccaagttc cctaagaaag catgtgaagg cacattcttc caaaga 466

<210> 250  
 <211> 963  
 <212> DNA  
 <213> Homo sapiens

<400> 250  
 ggagcggctg ccacggaaaa cgcctggccg gacggtggct ggcggccctg cctgggagcg 60

gagggcgggcg	gtggcgggcc	ccgcggcctt	ctctcagctt	cctttctcct	cacgacggcc	120
tccacagtcc	ggagcccggc	ggagcccggg	cctggggggg	agagctgcct	ccacggccgg	180
gcacccagac	cccaccgtcg	cagtcgccac	cacctcagtc	catccttggg	accggcaatg	240
ggcttcgtat	cctocagtgc	acttgtaact	gacttggaca	cggaatacta	agaactcact	300
tctgtcctca	tcccagtcgc	gccggcggtg	accatctcgg	ctcttttggg	cttaactgcc	360
gtcctctctg	actctgtctg	actttggggg	caccatggac	caaagtggga	tggagattcc	420
tgtgaccctc	atcattaaaag	caccgaatca	gaaatacagt	gaccagacta	ttagctgctt	480
cttgaactgg	accgtgggga	aactaaaaac	gcataatct	aacgtttacc	ctagcaaacc	540
agtaagtgtg	taaaaagctgg	gggcagctgc	tctgacacgc	agcttttctg	gccgtgtacc	600
ctcctttttc	ctgcttctcc	cctccagctc	tgaatcaaat	aggtctcttt	tggtagaccg	660
cgagggtattt	tgagttctga	ggttgtgtct	cctgagtgtt	cgaaccatca	ttaatatttt	720
cctgatgagg	ttcagttaat	tagtaaggag	aagcagaaat	atcaagggac	ttaagaattg	780
gcaggcaaaag	accggggcgcg	gtggctcacg	cctgtaatcc	cagcactttg	ggaggccaag	840
gcggggggat	cacgagggtca	ggagttcgag	accagcctta	ccggcatggg	gaaaccctgt	900
gtctactgaa	aatacaaaaa	ttaactgggc	gtgggtggcg	atgcttgtaa	tcccagctac	960
tcg						963

<210> 251  
 <211> 894  
 <212> DNA  
 <213> Homo sapiens

<400> 251						
gcggggaccc	ggatgtgtgt	ggtggcgcg	gccgaagagc	ttgtgtgcgg	agctgagagg	60
cctatggatg	aggaggacgc	ggcgggcccg	gtttgttctc	atgaacaaga	tggatgacct	120
caacctgcac	taccggttcc	tgaattggcg	ccgggggagc	cgaggagattc	gagagggtccg	180
agctttccga	tatcaggaga	ggttcaaaca	tatccttgta	gatggagata	ctttaagtta	240
tcattgaaac	tctggtgaag	ttggctgcta	cggtggttct	cgaccctga	ccaaggacag	300
caattatttt	gaggtgtcta	ttgtggacag	tggagtccgg	ggcaccattg	ctgtggggct	360
ggtccctcag	tactacagct	tggatcacca	gcctggctgg	ttgcctgact	ctgtagccta	420
ccatgctgat	gatggcaagc	tgtacaatgg	ccgagccaag	ggccgccagt	ttgggtcaaa	480
gtgcaactcc	ggggaccgga	ttggctgtgg	cattgagcct	gtgtcctttg	atgtgcagac	540
cgcccagatc	ttcttoacca	aaaatgggaa	gcgggtgggc	tctaccatca	tgcccatgtc	600
cccagatgga	ctgttcccag	cagtgggcat	gcactccctg	ggtgaggagg	tgccgctgca	660
cctcaacgct	gtgtggggcc	gtgaggacga	cagcgtcatg	atgggtggaca	gttacgagga	720
tgaatggggc	cgggtacatg	atgtcagagt	ctgtgggact	ctgctggagt	acttagggaa	780
gggcaaaaag	atcgtggatg	tggggctggc	ccaggcccg	caccactca	gcaccgcgag	840
ccactacttc	gaggtggaga	tcgtggaccc	tggagagaaa	tgctacatcg	ccct	894

<210> 252  
 <211> 861  
 <212> DNA  
 <213> Homo sapiens

<400> 252						
tcccggttgc	acgatttctg	ctggagtgtt	agcaccagta	ctggatgtga	cagcaggcag	60
aggagcactt	agcagcttat	tcagtgtccg	attctgattc	cggcaaggat	ccaagcatgg	120
aatgctgcgc	tcgggcaact	cctggcacac	tgctcctctt	tctggctttc	ctgctcctga	180

gttcaggac	cgacagctcc	gaggaggacc	gggacggcct	atgggatgcc	tggggcccat	240
ggagtgaatg	ctcacgcacc	tgcgggggag	gggcctccta	ctctctgagg	cgctgcctga	300
gcagcaagag	ctgtgaagga	agaaatatcc	gatacagaac	atgcagtaat	gtggactgcc	360
caccagaagc	aggtgatttc	cgagctcagc	aatgctcagc	tcataatgat	gtcaagcacc	420
atggccagtt	ttatgaatgg	cttcctgtgt	ctaatagcc	tgacaaccca	tgttcactca	480
agtgccaaagc	caaaggaaca	accctggttg	ttgaactagc	acctaaggtc	ttagatggta	540
cgcgttgcta	tacagaatct	ttggatatgt	gcatacagtg	tttatgcca	gtaagtgtg	600
atttgttctc	attcaacttg	tccagagggg	ttcaatgtct	ttgtgtaaat	ggtttacata	660
gtctcactct	ctgaatcact	catctttaca	cttttttagag	tttgtaaatg	gtgaaagatt	720
tgaaaattaa	ggatatgattt	cagtgaaaag	taccaagtgt	tgtattgtgc	gaaggaaaag	780
tagactagag	ttatttttct	ttccttgagt	gtcacttgaa	tataaaaagaa	taaaaatttt	840
tgaatagtgt	taaaaaaaaa	a				861

<210> 253  
 <211> 556  
 <212> DNA  
 <213> Homo sapiens

<400> 253						
caggctgtta	agacaagagc	ttgtgggtgt	ttgccacctt	caccacccca	gtttgatata	60
tttgcctggca	gctgggattc	gtccccggat	gttgggtgatg	gagttagcct	ccaaggggtc	120
cttggtatcgc	ctgcttcagc	aggacaaagc	cagcctcact	agaaccctac	agcacaggat	180
tgcactccac	gtagctgatg	gtttgagata	cctccactca	gccatgatta	tataccgaga	240
cctgaaaccc	cacaatgtgc	tgcttttcac	actgtatccc	aatgctgcca	tcattgcaaa	300
gattgctgac	tacggcattg	ctcagtactg	ctgtagaatg	gggataaaaa	catcagaggg	360
cacaccaggg	tttcgtgcac	ctgaagttgc	cagaggaaat	gtcattttata	accaacaggg	420
tgatgtttat	tcattttggt	tactactcta	tgacattttg	acaactggag	gtagaatagt	480
agagggtttg	aagtttccaa	atgagtttga	tgaattagaa	atacaaggaa	aattacctga	540
tccagttaaa	gaatag					556

<210> 254  
 <211> 435  
 <212> DNA  
 <213> Homo sapiens

<400> 254						
caaaggccag	taatagtacc	catgagtttc	gtattggcct	acctgagggg	tgggaatccg	60
aaaaaaaggc	agttatcccc	ctggggatcg	ggccacccct	gactttaata	tgccatagggg	120
ttctgggggg	tattctcatc	tacgggagga	aaggcttcca	aactgccac	ttttacttaa	180
aggacagtcc	atccccataa	gtaatatcca	cccctccacc	acctatcttt	ccaatttcaa	240
aggaggtcgg	accaattcca	ataaagcact	ttccaaagca	tgtggcaaat	ttacatgcaa	300
gtaggggggt	tactgaaaaa	tttgaaacac	tgaaaaagtt	ttaccaggaa	gggcaaagct	360
gtactgttga	cttaggtatt	acagcaaaca	gctccaacca	cccagacaac	aggcacagga	420
atcgatcctt	aattg					435

<210> 255  
 <211> 698  
 <212> DNA  
 <213> Homo sapiens

<400> 255  
 cctcatttcc tgatcgaaca gcctcacttg tgttgctgtc agtgccagta gggcaggcag 60  
 gaatgcagca gagaggactc gccatcgctg ccttggtgtg ctgtgcggcc ctacatgcct 120  
 caccagccat acttcccatt gcctccagct gttgcacgga ggtttcacat catatttcca 180  
 gaaggctcct ggaaagagtg aatatgtgtc gcatccagag agctgatggg gattgtgact 240  
 tggctgctgt catccttcat gtcaagcgca gaagaatctg tgtcagcccg cacaaccata 300  
 ctgttaagca gtggatgaaa gtgcaagctg ccaagaaaaa tggtaaagga aatgtttgcc 360  
 acaggaagaa acaccatggc aagaggaaca gtaacagggc acatcagggg aaacacgaaa 420  
 catacggcca taaaactcct tattagagag tctacagata aatctacaga gacaattcct 480  
 caagtggact tggccatgat tggtagtct cgctctgtca cacaggctgg agggcagtgg 540  
 cgggatctcg gttcacccca acctttgcct cacgggttca agggattctc gtgcctcagc 600  
 cttccaagtg gctgggattg caggtgtgcg ccagtaagcc tggctagttt tagtattttt 660  
 tgttacagac ggggtttcac catgttggtt gggctggt 698

<210> 256  
 <211> 736  
 <212> DNA  
 <213> Homo sapiens

<400> 256  
 gtttgaacag cccggaaacc cgggogaccc acgcgtacga actccgcccc catgggggcc 60  
 ccacttttcc gctttgattc cttcttcccc caaagaggtc ccagctaccc catcctccag 120  
 aagggaaccc attgccccaa cagcgactct tctctctaaa aagaccccag caactctagc 180  
 ccccaaagag gccctcattc ccccagctat gactgttccc tcccctaaaa agaccccagc 240  
 aattccaacc cccaaagaag ccccagctac cccatcctcc aaagaggcct ccagtcccc 300  
 agcagtgact ccttcactt acaaaggggc cccatcccc aaagagctcc tcattccacc 360  
 agctgtgact tctccttccc ccaaagagge acctactcct ccagctgtga ctcctccatc 420  
 ccccgaaaag ggcccagcaa ctccagcccc caaagggtact cccacttccc cacctgtgac 480  
 tcttctctcc ctcaaagact cccctacttc cccagcttct gtcacatgta aaatgggggc 540  
 cactgttctt caagcatcta aagggtcttc agcaaagaaa ggccccacag ctctgaaaga 600  
 agtacttggt gccccagctc cagaaagcac gccaatcatc acagctccca ctcggaagg 660  
 tccacagacc aaaaagagtt ctgtacttcc acctcctata tgcccagatc cctcagctaa 720  
 gaatggttct aaagga 736

<210> 257  
 <211> 77  
 <212> DNA  
 <213> Homo sapiens

<400> 257  
 ctccgcctcc caaagtactg ggattacagg tgtgagccac cgtgcccagc caagaccttg 60  
 tatcttttaa aaaaaaa 77

<210> 258  
 <211> 499  
 <212> DNA  
 <213> Homo sapiens

<400> 258  
 aatgctcctt tggtaagaac aattatatgg ctaaattaat ctcagccacc tagttctaaa 60  
 tgtagagcaa ggattgcaag ggattattta gacaagttca tcaattaagt aaaattagac 120  
 atgaaggata taagaatgaa tgataaagca agctaaaaat ggtgaaacaa gggatgtctg 180  
 attggaagta gaagatattt atttaggttc taggacatta gtatcagtga ggacagtaat 240  
 ttctgcttg tttgtatttc agtgatcaca tacacttctt tacctgataa cgtctctctt 300  
 ctctaggctg gttttgggta cggcttgcca atttctcgtc tgtatgcaa gtactttcaa 360  
 ggagatctga atctctactc tttatcagga tatggaacag atgctatcat ctacttaaag 420  
 gtatcccttg aattcaatag caaaatcctg tttctaaac cattgctcct tttatagccc 480  
 tgagtgctat ggtccggag 499

<210> 259  
 <211> 621  
 <212> DNA  
 <213> Homo sapiens

<400> 259  
 tttcgtgact gtagtcagcc cttagtggat gagagcgct atgcttcaga aacagcaggc 60  
 tcccaggatg gacacccgc cccctgaaga acgcttagag aagcaaatg aaaaactgaa 120  
 caaccaggaa gaggagacgg agtttaagga actggacggg ctgagggaag ccttggaaca 180  
 cctccgggga ctgtcagagg aggagaggag cgagaaggct atgcttcgct ccgcattga 240  
 agagcagtcc cagctcatct gcatcctgaa gcggagggtca gatgaggccc tggagcgctg 300  
 ccagatccta gagctgctca atgcagagct ggaggagaag atgatgcagg aggctgagaa 360  
 gctcaaggcc caggggtgagt acagtcggaa actagaggaa cgctttatga ccctagcagc 420  
 caaccacgag ttgatgctcc gcttcaagga tgaatacaag agtgagaaca tcaagctgag 480  
 ggaggagaat gagaagctga ggctggagaa taacagcctc ttcagccagg ctctgaagga 540  
 tgaggaggcg aaagtattac agctcacagt ccggtgtgag gccctcactg gggagctaga 600  
 aacgctgaag gagagggtgtg c 621

<210> 260  
 <211> 414  
 <212> DNA  
 <213> Homo sapiens



```

<400> 260
agatccgggt gcgagccacg cgtccgtgca ggtgcaggta ctgaaagagc aactttttgc      60
tgggcgatg ccttcaccct tccgctcctg cgcactcatg ggaatgtgtg gcagtagaag      120
cgctgataac ttgtcatgcc cttctccatt gaatgtaatg gaaccagtaa gcttctttcc      180
tcttaaatca ctggggaagg gaatgataca acatttcaga cacatagttt ccctagttta      240
gatgaaatat atgtttattt taaatacata atttgataaa ttattgttga ttggaagtga      300
ctttcacctt tgaaagtcca ttgctgtctg aagccactag aaagccacct gaattgcaat      360
agtgatttat ctttctgact aaaggaggta atgcaccata aaaacatgta cagt          414

```

```

<210> 261
<211> 620
<212> DNA
<213> Homo sapiens

```

```

<400> 261
gtaaccacca ctactcatag cgttggacga gggcatgagc tacagttgct taatgaagaa      60
ctgagaaaca ttgagcttga gtgtcagaat atcatgcagg ctcacaggct ccagaaagtg      120
acagaccagt atggagacat ctggacattg catgatggag gattccggaa ttataacacc      180
agcatagata tgcaaagggg aaagctagat gacatcatgg agcatccaga aaagtctgac      240
aaggacagtt ctagtgctta caacacagct gagagctgca gaagtactcc gctcactgta      300
gaccgttccc ctgacagttc ctttccaagg gtgatcaacc tcaccaataa gaaaaacctg      360
agaagcacia tggcagccac ccagtcctct tccggacaga gcagtaaaga gtcgacctcc      420
accaaagcca aaaccactga gcaaggttgt agcgtgaaa gcaaggagaa ggttttagaa      480
ggcagcaagc ttctgatca agagaaggca gtcagcgaa acatccctta cctctctcct      540
taccacagct cctcatatag atatgcaaac atcccagcac acgcccggca ttatcaaagc      600
tacatgcagt taattcaacg

```

```

<210> 262
<211> 418
<212> DNA
<213> Homo sapiens

```

```

<400> 262
gggtctgggg ctgcctggcc accgtgtcca cccacaagaa gatccaagga ctgccatttg      60
ggaactgcct gcccgtcagt gatggccct tcaacaatag cactgggatt cctttcttct      120
acatgacagc caaggacccc gtggtggctg atctgatgaa gaaccccatg gcctcgctga      180
tgctgccaga atcagaaggg gagttctgca gaaaaaacat cgttgatccg gaagatcccc      240
gatgtgtcca gttaacgctc actggccaga tgatcgagc gtctccagaa gaagtagaat      300
ttgccaagca agccatgttt tcaaggcacc cagggatgag gaagtggcct cgtcaatatg      360
aatggttctt tatgaagatg aggatagaac atatctggct tcagaaatgg tatggaggy      418

```

<210> 263  
 <211> 441  
 <212> DNA  
 <213> Homo sapiens

<400> 263  
 tttcgtcaga gccgcgggag gacgggttgcc tgggtattatt agcaagcagc aaatatggcg 60  
 gtggcgcgcg tggacgcggc tttgcctccc ggagaaggat cagtgggtcaa ttggtcagga 120  
 cagggactac agaaattagg tccaaattta ccctgtgaag ctgatattca cactttgatt 180  
 ctggataaaa atcagattat taaattggaa aatctggaga aatgcaaacg attaatacag 240  
 ttatcagtag ctaataatcg gctgggttcgg atgatgggtg tggccaagct gacgttgctt 300  
 cgtgtattaa atttgctca taatagcatt ggctgtgtgg aagggctaaa ggaactagta 360  
 catctggaat ggctgaattt ggcaggaaat aatcttatag ccatggaaca gatcaatagc 420  
 tgcacagctc tacagcatct c 441

<210> 264  
 <211> 832  
 <212> DNA  
 <213> Homo sapiens

<400> 264  
 tatttcgagc ggcagttggg gcggtaccag aggggtgcctg gaaggatacg gccagctcc 60  
 acaagagcga ggaggcgaag cgggtgctgc ggtattacct cttccagggc cagcgctata 120  
 tctggatcga gaccagcaa gccttctacc aggtcagcct cctggacat ggccgctctt 180  
 gtgacgacgt ccaccgctcc cgccatggcc tcagcctcca ggaccaaag gagagggaag 240  
 ccatttacgg ccccaacgtg atcagcatac cgggtcaagtc ctacccccag ctgctggtgg 300  
 acgaggcctt cagcatcgcg ctgtggctgg ctgaccacta ctactggtac gccctgtgca 360  
 tottctcat ttctccatc tccatctgcc tgcgctgta caagaccaga aagcaaagcc 420  
 agactctaag ggacatggtc aagttgtcca tgcgggtgtg cgtgtgccgg ccagggggag 480  
 aggaagagtg ggtggactcc agtgagctag tgcccggaga ctgcctggtg ctgtcccagg 540  
 aggggtgggt gatgcctgt gatgccgcc tggtagccgg cgagtgcag gtgaatgata 600  
 gctctctgac aggagagagc attccagtc tgaagacggc actgccggag gggctggggc 660  
 cctactgtgc agagacacac cggcggcaca cactcttctg cggaaccctc atcttgcag 720  
 cccgggccta tgtgggaccg cacgtcctgg cagtgggtgac ccgcacaggt atgagccggg 780  
 aggctgggct tgagagagat ccgggctcag cacccttgaa gaggtggagt gg 832

<210> 265  
 <211> 714  
 <212> DNA  
 <213> Homo sapiens

<400> 265  
 tttcgtcggg ggcgggctcc accttcacct ctgccttctg ctctgcttca tgctgccga 60

ggacgctgcc	atggctgtgc	tgacggcctc	caaccacgtg	agcaacgtca	ccgtgaacta	120
caacatcacc	gtggagcgga	tgaacaggat	gcagggcctg	cgggtctcta	cagtgccagc	180
cgtgctgtcc	cccaatgcca	cgctggcact	gacggcgggc	gtgctggtgg	actcggccgt	240
ggaggtggcc	ttcctgtgga	cctttgggga	tggggagcag	gccctccacc	agttccagcc	300
tccatacaac	gagtccttcc	cggttccaga	cccctcgggtg	gcccgaggtgc	tgggtggagca	360
caatgtcacc	cacacctacg	ctgccccagg	tgagtacgtc	ctgaccgtgc	tggcatctaa	420
tgccttcgag	aaccggacgc	agcaggtgct	gatccgcagt	ggccgggtgc	ccattgtgtc	480
cttgagtggt	gtgtcctgca	aggcacaggc	cgtgtacgaa	gtgagccgca	gctcctacgt	540
gtacctggag	ggcgcgtgcc	tcaattgcag	cagcggctcc	aagcgagggc	ggtgggctgc	600
acgtacgttc	agcaacaaga	cgctggtgct	ggatgagacc	accacatcca	cgggcagcgc	660
aagcatgtga	ctggtgctgc	ggcggggcgt	gctgcgggac	ggcgagggat	acac	714

<210> 266  
 <211> 1872  
 <212> DNA  
 <213> Homo sapiens

<400> 266						
cccggaattc	ctgggtcgac	tatttcgtgg	aaaggctgcc	actctgcatg	tgcacagtga	60
ccagaagccc	cttcacgatg	gggcccctcg	gtcgcagcag	aacttggttc	gcatgaagga	120
ggcgttgagg	gccagcacca	tggacgtcac	cgtggtcctg	cctagtgggc	tggagaagag	180
gagcgtgctc	aatgggagcc	atgcgatgat	ggacctactg	gttgaacttt	gccttcagaa	240
ccacctgaat	ccatcccacc	atgccttga	aattcgggtc	tcagaaaccc	aacaaccttt	300
gagttttaag	ccaaataact	tgattgggac	cctgaatgtg	catactgtgt	ttctgaaaga	360
aaaagtctct	gaagagaagg	ttaagcctgg	tccccctaag	gtgcctgaga	aatctgtgcg	420
tttggtcgtg	aattacctgc	ggacacaaaa	agctgttggtg	cgtgtgagcc	ctgaggttcc	480
tctccagaat	attctcccag	tcattttgtc	aaagtgtgag	gtcagcccag	agcacgtggt	540
tctcctcagg	gacaacattg	cgggagagga	cgtggagctg	tccaagtccc	tgaacgagct	600
cgggataaag	gagctctacg	cgtgggacaa	cagaagagaa	accttttagga	aatcatcact	660
tggcaatgat	gagacagata	aagagaagaa	aaaatttctg	ggatttttca	aagttaataa	720
aagaagcaat	agtaagggtc	gtttaacgac	ccccaaactcc	ccatccatgc	actcacgttc	780
tcttacgctg	ggtccatccc	tctcgctggg	cagcatctca	ggggtgtccg	tgaagtcgga	840
gatgaagaag	cgccgagccc	ctcctcctcc	aggttcaggg	ccacctgtgc	aagacaaggc	900
atcggaanaag	gtatctcttg	ggtcacagat	tgattttacag	aagaagaagc	ggcgagcgcc	960
agctccccct	ccaccacagc	caccaccacc	gagtcacctg	atcccccaacc	gcaactgagga	1020
taaggaggag	aacaggaaga	gcacgatggg	ttattgctgt	gcgtcattcc	ctactcaggc	1080
caagcgcttc	tgatggagcg	gcctcttctc	gacctcggac	ctttcccagt	gtctcttctg	1140
ccctggctct	gatttttctg	ttgttcttcc	tcctttcagg	ataaaaagggc	tcattgtata	1200
cccagaattt	acttcctttg	gggtttacat	ataaatgcat	taataacaga	gatttgtttg	1260
attgagggtt	atattttttt	gaaggaggta	aattatatgc	aaatttttagg	ttgataatat	1320
tcacctgtct	gaaattcact	gatacttgga	aatgttctctg	tgaagaactc	tgttttattt	1380
taattcatta	ttaattcatg	tttttcttat	tggatattca	gttccagaat	ttattgccaa	1440
tttttcttaa	aactagattg	tatccataaa	ttgaccagta	tagtcaattt	ggatagaact	1500
gaaaactttct	gtctacctgg	taaaactaag	tgcctaaaaa	catgaactat	aaatgtagtt	1560
actaggaact	cacaacttat	atatactatc	cattcaatga	tacataggac	ccaatgtctt	1620
tgtgtttttg	aggttttctc	gttactgtgt	actttgccat	tttacatagt	tcactaaaaa	1680
gaaagaagtg	ggagaagaag	gggggtctat	tcattattct	atattatgat	tctcttcatt	1740
attctgttct	cttcattatt	ctattcattt	cttcacccat	ttattcacta	aacagtgaca	1800
tagtacttac	ttgatgctag	gtattacacc	agttttgtgg	gctataagag	tgaataacaa	1860
gcacgtgacc	tt					1872

<210> 267

<211> 684  
 <212> DNA  
 <213> Homo sapiens

<400> 267  
 tgtagataga gagtagctaa ttctaaaatt catatggaag gcaaagaac taaattagcc 60  
 aaaacaattt tgaaaaagat ttcaaaaaaa ttttgaggga atcatgctgc ccagttttaa 120  
 gacttactat aaagctgtga taatcaaggc aatctggtat ttatgaaagg ataaacacat 180  
 agatcaatgg aataaagtcc aaaaccagac tcacataaat agcaattgat ttctgacaaa 240  
 ggtgaaaaga caactcaatg gggaaatggag agtttttcaa cagatgattt taaaacaact 300  
 gaacatccat atgcaaaaaa ataaacctac ctaaaatttca cagcttatac aaaaattaac 360  
 ctaaaatgga tcacggatct aaatgtagaa ctaaaatttata aaaattttta gaagaaaaaa 420  
 atccataggg cgggcacggg ggctcatgcc tgtaatccca gcacttcaga ggctgaggcg 480  
 ggcagatccg ttgaggtcag ttcaagacca gcctagccta tgtggtgaaa tcccaactct 540  
 actaaaaata aaaaataaaa aaaaaatggg ctgggagtggt tgggtgcacac ctgtagtccc 600  
 agctacttgg gagactgaag cacaagaatc acttgaaccc agcaggcaga ggttgacgtg 660  
 agtggagatt gtgccactgc accc 684

<210> 268  
 <211> 453  
 <212> DNA  
 <213> Homo sapiens

<400> 268  
 ggtcgacgat ttcgcccggc gtcggacgag gagcgggagc cgtgggagcc gtggacgcag 60  
 ctgcgctgt cgggccacct gaagccgctg cactacaatc tgatgctcac cgccttcag 120  
 gagaacttca ccttctccgg ggaggtcaac gtggagatcg cgtgccggaa cgccaccgc 180  
 tacgtagtgc tgcacgcttc ccgagtggcg gtggagaaag tgcagctggc cgaggaccgg 240  
 gcgttcgggg ctgtccctgt agccggtttt ttccctctacc cgcaaaccca ggtcttagtg 300  
 gtggtgctga ataggacact ggacgcgcag aggaattaca atctgaagat tatctacaac 360  
 gcgctcatcg agaatgagct cctgggcttc ttctgcagct cctatgtgct ccacggggag 420  
 agaagattcc ttgggggttac tcagttttcg cct 453

<210> 269  
 <211> 525  
 <212> DNA  
 <213> Homo sapiens

<400> 269  
 ggcacgagaa ctgggtgctta atttaatgcc aattcatgat gtaggtttct aagcagcaca 60  
 taaaaggggc tttttaggta gcaactgagta ctttactaaa aatacaaaaa ttagccaggg 120  
 ggggggggtgc acgtctttaa tcccagctac tcagggcggg gccaggggg tggggtaggg 180  
 tgggggctga gacaggagaa gcacttgaac ccaggaggcg gaggttgag tgagctgaga 240  
 ttgtgctact gtactccaac ctggggcaaca aacagagtga gacactgtct caaataaata 300

aataaataga	taaataaaat	aaaataaaat	aaaaagaact	cgaccctttt	tacaatagct	360
aaaggaaaat	aaaatactta	agaatatact	taaccaagga	ggtgaaagac	ctctacaaag	420
aaaactacaa	aacactgctg	aaagaaatca	cagatgacac	aaacaaaaac	acatcccaag	480
ctcatggaca	ggtagaatca	atactgtgaa	aatgactata	ctgcc		525

<210> 270  
 <211> 880  
 <212> DNA  
 <213> Homo sapiens  
  
 <220>  
 <221> misc\_feature  
 <222> (1)...(880)  
 <223> n = a,t,c or g

<400> 270						
cccagtccca	cattgagccc	tgatcccatc	caagtcacata	gacttggcct	ctgaccaaac	60
ctgaccctgc	acttgtcact	taagggtggtc	ccatattcag	ctcagaccct	gaaccgagct	120
ctgaccctgg	cttctgactg	aatctgtgac	agactaaggc	ctgaccctgg	ccctatacca	180
cgtctccacc	cgtgtcctca	actgagtgtc	gaccccaaac	ctagacagcc	ctacctgac	240
cttccccag	gcctgtcccc	gccgcttcac	ctcaaaaagt	gaagggtgagg	agccggtaaa	300
caggtctgga	gcctgggtctc	agactcagcc	tgagcaagct	cagtctgggg	tcattggggc	360
tgtaaccccg	ggcaggccct	tgtaggggat	gcagggtctc	accctagggg	tataagggat	420
ttctgtgccc	atcagaactt	nnnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	nnnnnnnnnn	480
nnnnnnnnnn	nnnnnnnnnn	atcttgctgt	tagcatatgt	gatgacctg	acttcacctc	540
cctggcgcca	atatacctct	ctgtaaaatg	gcttatgcat	tacaaaagtga	ggtcctgcca	600
gtgactacac	ctagaggcat	taagtgcctt	tgtggactcc	tgccctgcac	ctcacctctc	660
ccagcttttt	aacccctga	ggaaccttct	taccttgagt	ccctcaccg	ctacaggcca	720
tccatgagca	gatgaactgc	aaggagtatc	aggaggacct	ggccctgcg	gctcagaacg	780
atgcggctgc	ccggcgccg	tcagagatgt	ttaagggtgag	gctggctcag	ggtcgtggcc	840
tagcatcttt	aagttctggg	atccagctctg	gggtagggag			880

<210> 271  
 <211> 1066  
 <212> DNA  
 <213> Homo sapiens  
  
 <220>  
 <221> misc\_feature  
 <222> (1)...(1066)  
 <223> n = a,t,c or g

<400> 271						
tgaccctcgt	aagngcgttg	gaattccctc	acctgtgtgg	tcctcacctt	cctggggccac	60
cgctgtctga	aacgggtttct	ggtgccaaag	ctgaggaggt	ttctcaagcc	tcaggggccat	120
ccccgcctgc	tgctctggtt	taagaggtga	gtgagctcac	agccccgagg	caggggcaggg	180
gagggccctt	gagctgaggg	gttggctcca	gggttatggc	cagggctgga	ggaggaggaa	240
ggctctgtgt	catggagaac	tctctggcgc	cccagggcag	gagccagtgg	gtggcttcaa	300

acaaagcagc	atctttgtgg	tgtttcacca	gttcttagtc	ccagttacag	caggtgactg	360
tggtaggacga	aaactggact	caacagtttc	ctccattcag	ggatcccagg	ccatggagca	420
aggagggccc	gaatcagtac	ctccctcaga	tcacctggac	agtgtgagac	aaaaagccgc	480
agggaccatc	cctggagggg	gattcagcag	gctcgatcgg	ggtccagggtg	ctgggtatttt	540
tcattagcct	ccaggggatt	ctgatgtagc	cagcagcgtc	cttggaacaac	agtttgagat	600
ctgctgcttt	tcaaactgga	ttccttggag	cgctggaaat	ctcagcgatg	tcacagggca	660
ggagagggag	gttgtggagg	gaaaattcag	acttcccgcc	cagcccacca	tttcaccagg	720
cagctctaaa	tttatgtgtt	ttataagcca	aggttcacac	aaaaaagaaa	attcgtctggg	780
gggaaaaaaa	cagtttctat	ggcttaaaaa	aaagtctgaa	gaccaccagt	ctatttcaat	840
actctatttt	gttgatgaag	aagctgggtg	ccaaagatac	ccaaagacta	agtcaggggg	900
atgcaggggt	acaggggtgc	ctctcacttt	cccaaagtga	gatccacata	ccacagcaaa	960
atgatttgag	ccagcctgtg	gatgaacaca	tttaaaat	tatttataaa	tacatttact	1020
gttacatttg	acttctcttt	attaaatata	tttgtgattt	ataaaa		1066

<210> 272  
 <211> 659  
 <212> DNA  
 <213> Homo sapiens

<400> 272						
tacggggaat	tcgtcaccta	ccaaggggtg	gctgtgacgc	ggagccggaa	agaaggcatc	60
gcacacaact	acaaaaatga	gacggagtgg	agagcgaaca	tcgacacagt	gatggcgtgg	120
ttcacagagg	aggacctgga	tctggtcaca	ctctacttcg	gggagccgga	ctccacgggc	180
cacaggtacg	gccccgagtc	cccggagagg	aggagatgg	tgcggcaggt	ggaccggacc	240
gtgggctacc	tccgggagag	catcgcgcg	aaccacctca	cagaccgcct	caacctgatc	300
atcacatccg	accacggcat	gacgaccgtg	gacaaaacggg	ctggcgacct	ggttgaaattc	360
cacaagttcc	ccaacttcac	cttccgggac	atcgagtttg	agctcctgga	ctacggacca	420
aacgggatgc	tgtcccttaa	agaagggagg	ctggagaagg	tgtacgatgc	cctcaaggac	480
gcccacccca	agctccacgt	ctacaagaag	gaggcggttc	ccgaggcctt	ccactacgcc	540
aacaacccca	gggtcacacc	cctgctgatg	tacagcgacc	ttgggtacgt	catccatggg	600
gtgagtcgcc	tgtctggaggc	accacctcca	ggggctccct	ccccaggctc	tgggtcttc	659

<210> 273  
 <211> 412  
 <212> DNA  
 <213> Homo sapiens

<400> 273						
acgcgacttc	tcgggtcgac	ccacgcgtcc	gcacatataa	cacatcacgc	accttttgag	60
tggctacett	ggttctcgcc	tttcttttca	agagaccatt	cttcaacaga	actgtaaggga	120
ttcttcttgg	ctgaatcaga	tgtgacgcat	cccacttctg	cgtttgagggt	ctagcacata	180
ccgctccaag	ggctttgacg	tcacagtga	gcactcacac	ggaagctgga	cgggcttcgg	240
tggggaagac	ctcgccacca	tcccaaag	gttgaaatac	tattttcttg	tcaacattgc	300
cactattttt	gaatcaaaga	atttcttttt	gcctgggatt	aaatggaatg	gaatacttgg	360
cctatcttat	gccacacttg	ccaagccatc	aagttctctg	gagaccttct	tc	412

<210> 274  
 <211> 522  
 <212> DNA  
 <213> Homo sapiens

<400> 274  
 gaattaagag ttactccggg ccaaattggcc ggagttgtca gatctggcag cgtcttcgct 60  
 ggggctccag ggagctgctg ctgggggtgga agctctcaca ctctttctcc acgtgccctt 120  
 tccagttccc tgacatcgtg gaggttctgcg aggccatggc caacgccggg aagaccgtaa 180  
 ttgtggctgc actggatggg accttccaga ggaaggtaag gcgtctgatc caggctgga 240  
 gctgggattg aggagggcaa gaggcttctg gatgggcaca gagacaccag ctctgggtga 300  
 ccagggctca gccaccacag ggttacggcc gagctgctca ggccttggct gagccaaggg 360  
 actccatggt ctgtgcagac tgcgtgccat ctgttgccgc aggtgctttg aattggcaaa 420  
 gggacagagc cgggcacatggt gctctggggg ttgggggaag gactaaggctc agagcaaact 480  
 ctctctggctt cagtacttgt gaatcagagg gtttaaaaga aa 522

<210> 275  
 <211> 650  
 <212> DNA  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <222> (1)...(650)  
 <223> n = a,t,c or g

<400> 275  
 gaattctgct tatgcaccaa tttgcagctc ctgcaacct gatgcagcct caccgcggacc 60  
 tttaacacatt ttccctttca cctaaaactg tatttttctc tgctaagacc ggctacccta 120  
 ctttcatttt cttttcactc ttcttggtc ttttggccct tttaggaatt tgggatgatt 180  
 caggctctga caggcatggt actagattta ttttaggctg ctcttttgct gttgtccaac 240  
 aggccaagga gagattttaa tgatttatcc aatatgtgct aaatagtcac gtgtttcatt 300  
 tatcccatat atagttcagc cttaatatg ttttgtttt gatttggtac actagtgcac 360  
 acatagagac gtgaagccag aaaatatcct catcacgaaa cattccgtga ttaagctttg 420  
 tgacttttga tttgctcggc ttttgactgg accgagtgc tactatacag actacgtggc 480  
 taccaggtgg taccgtccc ctgagctgcn ggtgggggac acgcagtacc ggccccccgg 540  
 tgggatgttt ggggcaattg gctgtgtctn tgctgagctn gctgtcaggg aagtgcctct 600  
 ggtggccagg aaaatcggaa tgttggatca gctgtatctg attaggaaga 650

<210> 276  
 <211> 497  
 <212> DNA  
 <213> Homo sapiens

<400> 276  
 cccttgatga ccatctagtc agtgcggtgg aattcccatg acagacgtat ctgactggtc 60  
 atgtgggtcag caagcctcgc ctttgggtcag gccctggagg gtacagctga cccatagggc 120  
 cacttccatg gcaactgggca agtgggtgta ttggaaatga agtcgttgcc cccgatttct 180  
 ttggggccag gttgagcttt cctgcccaga gcacggaggc taaagggggt gggcctttgga 240  
 ctggattggg gctgacctca gcctacacct gcaggaggag gtggagacag aggtggcctg 300  
 ggaggaatgt gggcacgtcc tactgtcact gtgctacagc tctcagcagg gtggccttgc 360  
 ggtaggtgtg ctgcgctgcg cccacctggc ccccatggat gccaatggtt actcggaccc 420  
 cttcgtgcgc ctgtgagtga actggggtag gcaggcggga ggtgaggata aggcggtgac 480  
 tcctcacctc tccaggg 497

<210> 277  
 <211> 428  
 <212> DNA  
 <213> Homo sapiens

<400> 277  
 tgggtggaatt ctgcctatgg aatatgcacc aggcggcaact ctggctgagt tcatccaaaa 60  
 gcgctgtaat tccttgctgg aggaggagac catcctgcac ttcttcgtgc agatcctgct 120  
 tgcactgcat catgtgcaca cccacctcat cctgcaccga gacctcaaga cccagaacat 180  
 cctgcttgac aaacacgcga tggctgtcaa gategggtgat ttccggcatct ccaagatcct 240  
 tagcagcaag agcaaggcct acacgggtgg gggtaaccca tgctatatct cccctgagct 300  
 gtgtgagggc aagccctaca accagaagag tgacatctgg gccctgggct gtgtcctcta 360  
 cgagctggcc agcctcaaga gggctttcga ggctgcgaac ttgccagcac tgggtgctgaa 420  
 gatcatgg 428

<210> 278  
 <211> 427  
 <212> DNA  
 <213> Homo sapiens

<400> 278  
 gtccagtgtg gtggaattca ccaggtgtcc ggggcagtggt tagtatctgg gctgctgcag 60  
 ggcattgatg ggtcgtctgg gagtcccggc cacgtgttcc cccactgtgg gccctgggtg 120  
 ctggctccca gcctggttgt ggcagggctc tctgccaca gggaggtagc ccagttctgc 180  
 ttcacacact gggggttggc cttgctgtac gtgagtcctg agaggcgtgg gatgggtgcc 240  
 agtgggggtg tatgggggga ctaggggagg gcagaactgc tggtcctatc agattcagca 300  
 gcgactggaa tagggacata ttttatattt ggaatccaag acttttcctt gattcatctg 360  
 gtctccttga atttcacact gttttctgct gtcccccaag gtcacttcct attccttcca 420  
 tgggagt 427

<210> 279



<211> 561  
 <212> DNA  
 <213> Homo sapiens

<400> 279  
 ccagaatga cggggtcgac ccacgcgtcc gcaccagct atggaggcag ctgcaggaac 60  
 aacttgtttt accgagaaga aacctacact ccaaaagctg agacggacga gatgaatgag 120  
 gtggaaacgg ctcccatgcc tgaagaaaac catgtttggc tccaaccgag ggtgatgaga 180  
 cccaccaagc ccaagaaaac ctctgcggtc aactacatga cccaagtcgt cagatgtgac 240  
 accaagatga aggacagggt catagggtcc acgtgtaaca ggtaccagtg cccagcaggc 300  
 tgccctgaacc acaaggcgaa gatctttgga agtctgttct atgaaagctt cgctagcata 360  
 tgccgcgccc ccattccacta cgggatccctg gatgacaagg gaggcctggt ggatatcacc 420  
 aggaacggga aggtcccctt cttcgtgaag tctgagagac acggcgtgca gtccctcagg 480  
 taactactct gtgatcgggg ctctgtgaaa cggttttcct gtttatgacg gtgtgtgtga 540  
 aattttgaaa aataccacac a 561

<210> 280  
 <211> 792  
 <212> DNA  
 <213> Homo sapiens

<400> 280  
 atttttgatg ccatgtggct acattggttt tagaatacta ataaaatcca ttgcttttaa 60  
 aataaataaa taaaccccat agcacatcct ccatacaaca tctgttgctc ctcaagatac 120  
 aattgttacc actatcatct aaccattatt ttatgataac tttaaaatat caacttggca 180  
 agaaaatatt ccacaaaaca cactctgcct ttttacttta aagagtcctt ggctacctgg 240  
 gccaatatta ttctcatttg taggatttag gttccacaga atataatatg tgcccttttc 300  
 tgtgttccct gcagatttgc aagtaccatc cctttttggg gccttacttt gcacctccag 360  
 catctgggaa acaatgtttt cctgttgag actctctttg gtgcagtcac cctcctggcc 420  
 aattgtgttg caccttgggc actgaatcac atgagccgtc gactaagcca gatgcttctc 480  
 atgttcctac tggcaacctg ccttctggcc atcatatttg tgcccaaga aatgcagacc 540  
 ctgcgtgttg ttttggcaac cctgggtgtg ggagctgctt ctcttggcat tacctgttct 600  
 actgcccag aaaatgaact aattccttcc ataatacagg gaagagctac tggaatcact 660  
 ggaaactttg ctaatatgtg gggagccctg gcttccctcg tgatgatcct aagcatatat 720  
 tctcgacccc tgccctggat catctatgga gtctttgcca tcctctctgg ccttgttgtc 780  
 ctccctcttc cg 792

<210> 281  
 <211> 1047  
 <212> DNA  
 <213> Homo sapiens

<400> 281  
 ggtcttggtt tcaagggatc atatgaaaag tgcccagcag ttcttccagt tgggtgggagg 60

atcagctagt	gaatgtgata	caataccagg	gaggcagtgc	atggcttcct	gtttcttcct	120
gcttaagcaa	tttcatgatg	ttttgattta	cctcaactca	tttaagagcc	acttctataa	180
tgatgacatc	tttaacttta	attatgccca	agccaaagct	gcaacaggca	ataccagtga	240
gggcgaagag	gcgttcctct	tgatccaaag	tgagaagatg	aaaaatgatt	acattttacct	300
cagctgggta	gctcggggct	atattatgaa	taagaaacca	agactagcct	gggaacttta	360
tcttaagatg	gaaacctccg	gcgagtcctt	cagtctctta	cagctcattg	ctaattgactg	420
ctacaagatg	ggccagtttt	actattctgc	caaagctttt	gatgtccttg	agaggctgga	480
tcctaaccct	gaatatggg	aaggcaaacg	gggtgcctgt	gtgggcattt	tccagatgat	540
catagctggg	agagaaccca	aagagaccct	tcgagaagtg	ctccattttac	tgagaagcac	600
aggtaacacc	caagtagaat	acatgatccg	gatcatgaag	aaatgggcca	aagaaaacag	660
agtgtccatc	ctaaaatagc	gccagtgcac	taggaaccag	cttctacttt	gacataaaac	720
tggaaatcat	tttcaactca	gctttaatct	gtgatacagg	gctctgtttt	attgacattt	780
tccttccttg	ctctttaagc	ctcaagggtca	gagactgact	tgctgagact	tagtctcctg	840
gctgaacaga	gtgccatagt	ctgtgaccct	gtatgatcct	agtagcaata	agattttgga	900
cttatctggg	gcctttcttc	caaaaatgct	cagagtactt	ttatgcaatt	tactgacttt	960
aaggaaaaca	gtataacttt	tttttgtag	cattttatgg	cattgtctcc	tggtgcaat	1020
aacaaacatc	tttcatgttc	aagaatc				1047

<210> 282  
 <211> 357  
 <212> DNA  
 <213> Homo sapiens

<400> 282						
ctttaaaagt	ttctgatgaa	ttagtgcagc	aatatcaaat	taaaaaccag	tgtctttcag	60
caatagcatc	tgatgcagaa	caagaaccta	aaattgatcc	atatgcattt	gttgaaggag	120
atgaggaatt	cctttttcct	gataaaaaag	atagacaaaa	tagtgagaga	gaagctggaa	180
aaaaacacaa	ggtaagagaa	atcacagtac	accaaagggg	cactgttgat	ttttagcac	240
tgcatatagt	aacactctta	ctaccacagt	tatctcactt	cttttgtctt	agaatagaaa	300
gagtaatcat	ttatttagaa	aaacctattt	ttgcccggt	gcggtggctc	atgcctg	357

<210> 283  
 <211> 536  
 <212> DNA  
 <213> Homo sapiens

<400> 283						
ctgggggtgcc	ccgcaacctg	ccttcacgac	tggagtatct	gctgttgctc	tacaaccgca	60
tcgtcaaact	ggcgccctgag	gacctggcca	atctgaccgc	cctgcgtgtg	ctcgatgtgg	120
gcggaaattg	ccgcccgtgc	gaccacgctc	ccaacccctg	catggagtgc	cctcgctact	180
tccccagct	acatcccgat	accttcagcc	acctgagccg	tcttgaaggc	ctgggtgttg	240
aggacagttc	tctctcctgg	ctgaatgcc	gttgggtccg	tgggctggga	aacctccgag	300
tgctggacct	gagtggagaac	ttcctctaca	aatgcatcac	taaaaccaag	gccttcagg	360
gcctaacaca	gctgcgcaag	cttaacctgt	ccttcaatta	ccaaaagagg	gtgtcctttg	420
cccaccttgt	ctctggggcc	cctttccttc	ggggaagcct	gggtcgcccc	ttgaaggagg	480
ctgggacatg	gcacggcaat	ctttctttcc	cgctccactt	cgaatggggg	aagacc	536

<210> 284  
 <211> 440  
 <212> DNA  
 <213> Homo sapiens

<400> 284  
 gtatcttatt tgcggcgctg atctggagtt cgttcgatga gaatatagaa gcttcagccg 60  
 gaggcggcgg tggttcgctc atcgacgctg tcatgggtga ttcaggtgcg gtagttgagc 120  
 agtacaaacg catgcaaagc caggaatcaa gcgcgaagcg ttctgatgaa cagcgcaaga 180  
 tgaaggaaca gcaggctgct gaagaactgc gtgagaaaca agcggctgaa caggaacgcc 240  
 tgaagcaact tgagaaagag cggttagcgg ctgaggagca gaaaaagcag gctgaagaag 300  
 ccgcaaaaca ggccgagtta aagcagaagc aagctgaaga ggccggcagcg aaagcggcgg 360  
 cagatgctaa agcgaaggcc gaagcagatg ctaaagctgc ggaagaagca gcgaagaaa 420  
 cggtgcaga cgcaaagaaa 440

<210> 285  
 <211> 119  
 <212> DNA  
 <213> Homo sapiens

<400> 285  
 gcgatggaaa tcgtccacga gccgcgcgac ctcgagcgtt acatgcgcga ggccgtgaag 60  
 gtgtogaacg attcgccggt gctgctcgac cgcttctga acgacgcgat cgagtgcga 119

<210> 286  
 <211> 398  
 <212> DNA  
 <213> Homo sapiens

<400> 286  
 aaacagggga ttttaagtgtg tcttttgtgt ttgcaaggca ctaacaccac tcccgtctgt 60  
 atttaaattgc tgtccccagg ttacgactat ggctatgtct gcgtggagtt ttcactcttg 120  
 gaagatgccca tcggatgcat ggaggccaac caggttgctt tatacttcgg tcaaattgat 180  
 ctggaaggat atattttttt atatatgggg agggagggtt tcaaattgatt ttactttgga 240  
 aaggtacaag aagtctatct gtggagcata ctgtattcca accatcgggt gtgaggaaaa 300  
 tctttaaaaa ggctggaaag ctttctctag aaaacttaat gggcacagag tgcattttaa 360  
 aagctagagc ccagttgctt ttggactaga ttccaaaa 398

<210> 287  
 <211> 1177  
 <212> DNA  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <222> (1)...(1177)  
 <223> n = a,t,c or g

```

<400> 287
cccacgcgtc cgctcctctg ggggtcaaga ggaccccgcc agccagcagt gggcacgacc      60
gcgcttcaca cagccctcca agatgaggcg ccgggtgata gcacggcccg tgggtagctc      120
cgtgcgggctc aagtgcgtgg ccagcgggca ccctcggccc gacatcacgt ggatgaagga      180
cgaccaggcc ttgacgcgcc cagaggccgc tgagcccagg aagaagaagt ggacactgag      240
cctgaagaac ctgcggccgg aggacagcgg caaatcaccc tgccgcgtgt cgaaccgcgc      300
gggcgccatc aacgccacct acaagggtga tgtgatccag cggaccggtt ccaagccgct      360
gctcacaggc acgcaccccc tgaacacgac ggtggacttc ggggggacca cgtccttcca      420
gtgcaagggt cgcagcgacg tgaagccggt gatccagtgg ctgaagcgcg tggagtacgg      480
cgccgagggc cgccacaact ccaccatcga tgtgggcggc cagaagtttg tgggtctgcc      540
cacgggtgac gtgtggtcgc ggcccagcgg ctccctacct aataagctgc tcatcacccg      600
tgcccggccag gacgatgcgg gcatgtacat ctgccttggc gccaacacca tgggttacag      660
cttcgcgacg gccttcctca ccgtgctgcc agacccaaaa ccgccagggc cacctgtggc      720
ctcctcgtcc tcggccacta gcctgcctgt gcccggtggt atcggcatcc cagccggcgc      780
tgtcttcate ctgggcaccc tgcctcctgt gctttgccag gcccagaaga agcctgcac      840
ccccgcgcct gccctcccc tgcctgggca ccgcccgcgc gggacggccc gcgaccgcag      900
cggagacaag gaccttcctt cgttggccgc cctcagcgct ggccctggtg tggggctgtg      960
tgaggagcat ggggtctcgg cagcccccca gcacttactg ggcccaggcc cagttgctgg      1020
ccctaagtta taccacaaac tctacacagg acattccaca ccacacacat acacacaccc      1080
cccacccctc tgccaattaa acagtagcca ttcccnnaaa atnnnnnnnn nnnnnnnn      1140
nnnnnnnnnn nnnnnctcgg ccccgcccta ttcaccg      1177

```

<210> 288  
 <211> 100  
 <212> DNA  
 <213> Homo sapiens

```

<400> 288
tgaattttca ttttacaggg aagtgtttgt ttatgtcagg gctcagttag gtccagctga      60
cccatatgga tgatcacact ctaccagggt attgaagctc      100

```

<210> 289  
 <211> 406  
 <212> DNA  
 <213> Homo sapiens

&lt;400&gt; 289

cggcagcagc	ggcagcagag	tcagaggggtt	ttaatttact	tgtgaagctc	acactattga	60
aactaattgc	aatgcttgac	tttattttct	ttagagtcca	agaaagagaa	aaacaaggca	120
tagcacaat	ccccctctag	agtgtcatgt	tggttgggta	atggattcca	gagaccatgg	180
gccaggaaca	tcctctgtca	gcacttcaaa	tgcttcacct	tcagaaggcg	caccactagc	240
aggaagttat	ggatgtactc	ctcatcatt	cccaaagttc	cagcatcctt	ctcatgaact	300
tttgaaggaa	aatggcttta	cccaacaagt	gtaccacaag	tatcgtcgaa	gatgcctaag	360
tgagagaaaa	cgcttgggaa	ttggtcagtc	ccaagaaatg	aatacc		406

&lt;210&gt; 290

&lt;211&gt; 359

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 290

cccggcagcg	gcggcagcgc	ggggggccga	gacggcagtg	cctaccaggg	cgcgctgttg	60
cctcgagaac	agttcgcgcc	cccgttggg	cgcccggtgg	ggacctcgta	ctccgccacc	120
taccggcct	acgtgagccc	cgacgtggcc	cagtcctgga	ctgccgggccc	cttcgatggc	180
agcgtcctgc	acggcctccc	aggccgcagg	cccaccttcg	tgtccgactt	cttgaggag	240
ttcccggtg	agggtcgtga	gtgtgtcaac	tgccggggccc	tgtccacacc	gctgtggcgc	300
cgagatggca	ccggccacta	cctgtgcaat	gcctgcggcc	tctaccacaa	gatgaatgg	359

&lt;210&gt; 291

&lt;211&gt; 954

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 291

cccagatcat	cgacatggtg	cgttgtggtg	gtggtacagc	tgtggagtct	tacctgtcac	60
agtgtcaaga	aatgaagggg	atgaacggaa	ccagggtgctg	accctgtatc	tgtggatacg	120
gcaggagtgg	acagatgcct	acctacgatg	ggaccccaat	gcctatggtg	gcctggatgc	180
catccgcac	cccagcagtc	ttgtgtggcg	gccagacatc	gtactctata	acaagtactg	240
cctatctggg	cccctcctct	ctcttaccct	tctctagact	tgcccttagc	tgtgggggtg	300
tagtgatccc	ctctccctac	cacataacct	ggttgccacg	ctgccctgga	agcttttccc	360
caggaccctt	ctaagctgcc	aagcactcag	cccctccatg	gcacccccac	tttaggctat	420
cccaggccag	cccaggctga	acgtctcctc	ggaacctact	gtgtggtcca	gggcagatgt	480
ctgaatcaca	agggcctctc	tagggcacac	ttttagctct	aagtctctca	gggctcccc	540
aagagcctgt	ctaagggtct	ctttcctcca	ggacatagcc	ctctggaaca	ctgctttatg	600
tctccttgac	cagttccgtg	tctcccagcc	agcacatagc	tctgcatatt	ttctctgggg	660
cccttctaca	agttttgcag	atgtccccc	aggggaagtca	ctgtgtgtcc	cggagctacc	720
tctgggttct	gcagaggcct	ttttatacat	cctctggcta	cgtctgtgtc	cctctgtggc	780
ccttcaggca	ccaccccttc	caggcctcga	aaggcagcgg	gtctctctag	gtgcactcca	840
ccctctgtgt	tgctttgttc	tgaaaacaag	aatcaaatta	acgaaaaaaa	aacaagcaca	900
agttttattta	tttatttgag	acacagcctg	ggcaagagag	tgagacttca	tctc	954

<210> 292  
 <211> 595  
 <212> DNA  
 <213> Homo sapiens

<400> 292  
 tacgcactga ctggtgcggt gggtattgtc accgggatgg tgatgggaaa tatcgccgat 60  
 tatttcaatc tgccctgttc cagtatgagt aataccttca ccttcctcaa cgccggcatt 120  
 ttaatctcta tcttcctcaa cgccctggctg atggaaatcg tcccgttgaa aacgcagtta 180  
 cgttttggct ttctcctgat ggtgctggcg gttgccgggt tgatgttcag ccacagcctg 240  
 gcgctgttct cggcgccgat gttcattctc ggggtgggtca gcggcatcac catgtcgatt 300  
 ggtacattcc tggtaacaca aatgtatgaa gggcgtcagc gcgggtcccg cctgttattt 360  
 accgactcct tcttcagtat ggctgggatg attttcccaa tgatcgccgc gtttctactg 420  
 gcgcgcagca ttgagtggta ctgggtttat gcctgcacgc ggctgggtga tgtcgctatt 480  
 tttattctga ccttcggctg tgagttcccg gcgctgtgca gccatgcgac taagttgggt 540  
 accgccagta gttatcccag tctggacggt gtacagctac ggacattgaa tgcgt 595

<210> 293  
 <211> 552  
 <212> DNA  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <222> (1)...(552)  
 <223> n = a,t,c or g

<400> 293  
 tcttgaagag ccgctgctga tcaacaccag cttaagcaaa gaacagcgtc gggaaaaagc 60  
 cctgtcgatg atggcgaaag tcggcctgaa aaccgagcac tatgaccgct atccgcata 120  
 gttctccggc ggtcagcgtc agcgtatcgc catcgcccggt ggtctgatgc tcgaccggga 180  
 tgtggtgatt gcgatgaac cggtttccgc gctggatggt tcagtgcgcg cgcaggtgct 240  
 gaatctgatg atggatttgc agcaggagtt ggggctgtct tatgtcttta tctcccacga 300  
 cctgtcgggt gtggagcaca ttgctgatga agtcatggtg atgtacctgg gccgctgcgt 360  
 ggagaaggga acgaaagacc aaatcttcaa taaccgcgcg catccgtaca ctcaggcgct 420  
 actttccgcy acgccgcgc tgaaccggcg cgatcgccgc gagcgcatca agctcagcgg 480  
 tgaactacca agccactga atccaccgcc ggggttgcgc ttcaacgccc gctgttgtcg 540  
 gcgnttcggc cc 552

<210> 294  
 <211> 426  
 <212> DNA  
 <213> Homo sapiens

```

<400> 294
tagcgccacc cttgaacggg tactaaatca ccctgacgaa acgcaagccc gacgcttaat    60
gacgctggaa gatatcgta gtggttattc caatgtgttg atttccttgg cagatagtca    120
gggtaaaacg gtgtatcact ccccgggtgc gccggatata cgcgagttaa cgcgtgacgc    180
catacccgat aaagacgctc aggggtggcga ggtgtatctc ctttccggcc cgacgatgat    240
gatgccaggc cacggtcacg ggcatatgga acacagcaac tggcggatga ttaacttgcc    300
ggttggcccc ttggtggacg gcaaaccgat ttatacgctc tacatcgcgc tttcgatcga    360
ttttcatctt cattacataa atgatttgat gaataaactt attatgaccg catcggtaat    420
catcat
426

```

```

<210> 295
<211> 340
<212> DNA
<213> Homo sapiens

```

```

<400> 295
gggtgctggc gtatccgggg attaaagtct cgacggcaga agccagggct attttaccgg    60
cgcagtatcg ccgccaggat tgcattgcgc acgggcgaca tctggcaggc ttcattcacg    120
cctgctattc ccgtcagcct gagcttgccg cgaagctgat gaaagatggt atcgtgaac    180
cctaccgtga acggttactg ccaggcttcc ggccaggcgc gcaggcggtc gcggaaatcg    240
gcgcggtagc gagcgggtat tccggctccg gcccgacctt gttcgcctctg tgtgacaagc    300
cggaaccgc ccagcgcggt gccgactggt tgggtaaaat
340

```

```

<210> 296
<211> 281
<212> DNA
<213> Homo sapiens

```

```

<400> 296
cgggcagcag cagcgcgtgg cgtggccccg cgcgtgata ctcaagccga aagtgtctgt    60
gtttgatgag ccgttgagta acctcgacgc caacctgcgt cgcagcatgc gcgacaagat    120
ccgcgagttg caaaagcagt ttgatatac ctcgctgtac gtcacccacg atcagagcga    180
agcctttcgc gtttctgata ctgtgctggt gatgaacaag gggcacatca tgcagatcgg    240
ctcaccgcag gatctccggg tacggagatt gaattggtaa t
281

```

```

<210> 297
<211> 155
<212> DNA
<213> Homo sapiens

```

&lt;400&gt; 297

tggcggtgca	ttacctagag	cgggtgagaa	ttgccgaaca	tgcgcataag	tttcccggac	60
agatttcagg	tggtcagcag	caacgcgttg	ccattgcgcg	ttcgcctgtgt	atgaagccga	120
aaattatgtt	gtttgatgag	ccaacgtcgg	cgctc			155

&lt;210&gt; 298

&lt;211&gt; 217

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 298

gctccctatg	acgcgcgaaaa	ttattttgat	tatgacaatc	tgaataacgg	accttctttg	60
cageactggg	ttggcgctga	ttcaactgggg	cgtgacattt	tcagccgtgt	cctgggttggg	120
gcgcaaattc	cgctggcggc	gggcgtgttt	gccgtgttta	tcgggtcggc	gatcggggacg	180
ttgctgggct	tgctcgcctg	atattatgaa	ggctggt			217

&lt;210&gt; 299

&lt;211&gt; 568

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 299

aggtattctg	tctgatcgct	gaccttgacc	cgatcgatga	gcttgtggac	ttcccgatcg	60
tttacgcttc	tgcgctgaac	ggtatcgcg	gtctggacca	cgaagatatg	gcggaagaca	120
tgaccccgct	gtaccaggcg	attgttgacc	acgttctctg	gccggacgtt	gaccttgacc	180
gtccggtcca	gatgcagatt	tctcagctcg	attacaacag	ctatggtggc	gttatcggca	240
ttggccgcat	caagcgcggt	aaagtgaagc	cgaaccagca	ggtcactatc	atcgatagcg	300
aaggcaaaac	cgcgaacgcg	aaagtcggt	aagtgtctgg	ccacctcggt	ctggaacgta	360
tcgaaaccga	tctggcgga	gctggcgata	tcgttgcgat	cacgggcctt	ggcgaactga	420
acatttctga	caccgtttgc	gacacgcaaa	acgttgaagc	gctgcgggca	ctctccggtg	480
atgagccgac	cgtttctatg	ttcttctgcg	ttaaacacctc	gccgttctgc	ggtaaagaag	540
gtaagtctgt	aacgtctcgt	cagatcct				568

&lt;210&gt; 300

&lt;211&gt; 366

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens



```

<400> 300
caaggcaccc gcgctgaatc tcaagggtcc tccaaagata aaaccctgtc tgccttcgct    60
ggcctgaaat tcggtgacta cggctccatc gattacggcc gtaactacgg tgtagcatac    120
gacatcgggtg cgtggactga cgtcctgcc aattcgggtg gtgacacttg gactcaaacc    180
gacgtgttca tgactcaacg tgcaactggg gttgcaacct atcgtaacaa cgacttcttt    240
ggtctgggtg atggtctgaa ctttgctgct cagtaccaag gcaaaaacga tcgtagcgat    300
ttcgataact acactgaagg taacggccac ggcttcgggt tctctgtctac ctatgaatac    360
gaaggg

```

```

<210> 301
<211> 199
<212> DNA
<213> Homo sapiens

```

```

<400> 301
gcgataccta ttccgtttct attccgctgg gagccaccat caatatggcg ggcgcagcaa    60
tcaactattac cgtgttgacg ctggctgcgg ttaatacgtt gggattccg gtcgatctgc    120
ccacggcgct gctgttgagc gtggtggctt ctctgtgtgc ctgtggcgca tccggcggtg    180
cggggggggtc tctgctgct

```

```

<210> 302
<211> 140
<212> DNA
<213> Homo sapiens

```

```

<400> 302
gccaacgcgc agcaagggtc gccagtggt atcacctga agctaaataa ccttgtcgat    60
aaaggcctgg ttgatcgtct gtatgcggcc tccagctcgg gcgttccggt taatctgctg    120
gttcgcggaa cgtgttcgct

```

```

<210> 303
<211> 441
<212> DNA
<213> Homo sapiens

```

```

<400> 303
cgcgcgaaatg acgctcatcc ccggcacaca tctgctggaa aacatccaca acatctgggt    60
gaacgggggta ggcacgaata gcgcgcggtt ctggcggtat ttgcttaaca gctttgtgat    120

```

```

ggcgttcagc attacgctcg gcaaaattac cgtctcgatg ctctcggcat ttgccattgt 180
ctgggttcgt tttccgctac gtaacctctt cttctggatg atttttatca ccctgatgct 240
gccggttgaa gtacgtatct tcccgaagggt ggaagtcac gccaacctgc agatgctcga 300
cagctacgcc gggttaacgc tgccgctgat ggcctcggcg accgctactt tcctgttccg 360
caagttaaat atgtcggggc cggacaagggt ggtgccagcc gcgcggatct ccgggtacgg 420
acctagagtt cgtaagcaag a 441

```

```

<210> 304
<211> 402
<212> DNA
<213> Homo sapiens

```

```

<400> 304
ctgtgcgaaa tgtttgctg atgcggatga atgccccctcc ggggcgtttg aacggattgg 60
tcgcgatatc agccttgacg ctctggaacg ggaagtgatg aaagatgaca ttttctttcg 120
cacgtccggc ggcggtcgca cgctttctgg cggcgaagtg ttaatgcagg cggagtttgc 180
taccggtttt ttacagcgac tgcggctgtg ggggtgtgtca tgcgccattg aaactgccgg 240
agacgcacca gccagcaagc tattaccgct ggcgaaattg tgcgatgaag tgttgttcga 300
tttaaaaatt atggacgcga ctcaggcgcg ggatgtggtg aagatgaacc tgccacgcgt 360
gctggagaat ctgcggttgc tggtgagtga ggcgtcaac gt 402

```

```

<210> 305
<211> 346
<212> DNA
<213> Homo sapiens

```

```

<400> 305
tacctgttat tgtttgtctg cttccttgtg atgtctctgc tggttgggct ggtgtacaaa 60
tttaccgccc aacgcgcggg caaacagtcg ctggatgatt tgatgaacag ttcgctgtat 120
ctgatgcgca gcgaattgcg tgagatcccc ccacacgact ggggtaaaaac tctgaaagag 180
atggatttaa atctctcttt cgatctgcgt gtcgagccac tgagtaaata ccactctgat 240
gatatttcca tgcaccgact gcgtggcgcg gaaattgtcg ccctggacga tcagtacacg 300
tttttgcagc gtatcccgcg cagccaactac gtgctggcag ttggtc 346

```

```

<210> 306
<211> 207
<212> DNA
<213> Homo sapiens

```

```

<400> 306

```

```

gttgaattat tcctcagcga tgaaggcgat gatgtggtga ttgaagtcgc cgatcagggc    60
tgccgcggtc cagagtctct acgagacaaa atatttgagc aggggggtcag tacgcgtgct    120
gacgagcccg gtgaacatgg cattgggttg tacttgattg ccagctacgt aacgcgctgc    180
ggtggtgtta tcactctcga agataat                                     207

```

```

<210> 307
<211> 214
<212> DNA
<213> Homo sapiens

```

```

<400> 307
tcgacgccat tatcgccccc gatgccaacg ccctgccgcg tgccgcacaa gccgcagaaa    60
acttgaaaaa tgacaaagta gcgattgtcg gattcagtac gccaaatgtg atgcgcccgt    120
atgtagagcg cggcacggtg aaagaatttg gcctgtggga tgtgggttcag caaggcaaaa    180
tatcagtgtg tgtggcggat gcattacagt aaaa                               214

```

```

<210> 308
<211> 129
<212> DNA
<213> Homo sapiens

```

```

<400> 308
tacatcgtag tgacggggaa aacacattgc ggtacgccac ttactaccgt tacaggagac    60
gcaacgcaat cgggttatct gacgctgaac ctgcctgaaa tgtgggaagt gtcaggttat    120
aaccgtgtt                                     129

```

```

<210> 309
<211> 358
<212> DNA
<213> Homo sapiens

```

```

<220>
<221> misc_feature
<222> (1)...(358)
<223> n = a,t,c or g

```

```

<400> 309
gccggttttg ccgcatcaat ggtgcttagc gatgactcaa cgtaccagtg cgccgactgc    60
aaatctgccc gccgggccag taaggagtac ccagttcat caagaagctg gcttgccact    120
ttcggaacag cgaccggatt aagcttcaat gactttgtct gggtatattgt aagtgcgctt    180

```

aaccgtgcct	caataatddd	cattttcccc	gcgacatcgt	tgagctgctg	ccgggttttg	240
ctggcattaa	tatcgggttc	cacaccttca	actgaagaag	taatcccgtt	ctgatatagc	300
tggcgatcgg	tcgcgataat	ggcgntctgc	tctttttcta	tttgctgcaa	gaccgtgg	358

<210> 310  
 <211> 253  
 <212> DNA  
 <213> Homo sapiens

<400> 310						
tggcggcctt	cctgagagaa	tattgccgag	gagtaacgga	ctaaacgcta	tcgttctaac	60
gtcatcaact	gggggatgtt	accgctgcaa	atggcggaag	taccaacctt	tgaagtgggg	120
gattacattt	acatccctgg	cattaaagcg	gcgctggata	atccgggtac	gacgttttaa	180
ggttatgtga	tccatgaaga	tgcgccggta	acggaaatta	cgctctatat	ggaaagtcag	240
gaagccagaa	cag					253

<210> 311  
 <211> 304  
 <212> DNA  
 <213> Homo sapiens

<400> 311						
gctgcaaact	gaaattggca	gcatgggtcta	tgcggtgaaa	ccaggcgatg	gttctgcgag	60
tgaacaggcg	gcgagctgcc	agcgtgtgat	tggcggctctg	gcgaatattg	ccgaggagta	120
cgcgactaaa	cgctatcgtt	ctaacgtcat	caactggggg	atgttaccgc	tgcaaatggc	180
ggaagtacca	acctttgaag	tgggggatta	catttacatc	cttggcttta	aagcggttaa	240
gtatagtcgg	ggcacggcgt	ttacagtcta	tgcgatctcc	gggtacggac	ctcgaatctg	300
ataa						304

<210> 312  
 <211> 344  
 <212> DNA  
 <213> Homo sapiens

<400> 312						
actctagagg	atctgctgat	ggcgtagat	ggagagcaac	atcttcagca	acaggatatcg	60
gaaaaagtat	tagccgataa	tgtgttaatt	gccctgggtt	ctgttaaacc	tgatgcgaca	120
ttctggtcgg	ccttaatcca	ggatcgctat	aacgtgatga	cctgtattga	aaaagacgcc	180
tgcgtcctgg	tcgagcaaga	tctgaatagt	gatggtcagg	cggagcggat	cctgtttgct	240
tttaatgatg	acagagtcac	tgtctatggc	tttgactcag	acagaaaaga	atgggacgcg	300

cttgatatga gtttacttcc gaacgaaata acgaaagaaa aatt

344

<210> 313  
 <211> 630  
 <212> DNA  
 <213> Homo sapiens

<400> 313  
 agagtcaaat agcagatgca ggaagatgcc aggtgaaaga tgccgggggtg gccagctcg 60  
 gctgtccctg ctgcttgacc tgcccactcg cctcttccc ccccccgac aggtgattga 120  
 cttcggatcc gccagcattt tcagcgaggt gcgctacgtg aaggagccat acatccagtc 180  
 gcgcttctac cgggcccctg agatcctgct ggggctgccc ttctgcgaga aggtggacgt 240  
 gtgggtccctg ggctgcgtca tggatgagct gcacctgggc tggcctctct accccggcaa 300  
 caacgagtac gaccaggtgc gctacatctg cgaaaccag ggctgccc agccacacct 360  
 gttgcacgcc gcctgcaagg cccaccactt cttcaagcgc aacccccacc ctgacgtgc 420  
 caaccctgg cagctcaagt cctcggctga ctacctggcc gagacgaagg tgcgccatt 480  
 ggagcgccgc aagtatatgc tcaagtcgtt ggaccagatt gagacagtga atgggtggcag 540  
 tgtggccagt cggctaacct tcctgaccg ggaggcgtg gcggagcacg ccgacctcaa 600  
 gagcatgggtg gagctgataa gcgcctgctc 630

<210> 314  
 <211> 2285  
 <212> DNA  
 <213> Homo sapiens

<400> 314  
 cgccttgtaa agaaacgagt tgagtgtagg cagtgtggga aggccggcag gaaccagtca 60  
 acgctgaaga cgcacatgcy aagccacacg ggggagaaac cgtacgaatg cgatcactgt 120  
 ggtaaggcct tcagcatagg ctccaacctg aatgtgcaca ggcggatcca caccgggag 180  
 aagccctacg aatgccttgt ctgcggggaa gccttcagcg accactcatc cctcaggagc 240  
 cacgtgaaaa ctacccgggg agagaagctc tttgtgtcat ccgtgtggaa aaggctccag 300  
 tgagcgcgcc tgcttttagag acacaggatg attcagaccg gaaacagacc tcgtgggtgt 360  
 aagaggaagc ctctgtgagc tcgcacctta ctgggtgcaa aagaatccac ggaacttggg 420  
 agaagtccag ttctgtgtaa aactgggaag acgaggcgtt ctcatcccat aggaggtttg 480  
 tgagaactca cgcggggggg gaaaatgtac gtctgtagca tggagaagcc ttcagggtac 540  
 attcagctct taacaaacac aggaggactt atggcagct tggcatttaa tgtcaaaatc 600  
 caagccgtgg catttaattg caaaatgact tcagaccact tctagccttc tggggccatg 660  
 agtaataatg agcacactag ggagcatctc tgtaaacaca gtggctgggg aaacccttcc 720  
 tagtctcact tgattcctca tgacggaaat cacactaaag agagaaatca gtgaagtaag 780  
 gaacgtggaa ggtcatgaat gggccgcaaa ccacggccag ctgcttgtct ttgtatggct 840  
 tgccagctaa caatagtggg tccatcttta aggaagaaga atgtttgatg gagaaaattt 900  
 gtggccaatg aagtctgaaa tacttctctg catctgcccc tttccagaaa aacttggccg 960  
 acccttggtc tacagcacgg gttctcagtc gggcgacgat ttggctgtgt aggcgtcatt 1020  
 tggcaatgtc tagagacatt tttggtagtt agaattgggg gaagatactc ctgacttgta 1080  
 ataagaagac atcagagatg ctgctaagtc ggctccagca cacaggagcc cccacaaacg 1140  
 aagagttagt gccccaaac gtactgtttg ctgaggttga aaataatcat gcagtcattc 1200  
 ctcaattact gcctccagca attcctccat ttttatgaat cttgtgagca cttacgctag 1260  
 gagaaatttc ttttcaaaaa cttttaaaat acagttagtg ctgataattc ctatgtggaa 1320

atgattccag	ccatgggtccc	ctcacttgag	catgtgaata	ttctcacgga	gagaagcccc	1380
agcgagat	ttccggtgaat	acgggattgc	acttactctt	tcatcacgga	aacagacccc	1440
cgagagaagc	cccaacgaga	ttttccgggtg	aatacgggac	tgacagtact	ctatcatcat	1500
gaaaacagag	ccccgttcat	aaatTTTTtca	tctttatTTt	taaggTTata	ctcctctaaa	1560
taacccttaa	gcctcatcaa	gaaaggTTtTg	TTtatagtat	TTtTactata	gcttcatcct	1620
tgataacgtc	ctaatttctc	tctggacaac	ctccttgacc	aatggcata	tgagatctat	1680
gtgacatgag	gatatttctc	agtaccactt	tgttactggT	acctgatgca	cacggattgc	1740
gaccagagca	tgatgcctcc	atcaagtggT	aatatgTTtTg	cagcctgctg	tccagccaag	1800
agtacagat	acttctagtTg	acttccccgg	tatccactct	catcttcttc	caatatcaag	1860
agaatccagg	ttctgtcaga	ttagtaaggT	gtgctaactc	aaatTTttaa	aaatctctta	1920
caggTTTTtct	tgacagtggT	accatccatg	tctcacagcc	ctggccactg	acagatcagc	1980
agatgtcacc	acatgggctt	ctgagaaagc	tcttgaatgg	ggatcgTTct	taaacatgaa	2040
ttcctccctg	tatgTTTTgt	tcttTgcttT	actTTtTcacc	ttgcaaagag	atccagtacc	2100
tagtattgga	agatccacct	taacgaccgt	gcataTgaaa	accacagtct	aaggaaTga	2160
ctgcagaaag	ctcacagcga	ccctggcctc	ccctgtggcc	tcttTgagtTg	tctgcagcag	2220
ccctggactt	ccagacttct	atcacatgag	aaaaaataaa	actgattatt	ggTTttaaaaa	2280
aaaaa						2285

<210> 315  
 <211> 1316  
 <212> DNA  
 <213> Homo sapiens

<400> 315						
ggctgtctat	cagtggataa	ggTgggggct	gtctatcagg	ggagaaggTg	ggggctgtct	60
atcagtggag	aaggTggggg	ctgtctgtca	gtggagatgg	Tgggggctgt	ctgtcagtgg	120
agatggTggg	ggctgtctgt	cggTggagat	ggTgggggct	gtctgtcggt	gtagatggTg	180
ggggctgtct	gtcggTggag	atggTggggg	ctgtctgtcg	gtggagatgg	Tgggggctgt	240
ctgtcggtgg	agaaggTgga	agcttgtact	cagagcaggg	gatatttaga	cttgaagggg	300
ccaggggagg	aggTactggT	tctactaagc	cccatgttca	ctgggcagcc	actaagTtag	360
ggaccgtgtg	Tgtaccgagt	ggattccgac	aaagaagctg	tctcaggagc	cccagccagc	420
Tgcagagggg	ggccaagct	ccaaggctgg	gtgtcaggTt	TgccaggTgc	Tggctccgct	480
aggggcccga	ggctgcgctg	ggcgggactg	ggctgggctg	gtacctgtgc	ccggtgtcag	540
gccagctgta	gtTgcagcgg	Tcagctgccg	ctctctggcc	ccatgcgaac	Tgctgtgcc	600
ggTgcaccct	gggggaccag	gctgcctggg	cttctggaa	ctggTgaagc	Tgccgccact	660
tctctatgc	Tgtctccagc	aggcaattct	gggTaaacga	tcttcattTg	cctataaagc	720
Tgcacagctc	acaggcctTg	gaccgttct	gccccagccc	cagcattggc	ccttTggaca	780
gactctgaaa	ccgtgcgcag	aacgcaccct	gtcattacaa	atgactcctg	gaggcagTcc	840
ccgggggcct	ggcaggagca	cctgtgttTc	TgtgggTct	gaaaatgaca	gaccaatcgc	900
Ttgaaccctg	gaggcgggaag	Ttgcagtgag	ccgagatcga	gacattgccc	Tccagcctgg	960
gcaacaagag	caaaactcca	Tctcaaaaaa	aagaaaaaag	TgccgagTgg	agTcgtcacg	1020
cccgtaatcc	tagcactTtTg	ggaggcagag	gtgggcggat	cacctgaggT	cgggagTtcg	1080
agaccagcct	gaccaacatg	gagaaacccc	atctctacta	aaaacacaaa	aattagccgg	1140
gcgtgtgcTat	gcctgtaatc	ccacctactc	aggaggctga	gggaggagaa	Tcgcttgaaa	1200
ccgggagccg	gaggtTgcag	Tgagccgaga	Tcgtgccatt	gcactccagc	ctgggcaaca	1260
agagcaaaaa	ctccatctca	aaaaaaaaaa	ggagagagag	aaaccgggac	cgcaag	1316

<210> 316  
 <211> 2486  
 <212> DNA  
 <213> Homo sapiens

<400> 316

tttttttttt	ttaaacaaaa	ctttatttgt	aatagttttc	aaatatgttt	acaacagcac	60
actgttcaag	aggaagtctc	gtccttcgca	gcacacaggt	tgaatcgccc	ccgcacccac	120
ccggggcccc	accccaggcc	tgagaactcc	tcctgggatg	gggagaagtt	atgagagggg	180
gaaatacggg	gatgaatggg	gtggctcccc	agcggctccc	cacttttcta	ttacgagaga	240
aaaaagcaca	aatgagaaag	tgggggagag	gtgatggaca	gctgacagct	aagctggagg	300
aggggagccc	aggatggggg	aggcgggaag	tgggtgggtga	gtaaacagag	cagcccctcc	360
ccagcagctc	tagccttgaa	ccccgggccc	tggcttgggg	ggacttgggc	tcttctgttc	420
ccttttgtag	ggatgccctc	cccactcagc	tgagggaagg	ctggacgtta	aaatctagcg	480
gagaataaaa	ttaaggaggt	ggggggaaac	gctgctggga	ggaaagactt	gggcttgggg	540
ctccccctct	gtctttttgg	gggatgactc	ctctttggca	gggagagggg	cagctgcttt	600
gtctggcttt	caaaagcccaa	gggtgaagac	aggtctgttg	gggaaaaaga	gagcggaggc	660
ttcctaaagg	ggcctagacc	ctcgcaggat	tggcagagag	gattccccgg	ggaggggccc	720
aggggagatt	agcagcgggg	aggttcaaac	cccagcgcct	ccctttccaa	agtcagtctg	780
cttctcttta	aaatggattt	gaggaatggg	gggacatggg	aggggtggga	gtagagggaag	840
gagggagggg	ggcactgggt	gaacttaaat	aagattttta	attgttggtt	ttttaaaaaa	900
attctagcaa	gcaacccact	gaacatgtca	ctaaaaatct	ctccttccca	ggcaggatta	960
gtccgaaagg	aaggttggcg	cttcgttcat	tgtcccttag	caagtggggc	ctgtggttgg	1020
gtgggatggg	ggtgtgggtg	ggggctggag	ttaagcgtga	gcccctcttt	ccataccctg	1080
tccttgata	caccagcaag	acctggtctg	actggagttg	agaaactcgt	ttaaaacagg	1140
cagaagtggg	ctgggagggc	tgaggggctg	gggggctgtg	gggaaagaga	aagggaaaag	1200
tgggagaggg	ggcaggaggg	tgaaggggat	gagggggagc	agctgggtgt	tctgtccctc	1260
tgattatctg	ggcttcctgc	tccccctacc	cctggagggt	gggggtgggg	tgaatttaga	1320
tgaaggaac	tctggggccc	tctggctgtt	caatccaacc	ctcccacccc	cccgaccaa	1380
aaaaagaaaa	aagaaaaaag	aaaacccatg	ggggcacagg	catgccccta	aaactcagaa	1440
aactccttgc	ccaaacttct	cattgatgga	aaacccggat	ttcttcttcc	tcatagtcgt	1500
caaagttaac	tcgtatcccc	agggccttta	aactttggta	tgaaggagc	ttccaccttc	1560
ctctggtaga	tggcaatcca	gtcagttgtg	gcaaaccact	tgtggttctt	gatatcgttg	1620
accccatctt	tgaggttccc	aaagcgcttg	gtgagatcta	cctgcaggag	gttcgcgagc	1680
aggtccttca	agtcagagct	gaagtgggaa	gggaagcgca	ccttcccaga	gacgatcttc	1740
tcatagatct	ggatgggctg	gtctgcgaag	aagggcgggt	agccagcggc	catttcatag	1800
ataagaaccc	ccaggggcca	ccagtccacg	gccttggtgt	agcctttgct	caggataatc	1860
tcagggggcca	ggtactcagg	ggtgccgcac	aaggtccaa	tgcgccctt	cacgcgcttg	1920
gcgaaaccga	agtctgtcac	ctgaatgtag	ccctgctggt	caatgagcag	attctccggc	1980
ttcagggtcc	tgtagatgag	atccagcgag	tgcagatact	caaaggtcag	gacgatctgg	2040
gccgcgtaga	aacgggcatg	gggctcactg	aaccttccga	tccgccgtag	gtgtgagaac	2100
atctccccgc	cgggcacgta	ctccatgacc	atgtataagt	ttgagttgtc	cttgaaggag	2160
aactcgagtt	tgacgaggaa	cggaaagtgt	acagcttgca	ggatgcgctt	ttcattcagg	2220
gtgtgttcca	tctgtttcag	tttccccacc	ttctgttagt	cgaggatctt	catggcatag	2280
tggttcccgg	tctcctgtgt	tttaccagc	atcaccgcgc	cgaaggagcc	cgtgccgagg	2340
gtctttgattc	gttcaaacgt	atccaaagtgg	gctgtgttct	gagcgggact	ttccattttt	2400
ttaagaaaa	cttcttttgg	tttggctaag	aattctttca	cgctctcctg	ctcgctgccc	2460
ttcttggcgg	cggcggcgtt	gcccac				2486

&lt;210&gt; 317

&lt;211&gt; 867

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 317

ttttttttta	gtttatataa	ctttattata	agtattaatt	tgtttgaatt	aagtttatat	60
aactttaata	taagcattaa	tttgtttgaa	atataaagta	ttataaaata	ttgtaattaa	120

gcttacagat	aatTTTTTaaa	atatatacat	tatgactaat	ataccaaaat	tatttatatg	180
tacacattta	tattttaatac	ccaaagaaaa	tttactacca	cattgctaca	gtagatatta	240
acctgacatg	tttattaatt	gattcctatag	gtataaattat	aggtcagcat	aattttacag	300
tctattcttt	tattttacta	aatttaggaat	gccactattc	ccggacaaaat	aatgagcagg	360
gatgtggcca	cccaagaatc	atagtagctc	ttcagttagc	tatcttgcaa	tctctgatat	420
aattctacta	tgtgaataga	gtgaattcca	attcttcac	aaaaagtgc	ggtggagggt	480
gtcaggtgtg	ttccagtata	gattcccaat	ccaacggccg	gcagatggga	gagcagcaga	540
gatggaaatt	gtgctcagaa	taagccctct	ttctcataat	acttgatatt	ctcatgctga	600
gagtagctgt	gcacttttgg	tgttttagaga	agaacttctt	tggagaata	ttttctggtc	660
aatttgacca	atgttacatg	taatctgaat	tagtctgtaa	gattctttca	acctcttttc	720
ttctctcaat	acgggttttac	tcagactgag	agctgtcttt	ctcttcaatg	ctttgggaat	780
tcagtgtctt	gtgtctaagc	ccctattagt	atcacatggt	gtctgtgagt	gaggggggct	840
gtcaccgtga	gaactcctgg	agctgct				867

<210> 318  
 <211> 1683  
 <212> DNA  
 <213> Homo sapiens

ggcacgaggt	aggaaccagt	ggtctatgtc	ccgaccacta	cttggcttga	tagggcttaa	60
tgaaaagggtg	agagagccag	ctccctgggtg	ccaacccaga	agcagtggca	accacgcact	120
tggtatcacc	aagccctggg	agaaatgtgt	atagaaacac	cccacgggtg	tgaaacaggg	180
aaaatgggtc	atttactgag	caagtcccat	ttgtgctttc	agtatcacat	aatcatttaa	240
ctgttagaag	tcagcatgtg	tggtagctca	cagacacagg	ataaaggagt	gtttccctta	300
ggcagtaaga	gaaacctttc	aaggaaataa	tgtacctggg	tatcagagga	cctaagacct	360
aagttctagt	tctagctctg	ctataaacia	gtcttgagat	tctggtaaaa	gaaaggtctg	420
gataagatga	ccctttttaa	gtgctttaca	atttaaaaat	tcttgatatt	cttagtagga	480
tgaagccata	ttatcccaca	agtgtttgcc	tgaatttctt	ttttaagggt	ccaatttttag	540
tagacattcc	attcctcctt	agagaagaac	attcttcaac	cctgcagatg	acggaggggt	600
aatctgcctt	cccctgcttc	tctaaccttc	tgttccactc	cttgcctcac	agtatttttc	660
tgacctaga	aacagtattg	tgaacagcca	gccacgggag	aagcagcagg	ccatgcacct	720
gtgttttgag	aacctgatgg	aaggcatcga	gcgaaatctt	cttacgaaaa	acagagacag	780
gtgagtataa	agcgtcctgc	ctagaaatct	cagacaattg	ctatttttca	aatcaacgaa	840
acaggcagtt	gcttttaaagt	ctttgacatc	tgtgtttgga	ggcatctaa	agcaatgcaa	900
tccaatagaa	aagttagcca	tgttaaacag	gcaaaattca	ttttaataat	atattttatt	960
taaccattg	tatctaaaat	attgtatcag	tgtgtaatca	gtatttttaa	attgtgggtt	1020
ttcacattct	ttttgtacta	cattttccaa	atcctgtgta	ctttacattt	aacagcatat	1080
ctcagttcat	acgttttcat	cagaaatact	tgatctgtat	ttagatttca	taaatttaca	1140
gttgacaaag	tagattcctg	taataccag	attgtttcaa	acacacctag	ggactttcca	1200
gtaactgcat	tgagtatctg	ggctttgcaa	ttaactttta	aattttatatt	aattttaatt	1260
aattttaaac	aaggcatttt	aattttaaat	taagatgcag	ttggggagct	gaatgttaa	1320
ttgtatttaa	tttggattca	tgttctcagt	cacactggcc	ataattcagg	ggcacggtag	1380
ccatatgtgg	ttaggcagcc	gcctatttgg	gacaggcata	gcactgcacc	acctgggtct	1440
tgtgtgcatt	aaggaaatga	ggatgggctt	cattgggctt	tactggccct	tcacgtgtga	1500
gggcaacttc	ctacttctgt	cagtgtgatt	tcttttgtgc	tgccatgagc	ccaaggtagc	1560
cctcagggcc	ccagatttga	ccagatctct	aagccaactt	ttctcttaga	gtcttaagac	1620
tgaaattaac	tgatctttga	aacagaaccc	atcaattcat	acattctact	tcccatgctt	1680
ttaa						1683

<210> 319  
 <211> 1606



&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 319

tttttttttt	ttcgtatttc	aagggttttt	attctgagca	gtaggtacaa	aaaataatga	60
catagtgtgtg	tctaattctg	tatagttcag	gcacctccca	caggctgtca	atctctgatt	120
tgatctactt	ttaccagatt	taacagatcc	ttgaatttac	tttactgtat	atacttcctt	180
cttgctcaca	ttgggaatca	aactaatgct	ggaacatgc	atcttcagac	ttcattgagg	240
aattccagat	tgagacacgc	tgggatgtgg	attgagtcca	tggttagaga	agatggatta	300
aatggaaaca	aaacaggaaa	catgtgcttg	gcatctaata	gcagttgctg	agggtcattc	360
cgctcttgta	gttggtgcctg	gattgttcgt	ataaaggcca	ctgttaccgg	ttcttcaa	420
tcattcaggg	gagtataaag	gtttaaaatt	ttgacaatct	gctgggtgct	gagggaggtg	480
cacagggagc	agatagcctc	tgcttcctcc	tgggttttct	tctttaattg	caggagctgg	540
gctgcttgga	tcagagggttc	catggtctga	actgctccac	tctggtgaag	gtttcttccc	600
cgaagccact	cctcaagctg	acttatattg	tacctgagtt	gcatgcctgt	gctccaagag	660
cagacgtcct	tccgcaggag	caggtcatta	agagtcactg	cgttgatcat	gtagaagagc	720
tgtttgaaata	cctgcaggat	gatctcaggg	tccaagccct	ggtcacacat	gactgtatga	780
aaggcattca	tctggcggat	gatagcttcc	aggcgggatg	agttatcctc	atctgccatg	840
ctggaggagt	gcttctggga	gccagtgggc	ttcacaccag	atagaccctg	aatgctctaa	900
ttttccaaca	tggcagaaac	tatcatcggc	tgtaacacac	cctcggcaat	tttaatgagc	960
tgctggtaga	tctgaatgga	aaggtcacgt	caggcacctg	acggtattcg	gtgaggtcaa	1020
aattcttaag	acagtgttca	attctgcttt	gcagtgttct	gagtcatgaa	gccctcatcc	1080
ccgctgtact	gcttcagaca	gtgaagaagg	cgggcagggtg	ttggataacc	agaatgacgt	1140
catctcaaag	tcattcattgt	gctttttcag	gactttctta	atgccgttga	tggtggaggt	1200
cagcagggag	tgacacctga	gatcgctgtt	ggtgtagtcc	cgctgcccgg	atgcacatgt	1260
agaggatgta	ggcggggaga	cagggcactg	tgcccgacag	catctggggc	ttcaagtctg	1320
tcaccaggtt	ccggatgagg	agggcctcgt	cctctttgtg	gtactccagc	atgccctgga	1380
aatccttctc	tttccgctgg	accgtgacct	gcctgttgag	ctcatggcgc	ttcctctcac	1440
tctgggcca	tgccctggga	gcttctaggt	cctgggcttt	cttcatgtaa	atcttcagtt	1500
gctttttgag	cttccctctca	ttcttttcca	gcttttctac	cagttcttta	aggtccagat	1560
tctcgttggg	cagccgggat	atttctgtct	gaacgcgcgt	cgtgcc		1606

&lt;210&gt; 320

&lt;211&gt; 676

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 320

ggcacgagga	gaatactatt	cttaagctg	ctgaagtga	ggtcccacca	aatgagtag	60
taacacctga	agcaaaggcg	tttatttgac	gatgtttggc	ctaccaaag	gaggactgca	120
ttgatgccca	gcaactggcc	tgtgaccccc	tacttgctgc	attatatoca	aaaattgggtc	180
tttgtgagta	gccctgctgg	ggctgctatt	gcatcaacct	ttggggtgtc	caacagctgt	240
tcttcgaatt	gagactgact	ccaaggccac	aaactgttca	acacacacaa	agtggacaaa	300
tagcatttag	cagcaggttt	ggaacgtaga	gaatctgaat	ggatctgatg	aaacctgaac	360
caggtgctta	ttttgttgct	tttttcccat	ccactgagca	tgacagcatg	gattctcttt	420
aaggagaaac	catgggcagc	tccagccagg	cctcatagga	aaaggcccgg	catgaggttc	480
tggcgtcaat	ggccactgtg	tatggctgct	ctgagttagg	aaaaaactaa	aaagaaaaac	540
tggttccatg	tactgtgaac	ttgaaaacat	gcagactcac	gggggttccct	gatgcaatgc	600
ttcagatgaa	gattgtggac	ttgaaaatac	agactagaag	gccgggcaca	gtgggtcatg	660
cctgtaatct	cagcac					676

<210> 321  
 <211> 1502  
 <212> DNA  
 <213> Homo sapiens

<400> 321  
 tttttttttt ttttctattg cttaatagaa aacatatattt tattccgtac tttaaaaata 60  
 tagactttct agcaacttat aaatttctat tataataata aattgatact ttgagccaag 120  
 aaaacaatat aaccaaaaat tcatttggtc cctttgttta ggggtgtttt acatttatgc 180  
 ataattttgc ttttataaaa gatgattggt acaatcagggt atacaactac ttgggtatgt 240  
 ctaagttctg tctcttaaaa tatgttcttt tagagaattc atttaatcat cttattcttt 300  
 tcttcaattt tctccaaaca gtggtagaag tactatttga tagacagaat aaagaaaatt 360  
 gtttttggcc acaccagat catactgata tctacagcat agtcctggct acaggggagc 420  
 tcaactctaa ctggtgaagc gggcctgggt tagaaagtaa caatgaggta gtaactcatg 480  
 atagtgttag ctgttatcaa aaattaacaa ctttaggtat ttttgttttg ggtttttgcg 540  
 gtttaggtac atccaaaatt tcttcatagt ctgcactcat tccctttgcc cagcgacca 600  
 ctgtgaccat tcgctctgaa ttctgacttt cagggcaatc tttctttaa tggtccacag 660  
 agccacaaag tttgcaaccg ccaccatcag catagagtc tttgggatta tcaggacaag 720  
 atctagacag gtgccccatt tctccacaaa caaacattt tgcaaaagga aattcgcca 780  
 gagccgggtc tacttttagc ttacacttgg ttatttcgtg ctctgtggac ccacacctgt 840  
 aacatatccc agtgcccatg tcttgatttt caagggcggc ggggcaatct gcaattccat 900  
 gaccaggttt tctacaatgg aaacacacca ttgcattttt ctttgccgct tgtcttttta 960  
 atcttcttcc ttcccgctga ctgtctttct ttaaagcaac tgcaatttct tcccttactt 1020  
 cctcactgtc tgttgctata atttgcccat tgtgaaccat ctgtgaattc tgtcttaggt 1080  
 attccatgaa tccattcaca tcttcattta agtactcttt tttctttttg ttctttttat 1140  
 gttttgcttg ggggtgcatca tttttgaggg atagcctatt ggcttcaagt tgtttacgct 1200  
 ttggtaggtt ttggcttggt cctcaaagg atcccttctt catgtcctcc catgatgttg 1260  
 caggcaaggg tctcttggtt tatgtggtac taactcgggc ccacctgggc ataatttc 1320  
 cagtgggtacc ttatcaattt ttaagacaag caggggtggt tagccatcaa caacaaaaac 1380  
 aacaaaacta aagagacatg ctatatcact atatgtcaca tatgccata tgttaaactt 1440  
 ttaattatta aaacactttt tatttcagtt agatatctgt atacatattt aatggctata 1500  
 at 1502

<210> 322  
 <211> 989  
 <212> DNA  
 <213> Homo sapiens

<400> 322  
 gttgggggtc cactctgtcg cctaggctgg agtgacgtgg cgtggatctc tgctcactgc 60  
 aagctccgcc tcccgggttc atgccattct cctgactcag cctccggagt agcggggact 120  
 acaggcgcac gccaccaggc cgggctaatt tttttttttt gtatttttag tagaaacggg 180  
 gtttcaccgc gttagccaga atggtttcta tctcctgacc tcatgatccg ccacactcgg 240  
 cctcccaaag tgctgggatt acaggcgtga gccactgtgc ctggccaaac gctggtaggt 300  
 ttgggagtga gaccacatta catttaaata tatttacaat gttttctgct ctattcttta 360  
 gtagactttt cctcacgtgg tcctacgcat tcttttctaa gtttattttc atatagccta 420  
 tccctgtcta caattttaat tgggatcttc tatattctag ttattatttg taaataagaa 480  
 aactactgac ttttttctag tatattttct cagaatagga ttttctattt ttctataaaa 540  
 tgaccaatgt tatgaagctt cgtaagtttt gtcaaagtga tacacacata cagcaaaaaa 600

tcaaatagta	cagaagtata	aaagcaacaa	cctctgcctt	gccccttctc	caccttcagg	660
tccccttccc	agatacaata	atttttagct	ttttattttt	aattattctg	gttggtacct	720
acataactct	gggcaatatg	gaaaagttat	tgattttgta	tattaatttc	ataatcagtt	780
accttgatga	attctcttgt	ttctagtagt	ttttctttag	ggtttttaaag	ggatacaatc	840
ataccatttg	cagttagtaa	ccatttttatc	tcctcttatt	tccaacttcg	tactgttttc	900
tottgtctaa	tttgttttta	attggtgggt	acttctagaa	caagggtaaa	taaaagtggg	960
gttgggtggc	gtccttattt	ctgatatta				989

<210> 323  
 <211> 1106  
 <212> DNA  
 <213> Homo sapiens

<400> 323						
tcggacgcgt	ggggcgacgc	gtgggctcgg	tcgcttagtg	tgtctcctag	ttcctatcct	60
gaactacaca	ctgaagttcc	actgtctgtc	ttaattctgg	gattgcttgt	tgttttcatc	120
ttatctgtct	gttttggggc	tggtttattc	gtctttgtct	tgaaacgccg	aaagggagtg	180
ccgagcgttc	ccaggaatac	caacaactta	gacgtaagct	cctttcaatt	acagtatggg	240
tcttacaaca	ctgagactca	cgataaaaaca	gacggccatg	tctacaacta	tatcccccca	300
cctgtggtac	agatgtgcca	aaaccccatc	tacatggcag	gaaggggaagg	gagaccaggt	360
agcctattac	cgaaacctgg	caaggagtgt	cagctattag	gcaacctgga	ggagaaaaaa	420
gaagagccag	ccacacctgc	ttacacaata	agtgccactg	agctgctaga	aaagcaggcc	480
acaccaagag	agcctgagct	gctgtatcaa	aatattgctg	agcgagtcaa	ggaacttccc	540
agcgagggcc	tagtccacta	taacttttgt	accttaccta	aaagggcaggt	ttgccccctc	600
ctatgaatct	cgacgccaaa	accaagacag	aatcaataaa	accgttttat	atggaaactcc	660
caggaaatgc	tttgtggggc	agtcaaaaacc	caaccaccct	ttactgcaag	ctaagccgca	720
atcagaaccg	gactacctcg	aagttctgga	aaaacaaact	gcaatcagtc	agctgtgaag	780
ggaaatcatt	tacaacccta	aggcatcaga	ggatgctgct	ccgaactggt	ggaaacaagg	840
acattagctt	tttgttttgt	ttttgttctc	cctttcccag	tgtaaatggg	ggactttgaa	900
aatgtttggg	agataggatg	aagtcatgat	tttgcctttg	caagttttcc	tttaaattat	960
ttctctctcg	ctctcctctt	cccactccca	cactgaaaaa	caaagaagaa	aaaagaaaca	1020
aaaccataaa	caaaatctat	gaagaaatgc	attgtagaaa	cattcatgtc	cactgatggg	1080
tcctaagaag	agaagggaaa	aagaaa				1106

<210> 324  
 <211> 2366  
 <212> DNA  
 <213> Homo sapiens

<400> 324						
gcactatgtc	acattgccgt	ggggcagcag	atgaacctgc	actggctgca	caagatcggg	60
ctggtgggtca	tcctggcttc	cacgggtggg	gccatgtcgg	ccgtggccca	gctgtgggag	120
gacgagtggg	aggtgctgct	gatctccctg	cagggcacag	cgccattcct	gcatgtgggg	180
gctgtggcag	cagtcaccat	gctctcctgg	atcgtggcag	gacagttcgc	ccgtgcagag	240
cggacctcct	cccaggtgac	cattctctgt	accttcttca	ccgtgggtgt	tgccctctac	300
ctggccccctc	tcaccatctc	ctctccctgc	atcatggaga	agaaagacct	cgcccccaag	360
cctgctctca	ttggccaccg	cggggcccc	atgctggctc	cagagcacac	gctcatgtcc	420
ttccggaagg	ccctcgagca	gaagctgtac	gggctccagg	ctgacattac	catcagcctg	480

gacggcgtgc	ccttcctcat	gcattgacacc	accctgcggc	gcaccaccaa	cgtggaggag	540
gagttcccg	agctggccc	caggcctgcc	tccatgctta	actggaccac	cctgcagaga	600
ctcaacgctg	gccagtgggt	cctgaagact	gaccccttct	ggacagccag	ctccctgtca	660
ccctccgacc	acagagaggc	ccagaaccag	tccatctgca	gcctggcaga	gctcctggag	720
ctggccaagg	gcaatgccac	actgctgctc	aacctgcgtg	accgccccg	ggagcaccoc	780
taccgcagca	gttttatcaa	cgtgactctg	gaggccgtgc	tgactccgg	cttccccag	840
caccaggta	tgtggctgcc	tagcaggcag	aggccctgg	tgcggaagg	ggctcccgcc	900
ttccaacaga	catcaggctc	caaggaggca	gtcgccagcc	tgcgagagg	ccacatccag	960
oggctgaacc	tgcgctacac	tcagggtgcc	cgccaggagc	tcagggacta	cgctcctgg	1020
aacctgagtg	tgaacctcta	cacagtcaac	gcaccgtggc	tcttctccct	gctgtggtgt	1080
goggggggtcc	catccgtcac	ctctgacaac	tcccacaccc	tgtcccagg	gccttcccc	1140
ctctggatca	tgcccccgga	cgagtactgt	ctcatgtggg	tactgcccga	cctggtctcc	1200
ttcaccctca	tctgtggcat	cttctgtgctc	cagaagtggc	gcctgggtgg	catacggagc	1260
tacaaccctg	agcagatcat	gctgagtgtc	gcggtgcgcc	ggaccagccg	ggagtcagc	1320
atcatgaagg	agaagcttat	tttctcagag	atcagcgatg	gtgtagagg	ctccgatgtg	1380
ctctccgtat	gttcagacaa	cagttatgac	acatatgcca	acagcaccgc	cacctctgtg	1440
ggcccccgag	gggggtggcag	ccacaccaag	accctcatag	agcggagtgg	gcgttagctg	1500
aagacatgtc	tgtccacact	gtacctgaca	cagaagctgg	ggagcctagg	agagctggtg	1560
gaagtgtgtc	tgaactcgga	gtgctctggg	agcgggctcc	acagcctcct	tgtgggctcc	1620
agcccttgt	cagccgcagc	ctctcttgag	ggggactccc	tgtctcctga	ggcccagctg	1680
ggccaggact	ccatcctttc	agatgcccct	gcaggcctgg	ggctccttct	gggaagtatg	1740
gggcctaggg	cttgggtcccc	ctcttctgag	gccctctcct	gtatcccagc	ctggaagctt	1800
tgtgggtca	tggggccatgc	cataccccct	gtggcaatgg	agtgtgtgga	tgctcacctg	1860
tgccatctgt	cctcctgtct	gtgccaggag	gcacctgagt	tctctgctgt	tatcctgccc	1920
caagggcctg	ggccgagcct	ctacctgaag	caactctgct	cttctgtca	gtctcaaagc	1980
acaaggagg	tcagcccagg	aggaagccag	ctgcaatgtg	gagacacgtc	ctcctcccca	2040
accacactca	tgccaccgcc	aacccctgc	cccaggagcg	ggcctgagcc	acgtccctta	2100
ggagcagctg	gagatggcca	aaagagtga	ctcaggacta	ctggatccca	tgcccagggtg	2160
tccagcagac	ctcaaggcag	aagggtcacc	taaccaggga	gttccacaga	ctgatgtgac	2220
ctcaggttcc	cacatcagtg	gccaccaggc	agggcccacc	tggtagaagt	gttctggata	2280
tggcccagg	tgggtgtgtg	gctaagtggg	cctgaacaga	gggaacccta	gggccttgg	2340
ccaatgtgat	taaagctgcc	atcttg				2366

<210> 325  
 <211> 1925  
 <212> DNA  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <222> (1)...(1925)  
 <223> n = a,t,c or g

ttttttgaaa	tctggtccca	aagtttcaaa	agaatactaa	tgcaacaaaa	agaaataacc	60
tctctgtata	aagtgtattat	agagatgtgt	gttgaggtaa	acagcttcat	aaaaaccgtt	120
gagcagggaa	gcacagccac	tgctatagaa	atttttaggt	aagtctgggtg	ctagcattat	180
tctacaaaac	tgtttacacc	cattataaat	aggggacagt	tcttattgct	cctggagctt	240
gtagctccaa	tctgttccag	ctccactgaa	aaatgatttt	tctcaacaat	tggtagcaaa	300
gattttccaaa	tttacaacaaa	gtcattacca	atgcatacct	ttttgattaa	tttctgattg	360
ccatatagat	atggactaca	gtatgcatgt	ccttgacacc	aagtacagaa	aaaaagctta	420
gaaaagtcgt	tttatcaaag	ttcagttcaa	tgagaacat	gaaaaagtgc	aaaatatgta	480
caattcctgg	cagttctcac	acgggatttt	tttgactaca	gaccataaaa	gtttacattt	540
gtgtaatgaa	atgacgatgg	atttcacatc	actgttaata	tacaagtgtt	tgcttcaaa	600
tgcttacttt	atttataaaa	gagaagatca	agagggttgc	aggaattttt	tttttttaac	660
aacaaatcaa	tggtatgtgt	cccaatctcc	ttcttctct	tccttttagtg	caacatggcg	720

cagcagcctc	atggataagg	tctgatttca	aaagacattc	ctgaaacctc	acctacagca	780
gcactctagg	gggtccatta	gggggtggctc	tctttttctt	ctgcagccga	ttctgaacct	840
ttcagagattt	tactactttc	attctcacct	caaaaacttc	atgaatggcc	ttccggaagc	900
aatgaaaatt	atagtcaatt	agcccttttc	tttcaaagct	ttcctctctg	acaaagcaaa	960
cgagagccag	gaactttgtc	acctctttta	aataaagcac	ggttgtatta	ttaagcttta	1020
tgatggctgt	ggattccttg	tcataggggg	ttcctgctcc	atcttctttg	agaccataaa	1080
tacaagagat	gtcaataacc	acatctatca	tatcacagca	gagctcatag	gtttgcatat	1140
ccaccggagt	actatcagtt	gcaatataaa	ttttactgac	cacatcaaata	agaaatgcct	1200
tttcaattcc	agaatttgag	ataaagatgt	tcagcaaatt	ctccagagtt	gggagttgtg	1260
gaatcagttt	ctgaacaact	ttgctaaaag	cttcaaata	tgaatgatca	tatatgcttg	1320
tcagataaaa	gctgaggtga	attttttcta	atccagcatc	tgcaagggtca	tcgtttgccc	1380
tctgggtgaat	atctcttttg	gtttcaattt	tgtgggtcatc	tgacagacca	tccactttat	1440
gaataaacac	ctcgaagttg	atgtcagtat	tcactttgtg	ggccctgggtc	accgtgaggt	1500
ggagcctggc	cagggcttcc	atgtaatcat	cctgtgagtc	aatgacaaat	atcagtgtct	1560
ctgttccccg	gaagatcatc	tcatagtcaa	atgtaggggtc	aaaaaagtca	atctgtcctg	1620
ggaagtccca	aatctgaaaa	ttgacaaaag	agctgttgga	aacatcttcc	cggcatatct	1680
tattagtgtc	ctccaagaac	agagtttctg	tgggagacat	tttgtgaaag	acaactttct	1740
gaatagacga	cttgccgtct	ctcctcaggc	ccatgagcag	gattctcggc	ttcacttcag	1800
tgctgaaggg	gtcactgaag	tccagaactc	cctcctctgt	gccgctgtcc	ggatcggcgt	1860
cggaggagtc	gggcccgtct	ccgtagtcct	ctgaattccn	ccgcngtgac	tgagtctcat	1920
tccca						1925

<210> 326  
 <211> 1181  
 <212> DNA  
 <213> Homo sapiens

tttttttttt	ttgagatttc	ccaggactgg	ctttaatttg	aaaaatctga	ttgggggtctc	60
ttcccgtatc	agagaaggaa	cagcccaagc	tatgacccca	gggccaggga	attcagtcctc	120
caccagaccc	tgtcattcca	tcaactaggg	gtaattccag	gctccccctg	ccagccctga	180
gacaggagga	cggatgtgaa	gttgcccagg	actagattct	gtctctccaa	agtggcccaa	240
gccctgttct	ctgtactagg	gaagccagct	gtgtcttttc	gaggacagtt	gggccagcca	300
gcaggctcag	ttcagatacc	agacaacccat	tccagcacga	gggctcagcg	ccctggcccc	360
ggcggctcgt	ccagtgcctg	tgtgcccacc	agcacatcca	tgaggtagtc	caattcggcc	420
togtccagct	ccggagcttc	ctccttgccc	ggcccatcct	cagggcctgg	tttgaggccc	480
tcagaggctg	gtgccc aaag	ttcattgtca	tacatagagg	tgtcaatata	ctcaaacagg	540
ccctcaagcc	catcgtccag	tagacagcca	gtggctgggg	ccagcaggtc	caaggcaccq	600
aggctggggc	ctgctcccc	gatgctacgg	cctgggtggc	cctcgtctgc	caagggttgg	660
ggagcctgac	tcaggccctc	aatgtggctg	aggtcctcca	ggaggctggc	catggaggct	720
gaaagggcag	cgctccgagct	tgccagtaag	ttgtcagcca	cactgggggg	tgagggtggg	780
ctaggcacag	gtggcagggc	agccgcgggt	gccatggacg	cctggatggc	ccgcagagtg	840
ttcacgacca	gcaccaggtg	ccgcaggtcc	ggctcaactc	gctgcaggct	gtggtggagc	900
ttgcactgt	agaggtcaaa	gagggagcta	gagggccacg	ccgggggtgc	ctgtgccacc	960
gctgcgtggc	caggatctag	ccaccaggag	tgcactgcca	gaggttcctt	ctcctcctcc	1020
tcctcccgtt	tcgccttcag	acccttgctc	agcatcttgc	tcactagcgg	ccaatcagaa	1080
cgaagaggta	gccaccacac	accaatcagg	aaacggcggc	ggcagcatcg	cttgttggtc	1140
gtcctccgga	aaccgcgcgc	tgggtcgcgc	ccacgcgtcc	g		1181

<210> 327  
 <211> 1842  
 <212> DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 327

```

aagtacaaaa taatatattta ataacatagg aacatgaaca tgaaaaacaat gtaaacaggt      60
tagaattttt ggatatgata cctaccaaac gtgatttgga accgtaccgc aactgggttaa      120
aatttctatg gcaaaaggat taaccaaggc atatcatagg aaatccactt tgcccaatat      180
aagcagttct cagcacatac tcaaatgcac acaaacatga aaatcggaaa taaaggaatg      240
ttaaaaaaat aacttaggca gacacaaaata aaaccacccc actagtgtat gaatgatgcc      300
acgtttctta tgatcttaat tacatttaag gatttaaaaa atgccactga tctcacagtt      360
tacaatatcc aaatcttcaa acctgctgga agaagtccca cagcacagcc tggaaattcg      420
catccgttgc attctctcgt gcagttacct gcttatgggc tgtaccttct gccttgatat      480
gtagtcagtt ctctctgaag gatggaagct ctcttttgca gaaaattaac ctgtgatttt      540
agggaggaaa tgggtgtcttc aagttcttgt cttagggatg ctggcatcaa tcctttcaat      600
tttgtttcat attcttgtcg tatgtaagtt atctgttctc gtgactccaa ttctttgtgt      660
tgtaattttt tctctgcaca tcgcacctga ttagaacggg tttctaattc atcttgtaaa      720
accttgattg cttggtcatt atctctaata agctgcttct tctcatcttc aaacttttgt      780
ctaacatcct ggagccgcct ttctgcagca agctgctgct ggctgttctc ttctttcaga      840
gaggaaatgg ttgtctgaag ttctgctatg atctgtgaag atttggcaag cttctgagtg      900
tattccttct caatctgctt cagcttgctg ttggcctttt ccagtgtcat ctctgtctca      960
gcagcatgag tctttttcag ctctattttc atcttttctg attcagcctt cagtttattg     1020
acgacaatct catgttccct ttagccttct tgcctttctc cttcacgaag aagaccaagc     1080
tctaccagct gctgtttccg ctgtgagttc acattgatca attcttctct caacttgtga     1140
acctgggcct ccatgtcggc aataacctgt gcctctcgtt tcttgaactc ctgaatttga     1200
ttttcgtgct ccatattggc agcgcgaagc tgtttttcca ggttttcaat ttcccgttca     1260
tgggtctcgga ctaggctatc cttctctgcg ttatgctgct gtaatagggtg cgtcttctcc     1320
tgttctatgc ccagcttcag ctctactatc tgttgttcat accgctgtct gatgtcctcc     1380
agttgccata aaaactcctt tgattgtttc tcacgaagag atttggatct agttagatct     1440
gcctccactt tttccatttc aaagcttctc caaatttatg aattttcttt tgagtatctt     1500
cttttctctt atcaagttca ctctgcaagt catgagcctt ttttcatag atgtgtttta     1560
gatgactttt ctccatctga aacttatttt cttgatccct tagttgttgc tttctttgaa     1620
gttctgattc ctgtaactgc tgttttaatt gacagacatt ctgctctaata tcttcaatca     1680
tactagatgc cttagaagct gaaagagcat gttcttgttt tagaagggtt atatcagcat     1740
catatttggg ttgtaacagt ttcattgttt gctcataatc atttacaaga tggtccttct     1800
ctttatgcag tgtgttacgc cttgccttta cttcttgtaa tt                        1842

```

&lt;210&gt; 328

&lt;211&gt; 1293

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(1293)

&lt;223&gt; n = a,t,c or g

&lt;400&gt; 328

```

ttttttttt ttgacgcggg gagagattta atttacaatg cagccacttg ggggtccagtc      60
agagctgggg cagtggggga atctataacc ccagagggtg ccccccagac cccaccccc     120
gggagaccag tctcaccba cccttggtatg ggctcccaag gttgtgcaga agatgctcca     180
gtcaaaagga tagagacatt tgggaaataa aggctgtccc caaagttggg gggaangtcc     240
acggcctggg agtggatagc ctacatgggt gccccagggg gtctgagaga ccagtcccat     300
gtccctgggc gagtccttca gcctgggtgg ccctagagga aagccttcgc gggcggaaac     360

```

tgttccctgg	aggagggggc	ggtactggtc	aaaatccttc	ctttccacac	gggtgacgcc	420
gccttcctta	gcatacccac	aacttcccgg	cacaccagcc	ttgataaagc	gcttcattcg	480
tgggacacca	gaatcacacc	aacccttgaa	attgtttgaa	ggcaaggccc	cagagcctca	540
atggctctcc	catgtccaag	gtgggtttgt	gggttcatcc	cagaatgtag	aaagttgggg	600
cagggcaata	gtccatctga	gcaaaaggcc	acttcggctt	ctttctggcc	cccaagacag	660
gctggcaaag	aggacgcag	gccagttct	ccggagatgc	ccataccgaa	cccaagctgg	720
tgacnggtac	tccctctcag	gccgcccag	gaaaacttgc	gtgccagca	agttcccaca	780
agcactgaac	gttttaggtcc	cagctgctcc	cacatggtgc	tggctgaaat	agccaatctt	840
cagattcctg	tgagcgtgtc	tgatgccccg	aacaggtgcc	aggtccccc	aaagcagctt	900
cagcatggta	gacttcccag	ccccattctc	tccaaccaca	cagatgcgag	actcgagatc	960
agcagacaca	gagaggcgac	tgaagatgac	gtgcttcgga	tcgtagtaga	aatccacctc	1020
atctagctgc	agaattggcg	gcgagaactt	ctcaaacc	tcagggaa	tcattacgac	1080
ctctgattcc	ttgtccacag	gcttcagctc	aggcctggga	gaagagatga	ggtagactag	1140
atttattact	taaaaaata	acttcctaca	cgagtaatat	atgttcagag	aaaacttaga	1200
aagggttgt	actcctacca	ctcaggtatc	attactttag	agtcattct	tctcatttac	1260
tgtatgctaa	aaaatagaat	taggcttttt	gtg			1293

<210> 329  
 <211> 1734  
 <212> DNA  
 <213> Homo sapiens

<400> 329						
aaatttgtat	ttcgataacc	attagtgcag	tgcggtggaa	gtcaagatgg	cggcgcggac	60
agcgttcggt	gctgtgtgcc	ggcgctctg	gcagggattg	gggaattttt	ctgtaaacac	120
ttctaagggc	aatacagcca	aaaatggtgg	cttgcctctc	agtaccaata	tgaagtgggt	180
acagttttca	aacctacacg	ttgatgttcc	aaaggatttg	accaaacctg	tggtaaacat	240
ctctgatgaa	ccagacatat	tatataagcg	cctctcgggt	ttggtgaaag	gtcacgataa	300
ggctgtattg	gacagttatg	aatattttgc	tgtgcttgct	gctaaagaac	ttggtatctc	360
tattaaagta	catgaacctc	caaggaaaat	agagcgattt	actcttctcc	aatcagtgc	420
tatttacaag	aagcacagag	ttcagtatga	aatgagaaca	ctttacagat	gttttagagt	480
agaacatcta	actggaagca	cagcagatgt	ctacttggaa	tatattcagc	gaaacttacc	540
tgaaggggtt	gccatggaag	taacaaagtt	ttgtttcttt	attttttttag	acacaattag	600
aacagttacc	agaacacatc	aaggagccaa	tctgggaaac	actatcagaa	gaaaaagaag	660
aaagcaagtc	ataaagcctc	agggaggcca	tttttgcc	aatttgaaat	gagggtgggc	720
cagatgagta	tgtttaagtg	gagagtgc	ccagctgaga	tgatttgagt	ctgtccta	780
tgctccattg	agttctcgtg	ccctcatcag	ctgagggcag	ggaatgggaa	tttaattggaa	840
gaaccacttt	tatctattct	ttttattcat	tgtttcagtt	ctgatttcag	caaacatgag	900
caaaccactt	tgactgaaag	cagaaagagt	gaaaattcta	ttttgttacg	ctactggtgt	960
tcaattatta	gtttgtacca	tttttaattt	atgtcagttg	atgcactctga	aaataagtgc	1020
ttggagtgtt	cgtaccctta	ttttttttta	agattccctag	aaggaatctt	tggttaattc	1080
agattgagca	gttaaagttt	ttgctattta	cctttgtgca	ggctggcata	tgctaatttg	1140
ggggtggtaa	ccaaccgatt	ttatctcatg	taagcattac	attttgaaga	ctgaatatac	1200
ttcacagcag	atcaaacaca	tttatggcat	gcactgacct	cttcttggag	cccagaactt	1260
tatagagtgt	cctaccaggg	ttactgtaat	ggaatttatg	atcttaagaa	attactagtt	1320
gtattattta	tccatgatt	cattcattca	ataagctttt	actgcataaa	ctttacatcc	1380
agcactgtag	ttaagtaccc	aaaattgaat	agaataatg	gcttttgaaa	attgcacaaa	1440
gcaggccag	cacggtggct	cacgcctgta	atcccagcac	tttgggaggc	cgaggcaggc	1500
ggatcacgag	gtcaagagat	ccagaccatc	ctggcttaaca	cggtgaaacc	ccgtctctaa	1560
taaaaataca	aaaatttagct	ggacatgggt	gcacgtgcct	gtaatcccag	ctactcagga	1620
ggctgaggca	ggagaatcgc	gtgaaccgg	gccgggtgga	ggctgcagtg	agacgagatc	1680
gcgccactgc	actccagcct	ggcgacagag	cgagacaccg	tctcaaaaaa	aaaa	1734

<210> 330  
 <211> 2105  
 <212> DNA  
 <213> Homo sapiens

<400> 330  
 tttttttttt ttatgtcatt cagcctttac tgtaaaaaag gaaacaataa aaacaaaacc 60  
 ctattaataa acacaatgca aacaatgccc gagattatca taaaaacata ctacgaagcc 120  
 acaagtacca gagaggggtg aacaggcata tctgctagct ctctctctgc agtcctcagc 180  
 ctcccacagg aggcacaagg tccaaactat tcctcaaaaa aaaggacagc ctctttatgc 240  
 tgaaatagga actttaaagg aagctcttct thtagtccaa atggacgtac cttgtggtat 300  
 ggctgtaagg actcgatttt acggcttggt tattcctaac tatagctagg cctgtcacct 360  
 gctgttctctg tgatctcagc ttacctaga agagctcctg aaacagaatg ggtacacgaa 420  
 aatctggaat gaatagctat ctgctcaaaa acgattgttt aaaaacagat gattggggcc 480  
 gggcgcggtg gctcatgcct gtaatcccag cactttggga ggccgaggcg ggcggatcac 540  
 gaggtgagga gatcgagacc atcctgggca acatgggtgaa acccctctc tactaaaaat 600  
 acaaaaatta gctgggctg gtgatgccag ccactcggga ggctgaggca ggagaatcgt 660  
 ttgaaccagg gagtccagag ttgcagcag ccgagactgc gccactgcac tccagcctgg 720  
 cgacagagcg agactccgtc tcagaacgaa caaagaaaca aacaaaccag atgactggga 780  
 gactgaagag gaaaaaagat gggagaaaaa gtagggaagg gatggggcct cacagactca 840  
 gctgtgggtg ggggggtaaa tcattacctc aggagaagcc caaggaattg tccccagggt 900  
 gagctttgga aagaaaacaa aaacaaaaac aaaaacacca aaaaacacct aaatttctctg 960  
 tattaaagtg acacataatc atgttttctg attctcttca ctgtctgcct gcggggagggg 1020  
 ggtggggaag gtgttaatga tgctgatccc tacttctgct tcaaggagat ctggtgggga 1080  
 attcttccac cagtccagag ttgctggtg ctgacctcat ccctgtatca cgggcctaga 1140  
 atgtgggagg ctaataggat gggtaggttg caggaggtag aagaggggat ggcctagaga 1200  
 gtttctccat tcagagctgg agagttgttg aagggaaggg tattttaaaa gggctccacc 1260  
 caccctagc cccagccctc cagctgtggg gagaggccac ctctctgat ggggtctcga 1320  
 tgctgctgct ctgttcctgg tctggcacgt cctctcttc ctgctccaag ctgaagtct 1380  
 cgagctcctg aaaaatctca tccatgaagt cctgggagtt ctgtttgtaa gacacagcta 1440  
 atcgaattgc atcattgaag agcttcacaa cattgggtacc atcagcagcc gagacgaaat 1500  
 acaggggcag ggagaacttc ttggcaaaat tgaagctttt ttgggtcacg tttatgtctg 1560  
 ctgtagagag aaggtaggac attggtctgt ctgtcaaggg aagggaagaa ggtttggagg 1620  
 ggggggccac tggaggcctt cattccagaa agtgggatag gcagggatga ttgggaaaca 1680  
 ggtcctagaa agagctcagt taatagggat ctgtgtcttg gaaagagggc aggtcggctt 1740  
 agctggcttc ttataaggt gggaagaatg caagcaacca accaagggtt gtatcttatc 1800  
 gtgggaggga ggaccaatca ctgaagggtg cctgccggg gaatggagga ggaaatgtat 1860  
 gagggcaggt cccagtgaa ttgctaacac ccaggtgcag ggatggcccc accatcaatt 1920  
 ttattggcca ccacgatgca tgggatctct ggctgaact cccgaagctc tgtataccag 1980  
 gtgctcaggt tcctatgggt gactttctc ttggacatcaa acaccatgat gcaagcgtgg 2040  
 gtcttggtgt agtaggaggc atgcatgctc tggaaaccgt cctggcctgc cgtgtcccaa 2100  
 aagtc 2105

<210> 331  
 <211> 5654  
 <212> DNA  
 <213> Homo sapiens

<400> 331  
 ggagcgagcg cgctcgggtc agtcggcggc cggactggga agatggacgc agctactctg 60  
 acctacgaca ctctccggtt tgctgagttt gaagattttc ctgagacctc agagcccgtt 120



tggatactgg	gtagaaaata	cagcattttc	acagaaaagg	acgagatctt	gtctgatgtg	180
gcatctagac	tttggtttac	atacaggaaa	aactttccag	ccattggggg	gacaggcccc	240
acctcggaca	caggctgggg	ctgcatgctg	cgggtgtggac	agatgatctt	tgcccaagcc	300
ctggtgtgcc	ggcacctagg	ccgagattgg	aggtggacac	aaaggaagag	gcagccagac	360
agctacttca	gcgtcctcaa	cgcattcatc	gacaggaagg	acagttacta	ctccattcac	420
cagatagcgc	aaatgggagt	tggcgaaggc	aagtccatag	gccagtggtg	cgggcccac	480
actgtcgccc	aggtcctgaa	gaagcttgct	gtcttcgata	cgtggagctc	cttggcggtc	540
cacattgcaa	tggacaacac	tggtgtgatg	gaggaaatca	gaaggttggt	caggaccagc	600
gttccctgtg	caggcgccac	tgcgtttcct	gcagattccg	accggcactg	caacggattc	660
cctgcgggag	ctgagggtcac	caacaggccg	tgcctatgga	gacccctggt	actttctcatt	720
cccctgcgcc	tggggctcac	ggacatcaac	gaggcctacg	tggagacgct	gaagcactgc	780
ttcatggatg	cccagtcocc	tgggcgtcat	cggaggggaag	cccaacagcg	cccacttatt	840
tcatcggcta	agtgggtgga	ggagctcatc	tacctggacc	cccacaccac	gcagccagcc	900
gtggagoccca	ctgatggctg	cttcatcccg	gacgagagct	tccactgcca	gcacccgcgc	960
tggcgcata	gcatcgcgga	gcttgacccg	tccatcgctg	tggtagctgg	cggccacctg	1020
agcacacagg	catttggtgc	tgaatgctgt	tgggaatga	caggaaaac	tttcggattt	1080
ttgcgttttt	ttttcagcat	gttgggataa	gtactgtgtt	cacgtgggtg	ggaatctgaa	1140
gggtataaga	gccggaactg	tgtccttgca	ccctcacgtc	cctccccccag	gcaccacctc	1200
ctgtgcagcc	ttcatggcct	tcgagtggcc	cagagagcgt	gtgtctggat	gtgagcgtgt	1260
gtgggcgcgt	gctgagtgtg	catggatgag	tgtgagccat	ggtgagtgtg	tccccctcac	1320
acctacattt	aaacacacgg	gcggcccttc	caccaccccc	tgcaccacct	tcgtcacacc	1380
cacatttaaa	cacggggcgc	ccctccaccc	accactcctt	gcaccacctt	ttgttttccg	1440
gaggctctga	cttgacctct	ctgggggatt	tccaaagaag	gagcttccct	gtttttccat	1500
tttgattacc	tagttgtgat	ttttggtgtg	tgatttatgc	agacctgcct	gccctcaaatt	1560
atatttgatg	gggaaagagg	ccaaaaaac	cccctagaaa	tcatgaatga	cggtagacatg	1620
ctcaggggaag	cagttaaccg	aatcgggggc	tctgttgtgg	atgctccgcc	ccatttagga	1680
ggaagaaggc	agatctgggc	ctgaaatggg	acggtctctg	agctgtggcg	cagccccaga	1740
gtgcacacca	cgtcccatgc	acctcctggg	caggggtggca	gtagtgggga	acatgggctg	1800
gagctctgtg	gctcacactt	tttgtttgtt	tgtttgtttt	tgagacggag	tctcactctg	1860
tcgcccagge	tggagtgcag	tggcgcgac	tcggctcact	gcaagctccg	cctcccaggt	1920
tcacgccatt	ctcctgcctc	agcctctgga	ttagctggga	ctacaggcac	ccgccaccac	1980
gcctggctaa	ttttctgtat	ttttaataga	gacgggtttt	cactgtgtta	gccaggatgg	2040
tcttgatctc	ctgacctcat	gateccacca	cctcggcctc	ccaaagtgtt	gggattacag	2100
gcgtgagcca	ctgcgcgcag	cctggcgcac	acttcttacc	agaacctagt	cacgaattcc	2160
tcgtcgaact	agaattaggt	atgtttgtta	ctgtaaacgc	agcttggtgg	cttacagtga	2220
ttggcactct	aacagtcagg	tcaggctaga	gagccagcca	ccgcagacag	aggagtggac	2280
gcgtgaacgt	tgagttgaga	ccaaaggggc	cacctggtgg	gataactgtc	ctcaccctgt	2340
aggagcagga	ctcctgcctg	tccccggggg	agagtgtctc	tacaccagcg	ccgaggcggc	2400
agaatggtgt	cttcaggggga	agagagtggc	cagtttgagc	ttctcccccc	atttcgtttc	2460
tttttgtgtt	aacatctgcg	catctggcag	cgttgagaat	tcctagtgtg	tgtcattaca	2520
ggcggcgact	taaaggatgt	gattgcccgt	gacccttggc	cggctcccctg	tctcctggct	2580
cctcagcagg	aggctccctg	tgtcacgggt	tccttgggca	gttctcgggtg	gcctttgccc	2640
ccaagcttcc	agggagctgc	tgggcgaagg	ctgagaccca	gcgccctgtt	ctcacagtca	2700
cagagagaag	agctccccac	tggccctaa	ctcataacct	gccccaatcc	cggaacactc	2760
ggtgaggttt	gagagatgca	caccacgtaa	catctcgtgg	gcgaatcaag	gcacagcaac	2820
gcagtggagc	ctgaggggag	ccgggcactg	gtgcagggga	ccatgcacag	ggcaccctcg	2880
gagctccatt	cccggccaca	ggagccaagg	caggctggaa	tgtccagcac	ctgcatgctg	2940
ggggcctctg	ctgcgccact	ggcagtggga	atggaagccc	ccacctctta	tccgactgca	3000
gatgggggtg	tcgtgttctg	ctcatcgta	tttcgtttta	gggggtttttc	tgtagactgt	3060
aagatgactt	cagtgatttg	tgccagcaag	tcaaaaagct	gtctctgctt	ggaggtgccc	3120
tgccccatgtt	tgagctgggt	gagcagcagc	cttcacatct	ggcctgcccc	gacgtctctga	3180
acctgtccct	aggtgagagc	tgccaaagtc	aggtggggtc	cctcgagggt	acgatctgtg	3240
cccttgcttc	ccagtcctg	gcccccttgg	ttttgaccat	taagggtgtg	gtgagcctga	3300
gcggtgagca	cttggcagtg	gttcgcctgt	gagaccaggt	atggagtggg	gcgtccccctc	3360
ctccaagctt	gcgcccagca	gcccaggacc	cacctcgtct	tccccaccag	cgctgcctgc	3420
cggggcgctg	tggagctggg	cgtgctacca	tggagtccctc	aggggtctgg	agcagacaga	3480
acatgcaggc	tctgtggtga	cgcagtcctg	ggtgggggac	tggttcactt	gggcaccact	3540
ggccatgggt	ggcgtagacc	cctcggacca	tggccagcgt	gcccagaggag	ccggcctggg	3600
ctcgtgcagt	gaagtgagt	gccgtgagcg	cgtcctcctc	atctctgtct	cctgtgggga	3660
aactctacaa	acaaggcaat	ggcaatggaa	ccactcctga	tgaccacgag	ggtcagacgc	3720
gggacagagg	cccctcaggc	ctgagattgt	gccggccgcc	ccctgccctc	ctcaccctgc	3780
cctgtctctc	ttctctgtct	cctcccccca	tattcgcagg	tctgcacaa	ccccggacct	3840
gttcacaccc	gcatggggac	agctgtctgt	gggctgcaga	gcaggcactg	ctcagtctgc	3900
cccacgcaaa	gggcccctga	ctcacaccca	ggtggccca	ccaagatgcc	tgatgcgcta	3960

tgtcctgttc	cttctagatt	cttctgatgt	agagcgactg	gaaagattct	tcgactcaga	4020
agatgaagac	tttgaaatcc	tgtccctttg	aaaatcctgg	ggtcgggggt	ggcacctgtg	4080
agagcctggg	gtcctgggtg	ccgctgcgtt	tcattccatcc	cgcccgtctg	cctgccgagg	4140
gctgcgcccc	gtgctgcctc	cccccagagg	gccaccgcgt	gtgctcgtgg	actgaggctg	4200
cgctgccccg	gaggccttac	tgcttggtgt	cagactgccc	agctcagagt	gcccgtcagg	4260
gcctgtgcat	ccgcacgcgg	agccgtctgt	taggagcttc	cagagcgttc	tctcgacact	4320
gccagccccg	tgtagcacc	tgggcctcag	tcccacttgc	tcccaggcgc	cggttctgtg	4380
gttggttttg	aattaaagtc	ctgtttgaag	ttgtcagaca	cagacatgaa	tttctggggc	4440
gtccctgag	tcagtctcag	aagacctgtg	caggctggcg	tgagaggagc	ggcagccaca	4500
ctgcggcccc	acgcccgaag	actgggtgc	tctcgagggg	ggcgcgccca	ccgctgtgtc	4560
ctctctgccc	agcctggctt	accaagggct	acctcagtgg	gagatgaggt	tggaggaacg	4620
aaggcgaggt	tctccttgc	tttggggaga	aaagtattca	ggaagtgggt	gtgtgggaaa	4680
cctgaagatg	gcgtgcacag	gacacagcgt	ggtcggcctg	ggcagaaggg	cggttggtgt	4740
tctggagct	gctgctggag	cctgccctca	gagtgtccct	ttccagtgtc	gtggcattct	4800
gtggcagctt	ccccagggtg	ggtgacgggg	ggggggcggg	gcctccacct	gtgacagcca	4860
ggcttgaggg	tggacggcgt	gcctctccca	ggagccttcc	ccatgtcctt	gccttgctga	4920
gaattgccct	cccatgccgc	tgaggtgtta	ggtggtttag	ggccaaaagg	ggaaaaccac	4980
ttgagtcttg	tgggtgtgtg	tgggcagaca	ccacagggtg	gcatcacctg	gtggcatttc	5040
cagaacctca	gccccgattc	cagcaccac	caccgcctga	ccctgtgtaa	cctgctgtcc	5100
cggttcccag	agtgcactct	gccccactgc	tctgtgcct	gtcctgggaa	agtagctttg	5160
ccccactagg	aaatgtaaac	aggagggtct	ggggagcgtg	ggcacttttc	tcatgagcag	5220
ctaactgcgc	gttggcagga	ctcgtgctg	ctgctgctgc	tgcttggtga	ggtcggggag	5280
ccggagatcc	ccgaggacgc	gcgcgggaca	gtcggcactg	accggcccat	ctggtagcag	5340
aggacacccc	cagcccccca	agcattgaag	acatagtgtg	tttcctcgta	tcctttctcc	5400
cttgggtgtg	gttgggtgtg	ggaagcaggg	aaggctgggt	cgatctccat	tccttgggct	5460
ccgcgtccga	gttcatgggt	cgccgctgtg	ctgggagctg	cagtgggaat	gtgtgggaca	5520
ccttgaccaa	aggggagctt	tgtctcgtgt	gttttgaaaa	aggcttaatg	aagagaatgt	5580
tgttcattct	tagtagtata	gtttgcaatt	cttaatggca	aataataagt	ttcagtagaa	5640
acccaaaaaa	aaaa					5654

<210> 332  
 <211> 283  
 <212> DNA  
 <213> Homo sapiens

<400> 332						
ggagccaccg	cgccccccgc	caaattttaga	ctttttgagc	tctgtgcgtt	gtgcctttca	60
acactttttca	caatggattt	tctgtcttct	gataaggaag	gcacccttga	tcctgtcatg	120
gattcatttta	gcacacattg	gaccacgata	ggccctgctg	acatgttttt	ttcattgtag	180
acagcatttat	aagaacttta	aatctcacgg	cacaaacccc	tcgaagtctg	tctgggcaca	240
tgccacatgc	caatcttgtg	cctttcccaa	ccttcttggg	tgg		283

<210> 333  
 <211> 1759  
 <212> DNA  
 <213> Homo sapiens

<400> 333

gacccgcctt	gcggaattcg	gcacgagggg	cccctgtgcc	caggctccgt	gcgagcagca	60
gtgtgagccc	ggtgggccac	aaggctacag	ctgccactgt	cgcctgggtt	tccggccagc	120
ggaggatgat	ccgcaccgct	gtgtggacac	agatgagtgc	cagattgccg	gtgtgtgcca	180
gcagatgtgt	gtcaactacg	ttggtggctt	cgagtgttat	tgtagcgagg	gacatgagct	240
ggaggctgat	ggcatcagct	gcagccctgc	agggggccatg	ggtgcccagg	cttcccagga	300
cctcggagat	gagttgctgg	atgacgggga	ggatgaggaa	gatgaagacg	aggcctggaa	360
ggccttcaac	ggtggctgga	cggagatgcc	tgggatcctg	tggatggagc	ctacgcagcc	420
gcctgacttt	gcctggcctt	atagaccgag	cttcccagag	gacagagagc	cacagatacc	480
ctacccggag	cccacctggc	cacccccgct	cagtgtcccc	aggggtccct	accactcctc	540
agtgtctctc	gtcaccgggc	ctgtggtggt	ctctgccacg	catcccacac	tgccttctgc	600
ccaccagcct	cctgtgatcc	ctgccacaca	cccagctttg	tcccgtgacc	accagatccc	660
cgtgatcgca	gccaaactatc	cagatctgcc	ttctgcctac	caaccgggta	ttctctctgt	720
ctctcattca	gcacagcctc	ctgcccacca	gccccctatg	atctcaacca	aatatccgga	780
gctcttcctt	gcccaccagt	cccccatggt	tcagacacc	cgggtcgctg	gcaccagac	840
caccactcat	ttgcctggaa	tcccaccta	ccatgtccct	ctggtcacca	ccctcggtgc	900
ccagctaccc	cctcaagccc	cagatgccct	tgtcctcaga	accaggcca	cccagcttcc	960
cattatccca	actgcccagc	cctctctgac	caccacctcc	aggtcccctg	tgtctcctgc	1020
ccatcaaate	tctgtgectg	ctgccaccca	gcccgcagcc	ctccccacc	tcctgcccctc	1080
tcagagcccc	actaaccaga	cctcacccat	cagccctaca	catccccatt	ccaaagcccc	1140
ccaaatccca	agggaagatg	gccccagtc	caagtgtggc	ctgtggctgc	cctcaccagc	1200
tcccacagca	gcccacaacag	ccctggggga	ggctggctct	gccgagcaca	gccagaggga	1260
tgaccgggtg	ctgctgggtg	cactcctggt	gccaacgtgt	gtctttttgg	tggctcctgt	1320
tgcactgggc	atcgtgtact	gcacccgctg	tggcccccat	gcacccaaca	agcgcatcac	1380
tgactgctat	cgtggtgtca	tccatgctgg	gagcaagagc	ccaacagaac	ccatgcccc	1440
caggggagc	ctcacagggg	tgcagacctg	cagaaccagc	gtgtgatggg	gtgcagaccc	1500
ccctcatgga	gtatggggcg	ctggacacat	ggccggggct	gcaccaggga	cccatggggg	1560
ctgcccagct	ggacagatgg	cttccctgctc	cccaggccca	gccagggtcc	tctctcaacc	1620
actagacttg	gctctcagga	actctgcttc	ctggcccagc	gctcgtgacc	aaggatacac	1680
caaagccctt	aagacctcag	ggggcgggtg	ctgggggtct	ctccaataaa	tggggtgtca	1740
accttaccca	aaaaaaaa					1759

<210> 334  
 <211> 2852  
 <212> DNA  
 <213> Homo sapiens

<400> 334						
ctacgagtac	gtcggcgccc	gcacctcccc	gcaccgcccc	cgtcgcgccc	ccggaggagc	60
gaccgcccga	gttctcgagc	tccagctgca	ttccctccgc	gtccgcccga	cgcttctccc	120
gctccggggc	ccgcaatggc	ccaggcagtg	tggctcgccc	tcggccgcat	cctctggctt	180
gcctgcctcc	tgccttgggc	cccggcaggg	gtggccgcag	gcctgtatga	actcaatctc	240
accaccgata	gccctgccac	cacgggagcg	gtggtgacca	tctcggccag	cctggtggcc	300
aaggacaacg	gcagcctggc	cctgcccgtc	gacgcccacc	tctaccgctt	ccactggatc	360
cacaccccg	tgggtgcttac	tggcaagatg	gagaagggtc	tcagctccac	catccgtggt	420
gtcggccacg	tgcctgggga	attcccggtc	tctgtctggg	tcactgccgc	tgactgctgg	480
atgtgccagc	ctgtggccag	gggcttttgt	gtcctcccca	tcacagagtt	cctcgtgggg	540
gaccttgttg	tcacccagaa	cacttcccta	ccctggccca	gtccttatct	cactaagacc	600
gtcctgaaag	tctccttccc	cctccacgac	ccgagcaact	tcctcaagac	cgccttgttt	660
ctctacagct	gggacttcgg	ggacgggacc	cagatggtga	ctgaagactc	cgtggtctat	720
tatacaatt	ccatcatcgg	gaccttcacc	gtgaagctca	aagtgggtggc	ggagtgggaa	780
gaggtggagc	ccgatgccac	gagggctgtg	aagcagaaga	ccggggactt	ctccgcctcg	840
ctgaagctgc	aggaaacctt	tcgaggcatc	caagtgttgg	ggcccacctt	aattcagacc	900
ttccaaaaga	tgaccgtgac	cttgaacttc	ctggggagcc	ctcctctgac	tgtgtgctgg	960
cgtctcaagc	ctgagtgcct	cccgtgggag	gaaggggagt	gccacctgt	gtccgtggcc	1020
agcacagcgt	acaacctgac	ccacaccttc	agggaccctg	gggactactg	cttcagcacc	1080
cgggccgaga	atatcatcag	caagacacat	cagtaccaca	agatccaggt	gtggccctcc	1140

agaatccagc	cggtctgtctt	tgctttccca	tgtgtctacac	ttatcactgt	gatgttgccc	1200
ttcatcatgt	acatgaccct	gcggaatgcc	actcagcaaa	aggacatggt	ggagaacccg	1260
gagccaccct	ctggggtcag	gtgctgctgc	cagatgtgct	gtgggccttt	cttgctggag	1320
actccatctg	agtacctgga	aattgttcgt	gagaaccacg	ggctgctccc	gccccctctat	1380
aagtctgtca	aaacttacac	cgtgtgagca	ctccccctcc	ccaccccatc	tcagtgttaa	1440
ctgactgctg	acttggagtt	tccagcaggg	tgggtgtgac	cactgaccag	gaggggttca	1500
tttgctggg	gctgttggcc	tggatcatcc	atccatctgt	acagttcagc	cactgccaca	1560
agccccctcc	tctctgtcac	ccctgacccc	agccattcac	ccatctgtac	agtccagcca	1620
ctgacataag	ccccactcgg	ttaccacccc	cttgaccccc	tacctttgaa	gaggcttcgt	1680
gcaggacttt	gatgcttggg	gtgttcctgt	ttgactccca	gggtggcctg	gctgcccact	1740
gcccattcct	ctcatattgg	cacatctgct	gtccattggg	ggttctcagt	ttcctcccc	1800
agacagccct	acctgtgcca	gagagctaga	aagaaggcca	taaagggtta	aaaatccata	1860
actaaagggt	gtacacatag	atgggcacac	tcacagagag	aagtgtgcat	gtacacacac	1920
cacacacaca	cacacacaca	cacacagaga	aataaaaca	catgcgtcac	atgggcattt	1980
cagatgatca	gctctgtatc	tggtaagtc	ggttgctggg	atgcaccctg	cactagagct	2040
gaaaggaaat	ttgacctcca	agcagccctg	acaggttctg	ggccccggcc	ctccctttgt	2100
gctttgtctc	tgcagttctt	gcgcccctta	taaggccatc	ctagtccctg	ctggctggca	2160
gggggctgga	tggggggcag	gactaatact	gagtgttgc	agagtgtctt	ataaatatca	2220
ccttattttta	tcgaaaccca	tctgtgaaac	tttactgag	gaaaaggcct	tgcagcggta	2280
gaagagggtg	agtcaaggcc	ggcgcggtg	gctcacgcct	gtaatcccag	cactttggga	2340
ggccgaggcg	ggtggatcac	gagatcagga	gatcgagacc	accctggcta	acacggtgaa	2400
accccgctctc	tactaaaaaa	atacaaaaag	ttagccgggc	gtgggtggtg	gtgctgttag	2460
tcccagctac	tcgggaggct	gaggcaggag	aatggtgcga	acccgggagg	cggagcttgc	2520
agtgaagcca	gatggcgcca	ctgcactcca	gcctgagtga	cagagcgaga	ctctgtctcc	2580
aaaaaaaaaa	aggccggggc	cggtggctca	cgcttgtaat	cccagcactt	tgggaggccg	2640
aggcgggcgg	atcacgaggt	caggagatcg	agaccatcct	ggctaacacg	gtgaaacccc	2700
gtctctacta	aaaatacaaa	aaaaattagc	cggcgctgat	gggtggcgcc	tgtagtccca	2760
tctactcggg	aggctgaggg	aggagaatgg	cgtgaacccg	ggaggtggag	gttgcagtga	2820
gccgagattg	cgccactgca	ctcccgccctg	gg			2852

<210> 335  
 <211> 865  
 <212> DNA  
 <213> Homo sapiens

<400> 335						
gtcgtggaat	tcgccttcca	gctgtcttct	gtgagtgtct	gcctgacagt	ttcctttggc	60
tggcagctag	gcactgtgtc	ttcctgtctc	tctagggact	ggttcttgaa	gggaaacctc	120
ctcatcatca	tcgtcagtgt	gttaatcatc	ctgcccctcg	ccctcatgaa	acacttgggc	180
tacctgggg	acaccagtgg	tctctctctg	acctgcatgc	tgtttttcct	tgtttcggtc	240
atctacaaga	agttccaact	tggctgtgct	ataggccaca	atgaaacagc	aatggagagt	300
gaagctctcg	tgggactccc	cagccaagga	ctcaacagca	gctgtgaggc	ccagatgttc	360
acagttgact	cacagatgtc	ctacacagtg	ccattatagg	cttttgcttt	tgtctgccac	420
cctgagggtc	tgcccatcta	tacggagctc	tgccggccct	ccaagcgag	gatgcaggcc	480
gtggccaacg	tgtccattgg	ggccatgttc	tgcattgatg	ggctcacagc	aacctttgga	540
tacctcacct	tctacagcag	tgtgaaggcg	gagatgctgc	acatgtacag	ccagaaggac	600
cgctcatcc	tctgtgtgcg	cctggcctg	ctgctcgcg	gtgacctca	ctgtgccagt	660
cgtgtgttc	cctatccgcc	gggcccgtca	gcagtgtgct	ttcccaggca	aggecttcag	720
ctggccacga	catgtggcca	tagctctgat	cctgcttgtt	ttggtcaatg	tccttgtcat	780
ctgtgtgcca	accatccggg	atatctttgg	agttatcggg	tccacctcag	ccccagcct	840
catcttcac	ctccccagct	gtatt				865

<210> 336  
 <211> 1126  
 <212> DNA  
 <213> Homo sapiens

<400> 336  
 gtggcgccgg gagcaaaagc agcatgatgc agctcatgca cctggagtcc ttttatgaaa 60  
 aaacctcctc ctgggcttat caaggaagat gacactaagc cagaagactg cataccagat 120  
 gtaccaggca atgaacatgc cagggaatth ctggctcaca caccaactaa aggactttgg 180  
 atgccactgg agaaagaagt caaagttaag cacttacttt tcattggatt gcttcataat 240  
 ttcttggtga tggaaaattc attcctaaag caacaagatt aaaggatgtt tgggtaagca 300  
 attagtttac ctgtcttttc tgggacctta cacggttcat ccatgattgc attttctttt 360  
 agaattggag tttaatgaat aaaaacttta atataatcta ctgattcttt atctcactaa 420  
 ggtgaaacac tcttatctta cagaaatatt tccccttttc tttgctttta ggttggcatt 480  
 gcaaatggta cggtcaccga acaggctaca aagaatgcc tttctttatc aaagacaacc 540  
 aaaagttaca acagttcaga gtagcacatg aggatttcat gtatgacatc atacgagaca 600  
 ataaacaaca tgaaaagaat gtaaggatac agcagttaaa acagttactg gaggattcta 660  
 cctcaggtga agataggagc agctccagtt cctctgaagg taaagagaaa cacaagaaaa 720  
 agaagaagaa agaaaagcat aagaaaagga agaaaagaaa gaaaaagaaag aaaaaacgga 780  
 agcacaaatc ttccaagtca aatgagggtt ctgactcaga gtgacaagga tgtgacttgt 840  
 tcaacattct tttctcaaac actgaccaag gaacagagga agatgcagtc agagaaagca 900  
 gcaggataga gacgccgaga gaggagtata tgtgggtcac agcagtgagc tcccacccgc 960  
 cttgcagtga agatgtgacc ccaggagagg gagtgtctcc ttccaggtgc tagctctgga 1020  
 cagcagctga ttttaggcag gaaagtttct tcacgttgtt cctccctgct ggtcacatga 1080  
 gtttacgatt cctttgaagt gtctcccaca ggggtggcagg actggg 1126

<210> 337  
 <211> 4280  
 <212> DNA  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <222> (1)... (4280)  
 <223> n = a,t,c or g

<400> 337  
 aagaaattgc aggtgctgca gcagagaaca tgttaggcag tttgctgtgc ctcccaggtt 60  
 cagggtcagt gcttcttgac ccctgcactg gttctaccat atcagagaca acaagtgaag 120  
 cttggagtgt agagggtattg ccaagtgcact cagaggcccc agacctaaag caggaggagc 180  
 gtctgcaaga actggagagc tgttctggac tgggtagcac atctgatgat acggatgtca 240  
 gggaggctcag ttcccgcccc agcacaccag gcctcagtg tgtgtccggc ataagtgcaa 300  
 cctctgagga tattcccaat aagattgaag acctgagatc tgagtgcagc tctgattttg 360  
 ggggtaaaaga ttctgtcact agtccagaca tggatgaaat aactcacgat tttctttata 420  
 tacttcagcc aaaacaacat tttcaacaca ttgaagcaga agcagacatg agaatccagc 480  
 tgtcttctag tgcccaccag ctgacctctc ctcttctca gtcagagtct ctgctggcca 540  
 tgtttgatcc actgtcttca catgaagggg ctctctgtgt ggtaaggcca aaggttcact 600  
 atgctaggcc atcgcatcca ccaccagatc ccccaatcct ggaaggagct gtgggaggaa 660  
 atgaggccag gttgccaac tttggttccc ccatgtttta actcccagct gaaatggagg 720  
 cattcaagca aaggcattcc ttacccttga gagactagtt cgaagcagga gctctgaata 780  
 tagtatcttc tgtccggaga cccatgagtg accccagctg gaaccggcgt cccaggaaat 840  
 gaagagcgag aactccctcc agctgcagcc attggtgcta cttcttttggg ggctgcacct 900

cattcatcat	cttcatcccc	gagtaaggac	tcctcaagag	gagagactga	agaacgcaaa	960
gatagcgatg	atgagaaatc	agacaggaac	agaccttggg	ggagaaaacg	ttttgtttca	1020
gccatgccta	aagctcctat	accattttaga	aagaaagaaa	aacaagaaaa	agacaaagat	1080
gatctggggc	ctgacagatt	ctcaacactc	acagatgatc	ccagccctag	actcagtgca	1140
caagctcagg	tggctgagga	tattctggac	aaatacagga	atgccattaa	acggaccagc	1200
cccagtgatg	gagcaatggc	aaactatgaa	agtacagagg	ttatgggtga	tgggtgaaagt	1260
gcacatgatt	ctccccgtga	cgaagcactg	cagaacatct	cggctgatga	tctcccagac	1320
tctgcaagcc	aagcagccca	cccgcaggat	tcagctttct	cttacagaga	tgcaaaaaag	1380
aaactgaggc	ttgctctttg	ctctgctggc	tctgttgcc	tcccagtgct	gaccccatc	1440
aacaaggaat	ggtttaccag	accacacaga	cccagaagac	aatgaaattg	tatgcttctt	1500
aaaagttcaa	atagctgaag	caattaattt	acaagataag	aatctaattg	ctcaacttca	1560
agaaacaatg	cgctgtgtgt	gccgttttga	taataggact	tgtaggaaac	tgctggcttc	1620
gattgtctgag	gactacagaa	aaagagcccc	atatattgct	tatctcactc	gttgtcgaca	1680
aggactacag	accacacagg	ctcacctgga	aaggctattg	caaagagttt	tgccgggaca	1740
agaagtggcc	aatcgatact	ttaccactgt	ctgtgtgaga	ttactgcttg	agagcaaaaga	1800
aaagaagatc	agggaaattc	ttcaagactt	tcagaaactc	accgcagctg	acgataaaaac	1860
tgctcaggta	gaagattttc	tgcagtttct	ttatgggtga	atggcccagg	atgtcatatg	1920
gcaaaacgcg	agtgaagaac	agcttcaaga	tgcacagctg	gccattgagc	gaagcgtgat	1980
gaaccgggatt	ttcaagctcg	ccttctaccc	taatcaagat	ggggacatac	ttcgcgacca	2040
ggttcttcat	gaacatatcc	agagattgtc	taaagtagtg	actgcaaata	acagagctct	2100
tcagataacca	gaggtttatc	ttcgagaagc	accatggcca	tctgcacaat	cagaaatcag	2160
gcaataaagt	cttataaaaa	ccccccggga	caaagtgcat	tgcatcctga	gaatgtgtct	2220
tacgattatg	aacctcctga	gcctggccaa	tgaggactct	gtccctggag	cggatgactt	2280
tgttcctgtg	ttggtgtttg	tggtgataaa	ggcaaatcca	ccctgtttgc	tgtctactgt	2340
gcagtatatc	agtagctttt	atgctagctg	tctgtctgga	gaggagtcct	attggtggat	2400
gcagttcaca	gcagcagtag	aattcattaa	aaccatcgat	gaccgaaagt	gaccaagacc	2460
aaggccccacc	aaggcagcag	actgttaatc	agacaaacag	atctctgaga	aggtgcatca	2520
gctgctttga	aggctgaaga	ttgttttgta	tgatactgca	cagcatcagg	cattttaaag	2580
cagatcttta	ctaaacaggt	taatgagcta	acaagtcagg	tctctcgtct	ttgggctctt	2640
tcctttctga	gttgcatatt	ctattttctt	gtccccaagt	agagactagt	actacaaaaa	2700
gggaccacat	ttttcaagta	tttctaagta	taaaaaacaa	aacaaaaatc	tcttaggaaa	2760
tgtctagacc	tccattcttg	gattcccttt	ctttcctttt	attttaaaaa	agaacagtac	2820
ccctctttta	agatgctgtc	ttacattaat	gagcatctaa	tggaaagaag	gtatgagttg	2880
cactgaggat	tagaatagtg	gtgcgttagt	ggcattatct	ataaatacac	tcacctaaat	2940
tgaaagctaa	gaaggaaatg	taaataataat	atatatttat	atttgatgta	atatggacat	3000
ctgcagattc	taataacaa	ggactattgc	tgatagtagg	ctgtgacata	ctgtctgtgt	3060
aaatgggttc	cttgacaaaa	tttaagctga	gcttaaaagc	aaaaaaacaa	aaagtacaca	3120
gaaatattta	ttaaaatgta	atacagttta	ttgaactttc	taggtatgga	gtttgatgga	3180
cagggctgcc	tttaatgagt	gtgaaggtca	ctaagtcact	tagacatctc	accgtggaag	3240
tttgtgagcc	tgcattagga	gatagactga	ttaccataca	tgacataaaa	aggaacagtg	3300
gatagctcat	actttatggg	ggttcttctc	ctccgaaata	atatactgca	gaaatcccag	3360
acagagctcc	ttacaaacct	ttaatgttaa	tatatatttg	atgattatc	acattgaaatg	3420
cacagaccaa	gaattcagtg	aatgtcattt	tttaaaaaac	taatttgat	tgtctgctct	3480
agtgatatac	gttttactag	tgataaaacta	ttttaatcaa	ccatactatt	cttatggaaa	3540
aaaatatcta	ttttggcagg	tttctgtgcc	tttatttccc	tcttctgaaa	aaaagtctgt	3600
gttttcatag	tttggtttgc	attgtatatc	aataattaat	caggaatggg	ttttggtgcc	3660
tgaaaaattg	gccatggagg	cacaccaaaag	cttcaagcac	aagtcttgta	catggggccat	3720
cactgtctgg	tttcaactcg	tgtgtttcct	aaacacattt	agctgctttt	ttaacaaact	3780
cagccccata	cttgagtccc	ttgttgttgg	gagcatttcc	aggcatcttt	taagggaact	3840
gtgacaaaca	gcctcgggca	gatgaacacg	gaggctctct	gttgtctgtc	tctgagatct	3900
ttgtgtctgg	gaatgcctaa	agattttatt	ttttttctct	tggttttatt	ttattttatt	3960
ttattttttt	gagacagagt	ctcacctgt	tgcccaggct	ggagtgcaat	ggtgcgatct	4020
tggtcactg	caacctccac	ctcccagttc	aagtgattcc	cctgcctcag	cctcccaggt	4080
agctagggac	tacaggcgca	tgtcacccaa	gcccggctaa	atttttgtat	ttttagtagg	4140
aaacgggggt	tttcaccatg	ttgggcccagg	gtggatcctc	aatctcctga	acctcgtgga	4200
tccacccgcc	ttngggcttc	ccaaagtgcc	gggatttaca	agcgtggaac	cacctgnccc	4260
agccagaaat	taggattttt					4280

&lt;210&gt; 338

&lt;211&gt; 1796

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 338

tggccatctt	tactgtgggc	tgaagcctgt	gcgcttactc	gcgcatgtgc	aagccttccc	60
tcgctttcct	cttccaagta	gccttgcccta	gagcggagcc	tcccgcgcca	tttctgtgcg	120
cctgcgtagc	gtgaccctgc	gcagcctggg	aggcgggtct	tagctccagg	tgcgtacggc	180
atctgacttg	acgtggccca	caactgaaag	gtctggggag	aaggcgccgt	gtccgggtgt	240
ggagaggggc	gtcgtggaag	cgagaagagt	ggcccgctcc	tctcctcccc	ctttccctct	300
ttcggaaggt	ggtttctgcg	gggcccggga	gcctcggagt	accgaacctc	gatctccggg	360
gcggggctct	tgggtggggac	tgagcgcccc	ctcccgggga	cgggcgggtct	ggccgcggag	420
tcccctgcgg	gagcgtgatt	ggctggaaac	ggctcccgaac	ccccagggga	gcccgatccc	480
tgggggaccc	tggcttcgga	ctccagtatc	tgtcgtcgca	gggtccctgc	cctagtggcc	540
tatgtccctt	gctcggggcc	atggagacac	tgccggccagt	acggcgccgc	ctctgtctga	600
agaaggggaa	gtgacctccg	gcctccaggc	tctggccgtg	gaggataaccg	gaggccccctc	660
tgcttcggcc	ggtaaggccg	aggacgaggg	ggaaggaggc	cgagaggaga	ccgagcgtga	720
gggggtccggg	ggcgaggagg	cgaggggaga	agtccccagc	gctgggggag	aagagcctgc	780
cgaggaggac	tccgaggact	ggtgcgtgcc	ctgcagcgac	gaggaggtgg	agctgcctgc	840
ggatgggagc	ccctggatgc	ccccgccctc	cgaaatccag	cggctctatg	aactgctggc	900
tgcccacggt	actctggagc	tgcaagccga	gatcctgccc	cgccggcctc	ccacgcggga	960
ggcccagagc	gaagaggaga	gatccgatga	ggagccggag	gccaaagaag	aggaagagga	1020
aaaaccacac	atgcccacgg	aatttgattt	tgatgatgag	ccagtgcacac	caaaggactc	1080
cctgattgac	cggagacgca	ccccaggaag	ctcagcccgg	agccagaaac	gggaggccccg	1140
cctggacaag	gtgctgtcgg	acatgaagag	acacaagaag	ctggaggagc	agatccctcg	1200
taccgggagg	gacctcttca	gcctggactc	ggaggacccc	agccccgcca	gccccccact	1260
ccgatactcc	gggagtagtc	tcttccctcg	gcagcggaaa	tactgattcc	cactgctcct	1320
gcctctaggg	tgcagtgtcc	gtacctgctg	gagcctgggc	cctccttccc	cagcccagac	1380
attgagaaac	ttgggaagaa	gagagaaacc	tcaagctccc	aaacagcacg	ttgcgggaaa	1440
gaggaagaga	gagtgtgagt	gtgtgtgtgt	gttttttcta	ttgaacacct	gtagagtgtg	1500
tgtgtgtgtt	ttctattgaa	cacctataga	gagagtgtgt	gtgttttcta	ttgaacatct	1560
atatagagag	agtgtgtgag	tgtgtgtttt	ctattgaaca	cctattcaga	gacctggact	1620
gaattttctg	agcttgaaat	aaaagatgca	gagctatcat	ctcttaaaag	gaggggctgt	1680
agctgtagct	caacagttag	gccccacttg	aaggagaggg	cagaattgta	ctcaccacga	1740
ttggaaaatg	aaagccagat	gggtagaggt	gccctcagtt	agcacctgtc	ccatct	1796

&lt;210&gt; 339

&lt;211&gt; 1771

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 339

cttggggccga	gggacgtttg	ggcaagtggg	ttagtgtctg	aaacggggca	ccaatgagat	60
cgtagccatc	aagatccctga	agaaccaccc	atcctatgcc	cgacaagggtc	agattgaagt	120
gagcatcctg	gcccgggttg	gcacggagag	tgccgatgac	tataacttcg	tccgggccta	180
cgaatgcttc	cagcacaaga	accacacgtg	cttgggtctc	gagatgttgg	agcagaacct	240
ctatgacttt	ctgaagcaaa	acaagtttag	ccccttgccc	ctcaaataca	ttcggccagt	300
tctccagcag	gtagccacag	ccctgatgaa	actcaaaagc	ctaggtctta	tccacgtgta	360
cctcaaacca	gaaaacatca	tgtgtgtgga	tccatctaga	caaccataca	gagtcaagggt	420
catcgacttt	ggttcagcca	gccacgtctc	caaggctgtg	tgctccacct	acttgacgtc	480
cagatattac	agggccccctg	agatcatcct	tggtttacca	ttttgtgagg	caattgacat	540
gtgggtccctg	ggctgtgtta	ttgcagaatt	gttcctgggt	tggccgttat	atccaggagc	600
ttctgagtat	gatcagattc	gtatatttca	caaacacagg	gtttgcctgc	tgaatattta	660

ttaagcgccg	ggacaaagac	aactaggttt	ttcaaccgtg	acacggactc	accatatacct	720
ttgtggagac	tgaagacacc	agatgaccat	gaagcagaga	cagggattaa	gtcaaaagaa	780
gcaagaaagt	acattttcaa	ctgttttagat	gatatggccc	aggtgaacat	gacgacagat	840
ttggaaggga	gcgacatgtt	ggtagaaaag	gctgtccggc	gggagttcat	tgacctgttg	900
aagaagatgc	tgtccattga	ttctgtcaag	agattctctc	cagtcggatc	cctgaaccat	960
ccctttgtca	ccatgtcact	ctttctcgat	tttccccaca	gcacacacgt	caaatacatgt	1020
ttccagaaca	tggagatctg	caagcgctcg	gtgaatatgt	atgacacggg	gaaccagagc	1080
aaaacccctt	tcatcacgca	cgtggccccc	agcacgtcca	ccaacctgac	catgaccttt	1140
aacaaccagc	tgaccactgt	ccacaaccag	ccctcagcgg	catccatggc	tgcagtggcc	1200
cagcggagca	tgcccctgca	gacaggaaca	gcccagattt	gtgcccggcc	tgacctgttc	1260
cagcaagctc	tcatcgtgtg	tccccccggc	ttccaaggct	tgcaggcctc	tccctctaag	1320
cacgctggct	actcgggtgc	aatggaaaat	gcagttccca	tcgtcactca	agccccagga	1380
gctcagcctc	ttcagatcca	accaggctcg	cttgcaccgc	aggcttggcc	aagtgggacc	1440
cagcagatcc	tgctttcccc	agcatggcag	caactgactg	gagtggccac	ccacacatca	1500
gtgcagcatg	ccgcgctgat	tcccagagacc	atggcaggca	cccagcagct	ggcggactgg	1560
agaaatacgc	atgctcacgg	aagccattat	aatcccatca	tgcagcagcc	tgcactattg	1620
accggtcatg	tgacctttcc	agcagcacag	cccttaaattg	tgggtgtggc	ccacgtgatg	1680
cggcagcagc	caaccagcac	cacctcctcc	cggaaagagta	agcagcacct	gtattgcggc	1740
cgcgctagag	tatccaagat	tgcgtctcgc	t			1771

<210> 340  
 <211> 2725  
 <212> DNA  
 <213> Homo sapiens

<400> 340						
ggaattcgcg	atatgcgcgt	atcctctggg	catgtcagga	ggccagattc	cagatgagga	60
catcacagct	tccagtcagt	ggtcagagtc	cacagctgcc	aaatatggaa	ggctggactc	120
agaagaaggg	gatggagcct	ggtgccctga	gattccagtg	gaacctgatg	acctgaagga	180
gtttctgcag	attgacttgc	acaccctcca	ttttatcact	ctggtgggga	cccaggggcg	240
ccatgcagga	ggtcatggca	tcgagtttgc	ccccatgtac	aagatcaatt	acagtcggga	300
tggcactcgc	tggatctctt	ggcggaaaccg	tcattgggaaa	caggtgctgg	atggaaatag	360
taacccttat	gacattttcc	taaaggactt	ggagccgccc	attgtagcca	gatttgtccg	420
gttcattcca	gtcaccgacc	actccatgaa	tgtgtgtatg	agagtggagc	tttacggctg	480
tgtctggcta	gatggcttgg	tgtcttataa	tgctccagct	gggcagcagt	ttgtactccc	540
tggaggttcc	atcattttatc	tgaatgattc	tgtctatgat	ggagctgttg	gatacagcat	600
gacagaaggg	ctaggccaat	tgaccgatgg	tgtgtctggc	ctggacgatt	tcaccagac	660
ccatgaatac	cacgtgtggc	ccggctatga	ctatgtgggc	tggcggaaacg	agagtgccac	720
caatggctac	attgagatca	tgtttgaatt	tgaccgcatac	aggaatttca	ctaccatgaa	780
ggtccactgc	aacaacatgt	ttgctaaagg	tgtgaagatc	tttaaggagg	tacagtgcct	840
cttccgctct	gaagccagtg	agtgggaacc	taatgccatt	tccttcccc	ttgtcctgga	900
tgacgtcaac	cccagtgtc	ggtttgtcac	ggtgcctctc	caccaccgaa	tggccagtgc	960
catcaagtgt	caataccatt	ttgcagatac	ctggatgatg	ttcagtgaga	tcaccttcca	1020
atcagatgct	gcaatgtaca	acaactctga	agccctgccc	acctctccta	tggcaccac	1080
aacctatgat	ccaatgctta	aagttgatga	cagcaacact	cggatcctga	ttggctgctt	1140
ggtggccatc	atcttttatcc	tcctggccat	cattgtcctc	atcctctgga	ggcagttctg	1200
gcagaaaatg	ctggagaagg	cttctcggag	gatgctggat	gatgaaatga	cagtcagcct	1260
ttccctgcc	agtgattcta	gcatgttcaa	caataaccgc	tcctcatcac	ctagtgaaca	1320
agggctcaac	tcgacttacg	atcgcatctt	tcccttccgc	cctgactacc	aggagccatc	1380
caggctgata	cgaaaactcc	cagaatttgc	tccaggggag	gaggagtcag	gctgcagcgg	1440
tgttgtgaag	ccagtcacgc	ccagtgggcc	tgaaggggtg	cccactatg	cagaggctga	1500
catagtgaac	ctccaaggag	tgacaggagg	caacacatac	tcagtgcctg	ccgtcaccat	1560
ggacctgtc	tcagggaaaa	gatgtggctg	tgggaggagg	tttccccag	ggaaactcct	1620
aactttcaaa	gagaagctgg	gagaaggaca	gttctggggag	gttcatctct	gtgaagtggga	1680
gggaatggaa	aaattcaaag	acaaagattt	tgccttagat	gtcagtgcca	accagcctgt	1740
cctggtggct	gtgaaaatgc	tccgagcaga	tgccaacaag	aatgccagga	atgattttct	1800



taaggagata	aagatcatgt	ctcggctcaa	ggacccaaac	atcatccatc	tattatctgt	1860
gtgtatcact	gatgaccctc	tctgtatgat	cactgaatac	atggagaatg	gagatctcaa	1920
tcagtttctt	tcccgccacg	agccccctaa	ttcttcctcc	agcgatgtac	gcactgtcag	1980
ttacaccaat	ctgaagttta	tggctaccca	aattgcctct	ggcatgaagt	acctttcctc	2040
tcttaatttt	gttcaccgag	atctggccac	acgaaactgt	ttagtgggta	agaactacac	2100
aatcaagata	gctgactttg	gaatgagcag	gaacctgtac	agtggtgact	attaccggat	2160
ccagggccgg	gcagtgctcc	ctatccgctg	gatgtcttgg	gagagtatct	tgctgggcaa	2220
gttcactaca	gcaagtgatg	tgtgggcctt	tgggggttac	tttgtgggaa	aactttcacc	2280
ttttgtcaaa	gaaaaggccc	ctattcccca	gctgtccaga	tgaaacaggt	tattgaagaa	2340
atactggaga	gttcttcccc	agaccaagg	gagggcagac	ttacctcccc	tcaaccagcc	2400
catttgctcc	tgactcctgt	gtaataaagc	tgatgctcag	ctgctggaga	agagatacga	2460
agaaccgtcc	ctcattccaa	gaaatccacc	ttctgtcctc	tcaacaaggc	gacgagcgat	2520
gctgtcagtg	cctggccatg	ttcctacggc	tcaggtcctc	cctacaagac	ctaccactca	2580
cccatgccca	tgccactcca	tctggacatt	taatgaaact	gagagacaga	ggcttgtttg	2640
ctttgccctc	ttttcctggg	cacccccact	ccctaccctc	gactcatata	tacttttttt	2700
tttttacatt	aaagaactaa	aaaaa				2725

<210> 341  
 <211> 916  
 <212> DNA  
 <213> Homo sapiens

<400> 341

cgtccaggga	gcactgcccc	caggccgagc	cggggcctcc	cgcaagagga	aggaggtgcc	60
ctcaaggcta	cggacctggg	gtcccgggtg	tggacgcccc	atggggctca	ggcctaaaga	120
ggccgagagg	gcctcgggga	cccagtgcac	gccccacgct	gagcagcaca	ggctgccccca	180
ccgtgggctc	cccgatctct	ctctggatca	ccgagacctc	gcagggaggg	tcatcagggg	240
cgccaggccc	agggccacca	cagtgggaagg	tctcccttc	cccaggcacg	taatcttcca	300
ggtcagccag	tgtcagcatg	cggccgttgt	gcgtgaggat	cttggggcca	cgatccccaa	360
ggctgtgtgt	gtcctgggac	tctccgtcca	caaaggcgct	tccgtcttcc	ccctcttcc	420
ctcccgctc	ctccatgggt	ccctcctcct	ccaggctgcc	catgccagaa	gcagcccagt	480
ccacactgcc	tctggcatcc	acgcggaaga	caaggggctc	tctgacgccg	accatggctg	540
tgccttgggc	ccaggcctcc	tgggcccagca	gcttgttgtt	ggagtgtgtg	gaattggggg	600
cccctccggg	ggtcgcaccg	ggcagtgtga	agagatgccc	cgatgagctc	ctgggcacct	660
ctgtgggtgg	agacacaccc	tgcgggcccc	tcttcttcac	ccgacttcca	atggtctcct	720
ccacctccac	ccacttgggc	tggggccccc	agagtcgggg	cagagctgga	gagtgggcct	780
cggcctccgt	cacatacagt	gtgggcaacca	cgggcttctg	gcctgggtct	gcctccggcc	840
tgcggggctg	gccagcacct	ggcaggtaca	gcaggctggg	ggccagtagg	cctggcctca	900
gcgggctggc	agagca					916

<210> 342  
 <211> 860  
 <212> DNA  
 <213> Homo sapiens

<400> 342

caagatcccg	acaggcttaa	tgcgtccctt	aaggaaaaag	ttattccttg	catccgcggg	60
aaacttgggc	cccccaagg	atccttttaa	cgggcgcgcc	cttttttttt	ttttcaattt	120

```

cttcaacagg tcatgttcaa tttcttcaaa gttttaacat aaaaataatg agagccagga 180
gtggggcccg ggccctggggg gacgaagggtg gtatgtgaaa caagggtggc acacaggcct 240
caccctctct tgcctcagat tcccaagtgg gcaggtgggg gtgaatgggg ctccgggtag 300
cacctcagct cctctcagct cccctcagcc tgttctcctt ccagaccag agagctgaga 360
agagtagctg tgaggctcag ggcagaggct ctctgccttt caggaacagc ccttaaccct 420
gctccccttg cttgggcctc aggaagggtgc cgcgagctct cctgccgtcc ctgggccgcc 480
ctggctctgc tgtgtccaga tggtcaggct actgccagct ggggccttgc tgctctgaag 540
tcccaggaag ccagggggtct gcaggagcct ctctgcctcca ggctggttgg ggaagacgtc 600
ctccaggaag tagtagatat ggcccaccgc aatccccagc aggtccacga ggatggagtt 660
gccagcagc agcgagaagc ccatgagcgc ccaaggcagg aacggtgcct ggaacttccg 720
gaacacaagg tgcgggttga agtagagttg aaaggggctg aggagctcca gctgcaccgc 780
ggcggtggtg aggacacagg ctgcggtgta agcccgcgtc accgccggca cctgcaggaa 840
ctcgccgct agtccctgcc

```

```

<210> 343
<211> 3658
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)...(3658)
<223> n = a,t,c or g

```

```

<400> 343
tttttttttt tttaagatag aaatctatgc actttaatga ttgccagaat tgcccagcat 60
agcttcagta aaatagagaa ttgtctagaa aatacaatct ccaaaatgtg tgcaagtact 120
gcaaacccga cagaccgggg cagggcaagg cccttgaaac caagtcctcc ttgagcacct 180
ttcccagggt agaaacccct cttcagcctg tgcttcgcac gtttccctca gcgtgccgcc 240
cattcagact gcgccaaactt acgtccccag tgcccacgcc tgngtggatc aagtgtccaa 300
cgggaaagta tgagttaggg caagcgcttt ttttttaagc tgtaaacgct tcacatgact 360
gggccccgta aggaaattgt ggggagctta ggatgagcct gggagctttt tcagggactt 420
ggatgaggac tctgtacaca aatgtgtact ggcagagagt ctgcaccagc atcattctct 480
gttgccctca gcatgtccag cactctcggt atgtccagca cctcattgtg ttccaggcag 540
gcgatcatga tctccgacaa aatcaccacg ccagtccttc ctaccccagc actgcagtgg 600
accaacaacg gagggttggg gctttgggga tcacttgtgc tatttgtatg gcgtcgaaac 660
gactggatct cttcaagata tgataaaaaat cccttgaggt cttctggaca gccatgttca 720
ggccagtcctg tgtattggag gtgccagacg gtcctctctt gcccggttaag gagggtgctc 780
atcttcaggc ctgtggtggc atagcagcca gagtctgtgc ggaaccgggt cgtgatctta 840
aaccttccat agtgacaggt gttgtgcctg gaaccaagtc gtggccagta cctaaagctc 900
ttctcccttc caccctctct ttctgtgtgc accattgcta taattgcaat tccctgttcc 960
cataccatct gccaaaaatc ttgacaggta ttctgtaatg gtccctgtgt ggcaatataa 1020
tcccattcga ttccactgac agagacctta atatgtgatg cgttgatgta accagtgttg 1080
ttttcttttag ttgggaccaa ctccactctc acatcatcat aaggaagaac atcttggaa 1140
cgatttcttt ctgcattttc agggagtcgt gctgttgagc actcccatc aactagccgt 1200
ttcttaagaa ttctttcata ttctgtgaat accattcctt gttctaactg ttgttccaga 1260
attttacacc ttctcatcatt cgttgctctg gtagccactt cctttccttc atcaggcaga 1320
ggcactcgag ataggagagag tcatttagg gcagccagtt taagaggacc aatttttttt 1380
gcattactc gagtcttttt cattccccct agaggcggga gcccttccac gatgttcttc 1440
ttcccagaga gaaggtccga caccggcctt ttcttcagag agtccctccg ggtcggtag 1500
ggccgctgag tggtaggggc ggactccgac atggagggca tcagcagccc gtctctccag 1560
ggccgctggg cctctgcggg cgtgcggacg gggctgetgt ccatcatcct cttctccgcg 1620
tctgggacgt gggccttggg ctccaggatg tgcaggggcc cggcgagcag gacgcgaggg 1680
cagccagggt ggtcctgggc caggccgggc cgaggctcgc gcgcacgtgc agggggcgcc 1740
cgggccccgc tctctctctc gaagtctctg tcctctctct cctcgtctgt gtggattagc 1800
atggtggcgt ccgacaggga cttcttatgg ccgtacctca agccctccgc ctctccggc 1860

```

ccttctcgct	gtgtcctctc	ggtgaaaacg	ctggggctgg	gagcccaccg	agacggctcg	1920
cggcgcccac	ctctgccgcc	gacgcggata	gggtgcgctc	cttgagccgc	aggccctcca	1980
ggccgtggct	gagcccggcc	acctcgatgc	tgttccgttt	gtgcagctgc	gcgtggcgcg	2040
cggcggtgag	gggctcgctg	acctcctgca	gcgagtgcgc	cacgggcagg	ctgtcctcct	2100
ggaacgtttg	caccgagtgg	tgacgcgcgc	gcgtgatgag	gtcgggggtg	ctgctgctga	2160
tgtaaagggtg	gcgggacagg	tcctggcgctg	tgttggcggg	cctggggggc	gggtagggtg	2220
gggggtggcgg	gtacacctgc	gtccgcctga	tgttgggaga	cgggtagtcc	tgcgccctgca	2280
gctgcgcatt	ggtcagctcc	ggcacgctga	ccgcgcccac	cacggggccgc	cgctcggcag	2340
ggtaggggta	gggagacggg	ctgtggaagc	tgtagctcag	gctgaacggg	cagtgtgcgg	2400
ccgctggcga	ggggagctgt	gcgtgctcgc	ggatctcggg	ctggctgtag	accagcgccg	2460
cgggcctgct	gtaggcgtag	gagctgccga	tgttgaggtt	tcgcagcgag	tggctctgcc	2520
gttccgcctg	caccaggccc	ctgttgagct	gcttcacac	agtctcatag	tctgggggtg	2580
ggcggtagga	cgggggtatc	acggcgctga	ccgatggga	cgggaggtag	tcaggcctca	2640
tgacgtcact	cccgggtgatg	ctagggttgg	acgacatcgg	cgagggtgc	aagtagggtc	2700
gaggattatt	taaggagtgtg	gtgctgtgtg	cactgtagac	actggcattt	acggatccga	2760
ccgttgaagt	caatctgggc	tctattcaag	cttgtctgaa	attgaccata	gtatcccttc	2820
ctggttgggc	acaaagaggt	tatcttggga	agaagcatat	ggttctgtat	aatgtccatt	2880
atagtgaac	tggcgggtggg	ggaggcatca	cgtagggtcg	gggtttaggc	agagacatcc	2940
ttgaagaaga	cctcctcctg	attgggttca	ctgtgacagt	ctgagtttgc	aggttacact	3000
ggtttagtct	gtaaaacttg	tgtcgcgcaa	cacagagtct	ccaaatgtat	tttgctgttt	3060
ccatgtcttc	agtttgaaat	tgaatgggtc	cctctttatt	tgccagctct	aatgcaaaaa	3120
aggacttggt	gtgggacatg	ttggcaatgt	catgccacct	aaataccaca	ggatgccttc	3180
cattcttggt	tttcacaaaag	ataccttcaa	gacacgctcc	aatggatatg	tcacttcctt	3240
ggctatcctt	agcagggtag	ctctcttctc	catagccatc	cattctctct	acctcctgca	3300
tgtacagcat	ttcagcatca	ggagctgtga	gccctctgta	tttctgatgt	agtaaggcca	3360
ctttttgggt	tgtctcttcc	aatacttttt	catcttgtaa	ccatcccaca	ggaaacaagg	3420
caaatttctg	aagaaagtcc	tgggattcat	actgatcaaa	gtcaccaaaa	atcgcttgaa	3480
cagctaagcc	tgctaggtga	attggctggt	ccaaggtaca	agggatacct	tcttcccaga	3540
tatccttcct	cagttgcaga	taatactggt	acccggtaat	cctctgctgg	aagcgaggaa	3600
cctgaggcgc	ttaaaccccc	attccaaaat	agacggtagg	ttccaaggcg	tttttttc	3658

<210> 344  
 <211> 419  
 <212> DNA  
 <213> Homo sapiens

<400> 344						
aataaagaaa	gaaacagaag	ctggccgagg	agtgagttga	gctttccaag	ttagctgacc	60
ttaaagatgc	tgaagctgtc	cagaaattct	tcctggaaga	gatatagctt	tggtgaagag	120
atcctagcta	aagggttaga	ccacctgaca	aatccaagtg	ctgtgtgtgg	acagccacag	180
tggttactgc	aagtgttaca	acaaactctt	ccactaccag	tgatccagat	gcttctgaca	240
aagcccctac	cagttaatca	gagacttgta	agtgtctggc	cttgcccaaa	gacgatgtgg	300
aatgagaaac	aaatgtcaac	ataataaaat	ctcagttaaa	atacttgaaa	aattcttaac	360
ttggtagttg	agcagaaggg	caaatatgct	tgttatgaac	tattctacat	tgaaatcta	419

<210> 345  
 <211> 1253  
 <212> DNA  
 <213> Homo sapiens

```

<400> 345
ggaatttcctc tgtcccgcca tacacagggg gggacggggc agggcgggca ttgagctttg      60
tgtcctgggg tcagggtgct tcccctgccg gcctcaccac accaagcgga tctcatgggtg      120
ctcctctggc tgggccacc cgcagtggta tccttctggg ggcccttatg ggagcctgcc      180
gggggtgcag atcctgccgg ggggtgcagag cctgctgggg gtgcagatga tttctgggtc      240
ccaggaccat gagggggctg ctctacacac agccggaaga tgctgcggac ccaaactggc      300
cctttccctc ccacaccacc ccaggaccaa tgggctggct ggaggccacc catgctaaaa      360
taggctcaag ggctactttt agcttctggg caaaggctct ggccctgggc tgactctgtg      420
gccttcctga gctgcctccc cagtaggcct cagtgcctgg ctacaggcct cctccattcc      480
ctccattcat gtgacccac ccctcccagc agaaactctc ttccgtagcc caggagcagc      540
tgttgagggt ttcacctgcc catgcccag cctaaggccg gcttcccag agcagacggg      600
ttgactctc ctcgccctca ggccactct gtcatccaac aagctcactg caactggccc      660
atcttaaaaa caacaccggc tggtcacgct ggctcacacc tgtaatcca gcgctgtggg      720
aggccggggc ggggggatca cttaaagtca ggagttaaag accagcctgg gcaacatggg      780
gaaacccgag ctccactaaa aacacaaaaa caaattaagg caccctgagt ggtgggtggg      840
gcctgtggtc ccagcgactc gggaggctga ggcagaattg cttgagccca ggaggtggag      900
gctgcagtga gccacgatcg catcacgcac tccagcccg gcaacctggc aagacctga      960
ctctaaaaag aaaaaaaca caaaaaaaaa aagcccacgt tcaagggcag cactattcaa      1020
aagagggaag caactcagga atccaaacgc gcaggaggga acacatcggg gttcatccac      1080
aggggaacac gattcaccca aaaaaaggaa ggaaaaccgg ccggcccgga gacttgaatg      1140
cacctggagg agactgtgat gaacaaaagc acccaaaccc aaaagggcag ggacggggtg      1200
atctgactga ggtgaggacc ccagccagcc aaattcatgg agacagaaag aag      1253

```

```

<210> 346
<211> 807
<212> DNA
<213> Homo sapiens

```

```

<400> 346
tttcgtcgga ggcggggcgg ggcgcgtccc tgtggccagt caccgggagg agttggtcgc      60
acaattatga aagactcggc ttctgctgct agcgccggag ctgagttagt tctgagaagg      120
tttccctggg cgttccctgt ccggcggcct ctgctgccgc ctccggagac gcttcccgat      180
agatggctac aggcgcggga ggaggaggag gtggagttgc tgcccttccg gagtccgcc      240
cgtgaggaga atgtcccaga aatcctggat agaaagcact ttgaccaaga gggaatgtgt      300
atatattata ccaagttcca aggacctca cagatgcctt ccaggatgtc aaatttgtca      360
gcaactcgtc agacgggggt tcaactgtgt agccaggatg gtctcgatct cctgacctcg      420
tgatccaccc gcctcggctt cccaaagtgc tgggattaca ggctgagcc accacgcccg      480
gccaatatth tgtaattttt agtagagatg gggtttccat atgttgacca ggctagtctt      540
aaactcctgt cctcgtgatc ctcccacctc ggccctccaa agtgctgaga ttacaggtgt      600
gagccactgc atccagccaa taatatgctc tttaacaaac aatggatcaa aggagaaatc      660
acaagggaac tagaaaaata cttaaaaatg aatgaacatg aaagaaaaca taccaaacgt      720
atgggaacaa gtgaaaacag tgcaaacgag gcaatttata gctatacacc attaaattta      780
aagataagaa agacgtcaaa ccaacaa

```

```

<210> 347
<211> 918
<212> DNA
<213> Homo sapiens

```

&lt;400&gt; 347

tttttttttt	ttagaatata	tttcatttta	ttataaagca	gtgctcccaa	acttttcaca	60
gcgtacacct	cgaggggtgga	gaactaacat	ccaagcacac	ctggatggtg	gatgggaccc	120
actttctgggt	aacctgatga	ggaagctcta	gtgaagaaat	tcaggacgcg	gtcttcagag	180
cagagggcct	ggttcaagtc	cctgttctgc	cacttactaa	ctgcatgacc	ttgagcaagc	240
cacttaattt	ctctgctcct	tctctgtgaa	atgggtacaa	tgtggtcagc	agtaaaggaa	300
ctaatacatg	tacagcactc	agcacaagc	ctggcacaca	gcaggctctc	accagggtgcc	360
attctcagca	caactgcttg	gttgagctac	tgtggcagtg	gcagggttg	ccccagggg	420
gtgggctcag	gagcccgctg	agcaagaggc	agtgaccaag	gaggcagggg	acaatagccc	480
tatcttttca	ggatctctgc	cttggacctg	gagaatggag	agactttgct	cctatcacgt	540
cccaagttgg	gaaaactaag	gacgaagccg	gtgactgaca	tctgaaatgg	aatcctctgc	600
atctccaagt	ggccctatac	ctgacaatat	cattactagt	gaaaaccaag	tgacaaacac	660
actcctcgac	cccaagttct	tccacatgtc	ccattgagga	gagcacagcc	aataacgcag	720
agtgtatttta	tgcgcagggc	tggctaaaca	ggctggctac	gagtcaggaa	cagtgtcagg	780
atctggcttc	ccattggccg	acatgacaga	atccttctcg	cgttgctctc	tgatgtactg	840
gtccaacagg	gtggtcagct	ggaggggctg	gtgctggagc	agggagtggg	tctgggctgt	900
gaggcaggtg	gagttctg					918

&lt;210&gt; 348

&lt;211&gt; 1893

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 348

ctgaatccat	ggaaaaacgc	tttacaggac	ttctgcttac	cttttctcag	aatcaccagc	60
cttcttcagc	accacctttt	tggggaagat	ttacctagct	gccaggaaga	agaagaattt	120
tcagttcttg	ccagctgcct	gggacttctg	ccaacgtttt	accaaacaga	acatccattc	180
atcagtgcc	cctgtctgga	ttggccagtt	ccagcatttg	atattataac	tcattggtgt	240
tttgagataa	aatcattttac	tgaagacat	gcagaacaag	gaaaggcctt	gcttatccaa	300
gagtcaaaat	ggaaattacc	acacctacta	cagttgcctg	agaattataa	caccattttt	360
cagtactacc	acagaaaaac	ctgtagtgtc	tgaccaaggg	ttcctaaaga	tcctgctggt	420
tgccttggtg	gtggtacttt	tgtatgcctg	aaaggacttt	gctgcaagca	acaaagttac	480
tgtgaatgtg	tactgcactc	tcagaactgt	ggcgaggaa	caggatattt	ccttttgatc	540
aatgcacg	taattatcat	cattcgagg	caccgcttct	gcctctgggg	ttcctgtgat	600
ttggatgctc	atggagagga	agaccgggat	cttaggcgag	gcaaacctct	ctacatttgt	660
aaggaaagat	acaaagttct	tgagcaacag	tggatttctc	atacttttga	tcacatcaat	720
aaaagatggg	gtccacatta	caatgggctg	tgactctcca	cctcagcatt	gcacgtatc	780
atcattttcg	ctacgaattt	atttttcaac	aataagcttt	aacttaattt	gggggattaa	840
cacttttgct	gagggagaaa	aagaaaacat	acattatgaa	gcctttccaa	aattaggtgc	900
ttggaatca	cggttaatggt	ataatttttt	ttttttaata	tctggagaac	attaataaca	960
agttaaatta	ttcttttagtg	gtcatttttt	aagtgcacaa	ttaataagaa	gcacaacttg	1020
ttcacaaact	cattcagaaa	tgattctccc	aacaatgcat	atcagctatt	cattgatact	1080
tagagtgggt	gtgattttatt	tgacatttta	ctgcttcttt	ctgtctgtgt	gttttaattt	1140
gcactctgcc	agcataatgc	atcttttttc	ctctgccatt	cttggttgga	ttggagaatt	1200
tttctgtatg	taattagaaa	aaaatgtaaa	acatgattta	tgtgaaatac	tgtatagtaa	1260
aagttggtct	aatagtagaa	ctttaaaatt	tttcttatt	gtgaggaatc	tgttaaaagt	1320
ttaaagcttt	gctgaaaact	gaattcattc	cagggaattt	cataaatctt	ctcccagggt	1380
aaataattga	aatagctgta	aaataagtag	atagctgctg	ttaatataat	acagtacatt	1440
ttgggggggca	tatgtgtggt	tggggggtcc	ttaaaaatca	aaatttgcca	tttcagttgg	1500
atgaattact	agaggttaata	acaaatctta	ctataaaatc	aagaggttta	agaacataca	1560
ctgggcagat	gttgattccg	tgcatgccca	ccttttatta	ccaaacaagg	ttttgtttat	1620
atgattgtat	tagaaatgct	cagacttccc	cagaaatgaa	ccataaattt	tggaaacttcc	1680
tttcagctca	agaggttcag	ctataattgta	tttgtgcagt	ggtaatcact	acctatttct	1740

```

ggctcggggtt tccctaaaag gaaaaaaaag gcggcagtgg gtgatgacct tcatggaatg 1800
agccacgctt cctgcattcc tccttaggaa ctggctgtgg aaaaccaatt tatggtttgc 1860
aggggtttta aaatccagta aaaatggggg atg 1893

```

```

<210> 349
<211> 1433
<212> DNA
<213> Homo sapiens

```

```

<400> 349
gcaaggggca gttggtgaac ttgctgcctc cagagaatth tccctggtgt ggaggcagcc 60
agggaccag gatgctccgg acctgttacg tgcctctgttc ccaagctggt ccccgctcca 120
ggggctggca gtccctgagc tttgatggcg gggccttcca ccttaagggc acaggagagc 180
tgacacgggc cttgctgggt ctccggctgt gtgcctggcc cccactcgtc actcacgggc 240
tggtgtctca ggccctggtc cggcgactcc tgggctcccg gctctcaggc gcatttctcc 300
gagcatccgt ctatgggcag tttgtggctg gtgagacagc agaggaggtg aagggtctgc 360
tgcagcagct gcggaccctc agcctccgac cactgctggc agtgcccact gaggaggagc 420
cggactctgc tgccaagagt ggtgaggcgt ggtatgaggg gaacctcggg gctatgctgc 480
ggtgtgtgga cctgtcacgg ggccctcctg agccccccag cctggctgag gccagcctca 540
tgcagctgaa ggtgacggcg ctgaccagta ctcggtctg taaggagcta gcctcgtggg 600
tcacacggcc aggagcctcc ttggagctga gcccgagag gctggctgaa gctatggact 660
ctgggcagaa cctccaggtc tcctgcctca atgctgagca gaaccagcac ctccgggcct 720
ccctcagccg cctgcatcgg gtggcacagt atgcccgggc ccagcacgtg cggctcctgg 780
tggatgcgga gtacacctca ctgaaccctg cgctctcgct gctgggtggc gccctggctg 840
tgcgctggaa cagcccgggt gaaggcgggc cctgggtgtg gaacacctac caggcctgtc 900
taaaggacac attcgagcgg ctggggaggg atgcagaggc tgcgcacagg gccggcctgg 960
ccttcggagt gaagctggta cgagggtgat atctggacaa ggagagagcg gtggcccagc 1020
tcccatggaa atggaagacc ccccaactca ggctgactat gaggccacca gttcagagtt 1080
acagcccgct gcctggaact gatgctgacg cacgtggccc gccatggccc catgtgccac 1140
ctcatggttg cttcccacaa tgaggaatct gttcgccagg caaccaagcg ggcaggccgg 1200
ctatgtagt tataagtcca tccctatgg ctccctggag gaggtaatcc cctacctgat 1260
ccggagggcc caggagaacc ggagcgtgct tcagggtgcc cgcagggaac aggagctgct 1320
cagccaaaaa ctgtggcggc ggctgctgcc aggatgccga aggatacccc actagcacc 1380
ctgagggggg catgtggtca ataaaagtcc ttaggtgctg cctaaaaaaa aaa 1433

```

```

<210> 350
<211> 1062
<212> DNA
<213> Homo sapiens

```

```

<220>
<221> misc_feature
<222> (1)...(1062)
<223> n = a,t,c or g

```

```

<400> 350
tttttttttt ttccagtcac taatgatctg tccttttgag atcttttact tcagaggaag 60
atttaggcaa gagagcaaca tataatagtc agtgatacaa agaagggcac ggaacatttg 120

```

gggaacacag	gggtttggag	ggcctgaagc	acaggggtgg	tggtattaga	aatgtgggaa	180
atatgggccca	tgagcctccg	gacagaatgg	ggtccaggaa	ggacagcatc	acacactggg	240
gctggaattt	ggggatcctt	ctgtgggcaa	cctcagcagt	ctgggtattg	gccctttttt	300
cttacagcct	ggaaaactgg	accaagtttc	tattgatctc	agcgaccgac	cggcagcctg	360
taagggggcca	tggaaagtgtg	gaactcattt	gttaaaatgt	tcaaaacttc	cttaacacca	420
tgttcacccct	tgcaggcaag	gccccatagg	attggtctcc	caagaaaaat	gcacttagct	480
ccaagggcca	gagccttctg	cacatcattg	ccagttctga	ccccggcatc	caggtagtac	540
ttcatgtttcc	cctattcagc	agctcctact	tctgtcaaag	catcaattga	agcaagaacc	600
tcatcaagct	gcctcccacc	atggttggaa	acaatgatac	cctggacatt	gtgcttcaca	660
gctaaactctg	catcctcttt	tgtcaaaatc	cctttcagga	tgatgggcaa	tcgagttatg	720
ctctgaaacc	aggagagatc	attccagcag	agagaagtgc	tgataggagt	catctggaaa	780
taagggtattg	catttccctt	tttaggtgat	tgaagatctg	ttagtgttaa	gttcctcctc	840
aactggtttc	gaatgtcatg	tcgcctgttg	ccacatacag	gtgtatccaa	agttattacc	900
aaagctttga	aacctaggga	ttctaccctc	tgatcaact	gtttgttcag	ctgcaggctc	960
ggatgcacat	agagttggaa	ccatcggagg	ccttcgggag	ctcttgctgt	gctcatttcc	1020
ccgaattcca	ccacnctgga	ctagtgttct	caaaannntc	ga		1062

<210> 351  
 <211> 1227  
 <212> DNA  
 <213> Homo sapiens

<400> 351						
cagttttttt	tttttttttt	tgctgcatga	ttttattact	ataaatatac	agtaaaaacg	60
aaccaacgat	gagcccatct	gagcacatca	gacggcagca	catgggagtc	ccagcggggc	120
actctgcggc	ccgaacttca	cgcaaagctc	tggcaccagg	actgatggcc	agaggctggg	180
gccttggtgg	gggcgggggg	cgggcggtgc	aggggctgt	gtgtgtgtgt	ggggagaggt	240
gcatgggggg	agagaggtgc	ttgggggtgg	gtagaggtgc	gtgggagatg	ctcggtccga	300
gtgcacacac	atgcatggga	acatgtgcag	gagtatgtgc	gtgtgtgtat	gcgtgacagc	360
atgtgtgagc	gtgagtgtgc	atgtgtgaac	gtgtgcgtga	gcatgtgcaa	gtgggcgtgc	420
atttgtgtgt	gtgtacgtgt	gagcgcatct	gcgtgcctgt	gcacgagcgg	gaggggtggc	480
tggcctgggt	gtgcagggag	ctgggtgtga	ggaccgtgct	gtccactgct	gggtctcgcc	540
caggaggcag	agctcatgct	cggagccacc	gtgagcctca	gggagggtac	tgagctgccc	600
cacagccgac	ctgtccccag	gcccccactg	cagggcagcc	ctccagagcc	aggtgagcag	660
cagacacctt	gcctggccca	aggctccgca	ggggtggatc	catgccctgg	gtcaccacgg	720
cccaggcact	ccttttgcca	tctgcggccc	caggaggttt	acctataaaa	aaaacaaaca	780
aacaaacaaa	caaaacagga	cgaggctgcc	cagaggccaa	gcctccccgg	ccgggacccc	840
attccccagg	tgtgtgtgtg	gcttcctcct	ccctgggccc	agcctgccac	agaaagcctg	900
agacagaaca	aaccaaataca	gagagaactg	caagggggcc	gggcgcggag	gctcacgcct	960
gtaatctcag	cactctggga	ggccgaggca	ggtggatgac	cttaggagtt	tgagaccagc	1020
ccggccaaca	tggtgaaatc	ccttctctac	taaaaatata	aaaaaattag	ccgagcatgc	1080
tggtaggcac	ctgtaatccc	cagctactca	ggagcctaag	gcaggacgat	cacttgaacc	1140
cgggagggcg	aggttgagct	gacccgagat	tgagccactg	cactccagcc	tgggcagcaa	1200
gagtgaact	ccatctcaaa	aaaaaaaa				1227

<210> 352  
 <211> 1194  
 <212> DNA  
 <213> Homo sapiens

<400> 352

tttttttttt	ttatgatttt	aatatacttt	atattatttaa	aaagtacaca	gttttaaatt	60
ggtttcaata	ggtttcaagc	agaagggaca	ctgcctacca	cttgcggtcc	cattttctgat	120
gaaggggtgat	tatcatgttg	caaaactaca	tttgcacgac	tggcaaagta	aaaagataga	180
taacttttttg	tcaacataatc	tttaagagtt	tatatcacgc	acagttttaa	atcatgacga	240
gatgctgatg	gttggactat	attcatgtct	cgtatgttgc	accatatttt	ggttcacagt	300
ttatccatga	tttagcatgc	caagagaaca	tctcagtcag	taagagaaca	tctcagtcag	360
tgtcaccttg	agaagagcat	caaaagcaga	gggagcagaa	ggaggaccgt	ctgggcttgg	420
agactcggcg	cacccccaca	ctccctcgca	ttctcctcag	gatggaagcc	atgacaagat	480
tctgggcgc	ttctgatott	ctgggccttt	agacgttcac	acttaaggga	ttcattatgt	540
tgaactgtagt	taaggcatgt	ttccaaggat	tgcttttttc	tactctgcat	ttcagaggtc	600
aaaattttg	aatgacaact	ctcttaacta	ctctctctct	ccaacagtgg	aaaggatgta	660
attttctcttc	tctaataattt	ctccccagag	tttcttacc	actgataccc	cttactgggt	720
tccgtggtag	tgagtggacc	tgacacaaaa	aggatatacc	tgatttcaat	gggtgccatg	780
gtgatggggg	ccacagattc	acagaggcag	ctgctgtcca	ccaccaccat	gaacagggtg	840
ctgcttggga	tttgcctggat	gacaaaggac	ctggttgaac	aagaggtagc	gaggcagtc	900
tttaccatcc	gtcaattaaa	gagccatgag	gaagacttct	ctcctgggtg	gtagcaacta	960
ccatattttg	taaagcaaat	tttgagact	attttactac	taatgttacc	ttctttctcc	1020
atgaggctct	tcacttaca	atacctagct	tcactaggaa	aacaacaata	gctatgacga	1080
catggcgctc	atacaactca	ccttggaag	actgaagtgc	tgatgtaca	aaacacaaga	1140
gtcagagtgt	gctgaatcac	ctgttcccaa	ggtttaagag	gtcagacttt	caaa	1194

<210> 353  
 <211> 1140  
 <212> DNA  
 <213> Homo sapiens

<400> 353

actctcacia	ttaaaacatt	tggaaggaa	ttaatgggtg	atttccatta	gggaaagtgc	60
tgacaagccg	caagggatcc	cttcatgggt	ctgggcatgg	gcgcccagcc	tgggctctgg	120
ctttgggagc	agcgagggga	atgtgtctct	caccctagag	cctcctgggt	tggctcctgc	180
tcaggccaca	cggcgacccc	acccccagcg	cgcctcagtc	caggtcactg	ggcagggtgt	240
ttactgctgc	gtcccaaccc	aagcatgtag	atttcagaag	gggactagga	cccccgccag	300
gtgtttgaga	ccaccggctc	ccaagtgcgt	cgccttgggg	gtttgcatcg	gtcctcagc	360
ctccccaggc	aatctctgtg	tagggtcggg	agcgggaggt	ctgagttgag	ccgggtgcct	420
gagatctccg	gtgcaggtcg	ggggagggga	gccccctcgc	ggctgtgggt	agagcgggag	480
aggaacttcc	cagactagct	ggcacagagc	ctcgggaagg	cggcgggcac	tgaggtgggt	540
ttacgggaag	tgctgcagcc	ttgggggtggg	gacagcgtgg	ccagacccac	cgcctcatct	600
gcacacctgg	gtcaagcgc	taatgacgac	aggggactga	gtgaatggga	cccccatgga	660
ccgcgcgcgc	tgccccacgc	catggcctgg	gtttcgggag	ccttgcctta	ttctgcctcg	720
ggtcggaggg	tgggggagcg	agacctccag	tgcccgtgcg	gctgggggag	aggggtggagg	780
ggccacttag	atgtaggagt	catcaccacc	ggcgcatcg	tagggacccc	caccctccc	840
cgcgcctcgc	ccctcatcgc	cgtgcgcgga	gtcactggcg	ccatccacgt	ccagggtggg	900
cgcgttgaga	acgaccacgt	ctgcctccgt	cccgatgtcc	tcgccaaacc	agacagcctt	960
gtacccgccc	tctggccgcc	gtccttgggt	caggatggac	ctcaccgccc	tggggcttcc	1020
gccagctcgg	gccgctgcgg	ggggctcaag	ggcaccgcct	ggggaggcag	ggccgggggg	1080
tgccggctat	gcgggcatcg	gtgcctccgc	gggcttgggg	tcgtgcgtgg	ggctggggac	1140

<210> 354  
 <211> 2401



<212> DNA  
<213> Homo sapiens

<400> 354  
 agttaatctc tttggctggg cctacagatg acatacagag tacaggcccc caggttcatg 60  
 ctttaaataat ccttagagca ttgttcagag atacgcgcct gggagaaaat attattcctt 120  
 atgttgctga tggagctaag gctgcaattc tgggttttac atcaccggtc tgggcagtgc 180  
 gaaattcatc cacacttctc tttagtgcct tgatcacaaag aattttttga gttaaaaggg 240  
 caaaggatga acattccaaa acaaatagaa tgacaggagag agagtttttc tctcgtttcc 300  
 cagaactcta tccttttctt ctcaaacagt tggaaactgt agccaatata gtagacagtg 360  
 atatggggaga accaaatcgt catccaagca tgtttctctt acttttggtg ttggagagac 420  
 tctacgcttc ccgcatggat ggtacttctt ctgctctcag catgggacct tttgttccct 480  
 tcattatgag gtgtggtcac tcacctgtct accactcccg tgaaatggca gctcgtgcct 540  
 tggtoecatt tgttatgata gatcacatc ctaataccat tcgaactctg ttgtccacac 600  
 tcccagctg cactgaccag tgtttccggc aaaaccacat tcatgggaca cttctccagg 660  
 tttttcattt ggtgcaagcc tactcagact ccaaacacgg aacgaattca gacttccagc 720  
 acgagctgac tgacatcact gtttgtacca aagccaaact ctggctggcc aagaggcaaa 780  
 atccatgttt ggtgaccaga gctgtatata ttgatttctt cttctattg acttgctgcc 840  
 tcaacagatc tgc aaaggac aaccagccag ttctggagag tcttggcctc tgggaggaag 900  
 tcagagggat tatctcagga tcagagctga taacgggatt cccttgggcc ttcaagggtgc 960  
 caggcctgcc ccagtacctc cagagcctca ccagactagc cattgctgca gtgtgggccc 1020  
 cggcagccaa gagtggagag cgggagacga atgtcccat ctctttctct cagctgttag 1080  
 aatctgcctt ccttgaagtg cgctcactaa cactggaagc cctcttggaa aagttcttag 1140  
 cagcagcctc tggacttggg gagaaggggc tgccaccctt gctgtgcaac atgggagaga 1200  
 agttcttatt gttggccatg aaggaaaatc acccagaatg cttctgcaag atactgaaa 1260  
 ttctccatg catggaccct ggtgagtggc ttcccagac ggagcactgt gtccatctga 1320  
 ccccaaagga gttcttgatc tggacgatgg atattgcttc caatgaaaga tctgaaattc 1380  
 agagtgtagc tctgagactt gcttccaaag tcatttccca ccacatgcag acatgtgttg 1440  
 agaacagggg attgatagct gctgagctga agcagtgggt tcagctggtc atcttgtcat 1500  
 gtgaagacca tcttcctaca gagtctaggc tggccgtcgt tgaagtcctc accagtacta 1560  
 caccactttt cctcaccaac ccccatccta ttcttgagtt gcaggatata cttgctctct 1620  
 ggaagtgtgt ccttaccctt ctgcagagtg aggagcaagc tgtagagat gcagccacgg 1680  
 aaaccgtgac aactgccatg tcacaagaaa atacctgcca gtcaacagag tttgccttct 1740  
 gccaggtgga tgctccatc gctctggccc tggccctggc cgtcctgtgt gatctgtctc 1800  
 agcagtggga ccagtggcc cctggactgc ccactctgct gggatggctg ttgggagaga 1860  
 gtgatgacct cgtggcctgt gtggagagca tgcacaggt ggaagaagac tacctgtttg 1920  
 aaaaagcaga agtcaacttt tgggccgaga ccctgatctt tgtgaaatac ctctgcaagc 1980  
 acctcttctg tctctctca aagtcgggtt ggcgtcccc aagccctgag atgctctgtc 2040  
 accttcaaag gatggtgtca gagcagtgcc cacctcctgt ctgagttctt cagagagctt 2100  
 ccaccagctg ctgagtttgt gaagacagtg gaggttcaca gactacgcat tcaagaggaa 2160  
 aggacttttg ctgcttgag gctgctggcc tttttggaag gaaaggaaag ggaagacacc 2220  
 ctagttctca gtgtttggga ctcttatgca gaatcgaggc agttaactct tccaagaaca 2280  
 gaagcggcat gttgaagaaa atctggggga ttgggatggg ggtatgtgtg gatttttctc 2340  
 cactaaatc tgcaggaaac atgttgaaca taaattcaaa aattttatcc caaaaaaaaa 2400  
 a 2401

<210> 355  
 <211> 2186  
 <212> DNA  
 <213> Homo sapiens

<400> 355

cggataaaga	cgctgggaga	ttgacatgca	tttcgaccaa	tagcattgca	gagaggcgta	60
tcaatttcg	gatgttccaa	tcagtagcga	gagagtcgcc	gtctccaagg	tgaaagcgga	120
agtagggcct	tcgcgcacct	catggaatcc	cttctgcagc	acctggatcg	cttttccgag	180
cttctggcgg	tctcaagcac	tacctacgtc	agcacctggg	accccgccac	cgtgcgcggg	240
gccttgacgt	ggcgcgcta	cctgcgccac	atccatcgcc	gctttggtcg	gcatggcccc	300
attcgcacgg	ctctggagcg	gcggctgcac	aaccagtggg	ggcaagaggg	cggctttggg	360
cgggggtccag	ttccgggatt	agcgaacttc	caggccctcg	gtcactgtga	cgtcctgctc	420
tctctgcgcc	tgctggagaa	ccgggcccctc	ggggatgcag	ctcgttacca	cctgggtgcag	480
caactctttc	ccggcccggg	cgtccgggac	gccgatgagg	agacactcca	agagagcctg	540
gcccgccttg	cccgcggcg	gtctgcggtg	cacatgctgc	gcttcaatgg	ctatagagag	600
aacccaaatc	tccaggagga	ctctctgatg	aagaccagg	cggagctgct	gctggagcgt	660
ctgcaggagg	tggggaaggc	cgaagcggag	cgtcccgcca	ggtttctcag	cagcctgttg	720
gagcgcttgc	ctcagaaaca	cttcctgaag	gtgatagcgg	tggcgctgtt	gcagccgcct	780
ttgtctcgtc	ggccccaga	agagtggaa	cccggcatcc	acaaatcacc	tggagagggg	840
agccaagtgc	tagtccactg	gcttctgggg	aattcggaa	tctttgctgc	cttttgcgc	900
gccctcccag	ccgggctttt	gacttttagtg	actagccgcc	acccagcgt	gtctcctgtc	960
tatctgggtc	tgctaacaga	ctggggtcaa	cgtttgact	atgaccttca	gaaaggcatt	1020
tgggttggaa	ctgagtccca	agatgtgcc	tgggaggagt	tgcacaatag	gtttcaaagc	1080
ctctgtcagg	cccctccacc	tctgaaagat	aaagtcttaa	ctgccctgga	gacctgtaaa	1140
gcgcaggatg	gagattttga	agaacctggt	cttagcatct	ggacagacct	cttattagct	1200
cttcgtagt	gtgcatttag	gaaaagacaa	gttttgggtc	tcagcgagg	cctcagttct	1260
gtataggcaa	tgctgtgtta	ttacttgaat	atagaatata	tagtttacia	aatgaaaatt	1320
ccaatgttct	caccaaata	atgccttcgt	gtgtccaaag	tataattatt	ttagatgcta	1380
atthttgaata	gtttattaaa	cagttataaa	tatgcaaagt	agctggcatg	tagtgtcacg	1440
gattttcttg	atagaggaag	tgattggaag	tattccactt	aaagccatgg	aattagcaat	1500
agtttgcttt	ttaatagaag	gccattttgt	aagaatgttg	aaaatatgtg	taccgtttaa	1560
agaaaaagca	gctttaaagt	gacaaacaaa	ataccctttt	tcttttagta	tgggttattt	1620
ttctaggttt	tctgtccctc	cctcagtagt	gaagagtttt	ctttattcct	ggcagtgtca	1680
ggaatattgg	tttgaaaagc	tgttggccta	tctggagttt	ggccttgta	acctagtatt	1740
ctaaccagtt	aaccagcctt	agtatgcatt	aaaattgtat	tgttcagaaa	gtttgtttct	1800
cattttctgc	aaattcttac	tttgaaaatg	aatcaccaca	tagtatgtcc	ctttaaagca	1860
ttgacgcaca	gacaaatgtt	taaagcacag	taaatacaaa	tatatgcctt	tggatattaa	1920
attaatgctt	gatgataaaa	gaatcaaact	tttttttttt	tgaaggagg	tctcgctttg	1980
tcacccaaac	tggagggcag	gggggggatc	actgttaagg	gcaacctttg	cctcccagga	2040
tcaagcaatt	ttgactcacc	ctcccaagta	gctgggatta	caggggcagg	ccaccatgcc	2100
cggctaattt	tttgatattt	tagtaaaaac	ggggtttaac	catgctggcc	aggctggtct	2160
caaacacctg	accttgggat	ccgtcc				2186

<210> 356  
 <211> 1142  
 <212> DNA  
 <213> Homo sapiens

attcacatct	tattcagcat	caaagaattc	acacatgaga	gtaagcacat	gaatgtaatg	60
aatgtggaaa	agctttcagt	caaacctcat	gccttattca	gcatacaaaa	atgcatagga	120
aagagaaatc	gtatgaatgt	aatgagtatg	agggcagttt	cagtcatagc	tcagatctta	180
tcttgcaaca	agaagtcctc	accagacaga	aagcctttga	ttgtgatgta	tgggaaaaga	240
actccagtca	gagagcacat	ctagttcaac	atcagagcat	tcataccaaa	gagaactcat	300
gaatgtaatt	aagatgggaa	gatattttatc	aaattcaggc	ttcattcagc	atctgagagt	360
tcacaccagg	gagaaatcat	gtatgtactg	catgtggtaa	agccttcagt	catagctcag	420
ccattgtctca	gcatacagata	attcacacca	gagagaaacc	ctctgaatgt	gacgaatgaa	480
gaaaagggtat	tagtggttaa	ctcttaaatcg	actcctgcaa	atctatacca	gtgagaaatc	540
ttacaaatgt	attgaatgtg	gcaaatTTTT	catgctatta	gtattttcat	accttagtca	600
catttgagg	attcacatgg	gaataaaatt	ccattgctgc	aatgaatgtg	aaaaagccat	660
cagtcaaaga	aactaccttg	tttagtatca	aattcacgcc	atgcaaaaag	attataaatg	720

taataagcat	gtatgtgtgt	gaggagattc	agtcataacc	caacgctcat	tcaacatcaa	780
agaatttata	cctaagagaa	cttatttggg	tgtagtaa	ggcagatctt	tcaataggag	840
tttaactagt	ctttgtcata	tcagaatata	catagtagac	aagaatttga	tgtaacgcaa	900
atggaaaaac	tcgacaccac	atttcaggct	ttacccaaca	tcgaaataat	ggagagaaaa	960
ttgttgatta	tttgtttatg	aaattgttaa	tacatagtcc	caatcttttt	cattgcacaa	1020
aaatctaggg	ttgacttggg	aaatgcagtg	acattttctc	atggagttcc	tttattta	1080
atgtattcta	agtaggtacg	tttattttta	cttttttatt	ataattttga	tattaaaaag	1140
aa						1142

<210> 357  
 <211> 3167  
 <212> DNA  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <222> (1) ... (3167)  
 <223> n = a,t,c or g

<400> 357						
ggaattcgcg	agcgcagggc	gcatgactgg	caggcagctc	cacctgcagc	cctgggtgccg	60
gatccactag	gtgaagccag	ctgggctcct	gagtcctggg	gggacgtgga	gagtcctttat	120
atctagctca	gggattataa	acacaccaat	cagcaccctg	tgtctagctc	aagggtttgtg	180
agtgcaccaa	tcgacactgt	atctagctgc	tctgggtggg	ccttgaggaa	cctttatgcc	240
tagctcaggg	attgtaaata	caccaatcag	caccctgtgt	ttagctcaag	gtttgtgaat	300
gcaccaatcg	acactctgtg	tctagctgcc	ctgatgggga	cgtggagaac	ctttgtatct	360
agctcagggg	ttggaaacgc	accaatcagc	gccctgacga	aacaggccac	tcggctctac	420
caatcagcag	gatgtagggt	gggccagata	agagaataaa	agcgggctgc	ccgagccagc	480
attggcaacc	cgctcgggtc	cccttcacac	ctgtggaagc	tttgttcttt	cgctctttgc	540
aataaatctt	gctactgttc	actctttggg	tccacactgc	ttttatgagc	tataaacttc	600
accgcaaagg	tctgcagctt	cactcctgaa	gccagcgaga	ccacaagccc	actgggagga	660
acgaacaact	ccaggcgogc	aatgaacaac	tccaggcgcg	ccgccttaag	agctgtaaca	720
ctcaccgcga	aggtctgcag	tttactcct	aagccagcga	gaccacgaac	ccaccagaag	780
gaagaaactc	caaacacatc	tgaacattag	aaggaacaaa	ctccagatgc	gccaccttaa	840
gagctgtaac	actcaccgcg	agggctccag	gcttcattct	tgaagtcagt	gagagaccaa	900
gaaccaccaa	attccggaca	cattttggcg	accatgaagg	gactttcgcc	tattgccaa	960
cggtgagaca	atcgctgagc	agtgaagcca	tcacttattg	ccgagcggtg	agaccattgc	1020
ctatcgccaa	gcaaatcgag	gccatcaagc	tacagatggg	cttacaatg	gaaccccaa	1080
tgagttcaac	taacaacttc	taccgaggac	ccctggactg	accagctggg	cctggcactt	1140
ccctggcct	agagagttcc	cctctgaagg	acactacaac	tgcaaagccc	cttcttcgcc	1200
cctatccagc	aggaagtagc	tagagcagtc	atcgccaaa	ttcccaacag	cagttggggg	1260
gtcctgttga	ttgaggggtg	acagcatgct	ggcagtcctc	acagccctca	ctcgctcgct	1320
cactctcggc	acctcctctg	cctgggctcc	cactttggca	gcacttgagg	agcccttcag	1380
ctctgtatct	agctactctg	atgggtcctt	ggagaacctt	tatgtctagc	tcagggattg	1440
taatacacca	tcagcacctc	gtgtctagct	cagggtttgtg	aatgcaccaa	tggacactct	1500
gtatctagct	actctgggtg	ggccttgagg	aaccttgtgt	caacactctg	tatctaacta	1560
acctgggtggg	gatgtggaga	accttgtgtc	tagctcaggg	atgtaaagc	accaatcagt	1620
gccctgtcaa	accactcggc	tctaccaatc	agcaggatgt	gggtggggcc	agataagaga	1680
ataaaagcag	gctgcccag	ccagcagtg	caaccgcctc	aggtcccctt	ccacactgtg	1740
gaagctttgt	tcttttgctc	tttgcaataa	atcttgtact	gctcactctt	tgggtcccca	1800
ctgcttttat	gagctgtaac	actcactg	aaggtctgca	gcttactcc	tgagccagtg	1860
aaaccatgaa	cccaaccagaa	ggaagaaacg	ctgaacacac	ctgaacatca	gaagaaacaa	1920
actccagacg	cgccacctta	agagctggaa	cacttaccgc	aagggtccgt	ggcttcattc	1980
ttgaagtcag	tgagaccaag	aaccccccaa	ttccggatac	aatatcgaca	aaacatgcat	2040
ctttgatgtc	tgatagttac	agagagaaga	aattagttcc	tgtggtttac	ceccattcta	2100
gcactccctc	cttccagtaa	ttcctggaag	gagggagtg	accaatcgac	actctgtatc	2160

tatctactct	ggtggggcct	tggagaacct	ttatgtctag	ctcagggatt	gtaaatacac	2220
caattggcac	tctgtatcta	gctcaagggt	tgtaaacaca	ccaatcagca	ccctgtgtct	2280
agctcaggg	ttgtgaatgc	accaattgac	actctgtatc	tagctgtctc	ggtggggcct	2340
tggagaacct	ttatgtcgac	actctgtatc	tagctaactc	ggaggggatg	tggagaaact	2400
ttgtgtctag	ctcagggatt	gtaaacgcac	caatcagcgc	cctgtcaaaa	caggccactc	2460
agctctacca	atcagcagga	tgtgggtggg	gccagataag	agaataaaa	caggctgccc	2520
caaccagcat	tggcaacccc	gctcgggtcc	ccttgccacac	tgtggaagct	ttgttctttc	2580
gctctttgca	ataaatcttg	caactgctca	ctctttgggt	ccacgctgct	tttatgagct	2640
gtaacactca	cgcgaagat	ctgcagcttc	actcctgagc	ccagcgagac	catgagccca	2700
ccggcaggaa	cgaacaactc	cagacacgct	gccttaagag	ctgtaacact	ccccgtgaag	2760
gtctgcagct	tcactcctga	gccagcgaga	tcacgaaccc	accagaagga	agaaactccg	2820
aacacatccg	aacatcagaa	ggaacaaact	ccggaggcgc	caccttaaaa	gctgtagcac	2880
tcactgcgag	ggtccgcggc	ttcattcttg	aagtcagtga	gaccaagaac	ccaccaattc	2940
cggacacaaa	accctgtctc	tactaaaaaa	tacaaaaaaa	ttagcgcggg	ggggtggccg	3000
cgccctgtag	tcgggctact	cangaggctg	aggcaggaga	atggcgggaa	cccgggaggc	3060
ggagcttgca	gtgagccaag	atggcaccac	tgcactccag	cctggtggac	agagtgcacat	3120
tctgtctcan	aaaaaaaaag	aaaaaaaccc	attggttaaa	aacaaaa		3167

&lt;210&gt; 358

&lt;211&gt; 4747

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 358

tttttttttt	ttgaattaat	tgatgaggtt	tatttgattg	tctttcttat	aaaatacatt	60
aaaaataactg	cttttaactg	taggcacaca	attaaaaaca	atgtaaacct	atgttttaatt	120
taaaatatata	taaaatgatt	taataaagg	cttttattat	tttacacatc	aaatttcatg	180
caatcagtag	tccactgaag	gagaaaagga	ttatgaaaaa	acaatgaaag	cacagggttag	240
gaaaataaac	aacacaaaag	actaatctctg	gatttttttt	ctgtgtcctt	aataccctgt	300
gctgtctttg	acaacaaaga	tgccttactt	atgtgattca	gaggcccgga	agtgaaaaaa	360
atacaagtag	ttaatgaata	atgcatatgt	tcataagcaat	gggtcaaatta	tactgtttcc	420
taatggatac	cattttttctt	tatcgagtgg	gacactacag	agtcggatgt	taattgctcc	480
cacaaatata	gtttttactct	tcacaataag	cattaagaca	tgtccttgga	gctctgtgac	540
ttcatcatat	actacaattt	cattgtaagt	ggggtccgta	cattttggaa	cagattttgt	600
tttctctcta	cgaacttcac	tgggatatgg	taaaagataa	aattcaacat	gtgcactggg	660
cgcagagcca	tctgggagat	gaatgttttt	catgtgtttc	actagtatgg	tcagcttcac	720
atcctcgtag	gatatgacta	actgcacctt	aggcttcttg	tctggaacct	tctcacctag	780
gtacacaggt	gatgattctt	caactgtttg	ttgccagacc	tcagagagga	aaaagctaag	840
tacacaatca	ctgtttgtaa	cttcatgtga	tacatttaat	atctgttcca	tgtaatgatt	900
tagatctctg	aatcttctgt	gatctgaatt	tgtaaaagg	agggtgccacc	aatgaggaaa	960
ctctgggaga	gtcagtgatg	caaatgctt	ctgaagtgg	ctgtgaagtt	ttgaaaactg	1020
ctcaaatgat	ttttctgtca	ggcttggttc	gtgtgtgctg	tgtgtcacct	ggatcagata	1080
cagattactg	gatttcttgc	tgaaccctaa	aattgttgct	ctttcaatcg	acctagtgtg	1140
actcagcaaa	caggattcct	gaggaaaagt	ctgtgaagta	gatttggcag	ggcttatggc	1200
tgacatttgt	gcaagtgtgt	ggatcaagtt	attcaattta	acagggaaac	actccagact	1260
ttcctttatt	ttcttggtaa	aatgacttgt	tgtctccagg	tctgtgtctt	gtggacgaag	1320
attattatac	acataatttc	ggtcttgaaa	tcccacttag	ctcaggcagt	ccctgcatac	1380
agcatcattt	cccagcaggt	tccaagagca	gttggtctgtg	ctttctgata	atattataag	1440
cacgacagca	aagttccac	aaaatcttga	aaatgctgtg	ggtttttccc	cacctctgt	1500
aataaagtat	tcccatctct	gaagtaaaaa	tgaaggagc	tcggtccctt	tttatccctc	1560
caaatgtttg	tgcatgacct	aagaattttc	caaagtcaat	atgaaacatg	tggcccgact	1620
ttgtcagcat	gatattatca	ttgtgacggt	cacatactcc	caggatgaat	gttaccacac	1680
accagccagc	acaggagtag	aaaaagttcc	tcaaggcctt	ttcataatct	gcctttaagt	1740
ggttgtgctg	actgaaccac	tttttaattg	tattttcttt	caatggctct	atcagtcacg	1800
aatggcgatg	aatctttgct	agggtccacg	catcaggtac	catctgcacc	aatcgttggt	1860
cttttctctg	ggatagacat	ctataaatga	tcattttgcat	atccaagcct	tcctgcagcc	1920

aaatattgtc	catcacttga	ataagctgca	gaacaagcat	atcctgacga	agatcatctc	1980
cagccttaaa	aataatgctg	atgtttttgc	ccatcagatt	agcattgatg	aaagtaatct	2040
tcaatggcaa	agcatttagat	gtaaaaatat	aacatgcata	gtgatcaatc	cctttttatac	2100
atagggcagg	gttcagagga	agatgacaag	tattttacatc	ttgaaagaac	tcttctagtc	2160
tgccaatttc	tttcttcagt	acctcctgtc	tttgatggtc	actggcagac	ttgactcttt	2220
ccccaatatc	tcccagaatt	ttgataagtt	tctgtctcct	ggaaaactca	tcattcaagg	2280
cctttacctgc	acagaattgg	agagcagcta	gtagcttctg	ataccagctt	ttaaaaataag	2340
cttcatttttc	tgcattttttt	agcagccagt	aaagacgatg	ggcaacctgg	atgctctgca	2400
aggagcgggtg	gagtagaagt	tgcactaaag	gactctcaag	gttccattca	aacttgacag	2460
cctgaactag	ctgtgggaga	tattccagta	gttcatcatt	caagagggtg	tctaattggt	2520
gaactgccac	tttacgaatt	tcttgatctg	gaaaactgga	agtcaaaagc	ccaagagcct	2580
ctaaagggtg	agaaaatgtc	catcttctca	aatgggtatg	catttctgaa	acagtccttt	2640
catcccatcc	aggggcacta	cccaggacta	aaggaaggga	gcagttttca	ttattgcagt	2700
agaagcgata	aaaccataaa	tatcttttct	tttcttcaga	gagtagtagg	ggagtctggt	2760
tctgtgaaag	tctggcaata	tgttttatac	actcctttag	tggtctcttc	agattacttc	2820
tattctcttc	agaatcaggt	ttcatatact	cccaccagt	agctggaaaa	tcaatctgca	2880
gggtcaccgg	ggatggctga	cttacatccc	acactcctgg	agttatcatt	tctacgggag	2940
gctcactctg	taatgtcatg	ctgaacagca	tagacccgag	aatggatttt	tcttttggaa	3000
acagtggaa	acaagtccac	gccagtaaat	ttgcattggt	ggttgccacag	gcaatcccaa	3060
acagttttac	agtgaagcatg	gattcccttg	gaagtgaact	tatttcaagg	ggaaaattga	3120
tctgtgacac	ccagggttct	ggaatgttgt	gtgctgcata	cactgtgaag	ctgaggtggg	3180
aaggaagccc	gggattttaga	taggaagtgc	atctaggtag	atttacaggc	tgaaaactctg	3240
cataaaagct	gttacagtag	acattgatta	ctggtagat	ggatgtggat	agttcagttg	3300
ttaccttctc	tatcaagcct	tttgcgaag	tctctgaact	ttgataaaaa	ttctctcctt	3360
ttctctgaag	aattagactt	agttcattta	ctgcatctgt	aatttggttg	gtttccacac	3420
accctagaac	actgcatatt	tttttaactt	cttcaataat	attatacacg	ttttcctggg	3480
ttttcaatag	gtatttcagg	tggaagtcat	attttctgat	gagtgtttaag	agacattgtc	3540
tggtactctt	ccaaatatgc	ataaattcta	gaagtgtatt	cagataaaac	tgactgtggt	3600
cctcttcctg	ctttogagat	agctttcctg	gagcttccct	acttttctgc	agggtggagct	3660
gaataacaga	tttatctttt	tgaaacattt	tgtggctccc	caaacagtgg	tcgttttgta	3720
aaaattcttc	agagcccat	acacttagaa	tatgatcttt	ggggagttagc	tggtcatttg	3780
tgcaaaaatg	cagaatttct	gcaatttagat	ctttgacaag	ataattagca	catggcataa	3840
aatgaagagg	ttgtgttgag	ttatcaataa	aaatatgtat	attaaacttg	gtcttagaaa	3900
agagctgata	cggaaatgct	gtagtagtg	tccagatctt	cccagaattg	aaattaacat	3960
cagctgcatg	atatctttct	ctgatttttt	ttactttggt	gcaaaaagag	gccagactcg	4020
tattgctgct	ttgaggtagt	tccactagct	gaatggaaca	acctattgac	tctatattct	4080
tctgcatgt	actttccac	attccgggtt	gaagagagcc	tttcaaaagc	atcaaagatg	4140
gttccacaat	gttcacatgt	ccactccttt	tattctcttc	tttcggcatg	aagtcacttg	4200
agaaggatga	atgtgttgga	ggaatgctac	tttcaaatcc	tatatggtag	ttatgatttt	4260
cattttctaa	ttctttctct	agattaattt	tatccaaact	tgtgaatgat	ggagctaaaa	4320
tactgaatct	ggaatcatca	gcaccatgat	gttttcttat	ggggcttccc	caggagcatt	4380
ctttattcgt	atgttgagg	tttggttaaca	cagaaggact	aaaaccaatt	gctggtgctt	4440
tgctaacttg	atgccaggag	agttcacggc	ttttagaagt	gaattcattc	aaggatattt	4500
gggtgtgcttc	atttaagtga	tgccctgttg	agtcctattt	tggtgcagtg	ggcacaaaaa	4560
aggtgttttc	atcaatttca	ctctcgtagt	gtgggaattt	gccactgato	tcacttacta	4620
tctgatcaaa	accagactg	acttggttag	aagaatgggg	ttgatttaca	aagagaaatt	4680
cttggtgttc	atactgcttt	tcgtgtgatt	cattaggatt	tggtatccgtt	tgccaagaat	4740
atgccat						4747

&lt;210&gt; 359

&lt;211&gt; 679

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 359

ccagacatca tcttagcact taaggagctg gaagcagagg tatcatttaa actacttctt

60

ctgcttccag	acatcatcct	agcacttaag	gagctggaag	gttgaacaga	aattcttctt	120
ggaatccttg	aaggttttaga	ctccattctt	aaagattgga	ttctgaatat	caggtaacat	180
ttttatttgg	aatatatgta	tacagccttt	ttcaaaatcc	ctagggccac	tcttttgggg	240
gtattttaaaa	aatgtgttag	ctggatctga	ggcatcctgt	aatcaaaacc	aatatatatg	300
tagcaaaatg	aataacattt	ttcaaaacttt	ttggacttca	gaattatgga	taacagattg	360
taacctcata	taaaatcata	cttttgcgct	ggggaacggt	cgtcacgcct	gtaatcccag	420
cactttggca	ggctgagact	ggcagatcat	ttgaggtcag	gagttcgaga	ccagcctggc	480
caacatgacg	aaaccccgct	tcgactaaaa	atacaaaaaa	attagctgga	catggtggca	540
cccatctcta	ctcccagcta	cttgggaggg	cgaagaggga	ggattgcttg	aaccaggag	600
gtggagggtg	cagtgaactg	agatcatgag	actgcactcc	agcctgggtg	acagagtcga	660
gactccatct	gaaaaaaa					679

<210> 360  
 <211> 2017  
 <212> DNA  
 <213> Homo sapiens

<400> 360

tttctgtcgg	gagatcagag	gtcccgcgct	cccgcgcctg	acctcggctg	aggacaggca	60
ccgccatggg	ccacacgcac	acagcccggg	gttgcagcgg	accggcagag	attacagcct	120
ggactacctg	cccttccgcc	tatgggtggg	catctgggtg	gctacctttt	gcctggtgct	180
ggtggccaca	gagggcagtg	tgctggtgcg	ctacttcacc	cgttccactg	aggaagggtt	240
ctgtgcccct	atcagcctca	tcttcatcta	cgatgctgtg	ggcaaaatgc	tgaacttgac	300
ccatacctat	cctatccaga	agcctgggtc	ctctgcctac	gggtgcctct	gccaataccc	360
aggcccagga	ggaaatgagt	ctcaatggat	aaggacaagg	ccaaaagaca	gagacgacat	420
cgtaagcatg	gacttaggcc	tgatcaatgc	atccttgctg	ccgccacctg	agtgcaccog	480
gcagggaggc	caccctcgtg	gccttggtg	tcatacagtc	ccagacattg	ccttcttctc	540
ccttctcttc	tctcttactt	cttcttctt	tgctatggcc	ctcaagtgtg	taaagaccag	600
cgccttcttc	ccctctgtgg	tgcgcaaaag	gctcagcgac	ttctcctcag	tcttgcccat	660
cctgctcggc	tgtggccttg	atgctttcct	gggcctagcc	acaccaaagc	tcattggtacc	720
cagagagtgc	aagcccacac	tccttggtgg	tggctggctg	gtgtcacctt	ttggagccaa	780
cccctggtgg	tggagtgtgg	cagctgccct	gcctgccctg	ctgctgtcta	tcctcatctt	840
catggaccaa	cagatcacag	cagtcacctc	caaccgcatg	gaatacacag	tgcaagaagg	900
agctggcttc	cacctggacc	tcttctgtgt	ggctgtgtgt	atgctactca	catcagcgct	960
tggactgcct	tggatgtct	cagccactgt	catctccctg	gctcacatgg	acagtcttcg	1020
gagagagagc	agagcctgtg	cccccgggga	gcgcccacac	ttcctgggta	tcagggaaca	1080
gaggctgaca	ggcctggtgg	tgttcacctc	tacaggagcc	tccatcttcc	tggcacctgt	1140
gctcaagtgc	attccaatgc	ctgtgtctta	tggcatcttc	ctgtatatgg	gggtggcagc	1200
gctcagcagc	attcagttca	ctaatagggt	gaagtgtgtg	cttgatgcca	gcaaaacacc	1260
agccagacct	gctactcttg	cggcatgtgc	ctctgaccag	ggtccacctc	ttcacagcca	1320
tcagctttgc	cctgtctggg	gctgcttttg	gataatcaag	tctacccttg	cagccatcat	1380
cttccccctc	atgttgctgg	gccttggtgg	ggtccgaaag	gccttgagga	gggttttttc	1440
accacaggaa	ctcctctggc	tggatgagct	gatgccagag	gaggagagaa	gcattccctga	1500
gaaggggctg	gagccagaac	actcattcag	tggaaagtgc	agtgaagatt	cagagctgat	1560
gtatcagcca	aaggctccag	aaatcaacat	ttctgtgaat	tagctggagt	aggagtctgg	1620
gagtggagac	cccaggaaac	agcatgaggt	gcttactcag	gaagtccagg	catttttggc	1680
ctttggctta	acttcagat	gctcagtcgg	cttggggaag	gactgaaggg	cagctgccaa	1740
gacctcagtt	acctcctgac	ctgaggggtg	agagtggcag	gaagcaagca	tgtttgctgt	1800
gcacttagga	aaggctgggt	agccagaggg	actgatcagg	ccccattcac	tctctactca	1860
ttaaaaggtc	ctgagccacg	aagcgcttcc	cattttgaac	tttctgtcct	cacagattct	1920
gtttgacaga	atctaagggc	catcagggaa	ctcttttcat	cttgcaaaga	gaaaaagcca	1980
gtctttccag	aataaatatt	catctggttg	aaataaaa			2017

<210> 361  
 <211> 2900  
 <212> DNA  
 <213> Homo sapiens

<400> 361

atggggctca	aggcgcgcag	ggcggcgggg	gcggtctggcg	gcggcggcga	cgggggcggc	60
ggaggcggcg	gggcggctaa	cccagccgga	ggggacgcgg	cggcggccgg	cgacgaggag	120
cggaaagtgg	ggctggcgcc	cggcgacgtg	gagcaagtca	ccttggcgct	cggggccgga	180
gccgacaaag	acgggaccct	gctgctggag	ggcggcggcc	gcgacgaggg	gcagcgagg	240
accccgagg	gcacgggct	cctggccaag	accccgctga	gcccggcagt	caagagaaac	300
aacgccaagt	accggcgcat	ccaaactttg	atctacgacg	ccctggagag	accgcggggc	360
tgggcgctgc	ttaccacag	cgttggtgtt	cctgattgtc	ctaggggtgc	ttgattctgg	420
ctgtcctgga	ccacattcaa	ggagtatgag	actgtctcgg	gagactggct	tctgttactg	480
gagacatttg	ctattttcat	ccttgaggcc	gagtttgctt	tgaggatctg	ggctgctgga	540
tgttgcctgc	gatacaaagg	ctggcggggc	cgactgaagt	ttgccaggaa	gccccctgtc	600
atgttgga	tccttctgct	gattgcctct	gtgccagtgg	ttgctgtggg	aaaccaaggc	660
aatgttctgg	ccacctccct	gcgaagcctg	cgcttcctgc	agatcctgcg	catgctgcgg	720
gatggaccgg	gagaaggtgg	cacctggaag	cttctggggc	tcagccatct	gtgcccacag	780
caaagaactc	atcacggcct	ggtacatcgg	tttctgaca	ctcatccttt	cttcatttct	840
tgtctacctg	gttgagaaag	acgtcccaga	ggtggatgca	caaggagagg	agatgaaaga	900
ggagtttgag	acctatgcag	atgccctgtg	gtggggcctg	atcacactgg	ccaccattgg	960
ctatggagac	aagacaccca	aaacgtggga	aggccgtctg	attgccgcca	ccttttccct	1020
aattggcgct	tccttttttg	cccttcacgc	gggcattcctg	gggtccgggc	tggccctcaa	1080
ggtgcaggag	caacaccgtc	agaagcactt	tgagaaaagg	aggaagccag	ctgctgagct	1140
cttcaggct	gcctggaggt	attatgtctac	caaccccaac	aggattgacc	tgggtggcgac	1200
atggagattt	tatgaatcag	tcgtctcttt	tcctttcttc	aggaaagaac	agctggaggc	1260
agcatccagc	caaaagctgg	gtctcttgga	tcgggttcgc	ccttctaata	ctcgtggtag	1320
caatactaaa	ggaaagctat	ttacccctct	gaatgtagat	gccatagaag	aaagtccttc	1380
taaagaacca	aagcctgttg	gcttaaaca	taaagagcgt	ttccgcacgg	ccttcgcgat	1440
gaaagcctac	gctttctggc	agagttctga	agatgccggg	acaggtgacc	ccatggcggg	1500
agacaggggc	tatgggaatg	acttcccat	cgaagacatg	atccccaccc	tgaaggccgc	1560
catccgagcc	gtcagaattc	tacaattccg	tctctataaa	aaaaaattca	aggagacttt	1620
gaggccttac	gatgtgaagg	atgtgattga	gcagtattct	gccgggcac	tcgacatgct	1680
ttccaggata	aagtaccttc	agacgagaat	agatatgatt	ttcacccttg	gacctccctc	1740
cacgcaaaaa	cacaagaagt	ctcagaaagg	gtcagcattc	accttcccat	cccagcaatc	1800
tcccaggaat	gaaccatatt	taggccagac	catccacatt	cagaaattcg	aagaccaaag	1860
gcattgatgg	gggaagtgtg	ttaaaagttt	gaaaggacag	gtttcaggga	ctggggagga	1920
agctggactt	cctcgtggat	atgcacatgc	aacacatgga	acggttgcag	gtgcagggtca	1980
cggagtatta	cccaaccaag	ggcacctcct	cgccagctga	agcagagaag	aaggaggaca	2040
acaggtattc	cgatttgaaa	accatcatct	gcaactatc	tgagacaggc	cccccggaac	2100
cacctacag	cttcaccag	gtgaccattg	acaaagtcag	cccctatggg	ttttttgcac	2160
atgaccctgt	gaacctgccc	cgagggggac	ccagttctgg	aaaggttcag	gcaactcctc	2220
cttctcagc	aacaacgtat	gtggagaggc	ccacggctct	gcctatcttg	actcttctcg	2280
actcccgagt	gagctgccac	tcccaggctg	acctgcaggg	cccctactcg	gaccgaatct	2340
ccccccggca	gagacgtagc	atcacgcgag	acagtgcac	acctctgtcc	ctgagtgcgg	2400
tcaaccacga	ggagctggag	aggtctctaa	gtggcttcag	catctcccag	gacagagatg	2460
attatgtgtt	cggccccaat	gggggggtcg	gctggatgag	ggagaagcgg	tacctcgccg	2520
agggtgagac	ggacacagac	acggacccct	tcacgcccag	cggctccatg	ccctctgtcg	2580
tccacagggg	atgggatttc	tgattcagta	tggacccctt	ccaataagcc	cattttaaag	2640
aggtcactgg	ctgacccctc	ccttgtaatgt	agacagactt	tgtatagttc	acttactctt	2700
acacccgacg	cttaccagcg	gggacaccaa	tggctgcac	aaatgcacgc	gtgtgcgtgg	2760
tggccccacc	caggcagggg	cttcccacag	cctcttcctc	cccatgtcac	cacaacaaag	2820
tgtctccttt	tcagcatggt	ttgcatagact	ttacactata	taaattggttc	cogctaactc	2880
cttctaggat	aaaaaaaaaa					2900

<210> 362  
 <211> 5433  
 <212> DNA  
 <213> Homo sapiens

<400> 362

cggaacgcgtg	ggatcattga	atttgaccca	aagtatactg	ccttcgaagt	ggaggaagat	60
gttgggctga	tcatgatccc	agtggtaggg	ctacatggaa	cttatggcta	tgtgacagct	120
gatttcacatc	ctcagagctc	ctctgccagt	cccggagggtg	ttgattacat	tttgcatggc	180
agttacagtca	cctttcagca	tgggcaaaac	ttaagtttta	ttaaatactc	catcattgat	240
gacaatgaaa	gtgaatttga	ggagcccatt	gaaattctac	tcactggagc	tactggagga	300
gcggctccttg	ggcgccacct	agtgagcaga	atcataatag	ctaagagtga	ctctcccttt	360
ggagttataa	ggtttctcaa	tcaaagcaaa	atctctattg	ctaataccaa	ttccacaatg	420
atctttatcac	tgggtgctgga	gcggactgga	ggactcttgg	gagagattca	ggtgaactgg	480
gagacagtag	gacccaactc	tcaagaagcc	ttactgccac	agaatagaga	cattgcagac	540
ccagttagcg	ggttggttcta	ttttggagaa	ggagaaggag	gagtgagaac	cataattctg	600
acaatctatc	ctcatgaaga	aattgaagtt	gaagagacat	tcattattaa	acttcatctt	660
gtgaaaggag	aagctaaatt	agactccaga	gctaaagatg	ttacattaac	catacaagag	720
tttgggtgacc	caaattggagt	tgctcagttt	gctcctgaaa	ctttgtctaa	gaagacttat	780
tcagagcctc	tggctctgga	agggcccctg	ctcattacct	tctttgtcag	aagagtcaag	840
ggcacctttg	gagagattat	ggtttactgg	gaattaaagta	gtgagtttga	cattactgaa	900
gactttcttt	ccaccagtgg	atctttcacc	attgctgatg	gagagagtga	agctagcttt	960
gatgttcatt	tgctaccaga	tgaggtagct	gagatagagg	aagattatgt	gatccagctt	1020
gtttctgtat	agggaggagc	cgaactggat	ctggagaaga	gtatcacatg	gttctctgtt	1080
tattgcaaatg	atgacccaca	tggagtattt	gcctctgatt	cggatcgcca	gtcaataactt	1140
attgggcaga	accttattag	atccatccaa	attaacataa	cccggcttgc	tggaaacttt	1200
ggagatgtgg	ctggtgggct	tcgaatatca	tcggatcata	aagaacagcc	gattgttacc	1260
gaaaatgcag	agaggcagct	ggtggtcaaa	gatggtgcca	catataaagt	ggacgtgggtg	1320
ccaataaaga	atcaggtctt	cctatcactg	ggctctaatt	tcactttgca	actggtgact	1380
gtgatgcttg	tcgggtggacg	ttctatgga	atgccaaaca	ttcttcagga	agcaaaatct	1440
gctgtccttc	cagtcctctga	gaaagctgcc	aattctcagg	tcggatttga	atccactgct	1500
tttcaactca	tgaacatcac	tgctggcaca	agccacgtta	tgatttctag	gagaggcaca	1560
tatggagctc	tctcggttgc	ctggaccact	ggatatgctc	ctgggttaga	aattcctgaa	1620
ttcattgttg	ttggcaacat	gacccaaca	ctggggagcc	tttcattttc	ccacggtgaa	1680
caaaggaaag	gagttttcct	gtggacgttt	cctagccctg	gttgccaga	ggcctttgtt	1740
cttcacctat	caggagtgc	gagcagtgt	cctggcggag	ctcaactccg	atcaggtttc	1800
attggtgctg	aaattgaacc	aatgggcgtc	ttccaatttt	ccactagctc	aagaaatc	1860
atagtgtcag	aagatacaca	gatgatcaga	ttacatgtac	aaagactatt	tgggttccac	1920
agcagcttta	ttaaagtttc	ttatcagacc	atcagaggaa	gcgcacaagcc	actggaagat	1980
tttgagcctg	ttcagaatgg	ggaactgttt	tttcaaaaat	tccaaactga	ggttgatttt	2040
gaaataacca	ttattaatga	tcagctttct	gagatagaag	aattttttta	cattaacctt	2100
acttcagtag	aaattagggg	attacaâaag	tttgatgtta	attggagccc	acgcctgaat	2160
ctagattttca	gtgttgagct	gattacaata	ttggataatg	atgacctggc	aggaatggat	2220
atctccttcc	ccgagacaac	tgtggctgta	gcagttgaca	caactctcat	tcctgtagaa	2280
actgaatcca	ccacatacct	cagcacaagc	aagacgacta	ccattctgca	gccaaccaac	2340
gtgggttgcca	ttgttactga	ggcaactggg	gtatctgcca	tccctgagaa	acttgtcacc	2400
cttcattggca	cacctgctgt	gtctgaaaag	cctgatgtgg	ccactgtaac	tgccaatgtt	2460
tccattcatg	gaacattcag	ccttgggcca	tccattgttt	atattgaaga	ggagatgaag	2520
aatggcacat	tcaacactgc	agaagttctt	atccgaagaa	ctgggtgggtt	tactggcaat	2580
gtcagcataa	cagttaaaac	tttcgggtgaa	agatgtgctc	agatggaacc	aaatgcattg	2640
ccctttcgtg	gtatctatgg	gattttccaa	ctaacaatggg	cagttgaaga	agaagacttt	2700
gaagaacaaa	ctcttaccct	tatatcccta	gatggagaaa	gagaacgtaa	agtatcagtt	2760
caaatattgg	atgatgatga	gcctgagggg	caggaattct	tctacgtgtt	tctcacaâac	2820
cctcaagggg	gagcacagat	tgtggagggg	aaggatgata	ctggatttgc	agcttttggc	2880
atggttatta	ttacagggag	tgaccttcac	aatggcatca	taggattcag	tgaggagtcc	2940
cagagtggac	tagaactcag	ggaaggagct	gttatgagaa	gattgcacct	tattgtcaca	3000
agacagccaa	acagggcctt	tgaagatgtc	aaggtctttt	ggcaggtcac	acttaacaaa	3060
acagtcgtcg	tgtctcagaa	ggatggggta	aacctgatgg	aggaacttca	gtctgtgtca	3120
gggaccacaa	cctgtacaat	gggtcaââca	aaatgcttta	tcagcattga	actcaââcca	3180



gaaaaggtac	cacaggttga	agtgtatttt	tttgtggaac	tatatgaagc	tactgctgga	3240
gcagcaataa	acaacagtgc	cagattcgca	cagattaaaa	tcttagaaaag	tgatgaatct	3300
caaagccttg	tgtatttttc	tgtgggttct	cggctggcag	tggtcacaaa	gaaggccact	3360
ttaatcagtc	tgcaggtggc	cagagattct	gggacaggac	taatgatgtc	tggttaacttt	3420
agtacccagg	agttgaggag	tgctgaaaca	attggtcgta	ccatcataatc	tccagctatt	3480
tctggaaaag	attttgtgat	aactgaaggc	acattggtct	ttgaacctgg	ccagagaagc	3540
actgtattgg	atgtcatcct	aacgccagag	acaggatctt	taaattcatt	tcctaaacgc	3600
ttccagattg	tcctttttga	ccaaaagggt	gggtgccagaa	ttgataaagt	gtatgggact	3660
gccaacatca	ctcttgtctc	agatgcagat	tcgcaggcca	tttgggggct	tcagatcag	3720
ctacatcagc	ctgtgaatga	tgatattctc	aacagagtgc	tcctatccat	cagcatgaaa	3780
gtggccacag	aaaacacaga	tgaacaactc	agtgccatga	tgcatctaata	agaaaagata	3840
actactgaag	gaaaaattca	agctttcagt	ggtgccagcc	gaactctttt	ctatgagatt	3900
ctttgttctc	ttattaaccc	aaagcgcaag	gacactaggg	gattcagtca	ctttgctgaa	3960
ttgactgaga	attttgctct	ttctctgctg	actaatgtta	cttgccggctc	tcctgggtgaa	4020
aaaagcaaaa	ccatccttga	tagttgcccc	tatttgtcaa	tattggctct	tcactggtat	4080
cctcagcaaa	tcaatggaca	caagtttgaa	ggaaagggaag	gagattacat	tcgaattcca	4140
gagaggctac	tggatgtcca	ggatgcagaa	ataatggctg	ggaaaagtac	atgtaaatta	4200
gtccagttta	cagagtatag	cagccaacag	tggtttataa	gtggaaaaca	tcttccctacc	4260
ctaaaaaata	aggtattatc	tttgagtgtg	aaaggtcaga	gttcacaact	cctgactaat	4320
gacaatgagg	ttctctacag	gatttatgct	gctgagccta	gaattattcc	tcagacatct	4380
ctgtgtctcc	tttggaaatca	ggctgctgca	agctgggtgt	ctgacagtca	gttttgcaaa	4440
gtgattgagg	aaactgcaga	ctatgtggaa	tgtgctgtgt	tacacatgtc	tgtgtatgct	4500
gtctatgctc	ggactgacaa	cttgtcttca	tacaatgaag	ccttcttcac	ttctggattt	4560
atatgtatct	caggtctttg	cttggtgtgt	ctttcccata	tcttctgtgc	caggtactcc	4620
atgtttgcag	ctaaacttct	gactcacatg	atggcagcca	gcttaggtac	acagattctg	4680
tttctggcgt	ctgcatacgc	aagtcctcaa	ctcgtcgagg	agagctgttc	agctatggct	4740
gctgtcacac	attacctgta	tctttgccag	tttagctgga	tgctcattca	gtctgtgaat	4800
ttctggtagc	tgctgggtgat	gaatgatgag	cacacagaga	ggcgatatct	gctgtttttc	4860
cctctagatt	ggggactacc	agcttttgtg	gtgattctcc	tcatagttat	tttgaaagga	4920
atctatcatc	agagcatgtc	acagatctat	ggactcatte	atggtgacct	gtgttttatt	4980
ccaaacgtct	atgctgcttt	gttcaactga	gctcttggtc	ctttgacgtg	cctcgtggtg	5040
gtgttcgtgg	tgttcatcca	tgctaccag	gtgaagccac	agtggaaagc	atatgatgat	5100
gtcttcagag	gaaggacaaa	tgctgcagaa	attccactga	ttttatatct	ctttgctctg	5160
atttccgtga	catggcctttg	gggaggacta	cacatggcct	acagacactt	ctggatgttg	5220
gttctctttg	tcattttcaa	cagtctgcag	cttctagtac	cctctgttct	actttttact	5280
tctatgagat	caacattttt	tagcttccac	acagggactc	tgacttcaag	agagaaagaa	5340
agtacttttg	tacttacatg	cctactgagc	ccagattcca	aaggccttgg	ggttctatgt	5400
ttccttaaca	ctgaatgggc	tttccaagtg	cat			5433

<210> 363  
 <211> 3569  
 <212> DNA  
 <213> Homo sapiens

<400> 363						
agcgccgggg	gccacgatgg	agcgcgacgg	ctgcgcgggg	ggcgggagcc	gcgccggcga	60
ggcgggggcg	gctccccggg	agggcccggc	ggggaacggc	cgcgatcggg	gccgcagcca	120
cgctgccgag	gcgcccgggg	accgcagggc	ggccgcgtcc	ttgctggccc	ctatggacgt	180
gggggaggag	ccgctggaga	agggcgcgcg	cgcccgcaact	gccaaggacc	ccaacaccta	240
taaagtactc	tcgctgggat	tgctcagtat	tggtttaaca	acaatacttg	gttgtaattt	300
tgggttgaaa	ccaagctgtg	ccaaagaagt	taaaagttgc	aaaggtcgct	gtttcgagag	360
aacatttggg	gaactgtcgc	tgtgatgctg	cctgtgttga	gcttgggaaa	ctgctgttta	420
ggattaccag	gggggacgtg	cataggaacc	aggaacatat	atgggacttg	caacaaattc	480
aggtgtgggt	gagaaaagg	tgaccagaag	cctctgtgcc	tgttcagatg	actgcaagga	540
ccaggggcga	ctgcctgcc	tccaacctac	agttcctgtg	tgtccaaggt	gaagaaaagt	600
tggggtagaa	agaacccatg	tgagagccat	ttaatggagc	ccacagtgcc	ccagcagggt	660

ttgaaacgcc	ctccctaccc	ctccttattt	tcctttggat	ggattcaggg	cagaatattt	720
acacacttgg	ggtggacttc	ttcctgttat	tagcaaaacta	aaaaaatgtg	gaacatatac	780
taaaaacatg	agaccggtat	atccaacaaa	aactttcccc	aatcactaca	gcattgtcac	840
cggattgtat	ccagaatctc	atggcataat	caacaataaa	atgtatgac	ccaaaatgaa	900
tgcttccttt	tcacttaaaa	gtaaagagaa	atttaatcct	gagtggtaga	aaggagaacc	960
aatttgggtc	acagctaagt	atcaaggcct	caagtctggc	acatttttct	ggccaggatc	1020
agatgtggaa	attaacggaa	ttttcccaga	catctataaa	atgtataatg	gttcagtacc	1080
atttgaagaa	aggattttag	ctgttcttca	gtggctacag	cttcctaaag	atgaaagacc	1140
acacttttac	actctgtatt	tagaagaacc	agattcttca	ggtcattcat	atggaccagt	1200
cagcagtga	gtcatcaaag	ccttgcagag	ggttgatggt	atggttggta	tgctgatgga	1260
tgggtctgaa	gagctgaact	tgcacagatg	cctgaaccctc	atccttattt	cagatcatgg	1320
catggaacaa	ggcagttgta	agaaatacat	atatctgaat	aaatatttgg	gggatgttaa	1380
aaatattaaa	gttatctatg	gacctgcagc	tcgattgaga	ccctctgatg	tcccagataa	1440
atactattca	tttaactatg	aaggcattgc	ccgaaatcct	tcttgccggg	aaccaaacca	1500
gcacttcaaa	ccttacctga	aacatttctt	acctaagcgt	ttgcactttg	ctaagatgta	1560
tagaattgag	cccttgacat	tctatttggg	ccctcagtg	caacttgcac	tgaatccctc	1620
agaaaggaaa	tattgtggaa	gtggatttca	tggctctgac	aatgtatttt	caaatatgca	1680
agccctcttt	gttggtctatg	gacctggatt	caagcatggc	attgaggctg	acacctttga	1740
aaacattgaa	gtctataact	taatgtgtga	tttactgaat	ttgacaccgg	ctcctaataa	1800
cggaaactcat	ggaagtctta	accaccttct	aaagaatcct	gtttatacgc	caaagcatcc	1860
caaagaagtg	caccccttgg	tacagtgcgc	cttcacaaga	aacccagag	ataaccttgg	1920
ctgcttcagt	aacccttcga	ttttgccgat	tgaggatttt	caaacacagt	tcaattctgac	1980
tgtggcagaa	gagaagatta	ttaagcatga	aactttaccc	tatggaagac	ctagagtctc	2040
ccagaaggaa	aacaccatct	gtcttctttc	ccagcaccag	tttatgagtg	gatacagcca	2100
agacatctta	atgccccctt	ggacatccta	taccgtggac	agaaatgaca	gtttctctac	2160
ggaagacttc	tccaactgtc	tgtaccagga	ctttagaatt	cctcttagtc	ctgtccataa	2220
atgttcattt	tataaaaaata	acaccaaagt	gagttacggg	ttcctctccc	caccacaact	2280
aaataaaaaat	tcaagtggaa	tatatcttga	agctttgctt	actacaaata	tagtgccaat	2340
gtcacagagt	tttcaagtta	tatggcgcta	ctttcatgac	accctactgc	gaaagtatgc	2400
tgaagaaaga	aatggtgtca	atgtcgtcag	tggctctgtg	tttgactttg	attatgatgg	2460
accgttgtga	ttccttaaga	gaatctgagg	caaaaaagaa	gagtcacatc	cgtaacccaa	2520
gaaaattttt	ggattcccaa	ctccacttcc	ttttattggt	gctaacaagc	tgtaaagat	2580
acatctcaga	cgcttttgca	ctgtggaaaa	cctaggacac	cctaggcttt	ccattttgcc	2640
ttcacaggga	ctggattaac	agcgagacgt	gtggtgcatg	gggaagcatg	actcctcatg	2700
gggttgaaga	attcggttaa	tgtttacaca	gagcaccgga	tcacaggatg	ttgaggcaca	2760
tcacttggac	tcagcttcta	tcaacaaaga	aaagagccag	tttcagacat	tttaaagttg	2820
aaaacacatt	tgccaacctt	tagccaagaa	gactgatatg	ttttttatcc	ccaaacacca	2880
tgaatctttt	tgagagaacc	ttatatttta	tatagtcctc	tagctacact	attgcattgt	2940
tcagaaactg	tcgaccagag	ttagaacgga	gcctcgggtg	atgcggacat	ctcagggaaa	3000
cttgcgtagt	cagcacagca	gtggagagtg	ttcctgttga	atccttgaca	tatttgaatg	3060
tgtaagcatt	gtatacattg	atcaagttcg	ggggaataaa	gacagaccac	acctaaaact	3120
gcctttctgc	ttctcttaaa	ggagaagtag	ctgtgaacat	tgtctggata	ccagatattt	3180
gaatctttct	tactattggt	aataaacctt	gatgggcatt	ggggcaaaca	gtagacttat	3240
agtaggggtg	gggtagccca	tggtatgtga	ctatctttat	gaggaatttt	aaagtgggtc	3300
tggtatctct	ttaaacttga	gtttcatttc	ttttcattgt	aatcaaaaaa	aaaaaattaa	3360
gcagaagcca	aaatactttt	gagaccttgt	ttcaatcttt	gctgtatata	ccctcgaaaa	3420
tccaagttat	taatcttatg	tgttttcggt	ttaaattttt	tgattgggag	tttctttaga	3480
ttttaatggt	tccaaaggag	ttcaactttt	gaggggacga	tctttgaata	tacttaccta	3540
ttataaaatc	ttacttttga	tttgtattt				3569

<210> 364  
 <211> 832  
 <212> DNA  
 <213> Homo sapiens

<400> 364

tccttctatg	cttattcggg	ggggcggcaa	ggcatgtttc	ccagttttta	agatcttggc	60
ccccccata	atztatgagg	accgttctgt	gtccgggcat	cagtgatggg	gcccctgcat	120
ttcgggggtg	tctttggagg	gcgtgtttgt	tgaaaaacca	cccccaacc	cctgcccgc	180
gggtcccgac	ctggccacca	tggaaagggt	tgccgatggg	ggatccgcgt	gccaggcggc	240
tccgctcccc	tgatgggggt	gccaggtctg	gactggaggg	ggaggcaggg	ggcaccctg	300
gggtgcctga	gctgttttct	ttcccatattg	gcaacagtga	cgggcgctca	gcccccgggc	360
gttctgtgca	aacgtagggt	ttcctgcggg	tcatcatgct	aggaggagg	ttgttggggg	420
tgctcgtgct	gtccttcgc	cgctctggga	tctctgcctt	gttgggggtg	tgggcgctgc	480
tgaccatggg	gctgaagggg	gggcagccct	cgactcccac	tccccgcggg	gctgcagctc	540
gccttccggc	ctggcagccg	ctcctccttc	agctccgcct	cccccgctg	cgtcgggctg	600
cgtttggggg	gcaggggtgc	aggggatggg	ccactggggg	gaggggttac	cgtttagagc	660
tggcatcacc	acggaaaccc	agaactgact	ctgggggatc	gttggaacct	gagaattcct	720
cacgtgggtt	gcaatctctg	tgtgggccat	tctgacaata	tctgtcaaaa	ttacctcaag	780
attaccaacg	cacatatact	gacttagaaa	ctccaaatca	atgacatcat	gc	832

<210> 365  
 <211> 1321  
 <212> DNA  
 <213> Homo sapiens

<400> 365

cacacactgc	accacagctc	tcccacctct	gaggccgagg	agttcgtctc	ccgcctctcc	60
accagaact	acttccgctc	cctgccccga	ggcaccagca	acatgacctc	tgggaccttc	120
aacttctctg	ggggccgggt	gatgatccct	aatacaggaa	tcagcctcct	catcccccca	180
gatgccatac	cccaggggaa	gatctatgag	atctacctca	cgctgcacaa	gccggaagac	240
gtgaggttgc	ccctagctgg	ctgtcagacc	ctgctgagtc	ccatcgttag	ctgtggaccc	300
cctgggcgtc	ctgcttacct	ggccagtcct	cctgggggtat	ggaccactgt	gggggagccc	360
agccctgaca	gctggggagcc	tgcgccctcaa	aaagcagtcg	tgcgagggca	gctggggagg	420
tgtgctgcac	ctggggcgagg	aggcgccctc	ccacctctac	tactgccagc	tggaggccag	480
tgctgcttac	gtcttcaccg	agcagctgag	ccgctatgcc	ctggtggggg	aggccctcag	540
cgtggctgcc	gccaaagcgc	tcaagctgct	tctgtttgct	ccggtggcct	gcacctccct	600
cgagtacaac	atactggtct	actgcctgca	tgacactcac	gatgactcca	acgtagtggg	660
gcagctggag	aagcagctgc	agggacagct	gatccaggag	ccactggtac	tgcacttcaa	720
ggacagttac	cacaacctgc	gcctatccat	ccacgatgtg	cccagctccc	tgtggaagag	780
taagctcctt	gtcagctacc	aggagatccc	cttttatcac	atctggaatg	gcacgcagcg	840
gtacttgca	tgacacctca	ccctggagcg	tgtcagcccc	agcactagtg	acctggcctg	900
caagctgtgg	gtgtggcagg	tggagggcga	cgggcagagc	ttcagcatca	acttcaacat	960
caccaaggac	acaaggtttg	ctgagctgct	ggctctggag	agtgaagcgg	gggtcccagc	1020
cctggtgggc	cccagtgcc	tcaagatccc	cttcctcatt	cggcagaaga	taatttccag	1080
cctggaccca	ccctgtaggc	ggggtgccga	ctggcgggact	ctggcccaga	aactccacct	1140
ggacagccat	ctcagcttct	ttgcctccaa	gccagcccc	acagccatga	tcctcaacct	1200
gtgggaggcg	cggcacttcc	ccaacggcaa	cctcagccag	ctggctgcag	cagtggctgg	1260
gactgggcca	gcaggacggg	ggcttctttc	acagtgttcg	gaggctgagt	gctgaggccg	1320
g						1321

<210> 366  
 <211> 777  
 <212> DNA  
 <213> Homo sapiens

<400> 366  
 ggggtccgctg cagggcaggt tcagcagcaa cagcagcggc gacaccagca gggaaaagtg 60  
 acagtgaat acgatcgtaa ggagcttcgg aagcggctgg tgctggagga atggatcgtg 120  
 gagcagctgg gtcagctcta cggctgcgag gaagaagaaa tgccagaggt agaaattgac 180  
 attgatgata tttttgatgc atacagtgat gaacagagag cttcaaaatt acaggaagct 240  
 cttgtgact gctacaaacc aacagaggaa tttatcaaag agctgctttc tcggataaga 300  
 ggcagtagga aactgagccc ctccgcagaa gaagagtgtg tgattctgga acagggtgaa 360  
 actctcccag agatgaagaa agagtcctgg gatttgtact tcatgaagac ttttgtgaaa 420  
 gaataggtgt ccttatgaac aacgtttttg tttttttttt ttcttttttg ggggtaaagg 480  
 tggggggggtc tattagacat ttattcaaga gcgttctttt ttgggtttta aagggtttttg 540  
 ttaatgtaat atttaatac caaaaatatc ttgactttag ccacagccta cccagggttt 600  
 atcaagggag ggggaccctc aggggaagggc cccccagggt tgcgtttcct gcagggtc 660  
 aatgtttaat tcccttatga tcccggaaaa atgtttttt tacaagaagt tgggcaaaat 720  
 ttttttccta aagttggaca ttggactcaa ttggcaaat tttcaacctg gtatttt 777

<210> 367  
 <211> 2056  
 <212> DNA  
 <213> Homo sapiens

<400> 367  
 aattatgtta gatggccggg tgccgtggct cagcctgta atctcagcac tttgggaggg 60  
 cgagatggaa gacgtcatag cacggatgca agatgaaaa aatggaattc ctattcgtac 120  
 ggtcaaaagc tttctttcca agatacctag cgtcttctct gggttcagaca ttgttcaatg 180  
 gttgataaag aacttaacta tagaagatcc agtggaggcg ctccatttgga gaacattaat 240  
 ggctgcccac ggctacttct ttccaatctc agatcatgtc ctcaactca aggatgatgg 300  
 caccctttac cggtttcaaa cccctattt ttggccatca aattgttggg agccggaaaa 360  
 cacagattat gccgtttacc tctgcaagag aacaatgcaa aacaaggcac gactggagct 420  
 cgcagactat gaggtgaga gcctggccag gctgcagaga gcatttgccc ggaagtggga 480  
 gttcattttc atgcaagcag aagcacaagc aaaagtggac aagaagagag acaagattga 540  
 aaggaagatc cttgacagcc aagagagagc gttctgggac gtgcacaggc cgtgcctgg 600  
 atgtgtaaat acaactgaag tggacattaa gaagtcatcc agaatgagaa acccccacaa 660  
 aacacggaag tctgtctatg gtttcaaaa tgatattaga agtcacagtc ctaccacac 720  
 acccacacca gaaactaaac cccaacaga atgatgtta caacaacaga taaaatttg 780  
 gcaatacacg ttagatagac atcggttaaa aatgtcaaaa gtcgctgaca gtctactaag 840  
 ttacacggaa cagtatttag aatacgaccc gtttcttttg ccacctgacc cttctaacc 900  
 atggctgtcc gatgacacca ctttctggga acttgaggca agcaaagaac cgagccagca 960  
 gagggtaaaa cgtatgggtt ttggcatgga cgaggcattg aaagaccagc ttgggagaga 1020  
 acagttcctt aaatttctag agtcagaatt cagctcggaa aatttaagat tctggctggc 1080  
 agtggaggac ctgaaaaaga ggcctattaa agaagtacc tcaagagttc aggaaatatg 1140  
 gcaagagttt ctggctccc gagccccag tgcattaac ttggattcca agagttatga 1200  
 caaaaccaca cagaacgtga aggaacctgg acgatacaca tttgaagatg ctcaggagca 1260  
 catttacaaa ctgatgaaaa gtgattcata ccacgtttt ataagatcca gtgcctatca 1320  
 ggagcttcta caggcaaaga aaagagggga aatctctcac gtccaagagg ttaacaagcc 1380  
 ttgctcagtc ttaactaaac gatcatcttg tagcatgaat gcagactgga gtcactgcac 1440  
 acactttgta gtcfaatgtt gtgacctgga gcagaggaca ttagaacaag atgttgcatg 1500  
 agcaaaggac ctaaatgtt attttttgtt gtacattcca tctccaatgg actcttccgt 1560  
 ctcaatgcct ccattccaaa ctgttgtctg ctttcttct ctttctacta tgetggatct 1620  
 gtctctcttc ctttttaaca agttcaagtg aagtaaaacc ttttctttt ttcttcttt 1680  
 ctctctctct ctctctcaaa gcttcagtta gacacacagt tcaactgaaaa ttcagtcagt 1740  
 caaaaactgg aagaactgta aaagaaaaaa gtatatatca ataagtatac atgtggcttc 1800  
 acattttatta aacaataaat tccgcacaga aagtttcatt tcaccaatgt gtcacagtca 1860  
 gaaacaaact catgtcttcg gtctgttgtc tgtacattct ccgttaatgt ttctcgcat 1920  
 tattttttata ccatatttaa agaagaaaca ctttttactc caaatgtatt aaagttgatc 1980

ccttctctgt aaatttgtgt atgtttatat tgttgtttta tctttcatta aaagatgtca 2040  
 gaatctcaaa aaaaaa 2056

<210> 368  
 <211> 460  
 <212> DNA  
 <213> Homo sapiens

<400> 368  
 ggcacgaggg actatccacg cattgtgaac cacctggacc acacctatgt cactgcgccc 60  
 caagccttca tgatgttcca gtactttgtg aagggtggtgc ccactgtgta catgaagggtg 120  
 gacggagagg tactgacgac aaatcagatc tatgtgacca gacatgagaa ggctgcctat 180  
 gtgctgatgg gcgaccaagg ccttcccgga gtcttcatcc tctatgagct ctgcgccatg 240  
 atggtgaacc tgacggagat acacacgttc ttctctctct tcttgacaat tgtgggcgct 300  
 caccataggt ggcattgttct ttgagcattt tgtcattaat tacttaaccc ataagtgggg 360  
 gcttgggttc tatttcaaaa atgaaaactc ttacagggt ggccatagga ctttatatgg 420  
 agtgaacttt tttatgtatt ggagtttacg ggggggctct 460

<210> 369  
 <211> 2355  
 <212> DNA  
 <213> Homo sapiens

<400> 369  
 gtccgtgtgg tggaaattcgc agcggcagtt cgtggtgagg gcctgggggt gcgcggggccc 60  
 ttgcggccgg gcagtccttc tggccttcgg gctagggctg ggccctcatg aggaaaaaca 120  
 ggcggagagg cggcggggcg tctcggcctg tcaggagatc caggcaattt ttaccagaa 180  
 aagcaagccg gggcctgacc cgttggacac gagacgcttg cagggccttc ggctggagga 240  
 gtatctgata gggcagtcga ttggttaagg ctgcagtgct gctgtgtatg aagccaccat 300  
 gcctacattg cccagaacc tggaggtgac aaagagcacc gggttgcttc caggagagg 360  
 cccaggtacc agtgcaccag gagaaggcca ggagcgagct ccggggggccc ctgccttccc 420  
 cttggccatc aagatgatgt ggaacatctc ggcaggttcc tccagcgaag ccattctgaa 480  
 cacaatgagc caggagctgg tcccagcgag ccagtgggcc ttggctgggg agtatggagc 540  
 agtcacttac agaaaatcca agagaggtcc caagcaacta gccctcacc ccaacatcat 600  
 ccgggttctc cgcgccttca cctcttcctg gccgtgctg ccagggggccc tggctgacta 660  
 ccctgatgtg ctgccctcac gcctccaccc tgaaggcctg ggccatggcc ggacgctggt 720  
 cctcgttatg aagaactatc cctgtaccct gcgccagtac ctttgtgtga acacaccag 780  
 cccccgcctc gccgccatga tgctgctgca gctgctggaa ggcgtggacc atctggttca 840  
 acagggcatc gcgcacagag acctgaaatc cgacaacatc cttgtggagc tggaccagga 900  
 cggctgcccc tggctggtga tcgcagattt tggctgctgc ctggctgatg agagcatcgg 960  
 cctgcagttg ccttcagca gctggtacgt ggatcggggc ggaaacggct gtctgatggc 1020  
 cccagaggtg tccacggccc gtccctggccc cagggcagtg attgactaca gcaaggctga 1080  
 tgccctggga gtgggagcca tcgcctatga aatcttcggg cttgtcaatc ccttctacgg 1140  
 ccagggcaag gccacacttg aaagccgcag ctaccaagag gctcagctac ctgcactgcc 1200  
 cgagtcagtg cctccagacg tgagacagtt ggtgagggca ctgctccagc gagaggccag 1260  
 caagagacca tctgcccag tagccgcaaa tgtgcttcat ctaagcctct ggggtgaaca 1320  
 tattctagcc ctgaagaatc tgaagttaga caagatggtt ggctggctcc tccaacaatc 1380  
 ggccgccact ttgttggcca acaggctcac agagaagtgt tgtgtggaaa caaaaatgaa 1440

gatgctcttt	ctggctaacc	tggagtgtga	aacgctctgc	caggcagccc	tcctcctctg	1500
ctcatggagg	gcagccctgt	gatgtccctg	catggagctg	gtgaattact	aaaagaactt	1560
ggcatcctct	gtgtcgtgat	ggtctgtgaa	tggtaggggt	gggagtcagg	agacaagaca	1620
gcgcagagag	ggctggttag	ccggaaaagg	cctcgggctt	ggcaaattga	agaacttgag	1680
tgagagttca	gtctgcagtc	ctgtgctcac	agacatctga	aaagtgaatg	gccaagctgg	1740
tctagtagat	gaggctggac	tgaggagggg	taggcctgca	tccacataga	ggatccaggc	1800
caaggcactg	gctgtcagtg	gcagagtttg	gctgtgacct	ttgccctaa	cacgaggaac	1860
tcgtttgaag	ggggcagcgt	agcatgtctg	atttgccacc	tggatgaagg	cagacatcaa	1920
catgggtcag	cacgttcagt	tacgggagtg	ggaaattaca	tgaggcctgg	gcctctgcgt	1980
tccaagctg	tgcttctgg	accagctact	gaattattaa	tctcacttag	cgaaagtga	2040
ggatgagcag	taagtaagta	agtgtgggga	tttaaaactg	agggtttccc	tcctgactag	2100
cctctcttac	aggaattgtg	aaatattaaa	tgcaaattta	caactgcaga	tgacgtatgt	2160
gccttgaact	gaatatttgg	ctttaagaat	gattcttata	ctctgaaggt	gagaatattt	2220
tgtgggcagg	tatcaacatt	ggggaagaga	tttcatgtct	aactaactaa	ctttatacat	2280
gatttttagg	aagctattgc	ctaaatcagc	gtcaacatgc	agtaaagggt	gtcttcaact	2340
gaaaaaaaa	aaaaa					2355

<210> 370  
 <211> 1333  
 <212> DNA  
 <213> Homo sapiens

<400> 370						
gccaggccgg	caccaggcac	agacacttat	gcccttgttg	ggagaacaga	gagaggctct	60
cttgctccact	gctgtcttc	ggttccaact	gctggttctc	ctagaggcct	ctcctcagac	120
tcgcagagct	gctgatcat	tgctacagaa	tgaactctag	cccagctggg	accccaagtc	180
cacagccctc	cagggccaat	gggaacatca	acctggggcc	ttcagccaac	ccaaatgccc	240
agcccacgga	cttcgacttc	ctcaaagtea	tcggcaaagg	gaactacggg	aaggtcctac	300
tggccaagcg	caagtctgat	ggggcggtct	atgcagtga	ggtactacag	aaaaagtcca	360
tcttaaagaa	gaaagagcag	agccacatca	tggcagagcg	cagtgtgctt	ctgaagaacg	420
tgcggcaccc	cttcctcgtg	ggcctgocgt	actccttcca	gacacctgag	aagctctact	480
tcgtgctcga	ctatgtcaac	gggggagagc	tcttcttcca	cctgcagcgg	gagcgccggg	540
tcctggagcc	ccggggccagg	ttctacgctg	ctgaggtggc	cagcgccatt	ggctacctgc	600
actccctcaa	catcatttac	agggatctga	aaccagagaa	cattctcttg	gactgccagg	660
gacacgtggg	gctgacggat	tttggcctct	gcaagggaagg	tgtagagcct	gaagacacca	720
catccacatt	ctgtgggtacc	cctgagtact	tggcacctga	agtgcctctg	gaaagagcct	780
tatgatcgag	cagtggactg	gtggtgcttg	ggggcagtc	tctacgagat	gctccatggc	840
ctgccgcctt	tctacagcca	agatgtatcc	cagatgtatg	agaacattct	gcaccagccg	900
ctacagatcc	ccggaggccg	gacagtggcc	gctgtgacc	tcctgcaaag	ccttctccac	960
aaggaccaga	ggcagcggct	gggctccaaa	gcagactttc	ttgagattaa	gaaccatgta	1020
ttcttcagcc	ccataaactg	ggatgacctg	taccacaaga	ggctaactcc	acccttcaac	1080
ccaaatgtga	caggacctgc	tgacttgaag	cattttgacc	cagagttcac	ccaggaagct	1140
gtgtccaagt	ccattggctg	taccctgac	actgtggcca	gcagctctgg	ggcctcaagt	1200
gcattcctgg	gattttctta	tgccagagag	gatgatgaca	tcttggattg	ctagaagaga	1260
aggacctgtg	aaactactga	ggccagctgg	tattagtaag	gaattacctt	cagctgctag	1320
gaagagctgt	att					1333

<210> 371  
 <211> 2457  
 <212> DNA  
 <213> Homo sapiens

&lt;400&gt; 371

agcgggccgca	gaccttgaag	ggacaccagg	agaagattcg	gcagcggcag	tccatcctgc	60
ctcctcccca	gggcccggcg	cccatccctt	tccagcaccg	cggcggggat	tccccggagg	120
ccaagaatcg	cgtgggcccc	caggtgccac	tcagcgagcc	aggtttccgc	cgtcgggagt	180
cgcaggagga	gcccggggcc	gtgctggctc	agaagataga	gaaggagacg	caaatcctca	240
actgcgccct	ggacgacatc	gagtggtttg	tggcccggct	gcagaaggca	gccgaggctt	300
tcaagcagct	gaaccagcgg	aaaaagggga	agaagaaggg	caagaaggcg	ccagcagagg	360
gcgtcctcac	actgcgggca	cggccccccc	tctgaggggc	agttcatcga	ctgcttccag	420
aaaatcaagc	tggcgattaa	cttgctggca	aagctgcaga	agcacatcca	gaaccccagc	480
gccgcggagc	tcgtgcactt	cctcttcggg	cctctggacc	tgatcgtcaa	cacctgcagt	540
ggcccagact	tcgcacgctc	cgtctcctgc	ccactgctct	cccgagatgc	cgtggacttc	600
ctgcgcggcc	acctgggtccc	taaggagatg	tcgctgtggg	agtcactggg	agagagctgg	660
atgcggcccc	gttccgagtg	gccgcgggag	ccacaggtgc	ccctctacgt	gcccgaagttc	720
cacagcggct	gggagcctcc	tgtggatgtg	ctgcaggagg	ccccctggga	ggtggagggg	780
ctggcgtctg	cccccatcga	ggaggtgagt	ccagttagcc	gacagtccat	aagaaactcc	840
cagaagcaca	gccccacttc	agagcccacc	cccccggggg	atgcctacc	accagtccag	900
tccccacata	ctcacagggg	ctaccagcca	acaccagcca	tggccaagta	cgtcaagatc	960
ctgtatgact	tcacagcccg	aaatgccaac	gagctatcgg	tgctcaagga	tgaggtccta	1020
gaggtgctgg	aggacggccg	gcagtgggtg	aagctgcgca	gccgcagcgg	ccaggcgggg	1080
tacgtgccct	gcaacatcct	aggcgaggcg	cgaccggagg	acgccggcgc	cccgttcgag	1140
caggccggtc	agaagtactg	gggccccgcc	agcccagccc	acaagctacc	cccaagcttc	1200
ccggggaaca	aagacgagct	catgcagcac	atggacgagg	tcaacgacga	gctcatccgg	1260
aaaatcagca	acatcagggc	gcagccacag	aggcacttcc	gcgtggagcg	cagccagccc	1320
gtgagccagc	cgctcaccta	cgagtcgggt	ccggacgagg	tccgcgcctg	gctggaagcc	1380
agtgcccttc	gcccgcggat	cgtggagaac	ctgggcatcc	tgaccggggc	gcagctcttc	1440
tccctcaaca	aggaggagct	gaagaaagtg	tgcggcggag	agggcgctcc	cgtgtacagc	1500
cagctcacca	tgcagaaggc	cttcctggag	aagcagcaaa	gtgggtcgga	gctggaagaa	1560
ctcatgaaca	agtttcatct	catgaatcag	aggagggggg	aggacagcta	ggcccagctg	1620
ccttgggctg	gggcctgcgg	aggggaagcc	caccacaat	gcatggagta	ttatttttat	1680
atgtgtatgt	attttgtatc	aaggacacgg	agggggtgtg	gtgctggcta	gaggtccctg	1740
ccctgtctg	gaggcacaa	gcccatacct	aggccaaaca	gtacccaagg	cctcagccca	1800
caccaagact	aatctcagcc	aaacctgctg	cttgggtggg	ccagcccctt	gtccaccttc	1860
tcttgaggcc	acagaaactc	ctggggctgg	ggcctcttcc	tctggcctcc	cctgtgcacc	1920
tgggggggtc	tggccctgt	gatgctcccc	catccccacc	cacttctaca	tccatccaca	1980
ccccagggtg	agctggagct	ccaggctggc	caggctgaac	ctcgcacaca	cgcagagttc	2040
tgctccctga	ggggggcccc	ggaggggctc	cagcaggagg	ccgtgggtgc	cattcggggg	2100
aaagtggggg	aacgacacac	acttcacctg	caagggccga	caacgagggg	gacaccgtgc	2160
cggcttcaga	cactcccagc	gccactctt	acaggcccag	gactggagct	ttctctggcc	2220
aagtttcagg	ccaatgatcc	cgcgatggtg	tgggggtgct	tggtgtgtct	tggtgcctgg	2280
acttgagtct	caccctacag	atgagaggtg	gctgagccac	cagggctaag	caattaaacc	2340
agttaagtct	caaaaaaaaa	aaaaaggggg	ggccgtttta	aagaaccctt	ggggggggccc	2400
aagttaacgc	gggctggcaa	ggtaaaagtt	ttttccttat	agggagccgt	ataaaac	2457

&lt;210&gt; 372

&lt;211&gt; 1333

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 372

aagcttggca	cgagggtctt	gtcagcagcc	cggccatttg	agcatatctt	tctgccagtt	60
acggagacag	cctcgttgtg	ctggtggcca	cagtgggtgg	tcttctggac	atctgcttca	120
tcttagtggc	tgttccagaa	tctctgcctg	agaaaatgag	accggtttcc	tggggagctc	180

agatttcttg	gaaacaagca	gacccttttg	cgctgttgaa	gaaagttgga	aaagattcta	240
ctgtcttact	aaatctgcat	caccgtgtgt	ctttcataacc	ttcctgaagc	tgggacagta	300
ttcaagtttt	ttttctctat	ctcagggcag	gtcatagggg	ttgggatctg	ttaaaattgc	360
agcattcata	gctatggtag	gaattctgtc	tattgtgggt	cagacggcct	ttcttagcat	420
cttgatgaga	tcattaggaa	ataagaatac	tgtctctctt	ggcttgggct	tccagatgct	480
ccagttagcc	tggtacgggt	ttggatcaca	ggcctggatg	atgtgggcag	cagggaccgt	540
ggctgccatg	tccagcatca	cgtttccggc	aatcagtgcc	ctcgtctctc	ggaatgcaga	600
gtcagatcag	caaggagttg	cccaggggat	cataactgga	ataagaggac	tatgcaatgg	660
cctggggcca	gcactgtatg	gcttcatatt	ctacatgttc	catgtggaac	tgactgagtt	720
gggcccga	ttgaattcta	acaacgttcc	cctgcaggga	gctgtcatcc	cagggccgcc	780
gtttttat	ggggcatgta	tagtccttat	gtcttttctg	gctgccttat	tcattcctga	840
atacagtaaa	gccagtggag	ttcaaaaaca	cagtaacagc	agcagcggca	gcctgacca	900
caccccagaa	cggggcagtg	atgaggacat	tgagccacta	ctgcaagaca	gcagcatctg	960
ggagctctct	tcatttgagg	agcctgggaa	tcagtgcact	gagctgtaaa	ctcggcagaa	1020
agtgggattc	tgcatacgcc	atctctgaga	gccatggagg	gagccacacc	cctggtgact	1080
tcatgggtct	ggatgggaga	cgctagcggc	atccttcagg	gccaagtttg	ataaatacca	1140
ccgccatcat	tctgtctatc	ctcctcctgt	tttttttttt	ctcttacatt	cttttttttt	1200
tcccggttaa	tccttaaaac	cagaaaaaaa	ttggaaaaac	ttctttgcaa	aaagggggca	1260
actcccaggg	ggaacctcaa	ataaaaaaag	catctctttg	tgaaaaaagg	agggcttcct	1320
tgaagagaca	aaa					1333

<210> 373  
 <211> 2578  
 <212> DNA  
 <213> Homo sapiens

<400> 373						
atggcggcag	gcctggccac	gtggctgcct	tttgctcggg	cagcagcagt	gggctggctg	60
cccctggccc	agcaaccctt	gcccccgga	ccgggggtga	aggcatctcg	aggagatgag	120
gttctggttg	tgaacgtgag	cggacggcgc	tttgagactt	ggaagaatac	gctggaccgc	180
taccagaca	ccttgctggg	cagctcggag	aaggaattct	tctacgatgc	tgactcaggc	240
gagtacttct	tcgatcgcga	ccctgacatg	ttccgccatg	tgctgaactt	ctaccgaacg	300
gggcggctgc	attgcccacg	gcaggagtgc	atccaaggcct	tcgacgaaga	gctggctttc	360
tacggccttg	ttcccagact	agtccgtgac	tgctgccttg	aagagtatcg	ggaccgaaag	420
aaggagaatg	ccgagcgcct	ggcagaggat	gaggaggcag	agcaggccgg	ggacggccca	480
gccctgccag	caggcagctc	cctgcggcag	cggctctggc	gggccttcga	gaatccacac	540
acgagcaccc	cagccctcgt	tttctactat	gtgaccggct	tcttcatcgc	cgtgtcggtc	600
atcgccaatg	tggtggagac	catcccatgc	cgcggctctg	cacgcaggtc	ctcaaggagg	660
cagccctgtg	gcgaacgctt	cccacaggcc	ttttctgca	tggaacacagc	ctgtgtactc	720
atattcacag	gtgaatacct	cctgcggctg	tttgccgccc	ccagccgttg	ccgcttcctg	780
cggagtgtca	tgagcctcat	cgacgtgggt	gccatcctgc	cctactacat	tgggcttttg	840
gtgcccaaga	acgacgatgt	ctctggcgcc	tttgtcacc	tgctgtgtgt	ccgggtgttt	900
cgcatcttca	agttctccag	gcactcacag	ggcttgagga	ttctgggcta	cacactcaag	960
agctgtgcct	ctgagctggg	ctttctcctc	ttttccctaa	ccatggccat	catcatcttt	1020
gccactgtca	tgttttatgc	tgagaagggc	acaaacaaga	ccaactttac	aagcatccct	1080
gggccttctt	ggtataccat	tgtaaccatg	accacgcttg	gctacggaga	catgggtccc	1140
agcaccattg	ctggcaagat	tttcgggtcc	atctgctcac	tcagtggcgt	cttggtcatt	1200
gccctgcctg	tgccagtcac	tgtgtccaac	tttagccgca	tctaccacca	gaaccagcgg	1260
gctgacaagc	gccgagcaca	gcagaagggtg	cgcttggcaa	ggatccgatt	ggcaaagagt	1320
ggtaccacca	atgccttccct	gcagtacaag	cagaatgggg	gccttgagga	cagcggcagt	1380
ttgcagggaac	aggctgtttg	tgtaaggaa	cgttctgcct	ttgaacagca	acatcaccac	1440
gtctgcact	gtctagagaa	gacaacgtgc	catgagttca	cagatgagct	caccttcagt	1500
gaagcccttg	gagccgtctc	gccgggtggc	cgcaccagcc	gtagcacctc	tgtgtcttcc	1560
cagccagtgg	gacccggaag	cctgctgtct	tcttgctgcc	ctcgcagggc	caagcggcgc	1620
gccatccgcc	ttgccaaact	cactgcctca	gtcagccgtg	gcaggcatgc	aggagctgga	1680
catgctggca	gggcttgccg	aggagccatg	ccccttcaga	gccgtccag	ccttcaatgc	1740



caagcccat	gacagccttg	acctgaactg	cgacagcggg	ggacttcgtg	gctgccatta	1800
tcagcatccc	taccctcct	gccaacaccc	cagatgagag	ccaaccttcc	tccctggcg	1860
gcggtggcag	ggcggcagc	accctcagga	actccagcct	gggtaccct	tgctcttcc	1920
ccgagactgt	caagatctca	tccctgtgag	gggtaggcct	gctgattcag	agggtcctct	1980
tcatttttgg	gaactccttt	ccaaagccat	atttttggga	ggcagagagg	ggcaggcttg	2040
ggcaccctt	ctgcccccc	cactgagaac	tatgcaatgg	agtttcatga	aatgggtccac	2100
atagtgggga	agtagccagg	aaatgagaaa	cttcctcca	cccagacat	tttctctgg	2160
gggagctgaa	gcactgggct	tccacaggcc	cctggcctcc	ttgccctagc	acactgggac	2220
tggccccact	ctccagctg	gactcctgca	tgctcctccc	cttgggctct	cagatgaagg	2280
caaagctttg	atccgacatc	tgagctctag	cctaagaagg	agagttgaga	tttctctctc	2340
cctctggctg	ggatatggag	ctttggagg	tcagagaaga	gaacctcac	ctctgatctg	2400
gcctctacga	gaggtcctca	tctccatctg	gcccacaat	tcccagattc	tgaagcttgg	2460
gaatgcaaac	acaggcttca	tggggctgtg	gccttctggc	aggcgacctg	ccatccccag	2520
ggccttgct	gagggggttc	aggcttgct	tttcccaaca	cacactcaga	taggcaca	2578

<210> 374  
 <211> 664  
 <212> DNA  
 <213> Homo sapiens

<400> 374						
tgaggctggg	gcaagccttt	taaggactgg	accacgggtg	ggcaggatac	cgggggagaa	60
cccgccctgt	tagttggggc	tggggagggc	cgcgaccga	gactaaattg	tccttccggg	120
cagatccgct	caccaggccc	tggcgacctg	agcatctacg	acaactggat	ccggtacttc	180
aaccgcagca	gcccgggtga	cggcctggtc	cccagagcaa	gacttcagcc	aggatctacc	240
ccacctacca	cacagccttt	gacacctttg	actatgtgga	caagtttttg	gaccgggtg	300
aggagggaga	caaggggcat	cctgagacca	ggacaggaga	ggctgaagac	tgagccctgg	360
ccttgtcacc	ttgccgcagg	cttcagcagc	catcaggctg	tggcccggac	agcggggagt	420
tgattctcc	ggctcagtga	cagcttcttc	ctgcccctca	aagtcagtga	ctacagtgg	480
acactccgca	gcttcctgca	ggcagcccag	caagatcttg	gggccctgct	ggagcagcac	540
agcatcagcc	tggggcctct	ggtgactgca	gtggagaagt	ttgaggcaga	agctgcagcc	600
ttggggcaac	gcataatcaac	actgcagaag	ggcagccctg	accccctgca	ggtccggatg	660
ctca						664

<210> 375  
 <211> 1495  
 <212> DNA  
 <213> Homo sapiens

<400> 375						
ggaattcgag	gcgggggcag	cctcgccagc	gggggccccg	ggcctggcca	tgccctactg	60
agccagcgcc	tgcgctctca	cctcgccgac	agctggaacc	agtgcgacct	agtggctctc	120
acctgcttcc	tcctgggcgt	gggctgccgg	ctgaccccg	gtttgtacca	cctgggcgcg	180
actgtcctct	gcctcgactt	catggttttc	acgggtcgcg	tgcttcacat	cttcacggtc	240
aacaaacagc	tggggcccaa	gatcgctcgc	gtgagcaaga	tgatgaagga	cgtgttcttc	300
ttctcttct	tcctcggcgt	gtggctggta	gcctatggcg	tggccacgga	ggggctcctg	360
aggccacggg	acagtgactt	cccaagtatc	ctgcgcgcg	tcttctaccg	tccctacctg	420
cagatcttcc	ggcagattcc	ccaggaggac	atggacgtgg	ccctcatgga	gcacagcaac	480

tgctcgctgg	agccccggctt	ctgggcacac	cctcctgggg	cccaggcggg	cacctgcgtc	540
tcccagtatg	ccaactggct	ggtggtgctg	ctcctcgtca	tcttcctgct	cgtggccaac	600
atcctgctgg	tcaacttgct	cattgccatg	ttcagttaca	cattcggcaa	agtacagggc	660
aacagcgatc	tctactggaa	ggcgagcgt	taccgcctca	tccgggaatt	ccactctcgg	720
cccgcgctgg	ccccgccctt	tatcgtcatc	tcccacttgc	gcctcctgct	caggcaattg	780
tgcaggcgac	cccggagccc	ccagccgtcc	tccccggccc	tcgagcattt	cggggtttac	840
ctttctaagg	aagccgagcg	gaagctgcta	acgtgggaat	cgggtgcataa	ggagaacttt	900
ctgctggcac	gcgctagggg	caagcgggag	agcgactccg	agcgtctgaa	gcgcacgtcc	960
cagaagggtg	acttggcact	gaaacagctg	ggacacatcc	gcgagtacga	acagcgcctg	1020
aaagtgcctg	agcgggaggt	ccagcagtg	agccgcgtcc	tgggggtggg	ggccgaggcc	1080
ctgagccgct	otgccttgct	gccccaggt	gggcccgcac	cccctgacct	gcctgggtcc	1140
aaagactgag	ccctgctggc	ggacttcaag	gagaagcccc	cacaggggat	tttgctccta	1200
gagtaaggct	catctgggccc	tgggcccccg	cacctggtgg	ccttgctcctt	gaggtgagcc	1260
ccatgtccat	ctgggccact	gtcaggacca	cctttgggag	tgatcatcctt	acaaaccaca	1320
gcatgcccgg	ctcctcccag	aaccagtccc	agcctgggag	gatcaaggcc	tggatcccgg	1380
gccgttatcc	atctggaggc	tgcagggtcc	ttggggtaac	agggaccaca	gaccctcac	1440
cactcacaga	ttcctcacac	tggggaaata	aagccatttc	agaggaaaaa	aaaaa	1495

<210> 376  
 <211> 373  
 <212> DNA  
 <213> Homo sapiens

<400> 376						
gcctcataaa	actctgcaaa	tctaaggcca	aaagctgtga	aatgacctt	gaaatgggca	60
tgtgaattc	caaattcaag	aagactcgct	accaggctgg	catgaggaat	tctgaaaatc	120
tgacagcaaa	taacactttg	agcaagccca	ccagatacca	ggcgagctga	aggaaatcaa	180
gcaagatatc	tccagcctgc	gctatgagct	tcttgaggaa	aatctcaag	ctactggtga	240
gctggcagac	ctgattcaac	aactcagcga	gaagtttgga	aagaacttaa	acaaagacca	300
cctgagggtg	aacaagggca	aagacattta	gcagcccaca	tcggcgtctg	tgacttctac	360
cagcattcca	agg					373

<210> 377  
 <211> 2867  
 <212> DNA  
 <213> Homo sapiens

<400> 377						
cttcctcttc	tccacgcagg	cttcaacagg	agatttatgg	agaatagcag	cataattgct	60
tgtataaatg	aactgattca	aatagaacat	ggggaagttc	gctcccagtt	caaattacgg	120
gcctgtaatt	cagtgtttac	agcattagat	cactgtcatg	aagccataga	aataacaagc	180
gatgaccacg	tgattcagta	tgtcaacca	gccttcgaaa	ggatgatggg	ctaccacaaa	240
ggtgagctcc	tgggaaaaga	actcgctgat	ctgccccaaa	gcgataagaa	ccgggcagac	300
cttctcgaca	ccatcaatac	atgcatcaag	aagggaaagg	agtggcaggg	ggtttactat	360
gccagacgga	aatccgggga	cagcatccaa	cagcacgtga	agatcacccc	agtgattggc	420
caaggaggga	aaattaggca	ttttgtctcg	ctcaagaaac	tgtgtgtgac	cactgacaat	480
aataagcaga	ttcacaagat	tcatcgtgat	tcaggagata	attctcagac	agagcctcat	540
tcattcagat	ataagaacag	gaggaaagag	tccattgacg	tgaaatcgat	atcatctcga	600

ggcagtgatg	caccaagcct	gcagaatcgt	cgctatccgt	ccatggcgag	gatccactcc	660
atgaccatcg	aggctcccat	cacaaagggt	ataaatataa	tcaatgcagc	ccaagaaaac	720
agcccagtca	cagtagcgga	agccttggac	agagttctag	agatttttacg	gaccacagaa	780
ctgtactccc	ctcagctggg	taccaaaagat	gaagatcccc	acaccagtga	tcttgtttgga	840
ggcctgatga	ctgacggcct	gagaagactg	tcaggaaacg	agtatgtgtt	tactaagaat	900
gtgcaccaga	gtcacagtca	ccttgcaatg	ccaataacca	tcaatgatgt	tcccccttgt	960
atctctcaat	tacttgataa	tgaggagagt	tgggacttca	acatctttga	attggaagcc	1020
attacgcata	aaaggccatt	ggtttatctg	ggcttaaaag	tcttctctcg	gtttggagta	1080
tgtgagtttt	taaactgttc	tgaaaccact	cttcgggcct	ggttccaagt	gatcgaagcc	1140
aactaccact	cttccaatgc	ctaccacaac	tccacccatg	ctgccgacgt	cctgcacgcc	1200
accgctttct	ttcttggaag	ggaaagagta	aaggggaagc	tcgatcagtt	ggatgaggtg	1260
gcagccctca	ttgctgccac	agtccatgac	gtggatcacc	cggaagggac	caactctttc	1320
ctcctgcaat	gcaggcagtg	agcttgctgt	gctctacaat	gacacctgct	gttcctggag	1380
agtcaccaca	ccgccctggc	cttcagcct	cacggccaag	gacacccaaa	tgcaacattt	1440
tcaagaatat	tgacaaggga	accattatcg	aacgctgcgc	caggctatta	ttgacatggt	1500
tttggaaca	gagatgacaa	aacactttga	acatgtgaat	aagtttgtga	acagcatcaa	1560
caagccaatg	gcagctgaga	ttgaaggcag	cgactgtgaa	tgcaaccctg	ctgggaagaa	1620
cttccctgaa	aaccaaattc	tgatcaaacg	catgatgatt	aagtgtgctg	acgtggccaa	1680
cccatgccgc	cccttggaac	tgtgcattga	atgggctggg	aggatctctg	aggagtattt	1740
tgacacagact	gatgaagaga	agagacaggg	actacctgtg	gtgatgccag	tgtttgaccg	1800
gaatacctgt	agcatcccca	agtctcagat	ctctttcatt	gactacttca	taacagacat	1860
gtttgatgct	tgggatgcct	ttgcacatct	accagccctg	atgcaacatt	tggctgacaa	1920
ctacaaacac	tgaagacac	tagatgacct	aaagtgcaca	agtttgaggc	ttccatctga	1980
caggctaaag	ccaagccaca	gagggggcct	cttgaccgac	aaaggacact	gtgaatcaca	2040
gtagcgtaaa	caagaggcct	tcctttctaa	tgacaatgac	aggtatttgt	gaaggagcta	2100
atgtttaata	tttgaccttg	aatccattcc	aagtcacca	aatttccatt	ccttagaaaag	2160
ttatgttccc	atgaagaaaa	atataatgtt	cttttgaaata	cttaaatgac	agaacaaata	2220
cttgggcaaa	ctccctttgc	tctgcctgtc	atccctgtgt	acccttgtca	atcccatggg	2280
ggctggttca	ctgtaactag	caggccacag	ggaaggcaaa	gccttgggtg	cctgtgagct	2340
catctcccgc	gatgggtgac	taagtaggct	taggctaggt	gatcagctca	tcctttacca	2400
taaaagtcac	cattgctgtt	tagcttgact	gttttcctca	agaacatcga	tctgaaggat	2460
tcataaggag	cttatctgaa	cagattttatc	taagaaaaaa	aaaaaaccca	cttaaaatag	2520
gggaagcaac	taggaccaaa	ttacagataa	actagtttagc	ttcacagcct	ctatggctac	2580
atggtttcttc	tggccgatgg	tatgacacct	aagttagaac	acagccttgg	ctggggggtg	2640
ccctctctag	actggtatca	gcagcctgtg	taaccctttt	cctgtaaaag	gggttcacat	2700
taacaaagtc	atccatgatg	agggaaaaag	tggcattttca	tttttgggga	atccatgagc	2760
ttccttttatt	tctggctcac	agaggcagcc	acgaggcact	acaccaagta	ttatataaaa	2820
gccattaaat	ttgaatgccc	ttggacaagc	ttttcttaaa	aaaaaaa		2867

<210> 378  
 <211> 8053  
 <212> DNA  
 <213> Homo sapiens

<400> 378						
gctttctctt	ctaaagtaga	agaggatgat	tatccctctg	aagaactact	agaggatgaa	60
aacgctataa	atgcaaaacg	gtctaaagaa	aaaaaccctg	ggaatcaggg	caggcagttt	120
gatgttaatc	tgcaagtccc	tgacagagca	gttttaggga	ccattcatcc	agatccagaa	180
attgaagaaa	gcaagcaaga	aactagtatg	attttgata	gtgaaaaaac	aagtgaagact	240
gctgccaaag	gggtcaacac	aggaggcagg	gaaccaaata	caatgggtgga	aaaagaacgc	300
cctctggcag	ataagaaagc	acagagacca	tttgaaacga	gtgacttttc	tgacagcata	360
aaaattcaga	ctccagaatt	aggtgaagtg	tttcagaata	aagattctga	ttatctgaag	420
aacgaacaac	ctgaggaaca	tctgaagacc	tcaggggcttg	caggggagcc	tgaggagaaa	480
ctctcaaaag	aggaccatga	gaacacagag	aagtacatgg	gcacagaaag	ccaggggtct	540
gctgctgcag	aacctgaaga	tgactcgttc	cactggactc	cacatacaag	tgtagagcca	600
gggcatagtg	acaagaggga	ggacttactt	atcataagca	gcttctttaa	agaacaacag	660

tctttgcagc	ggttccagaa	gtactttaat	gtccatgagc	tggaagcctt	gctacaagaa	720
atgtcatcaa	aactgaagtc	agcgcagcag	gagagcctgc	cctataatat	ggaaaaagtc	780
ctagataagg	tcttccgtgc	ttctgagtc	caaattctga	gcatagcaga	aaaaatgctt	840
gatactcgtg	tggctgaaaa	tagagatctg	ggaatgaacg	aaaataacat	atttgaagag	900
gctgcagtcg	ttgatgacat	tcaagacctc	atctatcttg	tcaggtaaca	gcaactccaca	960
gcagaggaga	cagccacact	ggatgaggca	ccacctctag	aggaaggctt	gggtggagca	1020
atggaagaga	tgcaaccact	gcatgaagat	aatttctcac	gagagaagac	agcagaactt	1080
aatgtgcagg	ttcctgaaga	acccaccac	ttggaccaac	gtgtgattgg	ggacactcat	1140
gcctcagaag	tgtcacagaa	gccaaatact	gagaaagacc	tggaccagag	gccagttaca	1200
acagaagaca	ctcctatgga	tgctattgat	gcaaacaagc	aaccagagac	agccgccgaa	1260
gagccggcaa	gtgtcacacc	tttggaatac	gcaatccttc	taatatattc	attcatgttt	1320
tatttaacta	agtcgctagt	tgctacattg	cctgatgatg	ttcagcctgg	gcctgatttt	1380
tatggactgc	ctggaaacc	tgattttatc	actgccttct	tggaatttgc	ttcgtttgccc	1440
attttcttat	ggagaactgt	ccttggtgtg	aggatagag	tatatcaagt	cacggaacag	1500
caaatttctg	agaagttgaa	gactatcatg	aaagaaaata	cagaacttgt	acaaaaattg	1560
tcaaatatg	aacagaagat	caaggaatca	aagaaacatg	ttcaggaaac	caggaaacaa	1620
aatatgatcc	tctctgatga	agcaattaaa	tataaggata	aatcaagac	acttgaaaaa	1680
aatcaggaaa	ttctggatga	cacagctaaa	aatcttcgtg	ttatgctaga	atctgagaga	1740
gaacagaatg	tcaagaatca	ggacttgata	tcagaaaaca	agaaatctat	agagaagtta	1800
aaggatgtta	tttcaatgaa	tgccctcagaa	ttttcagagg	ttcagattgc	acttaaatgaa	1860
gctaagctta	gtgaagagaa	ggatgagctc	gaatgccatc	gggttcaaga	agaaaatgct	1920
aggettaaga	agaaaaaaga	gcagttgcag	caggaaatcg	aagactggag	taaattacat	1980
gctgagctca	gtgagcaaat	caaatcattt	gagaagtctc	agaaagattt	ggaagtagct	2040
cttactcaca	aggatgataa	tattaatgct	ttgactaact	gcattacaca	gttgaatctg	2100
ttagagtgtg	aatctgaatc	tgagggtcaa	aataaagggtg	gaaatgattc	agatgaatta	2160
gcaaatggag	aagtgggagg	tgaccggaat	gagaagatga	aaaatcaaat	taagcagatg	2220
atggatgtct	ctcggacaca	gactgcaata	tcggtagttg	aagaggatct	aaagctttta	2280
cagcttaagc	tcagagcct	ccgtgtccac	taaatgtaaa	cctggaagac	caggtaaaga	2340
aattggaaga	tgaccgcaac	tcactacaag	ctgccaaagc	tggaactggaa	gatgaatgca	2400
aaaccttgag	gcagaaagtg	gagattctga	atgagctcta	tcagcagaag	gagatggctt	2460
tgcaaaagaa	actgagtcaa	gaagagtatg	aacggcaaga	aagagagcac	aggctgtcag	2520
ctgcagatga	aaaggcagtt	tcggctgcag	aggaagttaa	aacttacaag	cggagaattg	2580
aagaaatgga	ggatgaatta	cagaagacag	agcggtcatt	taaaaaccag	atcgctaccc	2640
atgagaagaa	agctcatgaa	aactggctca	aagctcgtgc	tcagaaaaga	gctatagctg	2700
aagagaaaag	ggaagctgcc	aatttaagac	acaaattatt	agatttaaca	caaaagatgg	2760
caatgctgca	agaagaacct	gtgattgtaa	aaccaatgcc	aggaaaacca	aatacacaaa	2820
acctccacg	gagaggtcct	ctgagccaga	atgggtcttt	tgccccatcc	cctgtgagtg	2880
gtggagaatg	ctccccctca	ttgacagtgg	agccaccctg	gagacctctc	tctgctactc	2940
tcaatcgaag	agatatgcct	agaagtgaat	ttggatcatt	ggacgggctt	ctacctcatc	3000
ctcgatggtc	agctgaggca	tctgggaaac	cctctccttc	tgatccaggc	tctggtacag	3060
ctaccatgat	gaacagcagc	tcaagaggct	cttcccctac	cagggtactc	gatgaaggca	3120
aggttaatat	ggctccaaaa	gggccccctc	ctttcccagg	agtcctctct	atgagcacc	3180
ccatgggagg	ccctgtacca	ccaccatttc	gatatggacc	accacctcag	ctctgaggac	3240
cttttggggc	tcggccactt	cctccaccct	ttggccctgg	tatgcgtcca	ccactgggct	3300
taagagaatt	tgaccaggcg	gttccaccag	gaagacggga	cctgcctctc	caccctcggg	3360
gattttttacc	tggaacacgca	ccatttagac	cttttaggtt	acttggccca	agagagtact	3420
ttattccttg	taccggatta	ccacccccaa	cccatggctc	ccaggaatac	ccaccaccac	3480
ctgctgtaag	agacttactg	ccgtcaggct	ctagagatga	gcctccacct	gcctctcaga	3540
gcactagcca	ggactgttca	caggctttta	aacagagccc	ataaaactat	gacctctgag	3600
gtttcattgg	aaagaaagtg	tactgtgcat	tatccattac	agtaaaaggat	ttcattggct	3660
tcaaaatcca	aaagtttatt	ttaaaagggt	tgttgttaga	actaaagtgc	cttggcagtg	3720
tgcatttttg	agccaaacaa	ttcaaaaatg	tcatttcttc	cctaaataaa	aatcaccttt	3780
taagctagag	cgtccttaca	actttgaaat	gtgcaataaa	gaatacctgt	gttttagcta	3840
atgtagcata	tgtaattgca	aaatgattta	gaatgtcatg	aaaaatatga	acatttctctg	3900
tggaatgct	ttaagaacat	gtattttccat	tatcctattt	ttagtgtaca	ccagctgaat	3960
acggagcaat	ggtgtttata	agcgtttttt	taaactatct	ggtcacaaag	actgttacgc	4020
taaaaatgtt	tactaaaaga	tcactaaact	atctcccctc	ttgctgaagt	tctttgtagt	4080
aatagctcat	aaaaatttgt	ttatttaatat	ttcccagggt	tctgttgact	cattgactctg	4140
ttatgaggct	tgtgccattt	ggggaacatg	taaactcagg	ctcccagaac	tgaagatggg	4200
ggctgggtgg	acacttccgg	ctgctcctcc	gtcacctgtg	aactctacaa	gtgacgtctt	4260
tttatttcaa	agaagtttta	tttcccact	tgtaaatgca	ttccacatgc	ctttccttta	4320
cgatcctcat	tgctctattt	gagaatgggt	ttcctgagag	tgagtttacc	attagtagcc	4380
aagagtgtgt	tgaccctgat	gttcccattg	tttttaccca	ttcctgttag	aaaaagggtg	4440
ccacaacaga	aaaatgaaaa	tgatgtgtca	tgcccgtaaa	agtatagaaa	tctttaaaaa	4500

ttttaaaatg	tacagtcctt	tatctatctt	tcccatctct	tgccactgat	ttttgaggaa	4560
tataataaaa	agattggaag	agtataatgc	catgagaaa	aatgatttag	gactgtgagg	4620
gttataacat	gccctagggtc	agcaaccaag	gggttgaaatc	agttctgttt	tagggggaaa	4680
tggtggggggc	gacagatatt	attccaaaat	taatattaat	taatatttaa	acgttggtgt	4740
ttttatttta	aatcagtaa	ctaacctct	ggaattgcac	catacttaaa	gtcttatcca	4800
ttactacact	gtctttaaaa	caatgtttct	ttaaatactc	tacaacgttt	ctaagaacga	4860
acttcagaca	ttttaattac	agtaataata	gcactccttt	taaggagttt	cagatccaca	4920
ctaaaactaa	aatcataaaa	ggctgatact	tttgtttgct	gctaggctat	attcttccat	4980
tctttgaagt	cctatgatgt	aataattttg	aaacctagt	tatgtcttgt	cactgttgtg	5040
atattttaatc	gattaagaat	accttgtaaa	aaggagcaaa	agcttcaatg	tgaacaatt	5100
ttctctcttt	atactaaaca	actgaagata	gatagtttag	aaagataagg	acctttgaaa	5160
gaagacaact	ctgtcaaagt	tcataaggaa	tataaaaatt	cttcaggaaa	agagaattca	5220
atctatatgt	cctcccggtt	aatatcaaga	atagaagaaa	ttaagaggaa	aactccacag	5280
aagagcatag	gccactttta	gccatgtaaa	aataagatta	agtcacaaat	acaacttttg	5340
aattttacctg	tcaatatctc	tttaggcac	aaaacaatgc	tgaagttaat	ataatttcta	5400
atttttaagt	tcattttaagt	gtagattatg	ccatctagga	aggtaagtag	gaaaggtaaa	5460
ttaaatctat	ttttaaaatt	caaaatatta	gagtattttt	ccctctaaa	gccttttttg	5520
gtgattatct	tgtatctgac	ataattgaga	aactggtaag	ctgtaaagat	tccagtgtag	5580
cttctctgag	aagttgtgag	ccagtccata	actgtctcct	cacatccatc	tgatttgcac	5640
ccatttcctg	cagcaaaccc	cccaaagcag	gggtgcccac	tatgccagat	gggccatagg	5700
ggagtatcat	cccctcagcc	caaatcacct	tttcccaccc	tcctaaagt	tccatctgat	5760
tttggaagtg	catctccaac	taattgtgtc	tggatttagt	tgctaaaatt	gtcttattta	5820
tttatgaagc	agcaatatto	agcctgaaag	catttctgcc	atagttgttg	tagttatata	5880
gccaatggct	gatttttttc	attggaaagt	aaatttaagt	aattcgtggg	atgtggtata	5940
ttctgtgtca	acttcaagat	aatcactcat	tttctcgtta	tattcagggtc	tgaattaaag	6000
ttaagttaat	caccagtggt	tcaatttaag	cttctttaat	gttgatgaaa	ggtattttgt	6060
gttcatataa	actatactta	tgtgaaggat	agcagatgct	tcatataaat	tatcattttg	6120
atatacatat	cttatgggtt	atgagaaaag	agaaaaata	atacatcggt	tttgctacac	6180
tttaattgggt	ttttttttta	agggattttt	tttcaggctt	tgtcagcaac	atcaaacaaa	6240
agggtactgag	tactccacag	ggtagacagt	gctgccaagc	accttagaaa	aattacatga	6300
cacggagaaa	atgcgcctct	tgctccttga	agagcttaca	gtctagggat	ttgacaactc	6360
acagtcttag	gaactgggca	aagtaaggca	aattcttcat	cccctagagc	tattgtggac	6420
tgaatcattt	tagaattttg	aattaatcca	atcaagatga	gagacaagac	taaatttggc	6480
tgagaattca	ttcaggctcg	catagttttt	attaacatcc	gtctagttaa	cagaatggac	6540
ctaacagaca	actgaaagta	aagactagat	ctcttgaagt	gcaagggtca	caacaactta	6600
attgtgggtta	cttattttaa	aaagcaaaac	gttagaatgg	tatgactagg	gtgactacac	6660
tagtttaaaa	ataggccagg	tactgacact	gcattccctt	catgcattgc	tcatttaaaa	6720
tagtgaatat	taaaatatgt	gggctttaca	tctaaccac	agaaagccca	ccgcaaatgt	6780
tctgtgtatc	aaatatccac	ctcatgtgta	ctatgaaagt	tttatattatg	ccccattaag	6840
tcaaaagtaa	attatagtaa	gctaattgacc	tgcatatttt	catatggatg	aatgtcagta	6900
tatctaaata	ggaataaat	ggcgatccta	tctacctata	taaaaaaaat	agaatatctt	6960
tccagatttt	gcatactcct	cactgtaaga	agaggtagtc	aggttttaag	gtttcacaat	7020
cagttgtcag	aaaaacagca	gttatgcctg	cagtatctcg	ttagcatctg	actcaattat	7080
tttttagatta	catgttttag	aagacattgt	aaacctctct	aaaactttgt	aattattttg	7140
agatggttcc	aatgttaacc	ctagaatcat	catcagaaag	agtaacaatg	tgatgtagaa	7200
gaacagctaa	tcgacatgac	taaaaatatg	ctcattttca	gaaaaacaat	ctgggtcatct	7260
ggaaacaatc	acagctacaa	cctagggaac	actcccaggt	gggatactga	tctggccaag	7320
gcacactttc	taagcaggaa	aactatcaga	tcagggtgaa	tttaggccac	ttcagagggtg	7380
ctgcctataa	acatccagac	agaccttctt	aggcagcaga	actgggtcca	ttcctctcaa	7440
agcagtttga	cactacccta	cccacatcaa	cccaaagctt	gacgttaagt	caaaagagca	7500
tattggagca	aaagtgaaca	gatgtgtaaa	ctctagcaca	ttcttattgc	tgtattaaagt	7560
ctgaagatga	gcacatccta	cccacaacag	tattgttcca	ggaagcaggg	taggagtagt	7620
ggtaaattag	aaaatagact	attaattgca	caattaatag	aaaagtaaaa	acatgtttca	7680
aaatctacaa	taaacctgta	tcccaggag	tcctatacgt	cagtgatgatg	tgctggactc	7740
tgaattctgt	ggtacagctt	tgcatgggac	tccgtccggc	ctactgggtct	gggtacggct	7800
tgcttctctg	ctgttgaagg	gtgaatatgc	tacacagagc	tatgatgggt	tctactgagt	7860
ggtaaaattc	acagaagttc	cagggtcatc	atgtcaggat	cattccttgt	gcaaagtttg	7920
atgtagatga	agataaagtg	gtttcttggt	caataattgc	aatttcttct	ttttaaagtc	7980
agtgggttct	ttgtatagtt	ctattacaat	tggcccagggt	ttaatttcat	ccatctccat	8040
gaaagcaaaa	cac					8053

<210> 379  
 <211> 4455  
 <212> DNA  
 <213> Homo sapiens

<400> 379

agatggctgc	cgacagtgcg	cccgaatccg	aggtatttga	gatcacggac	ttcaccactg	60
cctcggaatg	ggaaagggtt	atttccaaag	ttgaagaagt	cttgaatgac	tggaaactga	120
ttggaaactc	tttgggaaag	ccactcgaaa	agggtatatt	tacttctggc	acatgggaag	180
agaaatcaga	tgaattttcc	tttgctgact	tcaagttctc	agtcactcat	cattatcttg	240
tacaagagtc	cactgataaa	gaaggaaagg	atgagttatt	agaggatgtt	gttcacacat	300
ctatgcaaga	tttgctgggt	atgaataatg	actttcctcc	aagagcacat	tgcttggtta	360
gatgggtatg	gctacgtgag	ttcgtggtga	ttgcccctgc	tgacacacag	gacgctgttc	420
tcagcgaatc	taagtgcac	cttcttctga	gttctgtttc	tattgccttg	ggaaacactg	480
gctgtcaggt	gccactcttt	gtgcaaatc	accacaaatg	gcgaagaatg	tatgtaggag	540
aatgtcaagg	tcctgggtga	cgaactgatt	tcgaaatggt	tcactcttaga	aaagtgcac	600
atcagtaac	tcacttatca	ggtctgctgg	atatcttcaa	atcaaagatt	ggatgtcctt	660
taactccatg	gcctccagtt	agtattgcta	ttcgatttac	ctatgtactt	caagattggc	720
agcagtattt	ttggcctcag	caacctccag	acatagatgc	ccttgtagga	ggagaagttg	780
gaggcttgga	gtttggcaag	ttaccatttg	gtgcctgcga	agatcctatt	agtgaactcc	840
atthagctac	tacatggcac	tcactctgac	gaagggatca	ttgtggataa	tgatgtttat	900
tctgatttgg	atcctattca	agctccacat	tggtctgtta	gagttcgaaa	agctgagaat	960
cctcagtgtt	tgctaggtga	ttttgtcact	gaatttttta	aaatttgccg	tcgaaaggag	1020
tcaactgatg	agattcttgg	acgatctgca	tttgaggaa	aaggcaaaga	aactgctgat	1080
ataactcatg	ctttgtcaaa	attgacagag	ccggcatcag	ttccaattca	taaattatca	1140
gtttcaaata	tggtacacac	tgcaagaag	aaaatccgaa	aacacagagg	tgtagaggag	1200
tcaccgctaa	ataatgatgt	tcttaatact	attctcctgt	tcttattccc	tgatgctgtt	1260
tctgagaaac	cattagatgg	aactacttca	acagataata	ataatcctcc	atcagagagt	1320
gaagactata	atctctacaa	tcagttcaag	tctgcacat	ctgacagttt	aacatacaaa	1380
ctggctttgt	gtctctgtat	gatcaatttt	taccatggag	gggtgaaagg	agtggcacac	1440
ctctggcagg	aatttgttct	tgaaatgcgt	ttccgatggg	aaaacaactt	tctgattcca	1500
ggattgacaa	gtggaccccc	agatctgagg	tgttgtttac	tgcatcagaa	actacagatg	1560
ttaaattggt	gtattgaaag	aaagaaggca	cgtgatgagg	ggaaaaagac	aagtgttcca	1620
gatgtcacta	atatatatcc	aggggatgct	ggaaaagcag	gagaccagtt	gggtgccagat	1680
aatctaaaag	aaacagataa	ggaaaaggga	gaggtaggaa	aatcttggga	ttcctggagt	1740
gacagcgaag	aagaattttt	tgaatgccta	agtgatactg	aagaacttaa	aggaaatgga	1800
caagagagtg	gcaagaaagg	aggacctaa	gagatggcaa	atttaaggcc	ggaaggacgg	1860
ctctatcagc	atgggaaact	tacactgctg	cataatggag	aacctctcta	cattccagta	1920
accaggaac	cagcacctat	gacagaagat	ctctagaag	agcagtctga	agttttagct	1980
aaattaggtg	catcggcaga	gggggtcac	cttcgagcac	gcatgcagag	tgctgtctg	2040
ctctcagata	tgaggtcttt	taaggcagct	aatccaggtt	gctccctgga	agattttgtg	2100
aggtgggtat	caccccgga	ttatattgaa	gaggagtgta	ttgatgaaaa	gggcaatgtg	2160
gtgctgaaag	gagaactgag	tgcccggatg	aagattccaa	gcaatatgtg	ggtagaagcc	2220
tgggaaacag	ctaagccaat	tcctgctaga	aggcaaaggga	gactcttcga	tgatacacgg	2280
gaagcagaaa	aggtgctgca	ctatctggca	atccagaaac	ctgcagacct	tgctcggcac	2340
ctgttacctt	gtgtgattca	tgacgtgta	ctcaaggtaa	aggaagaaga	aagtctcgaa	2400
aacatttctt	cagttaagaa	gatcataaag	cagataatat	ccatttcag	taaagttttg	2460
cacttcccca	atccagaaga	caagaaattg	gaagaaatca	ttcaccagat	tactaatgtg	2520
gaagctctca	ttgccagagc	tcgggtcacta	aaagccaagt	ttggaactga	gaaatgtgaa	2580
caggaggagg	aaaagggaaga	tcttgaaagg	tttgtgagtt	gcctgctgga	gcagcctgaa	2640
gtgttagtca	ccggtgcagg	aagaggacat	gctggcagga	tcattcacaa	gctgtttgtg	2700
aatgcccaga	gggctgcagc	tatgactcca	ccagaggagg	aattgaagag	aatgggctcc	2760
ccagagggaa	gaaggcagaa	ctccgtgtca	gacttcccac	cccctgctgg	ccgggaattc	2820
atthttgcga	ccactgtgcc	gcgcccgtct	ccctactcca	aagctctgcc	tcagcggatg	2880
tacagtgttc	tcaccaaaga	ggactttaga	cttgacaggtg	ccttttcatc	agatacttcc	2940
ttcttctgat	tcttctagca	ttactcgttg	gtggcttcag	agacagtgtc	gcctcctcct	3000
gagggaggga	aggtaccagg	gagaacctgg	gaggtcctgg	agagggccct	gtccagttgg	3060
gtgatcagga	atcaaaccag	catcggaag	acttcccagc	accaagcttg	agctgtgtcg	3120
tttctgtggg	ggggcagcga	ggatgggctt	gagctgttga	gagatttctg	ccctagagat	3180

ggcctttgta	tatggggggg	tgggtggggg	acacaaacac	atcagacact	ccgtcctcac	3240
actggcagga	cgggtgttcat	cgcattctct	tctgtgacca	gcctctaggc	tagcggctgc	3300
attcgtggtc	tgtgcaaaca	cttcgtgggt	ctatatatca	gcagcaagtg	tgcaaaataa	3360
aggacctgtt	aactcagatt	tctggatatt	ttgggtgtag	cttctagtcc	cagaatctgt	3420
gtttttaaaa	tactacatga	cattctgtct	attcaatcac	ctgggtggtca	tctttcttgt	3480
actaattaac	tgttgatgag	cattttggat	attctaggag	aaagcctata	atttcacata	3540
gtttctcttt	ttcatgtaac	tgtaacctaa	atgtattact	tctgataaaa	ctatatatca	3600
aatgtcactg	caaattagtt	ttatatctgt	catgtgagat	ttgtcttact	tatttttctt	3660
ttgggttgcca	tggaagttat	ggccctgaaa	atcgtctccc	tccccttctc	ttgctgtaca	3720
gcatgcgttc	tcttttttgtg	gltgctggct	gggtactgta	tttaatgaag	tagagaatag	3780
cacttgcaaa	aatacagtct	tggtagctag	agactgtcat	gcagatagta	taatttggtta	3840
tatgtgctaa	tgcatagagt	agaggattat	tttaacacac	tatttttgctt	ttgtatttta	3900
gttaaaataa	tcgatgggga	tgtgtagccc	ccccgtgtga	ggatgacatc	accacatttc	3960
tagtttcatg	gagctcaaga	tgtcttgtgt	ctgtgtggct	agatggcctc	tgcttggtta	4020
tcttattttt	aggcctaaaa	ttcccaactta	aatccaaagt	aaaaatgggt	atactgaagc	4080
ataaaccttg	cctgtgtaat	tttaaaaaat	taatagagct	gtgcaaacc	tgttattttt	4140
gtaaaaaaa	aaaaaatata	tatctatata	taatagtgtg	gtgtgtgtga	catatgcaca	4200
cgtctctgtg	tatgtgaagt	aggggaggcc	ctgggggatg	acctcccagc	ctttatgaat	4260
cttttctcta	tgtgtctgga	cttcattctt	actggtcacg	cgatgcagcg	ggcctgaggg	4320
cagtgtctga	ccaagtagaa	gacggttctt	aaggacagag	tttgtctgtt	ttctaacaaa	4380
gaaaaattct	acaaaggagt	ggttaaagtt	acaaaggcat	tgtgaatcta	ataaaaggaa	4440
aggtgtcgct	taaaa					4455

<210> 380  
 <211> 2333  
 <212> DNA  
 <213> Homo sapiens

<400> 380						
tttttttttt	ttctattttt	aatcaaattt	ctttttaatg	aaaactaatt	tttaagggca	60
agataccaca	gcagaagaaa	aacgtcttgc	aagaaaagac	ttcatggttt	acaacgatca	120
aatgtatggg	ctatttgcct	gattgggtggc	ctggactcag	caagagattc	ctttgcagca	180
gagggtggcc	acacatctgg	gggctgcaac	accactgaaa	agacagcttt	ctaagcatta	240
tggtaaaggc	aaaagcagag	tgccataaact	tggccatttc	caccaagaaa	aaaagtttca	300
tagcaaccct	ccttcaccag	aaaggcttac	tttatgatat	gctaacagaa	cagaaaagca	360
gggtgggaca	agatacagac	tttgttgcac	ttagctatga	cccttctctc	ccctctgtgg	420
atgtgggagc	ggtggggaga	ggcaggaaga	ggcagtagag	ggaaatgaca	tttgactca	480
ggcttcccgc	ccctacccac	ccctaccctt	cgccagagca	gacgtcggat	ctatgctgca	540
ccaggggtgg	gtcatggagt	ccagctaatt	gccaggagct	gaggcgtgta	caagccatga	600
aaagagctgc	cccacggcct	ccccacatca	ctgtccttca	tgcacttgca	tctttaagge	660
tgccagcttc	agagctccct	ggacattccc	tggccaagtg	tcattccctgt	gtcaaatgga	720
tgggatgcca	ggtaatccct	gtactccccg	tcaatcagtt	tggcggcatt	gttcctggca	780
aaccagcagt	ctatctgctc	ttccccgttg	taaatcttcc	tttgcctcca	gaccactggg	840
acttggtggc	ctttcactgt	taggacggcc	tcaggcccct	ctcccacctg	aaggagcaga	900
gggtgagtga	ggttctggct	gggccttgca	gggtcttctg	tgagtctggc	atcctgattc	960
aggaactgac	ccagcagtc	gtggcagttg	ctggaaaggc	cctcgtctgt	ggcaatgtag	1020
aaaccaggt	ggtgtcgctg	gaagggcgc	ggctttttgt	agagggtgat	gaggatgaca	1080
aaggctatgg	agccctggat	ggtgacgggt	acattggcgt	tggcagacac	ggacacctcc	1140
agccccagc	tccccaccac	cacactctgg	ttgcagggga	gcaccagtct	gtccccacca	1200
tccaagatga	ctctgctcgg	tgtgatctcg	agataagatc	tctctggctt	gttgatgagg	1260
atggtgatag	tgcgcaagta	agtgcgtgtg	ttcttgtggc	catttgaggg	ggcgggtgcc	1320
ccaattaact	ctccgttcac	tgtgacacca	gagtcctgtg	gatcagagac	cagcctgagg	1380
atgtccccgg	gctgcccac	aatgttgaag	cacacgggtga	gtctgctcag	ggggaaatcc	1440
acaacaaagt	ggggatcacc	atccactgat	gttttagaga	ttttaattct	tggctggtat	1500
ggcttcttga	gcaaagggtc	tggctgcgtg	ccagctcctc	gcacgctctg	caccaccggt	1560
tcgggtccca	tggcagccga	catgccgtgg	gcctcctcca	ggccatccat	gcgtgggacc	1620

ggccccctca	gcttcatgga	ggtgaaggga	gtgaggaagc	ggtagctcac	agccagggcc	1680
tgggcccgc	gccgcagccg	ctccttctcc	ggttcatcgt	cactttgcag	ccaggagctc	1740
agcagctcct	ttgtgggtgag	gtagctccag	agacgctcga	tgtgggttgg	gtccccctct	1800
ccatcgcctc	caggcctggg	gcttctctgt	acatctttcc	ctgccttctg	aggccgcaca	1860
ggcacatctg	tcttcaggat	gatgaatttc	ttactgttgc	tggcggtgac	ctccacgtgc	1920
aggtgatcca	gcttctctgt	caccagcttc	cccgcattga	tgatctccga	gccgttgaag	1980
tagttgggga	acaggggtctt	ggtggcctgc	accactgagc	tggggggata	atcgatgcgg	2040
atgtcagaga	ggagcggggg	cctgatttca	tcgtagaacc	cgatgagctg	cgagcctgcg	2100
tcctcctcct	cgtgcacgcg	ccgtgtgagg	ccacagttct	ccagcgacag	tttctccagc	2160
agcctgaagt	ccacgtcggt	gccgatgcca	atggtgaaga	tgacagactg	gcctcgggcg	2220
gcctctcggg	tgttgttgag	gatcttgagg	gtgtgcgtct	ccccgaccgt	gggcttgcc	2280
tccgtcagga	agacgatgag	ggacacgctc	cggctctccc	tacgctggg	cga	2333

<210> 381  
 <211> 607  
 <212> DNA  
 <213> Homo sapiens

<400> 381						
cctgggcgtg	ctcccccg	cacctactcc	taagagtacc	cattacatat	cagtttccct	60
caccaagctc	agccccctct	gccctctgg	gagtcctcctg	agtccctttg	gagtcctct	120
cttgctccca	tgcagacaac	tgggaagcagg	agctgacaaa	attcatcagc	cccgaccagc	180
tgctgtgga	gtttgggggg	accatgactg	accccgatgg	caacccaag	tgctgacca	240
agatcaacta	tgggggtgag	gtgccaaga	gtactacct	gtgcaagcag	gtgaggctgc	300
agtatgagca	cacgaggtcc	gtgggcgcg	gtctctccct	gcaggtggag	aacgagatcc	360
tgttcccggg	ctgtgtgctc	agatgtcctg	aggttttaca	acacctacag	cctggttcat	420
tctaaacgca	tcagctacac	cgtggaggta	ctgctccag	accaaaccct	catggagaag	480
atggagaaat	tctaggtgaa	cctcatggtc	cccacaccct	cctctttgat	ctctgaatcc	540
acaatgagtt	cacagccttc	cctggccaga	cctgttcaa	cctctcagga	acagggattc	600
tacaaca						607

<210> 382  
 <211> 4197  
 <212> DNA  
 <213> Homo sapiens

<400> 382						
gccctgctgc	ccctgagcac	acggaccogt	ccgaaccgcg	gggcagtgtg	tcctgctgct	60
ccctgctgcg	gggactgtcc	tcagggtgg	cctcacctct	gcttccggcc	cctgtgtgca	120
accctaacaa	ggccatcttc	acggtggatg	ccaagaccac	agagatcctc	gttgctaacg	180
acaaagcttg	cgggctcctg	gggtacagca	gccaggacct	gattggccag	aagctcacgc	240
agttctttct	gaggtcagat	tctgatgtgg	tggaggccct	cagcgaggag	cacatggagg	300
ccgacggcca	cgctgcgggtg	gtgtttggca	cggtgggtgga	catcatcagc	cgtagtgggg	360
agaagattcc	agtgtctgtg	tggatgaaga	ggatgcggca	ggagcgccgc	ctatgctgcg	420
tgggtgctct	ggagcccgtg	gagagggctc	cgacctgggt	cgctttccag	agcgatggca	480
ccgtcacgtc	atgtgacagt	ctctttgctc	atcttcaagg	gtacgtgtct	ggggaggacg	540
tggctgggca	gcataatcaca	gacctgatcc	cttctgtgca	gctccctcct	tctggccagc	600
acatcccaaa	gaatctcaag	attcagaggt	ctgttggaag	agccagggac	ggtaccacct	660



tccctctgag	cttaaagctg	aaatcccaac	ccagcagcga	ggaggcgacc	accggtgagg	720
cgggccctgt	gagcggtac	cgggcatctg	tctgggtgtt	ctgcaccatc	agtggcctca	780
tcaccctcct	gccggatggg	accatccacg	gcatacaacca	cagcttcgag	ctgacactgt	840
ttggttacgg	aaagacggag	ctcctgggca	agaatatcac	tttcttgatt	cctgggtttc	900
acagctacat	ggaccttgcg	tacaacagct	cattacagct	cccagacctg	gccagctgcc	960
tggacgtcgg	caatgagagt	gggtgtgggg	agagaacctt	ggacctgtgg	caggggccagg	1020
accagctga	ggggggccag	gatccaagga	ttaatgtcgt	gcttgctggt	ggccacgttg	1080
tgccccgaga	tgagatccgg	aagctgatgg	aaagccaaga	catcttcacc	gggactcaga	1140
ctgagctgat	tgctggaggc	cagctccttt	cctgcctctc	acctcagcct	gctccagggg	1200
tggacaatgt	cccagaagga	agcctgccag	tgacaggtga	acaggcgctg	cccaaggacc	1260
agcaaatacac	tgccctgggg	agagaggaac	ctgtggcaat	agagagcccc	ggacaggatc	1320
ttctggggaga	aagcagggtc	gaaccagtgg	atgtgaagcc	atttgcttcc	tgcaagatt	1380
ctgaagctcc	agtcccagct	gaggatgggg	gcagtgtatg	tggcatgtgt	ggcctgtgtc	1440
agaaggccca	gctagagcgg	atgggagtca	gtggtcccag	cggttcagac	ctttgggtcg	1500
gggctgccc	ggccaagccc	caggccaagg	gtcagctggc	ggggggcagc	ctcctgatgc	1560
actgcccttg	ctatgggagt	gaatggggct	tgtggtggcg	aagccaggac	ttggcccca	1620
gcccctctgg	gatggcaggc	ctctcgtttg	ggacacctac	tctagatgag	cctgtggctg	1680
gagtggaaaa	cgaccgagaa	gagctgcaga	cctgcttgat	taaggagcag	ctgtcccagt	1740
tgagccttgc	aggagccctg	gatgtccccc	acgccgaact	cgttccgaca	gagtgccagg	1800
ctgtcaccgc	tctgtgtcgc	tctgtcgatc	ggcaggcgag	agacctgtgc	ggtggctgca	1860
cgggcagctc	ctcagcctgc	tatgccttgg	ccagcgacct	ccctgggggc	ctggaaggag	1920
tggaggccca	ggaggttgat	gtgaattcgt	tttctgggaa	cctcaaggaa	ctctttttca	1980
gtgaccagac	agaccaaacg	tcatacaatt	gttctgtgtc	tacgtctgaa	ctcagagaga	2040
cacctcttcc	cttggcagtg	ggctccgac	cagatgtagg	cagtctccag	gaacaggggt	2100
cgtgtgtcct	ggatgacagg	gagctgttac	tactgaccgg	cacctgtgtt	gaccttggcc	2160
aaggccgacg	gttccgggag	agctgtgtgg	gacatgatcc	aacagaaccg	cttgaggttt	2220
gtttggtgtc	ctctgagcat	tatgcagcaa	gcgacagaga	aagcccagga	cacgttccct	2280
ccacgttgga	tgctggccct	gaggacaagt	gcccacagc	agaggagcca	aggctgaacy	2340
tccaggtcac	ctccacgccc	gtgatcgtga	tgcgcggggc	tgctggcctg	cagcgggaga	2400
tccaggaggg	tgccactacc	gggagctgct	accatcgaga	tggcttacgg	ctgagtatac	2460
agtttgagg	gaggcggttg	gagctccagg	gccccacacc	tctgttctgc	tgctggctgg	2520
tgaaagacct	cctccacagc	caacgcgact	cagccgcccag	gacctgcctg	ttccttgcca	2580
gcctgcccgg	ctccacccac	tctaccgctg	ctgagctcac	cggacctcag	ctggtggaag	2640
tgctcagagc	cagaccctgg	tttgaggagc	cccccaaggc	tgtggaactg	gagggggttg	2700
cggccttgta	gggcgagtag	tcccaaaagt	acagtaccat	gagcccgctg	ggcagtgagg	2760
ccttcggctt	ctgttggaact	gctgtggaca	aggaaaaaaa	caaggaggtg	gtggtgaagt	2820
ttattaagaa	ggagaagggtc	ttggaggatt	gttggtattga	ggatcccaaa	cttgggaaag	2880
ttactttaga	gatcgcaatt	ctatccaggg	tggagcacgc	caatatcatc	aaggatttgg	2940
atatatttga	aaaccaaggg	ttcttccagc	ttgtgatgga	gaagcacggc	tccggcctag	3000
acctcttcgc	tttcatcgac	cgccacccca	ggctggatga	gcccctggcg	agctacatct	3060
tccgacaagt	gagagcaggg	ccagagccgt	ctagtgtcag	cagtgggata	cctgcgcttg	3120
aaggacatca	tccaccgtga	catcaaggat	gagaacatcg	tgatcgccga	ggacttcaca	3180
atcaagctga	tagactttgg	ctcggccggc	tacttggaat	ggggaaaatt	attttatact	3240
ttttgtggga	ccatcgagta	ctgtgcaccc	gaagtcttca	tggggaatcc	ctacagaggg	3300
ccggagctgg	agatgtgggtc	tctgggagtc	actctgtaca	cgttggtctt	tgaggagaac	3360
cccttctgtg	agctggaggga	gacctgggag	gctgccatac	acccgccata	cctggtgtcc	3420
aaagaactca	tgagccttgt	gtctgggctg	ctgcagccag	tccctgagag	acgcaccacc	3480
ttggagaagc	tggtgacaga	cccgtgggta	acacagcctg	tgaatcttgc	tgactataca	3540
tggaagagg	tggttctgagt	aaacaagcca	gaaagtggag	ttctgtccgc	tgcgagcctg	3600
gagatgggga	acaggagcct	gagtgatgtg	gcccaggctc	aggagctttg	tgggggcccc	3660
gttccaggcg	aggctcctaa	tggccaaggc	tgtttgcata	ccggggatcc	ccgtctgctg	3720
accagctaaa	caccaatttc	ttcctgcttt	tctccacttg	gtttggaaaa	tcacacagtt	3780
ttcaggctcc	atctgttttg	agaaaataca	ttctgaagca	tcccaatttc	accttctaaa	3840
aactcatgtg	caggtttgat	aaacaccaga	acagaagaca	gtgatgctgt	attattttag	3900
atttattaca	tagatttgga	attcactttt	ttcatgacct	agaaaaaac	attccagtgt	3960
tcaactgttt	tatattatta	aagggttttt	aatttgtgaa	cttctgaagg	catgagtgtt	4020
ttctctttct	acttttgtat	atgtgcatgt	ttgttttctt	ctgacttggt	atatgtcat	4080
ctgagtgcag	gatattgtga	attttagtaa	ctggttagtc	aaatggccag	actatttcat	4140
taatttattt	cctcaaattg	ttttcaaatt	aaagcacctt	tgtagtaaaa	cagttaaa	4197

<210> 383  
 <211> 1843  
 <212> DNA  
 <213> Homo sapiens

<400> 383  
 ctgggtattca tacagtgaca gagggagtgt ttttagaaat ttatagctgt ttctaggtga 60  
 aaacactgggt tgatttagct cccttggttaa gagcactgag cagaaagaag ttccctatca 120  
 aatgggtgtg tggagcagcc ctgttctccc catcccgtag agctccagga agttaaccag 180  
 ggacttcagc tgcgacctgc agatttctaa gccccctgt tatttctctg tcttttacgg 240  
 gcctgtgtat ttcagacttg gtggtggcag tcaacgggggt ctggatcctc gtggagacat 300  
 ttatgctgaa agtggggaac ttcttctcca agcacgtgcc ctggagttag ctgctctttc 360  
 taactatcta tggggtggag ctgttctcga aggttgccgg cctgggccct gtggagtact 420  
 tgtcttccgg atggaacttg tttgacttct cctgacaggt gttcgccctc ctgggactgc 480  
 tggcgctggc cctcaacatg gagcccttct atttcatcgt ggtcctgcgc cccctccagc 540  
 tgctgaggtt gtttaagttg aaggagcgct accgcaacgt gctggacacc atgttcgagc 600  
 tgctgccccg gatggccagc ctgggcctca cctgtctcat cttttactac tccctcgcca 660  
 tcgtgggcat ggagttcttc tgcgggacgt tcttcccaa ctgctgcaac acgagtacag 720  
 tggcagatgc ctaccgctgg cgcaaccaca cctgtggcaa caggaccgtg gtggaggaag 780  
 gctactatta tctcaataat tttgacaaca tctcaacag ctttgtgacc ctgtttgagc 840  
 tcacagtgtg caacaactgg tacatcatca tgggaaggcgt cacctctcag acctccact 900  
 ggagccgcct ctacttcatg accttttaca ttgtgaccat ggtggtgatg acgatcattg 960  
 tcgcctttat cctcgaggcc ttcgtcttcc gaatgaacta cagccgcaag aaccaggact 1020  
 cggaagttag tggtggtatc acccttgaga aggaaatctc caaagaagag ctggttgccg 1080  
 tcttgagct ctaccgggag gcacgggggg cctcctcgga tgtcaccagg ctgctggaga 1140  
 cctctcccca gatggagaga taccagcaac attccatggt gtttctggga cggcgatcaa 1200  
 ggaccaagag cgacctgagc ctgaagatgt accaggagga gatccaggag tggatgagg 1260  
 agcatgccag ggagcaagag cagcagcgac aactcagcag cagtgcagcc cccgccgcc 1320  
 agcagcccc aggcagccgc cagcgctccc agaccgttac ctagcccagc gcccgaagc 1380  
 cgtctcttct atgcaataac acaatagtat tactctactg cgatgtacgg aactgcggtg 1440  
 tgtgtacaca tactcacgta tatgcacata tttatataca ggaagaaaaa agacagacaa 1500  
 gatggggctt ggtttataac caccttgccc tgtcttcctt aactccagaa gccagtttg 1560  
 tgaggggtgg ggggtgcggc accaggtctg agctcttct actgtggaag gctccagaag 1620  
 gcccttcaca aggagacccc tcacctggat ccagtcgact gcggggcttg cccctcatgt 1680  
 gggtggccct ccatcgccca cgtccaaagc tgtcactgct actgcttcag gctcacatcc 1740  
 ccccgacctg atggcggtgc cgccccctct cctgcggggc catgccacag gtttctgtgt 1800  
 tttgctttag ggacagaacc acttaggaag gaaagaactc ccg 1843

<210> 384  
 <211> 1459  
 <212> DNA  
 <213> Homo sapiens

<400> 384  
 ctggcgggagc tgggaaccca ggccccgcgc aggcggccag gaggtgagat ggcagctggg 60  
 caaatggggc acgaagagtg ggtgggcagc gcatacctgt ttgtggagtc ctgctggac 120  
 aaggtggtcc tgtcggatgc ctacgcgcac ccccgagaga aggtggcagt gtacagggtc 180  
 ctgcaggctg ccttggcaga gagcggcggg agccccgacg tgctgcagat gctgaagatc 240  
 caccgcagcg acccgagct gatcgtgcag ctgcgattct gcgggcggca gccctgtggc 300  
 cgcttctctc gcgcctaccg cgagggggcg ctgcgcgcgc cgctgcagag gagcctggcg 360  
 gccgcgctcg cccagcactc ggtgcgcgtg caactggtat ctgcgcgcgc gcgccgagcg 420  
 gctggaggct ttgctggcgg acgaggagcg ctgttttagt tgcacccatg cccagcagcc 480

cgaccgggctc	cgggatgaag	aactggctga	gctggaggat	gcgctgcgaa	atctgaagtg	540
cggctcgggg	gcccggggtg	gcgacgggga	ggtcgcttcg	gcccccttgc	agcccccggt	600
gccctctctg	tccggaggta	agccgcccgc	gccgcccga	cctgcccaga	cttttctgtt	660
ccagggtcag	cctgtagtga	atcgcccgct	gagcctgaag	gaccaacaga	cgttcgcgcg	720
ctctgtgggt	ctcaaattggc	gcaagggtggg	gcgctcactg	cagcgaggct	gccggggcgt	780
gcgggaccgc	gcgctggact	cgctggccta	cgagtacgag	cgcgagggac	tgtacgagca	840
ggccttccag	ctgctgcggc	gcttcgtgca	ggccgagggc	cgccgcgcca	cgctgcagcg	900
cctggtggag	gcactcgagg	agaacgagct	caccagcctg	gcagaggact	tgctgggcct	960
gaccgatccc	aatggcggcc	tggcctagac	caggggtgca	gccagctttt	ggagaacctg	1020
gatggcctta	gggttccttc	tgccgctatt	gctgaacccc	tgtccatcca	cgggaccttg	1080
aaactccact	tggcctatct	gctggacctg	ctggggcaga	gttgattgcc	ttccccagga	1140
gccagaccac	tgggggtgca	tcatggggga	ttctgcctca	ggtactttga	tagagtgtgg	1200
ggtggggggg	acctgctttg	gagatcagcc	tcaccttctc	ccatcccaga	agcggggctt	1260
acagccagcc	cttacagttt	cactcatgaa	gcaccttgat	ctttggtgtc	ctggacttca	1320
tcctgggtgc	tgagataact	gcagtgaagt	aaaacaggaa	tcaatcttgc	ctgccccag	1380
ctcacactca	gcgtgggacc	ccgaatgtta	agcaatgata	ataaagtata	acacggattt	1440
tgatgtgaga	aaaaaaaa					1459

<210> 385  
 <211> 2408  
 <212> DNA  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <222> (1)...(2408)  
 <223> n = a,t,c or g

<400> 385						
tttttttttt	ttcgagataa	acctttttat	ttatttatgc	ttctccattt	tgtttaaaac	60
aacaacaaca	accaccttaa	tgtaactgac	agcccttccc	cctcaccctg	cctcgggctg	120
ggggtagtta	atggggaaat	ggcccccagg	gtggggctga	ccagaagagc	ccctcaaggga	180
gctcatggag	cccaaatccc	ctgccctggg	gaggggacct	gtagtgtgtg	acgggagcct	240
ctcccgagcc	tctgcttgta	ccatcaaaga	tgcccttggc	caacaagggt	caggaagcat	300
ggggtaggga	tttcggcctc	ctctgtccct	accagcccca	atctcacgag	cagggctggg	360
gggttttaaaa	aggggtggagc	gggtgggggtt	ggctcacacg	aaggagtact	ggttgttaaa	420
tggcccttgg	gggtggccccc	ttcctctcca	tcaccccccct	agtgggtgact	gctgcagctg	480
caccaattgg	gggcaccccc	gcgtccccac	caggaccagc	gcgcccttgg	gcctcttgag	540
cctggggcct	atggccctct	cccaattcac	ccaccgggac	cagctaaacc	acggggacca	600
gcctcttccg	ggacccctcc	accgcgccgc	tttctctttc	tcttgccctc	ctttggctgc	660
tgccgctgcc	tnntgcccgc	cacttccctg	cgcccttoga	cgctctttc	ttccccaggc	720
tgtgggggat	ctgtccatga	aggggggttca	gggggctggg	gtgggtcatg	ggaagggtgc	780
ggttacacag	tcactcgctc	cgaagggcac	gagcgtgcag	gaggcattcg	gggtggcatc	840
catctccctc	gcacaccccc	gcatggctcc	cagcctgctc	ccggcctcac	ttcttggttg	900
cacgggcacc	tcctcccttg	cagacctgct	ctgctcacc	tgctgtcgct	gggaggatgg	960
gacatagctg	acaaggacaa	catcactgga	gcctcccagc	tccaaaggga	tgggggtgcac	1020
ccggaagtgc	tcgagcatat	cgaaaatgga	ctggaaccac	aggtgctgga	cccggcactg	1080
acctcctctg	ttcagcgaca	aacgcagggtg	cttggccttg	ccctggaagt	tgaaggtagg	1140
gacgtattca	ccccgccttg	tctcactctg	gcgcaccagg	aagacaccgt	gggagccagt	1200
gcgcagctgc	agcaccaact	gtgcagcctt	gagccgagag	agcatcccgt	ggaaccaagg	1260
ataccctgag	aggggctggg	ccccctcacc	gcctctgggc	tcccccttgg	aacagggaagg	1320
acctgtgggc	tgtttccgga	gtgtccaagg	gagggtaggg	ggctgagagg	ggatgaactg	1380
tcctgtctgg	gggtccctct	tcaatgggga	tgccgggggg	caactctggg	ggaagcagtt	1440
ccatcgagtc	aaaatgggag	gcggcaatgg	aggcagagct	gggggagatg	gatgccgagg	1500
ggcggctctg	gaggccccca	tatgccccct	gcgacaggcg	gtcattgctc	tcgctgggtc	1560
caagcagcag	gtcctggctg	ggtagactct	ccgagtgatt	caggcaggac	agctccaggc	1620

tgtctgtgtt	ctcccttgta	aggaatgagg	tcccaggggc	cagagggagg	gtcatggggc	1680
ggggactggt	agcagggcag	ggtcctgggc	tcaggcattc	ttggatgtca	gacaccag	1740
ccttcacatg	ctgggcatcc	actgtctcca	tgatatactc	ggatggacct	tccaccttaa	1800
ccacaaacgt	gttctcccg	tcaggcatct	ccagggctgt	ggttgtccgg	acgtctgtga	1860
tagaagagca	ggggatgctg	agtcggggcc	gagaggcctt	gggtgggtaca	aagaactcca	1920
ggcgacttc	tcctcctcct	tctccttcac	ttcgaaagcag	caggcgacac	ttctgccact	1980
gaggetgccc	tcctccccct	gaaggaggcc	cagccacccc	tcctcccccg	ccactcccg	2040
ctgggtcagg	ggctgcctcc	tcagccccc	tgaaactcag	cagctcttcc	ctctgcacca	2100
tcctgtctcc	atccttcaag	gcgccccctc	cccagctgag	tctcagcctc	tcaaacgggt	2160
gagtccatct	ttccccaggg	gacgttccat	cactgaccag	tccccctacca	acggtcccag	2220
ccccgccaga	ggagttggag	ttgctgtttc	cacctaaagc	tggggggcct	gacgaggtct	2280
ccaggggccc	agcggaggag	ggagggtcaa	cggccccccg	ccactgcagg	atgccacgga	2340
ctgagcctcg	gacagagcga	ccactgaac	gcagggaaaa	gcgcttcttg	agcttcggct	2400
tggaggag						2408

<210> 386  
 <211> 2204  
 <212> DNA  
 <213> Homo sapiens

<400> 386						
ttgggggaacc	cccaggggtt	tcccatcccc	ccggtgtaaa	accgcggccc	aggaaatgga	60
ttttggggggc	cccataaaaa	aacttttgcg	ttgccagccc	ccggacgtta	acctggatcc	120
tttaaaacgg	cccccccttt	tttttttttt	tctttaacaa	aatttttatt	taataaatgg	180
ttaaaatcgc	agtgcacaaa	atacattgac	atttagcaat	ttcactgaaa	ggaagaaact	240
acagaatgca	cggtttcaga	aagctatttt	aagttattta	caaataaagt	atctaaaact	300
caaaaacagg	ctctgtatgc	tatatctagt	ttatcccttc	ccgaacaaaa	tttctgttat	360
ttggggcaaat	tcttaaacca	tggttttaaac	cgtaattgggt	acaaaccaca	aacacatcca	420
tccagagact	gaaaccgttt	ctatccggtc	agtggcaaaa	ctggtgaaag	ggcaatagtt	480
gaagctgttg	ggttttatat	agtgtgaact	ctgataaata	ttcctaccag	gactaaaaca	540
cagcacgctt	tgcgggcatg	gctgactcac	aaagggtgta	acaaacaaga	actactcttc	600
actcgacacc	atggctcaga	ggccaccggag	aagcacgagt	gactgacagc	tcctctgctt	660
acaaacgaat	gaaacccaaa	gtggatgtcg	ttctcacagc	actgaaagtg	cttcaggact	720
cacactgata	caatactaac	tttcttccct	attttacaca	tatttttcta	ctgtccagtg	780
gaaatcattt	tctgttttgg	ctaaacaaca	aatactagtt	tataacagga	atggtaaaat	840
ctgtgagaat	tctgtcfaat	ttaatacaag	atcactactt	tctttagaat	ggtttctgcg	900
tgttttctacg	tcacccctctg	tatttttagc	ttccagtttc	ctggtaagga	ataagttctc	960
cttcccagtc	acactcgggg	tcatttacac	gtttctggga	tgcccttgct	cgtccatgga	1020
ggccagggtgc	gtgcagtgac	tcactctgcc	tcttccctct	tctcaggacc	agtccccgaa	1080
ccttctgcct	tgcagatcct	cctgtttccg	ccacactctc	gcgctcggaa	gcgagctcct	1140
ggatcatata	gctgcaaggc	tggccgggtcc	ttgtttgcca	gtcgctcttt	tctgggtgct	1200
ggactgtcgt	cacacctctg	cgctcttccc	agtctctoca	tggcctcccc	cggagccccg	1260
ctgtcctggc	tccccctctt	ccctctgtct	tggccagggtc	ctttccccca	tctctgctca	1320
tctcactcc	ttctggaaag	ccgttcaggc	tcgtgggtgag	ctctgtgcct	cctgccgtca	1380
tccacatggt	atctttgtgc	ttcagattct	tgttcttgag	atctctccac	atccctgtgc	1440
tctttatcac	tgcgctgtg	tgacgtctcc	tggggctcct	ccagcgagcc	ttccatgggc	1500
ctggctttta	cgaactgcacc	gggggacacag	gattcctgct	tgccacctcc	agtatcaatc	1560
tctctctctc	tttcttttgg	tttctctgtg	gttggttctc	ctcccttttc	tggtttctta	1620
agaagcttaa	tcttacttc	tttctctgca	attttctctc	gtttatctgt	ctcttttttt	1680
ttgcatcttt	cttctctctc	tcttctctct	tttctctctc	cccgcaaacg	tttctttctc	1740
aactctctcc	tcttcggttc	ttctcgtctc	tcttctcgaa	ttctctgctt	ttctaatttt	1800
ctatttttaa	tatattccaa	aagagggtgtg	gttctcttag	caatgagctc	tcttgtcttc	1860
gcctccatct	cccccagcag	agtctcaggg	ttggcactgg	tcttctcttc	ctccacacag	1920
taggtttcta	aaaacttctt	atattctgga	tctttgctgt	caagggaagat	atatccatca	1980
aaacgatctc	taaaaagaag	gatgtcatca	ggattccctaa	aattaatgta	tgctcttgag	2040
tagagatgag	gataaagact	caggctcggcg	gcgaagaact	cgaagtagtc	gtgtgctggc	2100

agcggggcgca	gctgctcctc	cagctgctcc	ttggtgaggc	cgggaggcag	gcgggcgatg	2160
accacctgcy	gggagcgcy	ggcgttccc	accggggcac	gaaa		2204

<210> 387  
 <211> 798  
 <212> DNA  
 <213> Homo sapiens

<400> 387						
tttcgtagca	aacagggtttc	acgaccactg	ctctctggag	tcttattcct	cagagtatga	60
gcccttgacc	aaggagcatg	gaatgcatca	cctatgtttg	aacaaggcgc	ccagatgacc	120
tctgcggacc	cagggtttgg	gaagtgcctga	tgtggagcca	caggacttgt	tttagggcgt	180
gtggggcgctg	tgtgtgagtg	ggcttctgca	ggggggcagc	cagcgggcac	aggcgtggag	240
agcatggtca	cccatggaga	caccgctcac	ggggactttc	ctttggcccc	acatcccgca	300
gggtctcttc	ttcgatgatt	cctatggctt	ctaccaggc	cagggtgctca	ttggccctgc	360
caagatcttc	tccagcgtcc	agtggctgtc	aggtgtcaag	cccgtgctca	gcaccaagag	420
caagttccga	gtggtggtgg	aagaggtgca	ggttgtagag	ttgaaagtta	catggattac	480
caagagtttc	tgtccagggg	gcacggacag	cgtcagcccc	ccacgtctgt	catcaccag	540
gaaaacctag	gcagggtgaa	gcgtctcgga	tgctttgacc	atgctcagcg	gcagcttggg	600
gagcgtgtc	tgtatgtctt	cccagccaag	gtagagccag	ccaagattgc	ctgggaatgt	660
ccagaaaaaa	actgcgcccc	gggggagggc	tctatggcca	agaagggtgaa	gcgcctgttg	720
aagaagcagg	ttgtgcggat	catgtcatgc	tccccagaca	cccagtgttc	ccgggaccat	780
tccatggaag	accagac					798

<210> 388  
 <211> 4530  
 <212> DNA  
 <213> Homo sapiens

<400> 388						
tttcgtgaca	gtagccctctg	ctcggccttc	gagttccact	gcctaagtgg	cgagtgcac	60
cactccagct	ggcgtgtgta	tgggtggccc	gactgcaagg	acaaatctga	cgaggaaaac	120
tgcgctgtgg	ccacctgtcg	ccctgacgaa	ttccagtgtc	ctgatggaaa	ctgcatccat	180
ggcagccggc	agtgtgaccg	ggaatatgac	tgcaaggaca	tgagcgatga	agttggctgc	240
gttaatgtga	cactctgcga	gggacccaac	aagttcaagt	gtcacagcgg	cgaatgcac	300
accctggaca	aagtctgcaa	catggctaga	gactgccggg	actggtcaga	tgaaccatc	360
aaagagtgcg	ggaccaacga	atgcttggac	aacaacggcg	gctgttcccc	cgtctgcaat	420
gaccttaaga	tcggctacga	gtgcctgtgc	cccagcggct	tccagctggg	ggcccagcga	480
agatgcgaag	atatcgatga	gtgtcaggat	cccagacacct	gcagccagct	ctgctgtaac	540
ctggaggggtg	gttacaagtg	ccagtgtgag	gaaggcttcc	agctggaccc	ccacaggaag	600
gcctgcaagg	ctgtgggctc	catcgccctac	ctcttcttca	ccaaccggca	cgaggtcagg	660
aagatgacgc	tggaccggag	cgagtacacc	agcctcatcc	ccaacctgag	gaacgtggtc	720
gctctggaca	cggaggtggc	cagcaataga	atctactggg	ctgacctgtc	ccagagaatg	780
atctgcagca	cccagcttga	cagagccac	ggcgtctctt	cctatgacac	cgtcatcagc	840
agagacatcc	aggcccccga	cgggctggct	gtggactgga	tccacagcaa	catctactgg	900
accgactctg	tcctgggcac	tgtctctgtt	gcggatacca	agggcgtgaa	gaggaaaacg	960
ttattcaggg	agaacggctc	caagccaagg	gccatcgtgg	tggatcctgt	tcattggcttc	1020
atgtactgga	ctgactgggg	aactccccgc	aagatcaaga	aagggggcct	gaatggtgtg	1080

gacatctact	cgttggtgac	tgaaaacatt	cagtggccca	atggcatcac	cctagatctc	1140
ctcagtggcc	gcctctactg	ggttgactcc	aaacttcact	ccatctcaag	catcgatgtc	1200
aatgggggca	accggaagac	catcttggag	gatgaaaaga	ggctggccca	ccccttctcc	1260
ttggccgtct	ttgaggacaa	agtatttttg	acagatatca	tcaacgaagc	catttttcagt	1320
gccaacggcc	tcacagggtc	cgatgtcaac	ttggttgctg	aaaacctact	gtccccagag	1380
gatatggtcc	tcttccacaa	cctcaccag	ccaagaggag	tgaactggtg	tgagaggacc	1440
accctgagca	atggcggctg	ccagtatctg	tgcctccctg	ccccgcagat	caacccccac	1500
tcgcccaggt	ttacctgctc	ctgcccggac	ggcatgctgc	tggccaggga	catgaggagc	1560
tgctcacag	agggttgagg	ctgcagtggc	caccaggag	acatccaccg	tcaggctaaa	1620
ggtcagctcc	acagccgtaa	ggacacagca	cacaaccacc	cggcctgttc	ccgacacctc	1680
ccggctgcct	ggggccaccc	ctgggtctac	cacggtggag	atagtgacaa	tgtctcacca	1740
agctctgggc	gacgttgctg	gcaagaggaa	attgagaaga	agcccagtag	cgtgagggct	1800
ctgtccattg	tcctccccat	cgttgctcct	cgtcttcctt	tgcttggggg	tcttctctct	1860
atggaagaac	tggcggctta	agaacatcaa	cagctccaac	tttgacaacc	cogtctatca	1920
gaagaccaca	gaggtgagg	tgcacatttg	ccacaaccag	gacggctaca	gctacccctc	1980
gagacagatg	gtcagtctgg	aggatgacgt	ggcgtgaaca	tctgcctgga	gtcccgctcc	2040
tgcccagaac	ccttcctgag	acctcgccgg	ccttgtttta	ttcaaagaca	gagaagacca	2100
aagcattgcc	tgccagagct	ttgttttata	tatttatcca	tctgggaggc	agaacaggct	2160
tcggacagtg	cccatgcaat	ggcttgggtt	gggatttttg	tttcttcctt	tcctcgtgaa	2220
ggataagaga	aacaggcccg	gggggaccag	gatgacacct	ccatttctct	ccaggaagtg	2280
ttgagtttct	ctccaccgtg	acacaatcct	caacatgga	agatgaaagg	gcaggggatg	2340
tcaggccctc	agaagcaagt	ggccttcaac	acacaacagc	agatggcacc	aacgggaccc	2400
cctggccctg	cctcatccac	caatctctaa	gccaaacccc	taaactcagg	agtcaacgtg	2460
tttacctctt	ctatgcaagc	cttgctagac	agccaggtta	gcctttgccc	tgtcaccccc	2520
gaatcatgac	ccaccagtg	tctttcgagg	tgggtttgta	ccttccttaa	gccaggaaag	2580
ggattcatgg	cgctcggaat	gatctggctg	aatccgtggt	ggcaccgaga	ccaaactcat	2640
tcaccaaagt	atgccacttc	ccagaggcag	agcctgagtc	actggtcacc	cttaatattt	2700
attaagtgcc	tgagacaccc	ggttaccttg	gccgtgagga	cacgtggcct	gcaccagggt	2760
gtggctgtca	ggacaccagc	ctggtgcccc	tcctcccgac	ccctaccac	ttccgattcc	2820
gtggtctcct	tgcactttct	cagttcagag	ttgtacactg	tgtacatttg	gcattttgtg	2880
tattattttg	cactgttttc	tgtcgtgtgt	gttgggatgg	gatcccaggc	cagggaaagc	2940
ccgtgtcaat	gaatgccggg	gacagagagg	ggcaggttga	ccgggacttc	aaagccgtga	3000
tcgtgaatat	cgagaactgc	cattgtcgtc	tttatgtccg	cccacctaag	gcttccactt	3060
ctatgcaaat	gcctccaagc	cattcacttc	cccaatcttg	tcgttgatgg	gtatgtgttt	3120
aaaacatgca	cggtgaggcc	gggcgcagtg	gctcacgcct	gtaatcccag	cactttggga	3180
ggccagggcg	ggtggatcat	gaggtcagga	gatcgagacc	atcctggcta	acaagggtga	3240
accccgctct	tactaaaaat	acaaaaaat	agccggcgct	gggtggcggc	acctgtatgc	3300
ccagctactc	gggaggctga	ggcaggagaa	tgggtgtgaa	ccgggaagcg	gagcttgag	3360
tgagccgaga	ttgcgccact	gcagtccgca	gtctggcctg	ggcgacagag	cgagactccg	3420
tctcaaaaaa	aaaaaccaaa	aaaaaccctt	gcttggggca	tcagcagccc	ttggcctctg	3480
gccaggcatg	gcgaggctga	ggtgggagga	tggtttgagc	tcaggcattt	gaggtgtctg	3540
tgagctatga	ttatgccact	gctttccagc	ctgggcaaca	tagtaagacc	ccatctctta	3600
aaaaatgaat	ttggccagac	acaggtgcct	cacgcctgta	atcccagcac	tttgggaggc	3660
tgagctggat	cacttgagtt	caggagtttg	agaccaggcc	tgagcaacaa	agcgagatcc	3720
catctctaca	aaaacccaaa	agttaaaaat	cagctgggta	cgggtggcacg	tgctgtgat	3780
cccagctact	tgaggaggctg	aggcaggagg	atcgctgag	cccaggagg	ggaggttgca	3840
gtgagccatg	atcgagccac	tgactccag	cctgggcaac	agatgaagac	cctatttcag	3900
aaatacaact	ataaaaaaat	aaataaatcc	tccagtctgg	atcgtttgac	gggacttcag	3960
gttctttctg	aaatcgccgt	gttactgttg	cactgatgtc	cggagagaca	gtgacagcct	4020
ccgtcagact	cccgcgtgaa	gatgtcacia	gggattggca	attgtcccca	gggacaaaac	4080
actgtgtccc	ccccagtgca	gggaaccgtg	ataagccttt	ctggtttcgg	agcactgaaa	4140
tgcgtccctg	tacagatagt	ggggattttt	tgttatgttt	gcactttgta	tattggttga	4200
aactgttatc	acttatatat	atatatatat	atacacacat	atatataaaa	tctattttatt	4260
tttgcaaacc	ctgggttgctg	tatttggttc	gtgactatcc	tcggggccct	gtgtaggggg	4320
ttattgcctc	tgaaatgcct	cttctttatg	tacaaagatt	atgtgcacga	actggactgt	4380
gtgcaacgct	ttttgggaga	atgatgtccc	cgttgatgtg	atgagtggct	tctgggagat	4440
gggtgtcact	ttttaaacca	ctgtatagaa	ggtttttgta	gcctgaatgt	cttactgtga	4500
tcaattaaat	ttcttaaatg	aaccaaaaaa				4530

<211> 2343  
 <212> DNA  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <222> (1)...(2343)  
 <223> n = a,t,c or g

```

    <400> 389
    tttttttttt ttatgtggat aatattttatt tgtatcttat ctatagaaca aatattttaca      60
    gatacaaacg gaatcacagc aaagttgcta taaaaccatc cagacctctc gatggccact      120
    tctgaaaaca tccacggtga agggcagggc caggcctggc tgtggagtgg gccagctgag      180
    tacctgggcg tcagccaagg gaaatggttg gggattatgg cttcagcact ctgccggagc      240
    acattcctga gcgctgacaa cgtggagccc tcaccgcccc cacctacccc aacctcaatg      300
    gggaaggaaa ggggcctgag ctgggcaggg ctgcccgggc tcactatgtg cctgctccag      360
    gagtccctgg cccctgtgct ggcaggagca tccctgagct ggaccgggag gcctctctgg      420
    cctggggctg ctccctgccc ggcaggctgc tgtttggcag ctggaggtgg caagagctgc      480
    tgggtgctgc agggcggtgtt ggccaggaat gagctccag ggcagccctg aggaaaggg      540
    cttaggaagc gcctcccagc tcactactag gagctgggga ctgtcagtgc tgagtggggc      600
    tggggtacag gagcacctgc ctctcctttc tttggcttag aagtggggaa ggaagggcca      660
    ggaaaaggga ccaaagccgc cccagccttg gccctaggc cgcctgggga ctgtgtgtgt      720
    gctgaggggg cagtgggagg tgggcagctc tggagtccccc tgcacctggg gatccttggg      780
    ctgctctcac tcccggggtc ccagcagggc aaggcctctg cttgggacca gtgctgtctc      840
    tctcgtctgc ttactccagg aggtgaaggt gacagggcgg caaggagagg taaccacagc      900
    atggctgggg acaggcgcta cactgggccc cggaccacag acagggatca cagtgtcgg      960
    ctgcgcgaca cacctctggc cacatgtgca caccacatac atccacacgc acctccctcc     1020
    tgtctggcgg gaggtcatt ctctctcgca gccactcgcc ctctctgcct ctcacatatg     1080
    cggtcacaga gtgaatccga gcatcttatt gctgcagggg gcaggggctg cggcatcagg     1140
    gaaagttaat ccacgaagag cgagaacagc accattacca cgatgcccgc acagagcaga     1200
    agcagctgct gcagggagcg ccacgggtcc tcttcttcca agaggtcagg gagcacgttc     1260
    accaaggcga tgtagagaaa gccgccagag gtgaagggca ggaccagggc tgccgtctcc     1320
    tctactccct tgggggactg ggtacagatg gcgaagccag cgcccagtag gccccccagc     1380
    gctgttgaga gttgcagctt ggctgcgctc catcggtcaa agccggcccc gagcaggatg     1440
    gcaaagtgcg ccacctcatg ggggatctca tgcaggagga tggccatggg tgtcaggagc     1500
    ccgatcttct tgcacacaag gaagctggca gccacagcca gccctggggg gaagtattcg     1560
    atggtgttgg ccagcaggtt gaggtagccg ctgactttga tgctccggac cacggcaccg     1620
    aggcggggct ctgcagccgg ctgggcccaga cagtggcctc cattgagcgc ggcggcagca     1680
    gcagtgagggt ctttgttggg ggcctggctg gtccctctc ccttgctgtc caggaacatc     1740
    ttctccaacg ccaggaaggt caggatgcca gcaatgacct acagccccag ctgttgctgc     1800
    tgctgcaggc tctgccccct accaccaggg ctggcgctgc acgtgtaggc ccaggcttcg     1860
    ggcagcagat gcagaaacac attgcccag agtcccccca gggcgaaagt gagcagctgc     1920
    ttcaggcgcc aggcccccagc ttctgagcgc agcatggtcc ccatctctag gggaatgaca     1980
    agcaacggga agacccccact gagccccacc atgagggaac ccaggaggga gcagatccag     2040
    gtgtccagcc gctctccgct cagcagagcc cccaggagct cgctttcctt gttgtccagg     2100
    cgacaggccg tcgcagtccc ccggctccgg agggccggct gggaaacccc agcccttccc     2160
    aagagctcca gggcaagggc agtgaggaag agggagccttg ggcccgccat gccacagcca     2220
    gggcagggac atccaggcat gccacgtacg tgcggcgggc gcggcgggca tccgggcggc     2280
    cccagcccgga gaattcggtn ncggctcgctg tgcgtacggc ttcaatnacc aaannngggc     2340
    acg                                     2343
  
```

<210> 390  
 <211> 1325  
 <212> DNA  
 <213> Homo sapiens

&lt;400&gt; 390

gggaaagtga	gtgctggcca	ggctggggcg	gacagaacac	ttcgacgggc	tccggagccc	60
agattcagcc	aggaacccac	aggcaactcg	gcctaccccc	agctgaggcc	ctttttggac	120
ccgcagggga	gagatcttaa	acccagcgct	ttggtcccac	ccacccgctc	ccacactggg	180
aggagaccat	ggctccacac	acagcccctg	ccaggcccac	aggggcgggc	atgggggccc	240
acctgcctcc	tgcatgtgtg	gacaggggcc	tggagagtga	ggagggccgc	agggagtacc	300
tggcgtttcc	caccagcaag	agctcggggc	agaagggggc	gaaggagctg	ctgaagggca	360
acggccggcg	catcgactac	atgctgcatg	cagaggaggg	gctgtgcccc	gactggaagg	420
ccgaggtgga	agaattcagt	tttatcacc	agctgtccgg	cctgacggac	cacctgccag	480
tagccatgcg	actgatggtg	tcttcggggg	aggaggaggc	atagaccgtc	cggagcagtg	540
gggcctctgc	cagcccttgc	agctgcagcc	catccctggg	ccatgtcccc	tccatcgagt	600
gcccgggtgct	tgggggagga	gggcagggac	agggaggagg	ccacagtcag	tggccgggaa	660
cctggaagct	gcgctgctct	gcgcctctgg	gcctcactgt	ggacagagga	gtcaggcccc	720
ccccaggagc	ctccagctgc	ctaaccagtg	ccattctttc	acaacacgat	tttctacaaa	780
tctacagcac	aaccgagttt	gtaaccctg	ggttagtatg	aggaccgggt	tcgtgtactc	840
tctgtatctc	ctcttaagct	tcgtccagg	ttctttattt	ttgtctgctg	ccaatgtcgt	900
ctcgcatgcc	tgacccctcg	catgcacgct	gcccgcagtc	cacgtgccac	gctgtgacca	960
cagacccctt	gtcggggcct	cacccaaggc	caaactccaa	acacaatcag	aaccagccaa	1020
agaagcactt	cctgggcacg	gccaccagct	ctcccgcctc	cagtgtgggc	cggtcctgc	1080
agggctccgag	ggctgcatct	ctaccagcca	gccaggggct	cttcccagg	tctcgcattc	1140
aagggcaatt	acatttttaa	aagaaaaaca	gaaaaagggt	aatcacaaaa	ccaacctca	1200
cttcacaggg	tctgtaagtc	actcatagaa	ctttgtctct	cccagacag	ggtccttcc	1260
ccagctcagg	cacaacagag	tctggcaggc	tctggcacc	tgggcctcct	ccgggagcct	1320
cccat						1325

&lt;210&gt; 391

&lt;211&gt; 1458

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 391

tttttttttt	ttcaggctta	aataacaaaa	tatatctcag	atatgcacag	ttttaactga	60
ggactacaca	agccttcctc	gggctgcagg	ccgcgcggcc	tccagtgagg	attcacagcc	120
cctgcggagt	ttgtcctcac	gcacaccaca	cacgatcggg	tataaaacac	attctataaa	180
cacgttctga	tgcaaaactgt	gtgtccataa	atatatatatt	atgcaagttc	ctcccaccca	240
ctgcagggcc	gtacagctct	ggggacagga	ggtcacagcc	gacttttaaac	cacagggttaa	300
gtagaagggt	gcagggtcaaa	tagaagttcc	cgtgtgattg	catcacccaa	cggcactggt	360
ctgtcatcag	gaaatgctga	gtgccgcgg	tggccgggtg	ggcgcggggc	gtggtcagac	420
gctgctctgg	agctggctat	ctgtggcact	gtcaggggct	gaggactggc	tgggcagaca	480
agtttccagg	ccatctgaag	actccgacag	gggcttgat	aagaagcagg	ctatggcaaa	540
gaagaggacg	cccagcacct	tgtacaggag	ccccatgatg	agtatgtagc	ggctcatggc	600
cgaattctgg	tacaccaagc	aggagccctg	ctggccacac	tggctcctgc	acagcagaca	660
ggccttgtcg	atcacccagc	cgaaggcgat	gggccccggg	atgcccccta	gtattctaac	720
tacaatccac	tggattccca	gggcaaagga	tctctgaggg	tcacggacac	atcgtagagt	780
tgccgttagt	gcaggaatgc	tgtcgaggaa	tgtaaagaaa	attacaacga	atatgaaac	840
cagaaggagg	ggctttctct	gacaagttag	agtgcatttc	cctgcagtgg	catggccaaa	900
accagaggaa	agattctgag	ggatacagct	acagtctcgg	tacacctggg	aagcccaaca	960
atagctccga	ttacaagggg	aaggcacggg	ggcccccttc	cagggtccag	gggaggacag	1020
gggcggtagg	cagcggctcc	actcaccttc	tggccgtcca	cattcgtctc	cgtggctgca	1080
gggcaccctg	cgtggcacag	tgagaagtac	atgaggccgt	ccgagccgca	cacagggtcg	1140
tagtgttctg	gctggcagct	gcaggcagcg	ttgcagggag	ccgttaggtt	cagggtggcct	1200
tcgggcagga	ggctcccggc	gtagctggct	gtgacggccc	ccatggggc	actggggcag	1260



tgcagtgaga	agacgaggat	gcccagcagg	ctgacaacgg	tgcagaacag	gcagaacttg	1320
atgaccgcgg	agccccggag	cctgagcttg	ttcacaaaga	agccgcccag	gaagggtgccg	1380
ccaccacccg	ctggcaccac	caggtaccca	aacaaggtgg	cagcttctga	ggcactcagg	1440
cgaattccac	cacacgga					1458

<210> 392  
 <211> 1667  
 <212> DNA  
 <213> Homo sapiens

<400> 392

tttttttttt	ttctatgtac	aaaaacattt	taattgaaat	acctgtataa	aaaaatatga	60
tctccagaca	tctcactttt	gaactgaaag	aacccccatc	tgcgatgcct	gcacacaccg	120
cattcacaca	aacacaggta	ctgaataaat	taaacgctca	ggctctggcc	ccaccccagc	180
tttcagagcc	cacaagcaga	ctgtacaaag	tcaataattt	aaaacccaaa	ccctgggcac	240
agtgcctgga	agtgtcaggg	tcacccactc	cccttaagtt	agccactata	catgttcac	300
ttctgacagg	cgggggccagg	acagacgcca	ggcacaggaa	tcagggcctg	gggtccctgg	360
accacagcca	ccccctcccc	tgctcccca	ctgtcccctg	gggcttggga	gaggcagact	420
gctcagagga	aataacctca	acaaataaat	taaacaataa	atagccccgg	tgggcccagg	480
gcacctccag	gggggtcacac	cataaataac	agagtggcg	gcgggtacgg	ctcgcgtggg	540
cggggcggcg	cggaggccag	gacttgcat	gtgtgtgcag	gacgtgcccc	gacgcacacc	600
gcaggactga	gggcgggagg	tgggcttggg	accctgcgcc	ggcggaaaga	gctccgggtg	660
ggcaggcaga	tgggaaggcc	gcctccggac	acagcagcac	agaggggcgt	ctgggggttca	720
agtatccacc	cagggcaggc	gggacctcga	ccggagcgtc	tttggacaga	cagagcttga	780
gaaaaccaag	tcccgcgga	ccagcggtta	aaaggcactc	aaagcgaagg	tcaccagggg	840
tcagaggtca	ctgcttccgc	aggaggagac	ggccccgcga	ggaaaaagtc	aggggtctggg	900
ggcgtccag	gtctggccaa	ggcagggtgt	ccctagctc	ccagtcagg	gcagctctc	960
acaagctctc	gctgctggac	gtggtgctgg	ccacgtcatc	agggtcgagg	gtgcacagcc	1020
gcaggtcaca	gctctccggg	gcgccccgt	cagccccag	catccaggga	tgggcccga	1080
tctgatccag	cgaaggccgc	tctgaggggc	gcagggacag	gcaccaccgg	atcagctgct	1140
ggcactctgg	agagaccctc	ctccggaaga	gcaggcggcc	tcggaggatc	tcctcgtcct	1200
gctcgaagg	gatgtcccca	cacaccatat	cgtagagaag	cacgcccagc	gaccacacgg	1260
tggccgagcg	cccgtggtag	cgggtgtagc	ggatccactc	cggggggctg	tacactcggg	1320
tgccgtcgaa	gtcgggtgtag	accgtgtcct	tgagcagcgc	accggaaccg	aagtcgatga	1380
gcttgagctc	tccggagcgc	aggccacaaa	gcagattttc	gtccttaatg	tcgcgggtgca	1440
cgaaccgcga	gctgtggcag	tggcgcacgg	cggccagcac	ctgcgcgaag	aaagcggcgc	1500
gccagcggct	cgtccagggc	gccgcgctcc	gtgataaagt	cgaagatgg	cctagcgccg	1560
gctcggggcg	ctccagcacc	agcaggaagc	cgtcggggcg	ctcgaaccag	tccagcaggc	1620
ggatgacgcc	gcgcgcgcgc	ccgggcgcgc	ccaccttgcg	cagcagc		1667

<210> 393  
 <211> 1938  
 <212> DNA  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <222> (1)...(1938)  
 <223> n = a,t,c or g

```

<400> 393
gtggaaagaa cagtcagaaa gcctctcctg tggatgatga acagctgtca gtctgtcttt 60
ctggattcct agatgaggtt atgaagaagt atggcagttt ggttccactc agtgaaaaag 120
aagtccttgg aagattaaaa gatgtcttta atgaagactt ttctaataga aaaccattta 180
tcaatagggg aataacaaac tatcgggcca gacatcaaaa atgtaacttc cgtatcttct 240
ataataaaca catgctggat atggacgacc tggcgactct ggatggtcag aactggctga 300
atgaccaggt cattaatatg tatggtgagc tgataatgga tgcagtccca gacaaagttc 360
acttcttcaa cagctttttt catagacagc tggtaaccaa aggatataat ggagtaaaaa 420
gatggactaa aaagggtggat ttgtttaaaa agagtcttct gttgattcct attcacctgg 480
aagtccactg gtctctcatt actgtgacac tctctaateg aattatttca ttttatgatt 540
cccaaggcat tcattttaag tttgtgtag agaataaag aaagtatttg ctgactgaag 600
ccagagaaaa aaatagacct gaatcttcag ggttggcaga ctgctgttac gaagtgtatt 660
ccacaacaga aaaacgacag tgactgtgga gtctttgtgc tccagtactg caagtgcctc 720
gcccttagag cagcctttcc agttttcaca agaagacatg ccccgagtgc ggaagaggat 780
ttacaaggag ctatgtgagt gccggctcat ggactgaaac tcagcaggga ctctgggaag 840
tctgaccaag ttggagcaga tggtttgta cttgaatctc caaacactta gttgaatttt 900
tacagatatt tcagatcagt ggggtgtggg gccactattg ttacctcaa attttatatt 960
ttgcccttaa ttccatttct ccagctacc atgtactatt gtttaatgtt cagtttggtt 1020
tcatttttaa ttttatgggt ctgtgcgtcc cccatattta atatttatta ttcaaacgca 1080
tgcataataga cagagcatgc agtgaagagt attaaaaaaa aaagcttagt agatttggtg 1140
cagcttttga aacttagggt agacgtgaaa ctgaaataca ggtttcaa at tacttcccc 1200
agaacctaaa aatgcaagat gtttttgata ccaaccataa cctcctgaga atagtaagt 1260
ttccccggg gcattaaggg taagcctggg ggtggtttt gaccaaacc cagtcctgt 1320
tttaccttta ccagcggca actttcacc aacttccct ctcccaagt agtcttagag 1380
agtgcagtc cattccttt tgaagggtga gatggaagt gtcgtaaaact gactgggtgc 1440
ttctgtttct gggaggcaca cttgtaaggc acagtggctg ctttgggagg agtaagggt 1500
gagaaaaagc aaccttggag gccagtaaca atgacagatt tcaatcgtgg ttttaggaat 1560
tataatacgt ggcatacatc tcataaaggc tttgtctggg atattgaatt ccctgaattt 1620
ttctgttttc gacctgttaa aaaaatctta acatccatca aactagtgg caaacaaatg 1680
agaatgcagc tgttctcaga gtaattttta agttgtcatt tccctgtgtt gcctcccaat 1740
tggaagaagt taagggttac caaatgcatt tctatttcaa gggatatctga aacgtaaaaca 1800
ttcaaaactg aaggctgact gacttnagat gttttgcagg tggctggaga gaacaggga 1860
ggtaatagag acacacttag tcccatggga agcgcagcac cgtttagagt tctttctcct 1920
gtccatttag cgacctca

```

```

<210> 394
<211> 1283
<212> DNA
<213> Homo sapiens

```

```

<220>
<221> misc_feature
<222> (1)...(1283)
<223> n = a,t,c or g

```

```

<400> 394
gatttcagtt gcctgaaagc tgtaagtctg ctttttttaa agagaaattg gagttaagca 60
gacttttcat tttttgatca tgacctgga aagtttcata tatttgacat caaaactcag 120
cacatatcct tggcttatat atacacatga aagtttcata aaacaataca ctgatatttt 180
ccatgctgta ttctatttca ttttttaaaa tgcgtgtgt atccattaa actggtttca 240
aaataaatat aacatgtaca caacaacaac aaaaaaaac actgggttag agggccagta 300
agctcagcga gtatcagcaa ctgagacttc atccttgtct cacaaggact aaaaagagaa 360
taatgttctc attatgtggt tcaatgccac acccatgtat ctgagatata catgtcacia 420
tctgggagaa gcctgtcttc aatttacttt aaatacccaa ttctgcctag aacatgaatt 480

```

agacacatag	taagctcttg	agtgaagtgc	agatgataat	gacacgatca	cataccactt	540
aaaaatatct	taacaccttt	acttagatct	catctcatac	ttgtagcatt	tcttcaaatt	600
tactttgaaa	aaagagcttc	actgtgtgtg	gttgtcatac	acattcttct	acccaaccat	660
ggacctcttt	tttctctca	ggcgcacttc	atctaatttt	tttagcactg	gcctggcctt	720
tttgaggag	gtggagtagc	tcttcagaaa	ggcttcaaac	acagtttcag	tggtgggatg	780
ggtactgagg	aaggccttct	ccaggacata	gaggtctact	cccttatect	ctggaagtgc	840
tgaaatgaaa	ctcagcccaa	agtctatgag	cacaatgttc	agctgttcca	gggggggttt	900
caggagcatg	ttggagggtg	tgagatcacc	atgaatgagg	tcttcatect	gcattcgagc	960
caaacctgc	ccaattgtct	tggctaagtt	ggagagacc	tggggagtgt	ttttcagctt	1020
ccatagtgg	ctgaatataa	tctcgaacag	tcactgagcc	ttcaatttct	tccatatata	1080
agcagttgga	agcatagtcc	acaaaaaaga	caactggggc	agatattcca	gcgcggcgac	1140
agcggaggag	cgccccggcc	tcttgcaccg	tccgcgtct	gccaagccgc	gcctccagcg	1200
cgggtgccc	gtagccttgg	gaagcgggtc	ttnttncnn	ggccttgcta	gccccctggc	1260
tcatnnccc	cggccccgtc	tcc				1283

&lt;210&gt; 395

&lt;211&gt; 2149

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 395

acgagcctgc	gttttccggc	cagaggacat	gatgcagggg	gaggcacacc	ctagtgcctc	60
ccttattgac	agaaccatca	agatgagaaa	agaaacagag	gctaggaaa	tggtccttagc	120
ctggggactc	ctaaaatgtat	ctatggctgg	aatgatata	actgaaatga	ctggaaaatt	180
gattagttca	tactacaatg	tgacatactg	gccccctctg	tatattgagc	ttgcccttgc	240
atctctcttc	agccttaatg	ccttatttga	tttttgaga	tatttcaa	atactgtggc	300
accaacaagt	ctgggtgtta	gtcctggaca	gcaaacactt	ttagggttga	aaacagctgt	360
tgtacagact	acgcctccac	atgatctggc	agcaacccaa	atccctcccg	ctccaccttc	420
cccttcaatt	cagggtcaga	gtgtgttgag	ttatagccct	tctcgttcgc	ccagtaccag	480
tcccaagttc	accaccagct	gtatgactgg	ttacagccct	cagctgcaag	gtctgtcctc	540
aggtggcagt	ggttcttata	gccctggagt	gacctactcg	cccgtcagtg	gttataataa	600
gttggcgagc	tttagccctc	ctcctccttc	tccgtaccct	accactgttg	gaccagtggg	660
gagcagtgg	ttgagatctc	gctaccgttc	ttcacctacc	gtctacaact	cacctactga	720
caaagaagac	tacatgaccg	acctaagaa	tttggatact	tttctcagaa	gtgaagagga	780
gaaacagcat	aggggttaagc	tggggagccc	agattctacc	tctccttcca	gcagctctac	840
tttctggaac	tatagtctgt	ctatggggga	ttatgcacaa	actttaaaga	agtttcagta	900
tcagcttgcc	tgtaggtctc	aggcccatg	tgctaacaaa	gatgaagccg	atctcagctc	960
taaacaagcc	gcagaagagg	tctgggcaag	agtggctatg	aatagacaac	ttcttgatca	1020
tatggattca	tggacagcta	aatttagaaa	ttggatcaat	gagacaatat	tagtgccact	1080
tgttcaagag	attgagtctg	tcagcacaca	gatgagacga	atgggttgct	cagagctaca	1140
gataggagag	gctagtatta	ctagcttgaa	acaagctgcc	ctggttaaag	cgcctctcat	1200
tccgactttg	aacacaatcg	ttcagtatct	agaccttact	ccaaatcagg	aatacttggt	1260
tgaaaggatc	aaagaactat	ctcagggagg	ttgtatgagc	tcatttcgat	ggaacagagg	1320
tgggcacttc	aaaggacgaa	agtgggatac	agacctgccc	accgattctg	ctatcatcat	1380
gcattgtatt	tgcacctacc	ttgattccag	attacctcca	catccgaagt	atcccgacgg	1440
aaaaactttt	acttctcagc	actttgttca	gacaccaa	aaaccagatg	ttacaaatga	1500
gaatgttttt	tgcattttatc	agagtgtctat	caaccctccc	cattatgagc	tcactctacca	1560
gcgtcatgta	tacatacctg	ccaaagggca	gaaataatat	gtttcataca	ttgttgatgt	1620
ttctctacat	cataaagacc	aaagagtcag	agatgcttgg	gagagtta	cttggctcat	1680
tcgtgttgaa	tatatgttgg	atctttggcg	agtagcaagt	catatattta	attctgacat	1740
ttagactatt	tactgaacc	agaagtgcga	actaaacatc	tctgagccac	tgactcttct	1800
gaaataaaat	acacatgggt	gtatgttaca	gactctttag	atttaacaga	aaatgtagct	1860
gttatgaaat	gtaattgtaa	aaatatgtcc	cgtatcttct	atatcgagac	attgccttta	1920
attttatatc	gcttttcaga	aatttcagtt	gactacaaaa	ctgcaaccct	tcggattttt	1980
attgactcaa	aatagtgcc	ttccccttaa	tgaatatagat	tttgagtctt	tttttcattg	2040
taacccccaa	atgagaatca	tctacctgat	tcttgtagca	aaaaaaaatt	tttttcagtc	2100

tttttttttt ttaaagaggg tttttgccaa cccaaactgg agggcaggg

2149

<210> 396  
 <211> 1895  
 <212> DNA  
 <213> Homo sapiens

<400> 396  
 actgtagacc attagtccag tgcggtggaa ttcatacaacc gaaacaacag tgtggtacag 60  
 gtcctgcttg ctgctggggc tgatccaaac cttggagatg atttcagcag tgtttacaag 120  
 actgccaagg aacagggaat ccattctttg gaagtcctga tcacccgaga ggatgacttc 180  
 aacaacaggc tgaacaaccg cgccagtttc aagggtctga cggccttgca ctatgctgtt 240  
 cttgctgatg actaccgcac tgtcaaggag ctgcttgatg gaggagccaa cccctgcag 300  
 agaatgaaa tgggacacac acccttggat tatgcccgag aagggaagt gatgaagctt 360  
 ctgaggactt ctgaagccaa gtaccaagag aagcagcga agcgtgaggc tgaggagcgg 420  
 cgccgcttcc cctggagca ggcactaaag gagcacatca ttggccagga gagcgccatc 480  
 gccacagtgg gtgctgcgat ccggaggaag gagaatggct ggtacgatga agaaccacct 540  
 ctggtcttcc tcttcttggg atcatctgga ataggaaaaa cagagctggc caagcagaca 600  
 gccaaatata tgcacaaaga tgctaaaaaag ggcttcatca ggctggacat gtccgagttc 660  
 caggagcgac acgaggtggc caagtttatt gggctctccac caggctacgt tggccatgag 720  
 gagggtggcc agctgaccaa gaagtgagc cagtgcacca atgctgtggt gctctttgat 780  
 gaagtagaca aggccatcc agatgtgctc accatcatgc tgcagctgtt tgatgagggc 840  
 cggctgacag atggaaaagg gaagaccatt gattgcaagg acgcatctt catcatgacc 900  
 tccaatgtgg ccagcgacga gatcgacag cacgcgctgc agctgaggca ggaagctttg 960  
 gagatgagcc gtaaccgtat tgcgaaaac ctgggggatg tccagataag tgacaagatc 1020  
 accatctcaa agaacttcaa ggagaatgtg attcgcccta tcctgaaagc tcacttccgg 1080  
 agggatgagt ttctgggacg gatcaatgag atcgtctact tcctccctt ctgccactcg 1140  
 gagctcatcc aactcgtcaa caaggaaacta aacttctggg ccaagagagc caagcaaagg 1200  
 cacaacatca cgtgctctg ggaccgcgag gtggcagatg tgctggtcga cggctacaat 1260  
 gtgcaactatg gcgccgctc catcaaacat gaggtagaac gccgtgtggg gaaccagctg 1320  
 gcagcagcct atgagcagga cctgctgccc agggggctgt actttgcgca tcacggtgga 1380  
 ggactcagac aagcagctac tcaaaagccc agaactgccc tcacccagc ctgagaagcg 1440  
 cctccccaag ctgcgtctgg agatcatcga caaggacagc aagactcgca gactggacat 1500  
 ccgggcacca ctgcaccctg agaaggtgtg caacaccatc tagcagccac ctgcctgctc 1560  
 ctatgtgccc tcaccatcca ataaaggccc cttggctgtg gcatggcaaa aaaaaaaaaa 1620  
 agggggggcc gtttaaaaga acccttgggg ggccaaatt taaccgggc gggcaaggaa 1680  
 aaattttttt ccttatgggg ggccgaataa aaaccaacct gggaattttg ggaaagaacc 1740  
 cttatttttg gggggggaca aattgggcca acctccctac aaaaattaaa ggcttttagg 1800  
 aaaaaaaaaa tttttaaggg gaaaaggggg aaaaacaacc ggcataccct ggcggttggg 1860  
 aagttttgtt tacggagtat gathtagaaa aattt 1895

<210> 397  
 <211> 2416  
 <212> DNA  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <222> (1)...(2416)  
 <223> n = a,t,c or g

&lt;400&gt; 397

tttttttttt	tttttttttca	caagttatat	tttatttttaa	cacgaggatt	aacatatagt	60
tacaaggtca	atacaagcct	ccagtgggaag	ctcttttattt	ggtttaattc	catctccaga	120
gacaaacagg	caactctagg	accttttacag	tggcgatcgg	cctccacnac	agcaaaatgc	180
ctccaaagt	tagaattagt	gcaacacaca	tacgaacgtt	ttaaaggtgc	tcaacatcag	240
gttaaaatag	aattctggac	cttttttaaaa	agtttttggga	tgatataagc	acaggaggca	300
gagccaataa	gaaacatgaa	accaatattt	ctggaaaaaac	acttagcatg	aacgtcactt	360
tttgacgtcg	tgtaaaacttt	cttctgcaat	gacggatgtt	acaaaaaggc	attgagacct	420
ttgcgctgcg	ctggttagac	aagccgcagg	cttatctcca	cgggtgagcag	gataaaaaacc	480
cccaagggaac	agcccatgac	aaccttctgt	gccttttttat	actttcccat	cctacaaagg	540
aaaaactggg	taaaggacaa	gttcctccct	ttcattgcbt	ttctaagaac	ttttcagggc	600
aggttctttt	aaaattagtc	atcttacaaac	acaacagtat	tctagcacgg	tggcgaagtgc	660
acaggcggca	gatacggggg	aggaaggaga	cgttcacggg	aaattccaca	ttctactcta	720
tgtgaactgc	tccagaaaaa	tacagacatg	atttcacagt	aggattccca	gagtaaatga	780
tgatacatag	gacaactgac	ctcctctaag	aagcccggct	ggggcagcag	tgagcttttc	840
atggagccac	gcagactggc	ccggaagcaa	caccaggtt	caacatttaa	gagcactcgc	900
tataacattc	tttttgagcg	caggtggtgg	aaaagtttaa	aaaacaggcg	gaggagtgc	960
gggggggatac	aagcatatcc	tatactgggg	gtgacggtca	ttcaaagagc	aaattactgc	1020
agcttatatac	ttttccacta	tggtgcaaga	aatgaatcta	tcctgaccca	taatatgaaa	1080
gatgcgacgc	acatgcattc	ccgaggctct	aaaatcccat	tttaaagaac	cgtttcacat	1140
cctcgtggag	tggagagtgg	tccacttgac	ttggtgaggt	cagaagtcc	tgaagatccc	1200
tgtcgtcccc	gttgccgggg	gagcccattg	tggagctgtg	gggactgcca	cactcaccat	1260
gcacctgttg	gtttgcaggg	acagaggtgc	ggccttgact	cttctcacc	tgtgtcatcc	1320
gggcttgtct	ttcgtctgtc	aagtcagtc	tcctgcgtga	ctgatgggtg	caccacgctt	1380
aggtcacccg	ttgcagggac	cgggaagtcca	tggctctgcc	gcaaccctga	gcggtttgca	1440
gtcccccccg	gggaagaagc	agtcagagag	gctcacgctc	acctacttta	aaaacccaaa	1500
gccacttctc	cttcacctgc	ctgggcctca	gcgtctctgc	gcttggtggt	tctcgtcccc	1560
gagggctgac	tgagctgctc	cgggaagggtg	gtgtgtggtc	aaccttggtt	ggctgagagg	1620
agcaaatctc	tggtttccac	aagtaaagac	agccccatcc	cttgggacct	gtcctttccg	1680
tcctgtctcc	tttggtctct	ataggacttc	cttgtcttag	attcataaac	agcaagagga	1740
actgaggatg	cttgagggga	ccacctagtt	accaaagcca	agcaaagaat	aaagctgcc	1800
gacatcatcc	ccaggcttcc	gtggcgctct	cggtcacagg	agcttttaggc	caatggttcc	1860
tcttgactgt	ttttgcccc	aatgagagga	ggggctgctt	tgctttaagg	cgtggcggcg	1920
gggggggggt	ggtggccaca	gattagggga	cctcaggttt	tcctcaaaaa	cccacacagg	1980
gaaagaaact	tggctctaaa	agcaaaactca	acgaattcca	catgccctga	agagcacgtg	2040
ataaaaataca	agggtggtgg	cggcgggatc	cctcaaagga	ccacgagagg	cacggggtct	2100
ttggtgatga	aagtgcatac	ctcggcgggg	tgcggtagct	cacacctgta	atctcagcac	2160
tttgggaggg	tgaggcgggc	ggatcacctg	aggtcaggag	tttgagacca	gcctgaccac	2220
cacggtgaaa	ccctgtctct	actaaaaata	caaacattag	ccgggcgtgg	tgggtgcacgc	2280
ctgtaattcac	agctatttgg	gaggctgagg	gctggaatcc	aggaggtgga		2340
ggttgtagtg	agccgagatc	atgccactgc	actccagctc	gaacaataga	gcgagactcc	2400
cgtctcaaaa	aaaaaa					2416

&lt;210&gt; 398

&lt;211&gt; 1495

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 398

tggccattta	ggaaaaattg	tccttggggga	tcctctaaaa	aatccttttg	tgtccaatag	60
caccttaaaa	aacctggggc	ccagataatt	gttgaacctc	agatttagga	aggaaaaatt	120
ccaagctgtc	agctaaaggc	agtttcccc	atttcacaga	atatgtggta	gaagtccga	180
gtaaggaatt	ttttcagcag	ccatgaaagc	tcctgcata	aggaagactc	agtgtgcaac	240

atctgaaagc	agtattgcca	gagcatgact	gtggcaatga	agcaaaatgt	tccctccacc	300
tatccctccc	tcccatgtat	aatgcttgaa	gggtcagtc	ctgaaataag	tagagagaaa	360
agtgtttgct	gaaagagcta	atacataagt	caaccttcac	tggtaccaat	gaaggcttcc	420
cagttcaaaa	ttcaacaccc	agaaaaggca	gaaattttag	ctttaaatta	agtttaaat	480
ttcagttatc	ccagtggact	aggcatttaa	atctgaggag	ttccctgaga	ttccatatga	540
ggaaatgaaa	aacattagct	tgtggattaa	atttaaagag	actgtaagga	gaaaaacata	600
ttttatgaca	tgcctcttaa	ggactcctat	tatttcaatg	aatttgttac	agttataata	660
tgcttgtgat	aaaaaggcat	tatttattaa	gaaatctaaa	atgtaataat	atttcaatta	720
tatagtttta	gagaaccttt	cttgcccaac	acttttctga	tagcaagttg	gacatccttg	780
tttctgaggc	tataaaccat	ggggttttagt	aatggagtga	caatcgtgta	tgtcaccgtc	840
accagcctgt	ctttgttgga	cacatagttt	gctgtaggcc	tcaggtagat	gaaggaagca	900
cagccataat	gaacaataac	aacactgagg	tgagaggcgc	agggtgaaaa	cgctttccgt	960
ctgccctcag	ctgagggaat	cttcaggata	gtcctcagaa	tgcagaaata	agaaacacag	1020
ataaacagaa	agggaaccac	aagtacaaga	actccacaaa	tgaatatcac	aaatccgtta	1080
acatctgtgt	tggatacaagc	cagaagaatg	actgctgaga	tgtcacagaa	gtaatgattg	1140
actttgttgg	tgtacaaaa	agggaggctg	aaaactaaat	ttactactgt	aagagaggcc	1200
aagaagccac	caattgcaca	ggcagctgcc	agttttccac	acacctgcca	gctcataaga	1260
gtggggtaat	gcagaggggtg	acaaatggca	gcatagcgat	cataacccat	cacacccaat	1320
agcaggcagt	tggtaatggc	aaaaccaagg	aagaagaaca	tttgaagagc	acaacagttg	1380
aaggagattg	tcctggccac	agaaagtaga	ttgatgagca	tcttgggtag	aatgacaaag	1440
gtgtagaagt	ctcagatggt	gagagaaagc	caggaaagag	ccattggtgt	gtgga	1495

<210> 399  
 <211> 2752  
 <212> DNA  
 <213> Homo sapiens

<400> 399						
gcgaaccgcca	gcggctacac	ggtacccgcg	tgagaagctc	aagtccatga	cgtcccggga	60
caactataag	gcgggcagcc	gggaggccgc	gcgcgcgtgc	cgcagccgcc	gtagccgccg	120
cagccgcagc	cgccgctgcc	gccgaacctt	accctgtgtc	cggggccaag	cgcaagtatc	180
tggaggactc	ggaccccgag	cgcagcgact	atgaggagca	gcagctgcag	gaggaggagg	240
agggcgcaaa	ggtgaagagc	ggcatccgcc	agatgcgcct	cttcagccag	gacgagtgcg	300
ccaagatcga	ggcccgcatt	gacgaggtgg	tgtcccgcgc	tgagaagggc	ctgtacaacg	360
agcacacggt	ggaccggggc	ccactgcgca	acaagtactt	cttcggcgaa	ggctacactt	420
acggcgcccca	gctgcagaag	cgcgggcccc	gccaggagcg	cctctaccgc	ccgggcgacg	480
tggacgagat	ccccgagtgg	gtgcaccagc	tggatgacca	aaagctggtg	gagcaccgcg	540
tcacccccga	gggcttcgtc	aacagcgccg	tcacaaacga	ctaccagccc	ggcggctgca	600
tcgtgtctca	cgtggacccc	atccacatct	tcgagcgccc	catcgtgtcc	gtgtccttct	660
ttagcgactc	tgcgctgtgc	ttcggctgca	agttccagtt	caagcctatt	cgggtgtcgg	720
aaccagtgtt	ttccctgccg	gtgcgcaggg	gaagcgtgac	tgtgctcagt	ggatatgctg	780
ctgatgaaat	cactcactgc	atacggcctc	aggacatcaa	ggagcgccga	gcagtcacga	840
tcctcaggaa	gacaagatta	gatgcacccc	ggttggaac	aaagtccctg	agcagctccg	900
tgttaccacc	cagctatgct	tcagatcgcc	tgtcaggaaa	caacaggggac	cctgctctga	960
aacccaagcg	gtcccacccg	aaggcagacc	ctgatgctgc	ccacaggcca	cggatcctgg	1020
agatggacaa	ggaagagaac	cggcgctcgg	tgtgctgcc	cacacaccgg	cggaggggta	1080
gcttcagctc	tgagaactac	tggcgcaagt	catacagatc	ctcagaggac	tgctctgagg	1140
cagcaggcag	ccctgcccga	aaggatgaaga	tgcggcgcca	ctgagtctac	ccgccgccct	1200
cctgggaact	ctggetcatc	cttacgtagt	tgcctcctct	tttgttttga	gggttttgtt	1260
tttgtttttt	gggggggtttt	tgttttttgg	ttttgttttt	ttttgattct	atatattttt	1320
ccttggtttt	gttcgctggt	aaggctgaac	aatagaattg	gccaggacct	aggttctcat	1380
attcttggta	ttcctcctgg	atggaaaggc	tgttggcatc	aatagggggac	agaggctgat	1440
gctggagtgg	ccagtagagg	tggtaggagca	gagcaccat	cttttaagtg	gggctgtatc	1500
aggctgggtt	tatttaaaag	caacaaaatg	ttttggttaa	gaaaattatt	ttgctttcag	1560
tgtaaatctt	cgcagtgttc	taaacaaagt	tcagtcttct	gcttgccctt	ttccctcact	1620
gatgtctgca	cttggttgag	gtctcctgga	gcctcacagg	ctctgctgtt	ctccacttct	1680

cacctgccat	ccacgcctg	caagctcatg	caaacaccct	ttcttctctc	tgccggcagag	1740
ttgttcaggt	tgcttgggca	ggggcttaaa	cagtgccagc	ccttgccatc	ccaaagctat	1800
tgtaagccc	cccaggcgtc	ctccaccac	gccactagc	ctgccatgtc	cacagttcct	1860
tggtgtgctg	aggggctagt	gcagtgggtc	tgacctctct	tatcaagagc	acacttcttt	1920
gctggttgct	ccttttgagc	atatgcgtgt	gattatttgg	aacagttaga	cttgccacgt	1980
tggttcagtt	ttagaaattg	ttcttagcta	gagggaactg	tgctctcca	agcttagcat	2040
ttgggttatg	gaaaattggt	gtggtgtgtg	gtagggtttt	tgttttcttt	tttgagtttt	2100
ttttccctct	ttagtctccc	tggttttttc	ctttcccttc	ccttctccac	tgccagcctt	2160
gggcctcatc	ctcatgtcat	ccttctagga	aggcgcctgc	cccatcttgt	ctgccggcag	2220
catgcatcca	aggccagagc	tcaggcctgc	agactgggct	ggtgcctcct	ccgcttcagg	2280
gtatgggagt	tggtgaagg	gctttcaaaa	aataataaga	aaaaaaaggt	aaagtctttg	2340
gtagcttcta	tccactcaga	tcctggaagg	cagcaagggt	ttgtggatct	agattcatta	2400
ggaatgtctt	cttgtcagcc	aggccaggac	ccgggcttgc	caagagcaga	ggccctccca	2460
gcaaccagga	taccaccact	ttgggggctt	tggttacaga	ggtccgggtc	tgagacctca	2520
taggctgcag	aaatctgggg	cagccaccat	caagaagccc	ctctcagggg	ccagaactcc	2580
tttgccagcg	tggttttctc	aagtcgggac	tgcataatta	aagcagttgc	agttttattt	2640
tttttacagc	ttttttccca	aaaatgattt	atagttgtgt	gtgcagcact	tcgccttgaa	2700
atgtgtgctc	tacaataaac	aaccaaatct	aatatatttt	gaaaaaaaaa	aa	2752

&lt;210&gt; 400

&lt;211&gt; 2354

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 400

agccctgctc	atggcagtg	ggtgggctcc	cagctgctga	ggccaccag	cactagttag	60
tgacttgga	tttttatttt	tgttcagatc	acaagaatgg	gcattacatc	atcccacaga	120
tggtcgacag	atctcgga	aagtgcattg	ctcagagcct	tgacttatcc	gaattggcca	180
aagctgctaa	gaagaagctg	caggcgctca	gcaaccggct	ttttgaggaa	ctcgccatgg	240
acgtgtatga	cgagggtgat	cgaagagaaa	atgatgcagt	gtggctggct	acccaaaacc	300
acagcactct	ggtgacagag	cgcagtgtct	tgcccttctc	gcctgttaac	ccggaatact	360
cagccacgcg	gaatcagggg	cgacaaaagc	tggcccgtct	taatgcccga	gagtttgcca	420
ccttgatcat	cgacattctc	agtgaggcca	agcggagaca	gcagggcaag	agcctgagca	480
gccccacaga	caacctcgag	ctgtctctgc	ggagccagag	tgacctcgac	gaccaacacg	540
actacacag	cgtggcctct	gacgaggaca	cagaccagga	gcccctgcgc	agcaccggcg	600
ccactcggag	caaccgggccc	cggagcatgg	actcctcgga	cttgtctgac	ggggctgtga	660
cgctgcagg	agtacctgga	gctgaagaag	gccctggcta	catcggaggc	aaaggtgcag	720
cagctcatga	aggtcaacag	tagcctgagc	gacgagcttc	cggaggctgc	agcgagagca	780
ctttgcaccc	atagatccac	aagctgcagg	cggagaacct	gcagctccgg	cagcctccag	840
ggccgggtgcc	cacacctcca	ctccccagtg	aacgggcgga	acacacaccc	atggcgccag	900
gcgggagcac	acaccgcagg	gatcgccagg	ccttttccat	gtatgaacct	ggctctgccc	960
tgaagccctt	tgggggcccc	cctggggacg	agctcactac	gcggctgcag	cctttccaca	1020
gcactgagct	agaggacgac	gccatctatt	cagtgcacgt	ccctgctggc	ctttaccgga	1080
tcgggaaagg	ggtgtctgcc	tcagctgtgc	ccttcaactc	ctcctccccg	ctgctgtcct	1140
gctcccagga	gggaagccgc	cacacgagca	agctttcccc	ccacggcagt	ggagccgaca	1200
gtgactatga	gaacacgcaa	agtggggacc	cactgctggg	gctggaagg	aagaggtttc	1260
tagagctggg	caaagaggaa	gacttccacc	cagagctgga	aagcctggat	ggagacctag	1320
atcctgggct	tcccagcaca	gaggatgtca	tcttgaagac	agagcaggtc	accaagaaca	1380
ttcaggaaact	gttgccggca	gcccaggagt	tcaagcatga	cagcttcgtg	ccctgctcag	1440
agaagatcca	tttgctgtg	accgagatgg	cctccctctt	cccaaagagg	ccagccctgg	1500
agccagtgcg	gagctcactg	cggctgctca	acgccagcgc	ctaccggctg	cagagtgcag	1560
gccggaagac	agtgcctcca	gagcccgccg	ccccagtgga	cttccagctg	ctgactcagc	1620
aggtgatcca	gtgcgcctat	gacatcgcca	aggctgccaa	gcagctggtc	accatcacca	1680
cccagagaaa	gaagcagtga	cctctctccc	cacaccctca	cctgcaccct	aggacctcac	1740
tgcccatagg	agctggggcca	ctccagacat	taatccccac	cccaacagag	ccactggcac	1800
aagtgecctt	agtgtgtcca	cactccctgg	cagccagggtg	ccctgggtgcc	caccctgtgc	1860

gagccctaa	ggatggggag	gtgggggggc	aggagcttct	gtccccca	ttccatgcac	1920
ctcccctctg	tatatagcat	ctccccctc	ctagttagca	ggggcctgca	aggcatcact	1980
ccdagccct	cgcttctag	ggcaccctca	gcaaaggggc	aggtagggac	actccaagt	2040
gggcagctct	ccgtacatgc	gccccacccc	catgagccag	ttcagcccta	ctgggggctg	2100
agcgggggca	tcccctcctt	tgtacatagt	ctccatggat	gtccctgccc	tgtagccacc	2160
agccccctgc	tgctctccct	ttaatgccat	atggcccctg	cctagggcac	aggccccaac	2220
ctgtgtgctg	gggtccccag	cagcaaacac	tggaaagtct	gttttttttt	tttctttctt	2280
cttccccacc	ccttaatttt	aactttgtgg	taactgagtg	ccccgcgtg	cctgcgtgtt	2340
gagtgtgtgg	gcgg					2354

<210> 401  
 <211> 3455  
 <212> DNA  
 <213> Homo sapiens

<400> 401

agatattttaa	gctatgggtc	cggccccaaa	cgattcccct	tggtagatgt	tcttcagtat	60
gcattggaat	ttgcctcaag	taaacctgtt	tgcacttctc	ctggtgacga	tattgacgct	120
agttccccac	ctagtgggtc	cataccatca	cagacattac	caagcacaac	agaacaacag	180
ggagccctat	cttcagaact	gccaagcaca	tcaccttcac	cagttgctgc	catttcacgc	240
agatcagtaa	tacacaaacc	atttactcag	tcccggatac	ctccagattt	gcccacgcat	300
ccggcaccaa	ggcacataac	ggaggaagaa	ctttctgtgc	tggaaagtgt	tttacatcgc	360
tggaggacag	aaatagaaaa	tgacaccaga	gatttgcagg	aaagcatatc	cagaatccat	420
cgaacaattg	aattaatgta	ctctgacaaa	tctatgatac	aagttcccta	tcgattacat	480
gccgttttag	ttcacgaagg	ccaagctaata	gctgggcact	actgggcata	tatttttgat	540
catcgtgaaa	gcagatggat	gaagtacaat	gatattgctg	tgacaaaatc	atcatgggaa	600
gagctagtga	gggactcttt	tggtgggtat	agaaaagcca	gtgcatactg	tttaatgtac	660
ataaatgata	aggcacagtt	cctaatacaa	gaggagttaa	ataaaaactg	ggcagcccct	720
tgttgggtata	gaaacattac	caccggattt	gagagatttt	gttgaggaag	acaaccaacg	780
atttgaaaaa	gaactagaag	aatgggatgc	acaacttgcc	cagaaagctt	tgaggaaaaa	840
gcttttagcg	tctcagaaat	tgagagagtc	agagacttct	gtgacaacag	cacaagcagc	900
aggagaccca	aaatatctag	agcagccatc	aagaagtgat	ttctcaaagc	acttgaaaaga	960
agaaaactatt	caaataatta	ccaaggcatc	acatgagcat	gaagataaaa	gtcctgaaac	1020
agttttgacg	tcggcaatta	agttggaata	tgcaagggtg	gttaagttgg	cccaagaaga	1080
caccocacca	gaaaccgatt	atcgtttaca	tcatgtagtg	gtctacttta	tccagaacca	1140
ggcaccaaaag	aaaaattattg	agaaaacatt	actagaacaa	tttgagata	gaaatttgag	1200
ttttgatgaa	agggtgcaca	acataatgaa	agttgctcaa	gccaaactgg	aaatgataaa	1260
acctgaagaa	gtaaaacttg	aggaatatga	ggagtggcat	caggattata	ggaaattcag	1320
ggaaacaact	atgtatctca	taattgggct	agaaaatttt	caaagagaaa	gttatataga	1380
ttccttgctg	ttcctcatct	gtgcttatca	gaataacaaa	gaactcttgt	ctaaaggctt	1440
atacagagga	catgatgaag	aattgatatc	acattataga	agagaatgtt	tgctaaaatt	1500
aaatgagcaa	gccgcagaac	tcttcgaatc	tggagaggat	cgagaagtaa	acaatggttt	1560
gattatcatg	aatgagttta	ttgtcccatt	tttgccatta	ttactgggtg	atgaaatgga	1620
agaaaaggat	atactagctg	tagaagatat	gagaaatcga	tggtgttcct	accttggtca	1680
agaaatggaa	ccacacctcc	aagaaaagct	gacagatttt	ttgccaaaac	tgcttgattg	1740
ttctatggag	attaaaagtt	tccatgagcc	accgaagtta	ccttcataatt	ccacgcagta	1800
actctgtgag	cgtatttgccc	gaatcatggt	gtccctcagt	cgaactcctg	ctgatggaag	1860
ataaactgca	cactttccct	gaacacactg	tataaactct	ttttagttct	taacccttgc	1920
cttcctgtca	cagggtttgc	ttgttgctgc	ttagtttttt	aacttttttt	tattttaata	1980
actgcaaaag	acaaaatgac	tatacagact	tatgtcagac	tgcaagacaat	aaagctgaaa	2040
atcgcatggc	gtccagacat	tttaaccgga	actgatgtat	aatcacaaat	ctaattgatt	2100
ttattatggc	aaaactatgc	ttttgccacc	ttcctgttgc	agtattactt	tgcttttatc	2160
ttttctttct	caacagcttt	ccattcagtc	tggatccttc	catgactaca	gccatttaag	2220
tgttcagcac	tgtgtacgat	acataatatt	tggtagcttg	taaatgaaat	aaagaataaa	2280
gttttattta	tggctacctt	tgtgtttgta	agcaggtata	ttgtatatta	gtgtattagt	2340
aatactagat	aaatgaattt	tgtctgggga	ttaagattgg	atagttaata	gattaataca	2400



atctttttaaat	tctgctcttaa	tgctagcaaa	ttggaaaatg	tttaagtctt	tgacacttaa	2460
atztatctat	atttttaaca	aagttcttga	acttagtatg	gcaccggaac	ctgttttgaa	2520
ttcagtcagg	tttttactca	agtaagtgg	tgattttttt	taagtcaaac	tacactgaaa	2580
cttttatcct	tttcttagat	taatcttact	ttttaaatgt	atttacaata	tacagcaagg	2640
tgattatttc	aagagaatcc	caaagtactt	gaataagggc	tattgtaaaa	tttaaaagaa	2700
atatttatat	atacacatat	atacacatac	acacatgtat	atatatatc	ttcataatgg	2760
aggacaatgt	tttgcaatat	ataaatcatt	ctatttttgt	aaattgtata	tcactttaat	2820
tgaaaatggt	ctctactaat	taatactgtg	aaacaaaatt	gatgttgttt	aactagaagt	2880
tatgagtatc	tttaactgcct	ttattccttt	tcaaaaagga	aaaagctgta	gaacattttg	2940
tagatgaaac	tactgtttta	gattaatgaa	ttaatattgt	gaatgaaaat	caaaatccat	3000
acttttaaagg	taatcatggt	actaacaacc	tatttttgaa	ttcataaaaa	tttctttata	3060
aatgatgttt	tgtgaacata	gtaaaataga	ccattatact	atgtgtatgt	ttgatacagc	3120
gtcgccaaaa	ctagtgttct	ttattagtgc	ctctcacaâa	agatcctgga	tggaggagta	3180
agatgaaata	tttgctattt	atatgatgct	gtttgtaaag	gtattaatgt	actagtaagg	3240
tgtaaatgac	aagggaattag	tactattcct	gttgtaaagt	tagattttgc	atattgtatc	3300
tatcaaaata	tgtttgggtt	tagattttta	gttgcttact	gagcagattt	ctgcattggt	3360
tttccagtc	tgtaaaaagt	ttagaaactt	catatgtgtc	atcacagctt	ttgtaaagaa	3420
agtatcctta	atattttatg	acattctacc	acaaa			3455

<210> 402  
 <211> 1266  
 <212> DNA  
 <213> Homo sapiens

<400> 402						
gcacaggtct	atgtccggat	ggactctttt	gatgaggacc	tgcacgacc	cagtggctta	60
ttggctcagg	aacgcaagct	ttgccgagat	ctagtccata	gcaacaaaaa	ggaacaggag	120
tttcggtcca	ttttccagca	catacaatca	gctcagtcct	agcgtagccc	ctcagaactg	180
tttgcccaac	atatgggtgc	ccattgttca	ccatgttaaa	gagcatcact	ttgggtcctc	240
aggaatgaca	ttacatgaac	gctttactta	aatacctaaa	aagagggaac	tgagcaggag	300
gcagccaaaa	acaagaaaag	cccagagata	cacaggagaa	tagacatttc	ccccagtaca	360
ttcagaâaac	atggtttggc	tcatgatgaa	atgaaaagtc	cccgggaacc	tggctacaag	420
gatgggcata	attctaaaaa	tgaactacaa	agggttaatt	tttattaaat	gtatcaacaa	480
ccttttgtgaa	gtgggttagaa	tatggtaa	gaccccaaag	tctattgagg	tgagcttgag	540
aaaaaaaaaa	gaggagtttt	ggaacaagt	cccatgatga	gagaagaaac	tttttgtgat	600
atttttctgc	ttgtaagtat	tatcaaatca	actgtataca	tgactatttt	ccaaccatga	660
tttcagaaag	acatgcatgt	cagagaagag	tgaatatctc	atgtcttaac	ttaagtagac	720
tgttttttaa	cagctgggtc	agtttttttt	cctaacattg	taccatatct	atcatctgtc	780
aattactggt	actttaaagc	taaagattac	tttgatggcc	cagctacatt	tgcaatgatg	840
tgcacgtaaa	cactgttaag	aggttaaagc	ttgtatacaa	tctgttactg	tgaataaact	900
aaattgggct	ttaaaaaaat	cttagtat	attgatcttc	attcacatat	acagttgaaa	960
tttaaaataa	cagatgggtta	ttccaatgct	gctgaaacct	tttctaaaaa	atacttgttt	1020
tgttgggtga	atgtgatgag	aggcgcttct	gggcagtcct	tcttctctcc	caccctctt	1080
tcctcctccg	agtacccctt	ctccagcttt	gtactagcca	tgtaaaaccc	aagggtttct	1140
ttaaaacatc	agaagagatc	tcgtcctcca	tgcacccaaa	aagccaactc	attggagggtg	1200
ttaccctcgg	gagcagtggt	gcatttgtct	ttttgtcttt	ttttgtctct	tggaggatgc	1260
agaggc						1266

<210> 403  
 <211> 1006  
 <212> DNA  
 <213> Homo sapiens